

**TIRES
TOOLS &
CHEMICALS**

**2025
UPDATE**



QUICKLY FIND
ALL THE PARTS
YOU NEED ON
OUR WEBSITE



**PARTS
EUROPE**

DRAG
Specialties





A Look At Whats New For 2025

Here is the 2025 Parts Europe/ Drag Specialties Tires, Tools & Chemicals catalogue update! This catalogue highlights new tires along with the latest tools, lubricants, chemicals, polishes and other products needed to keep machines running at peak performance.

Be sure to keep the 2024 Parts Europe / Drag Specialties Tires, Tools & Chemicals catalogue! You can still order from it. This update catalogue is designed to supplement the 2024 Tires, Tools & Chemicals main catalogue.

Combine it with your other Parts Europe and Drag Specialties main and update catalogues for quick access to everything needed for your street bike, V-Twin, offroad bike, ATV/UTV, snowmobile, E-Bike or watercraft.

For riding gear, helmets and casual apparel, see the 2025 Parts Europe/ Drag Specialties Helmet & Apparel catalogue.

We are still adding new products daily! Be sure to check partseurope.eu all year long to see what is new from Parts Europe.

Parts Europe and Drag Specialties

- We support dealers, their customers and the sport!

All model designations and applications used herein are determined by the manufacturer as USA and/or European specific. Contact the individual manufacturer for additional international model information.




Table Of Contents

Street Tires	6-9	General Metric Service/ Maintenance Tools	26-37
Scooter Tires	10	V-Twin Tools.	38-40
Offroad Tires	11-14	Chemicals, Lubricants & Polishes	41-43
ATV/UTV Tires & Wheels	15-22	Transport & Trailer	44
Tubes & Accessories	23-24		
Shop Equipment & Stands	25		

Missing Something Here?

That's right and we did it on purpose!

To make your life easier, we have put together the almost endless selection of products from many popular top manufacturers in the clothing and equipment sector into our latest addition to the well-known PARTS EUROPE catalog range. Find the huge selection of the latest helmets, eyewear, riding gear, accessories, apparel and rider protection from the top brands of the powersports business in our new **HELMET & APPAREL CATALOG 2025!**




**PARTS
EUROPE**
WE SUPPORT THE SPORT®



Discover The Hottest New
Additions To Our Stock

BASIC TIRE INFORMATION

SAFETY INFORMATION: THE FOLLOWING INFORMATION MUST BE GIVEN TO PURCHASING PERSONNEL, MOTORCYCLE TECHNICIANS, TIRE FITTERS AND CUSTOMERS.



Note: Tire markings on chart are representational, and actual tire markings may differ from shown. Markings may vary by manufacturer.

TYPICAL TIRE MARKINGS

- 01** Brand name and registered trademark.
- 02** Type of tread pattern and/or product line.
- 03** Nominal section width, expressed in metric, inch or alpha; see size chart below.
- 04** Ratio between tire section height and nominal section width. This ratio is not indicated when section width is expressed in inches (eg. 3.50-18).
- 05** Code for tire construction (- = Bias, R = Radial, B = Bias Belted).
- 06** Nominal rim diameter size in inches.
- 07** "Motorcycle" in abbreviated form. Differentiates motorcycle tires and rims from those designed for other vehicles. Shown on some models only.
- 08** Speed symbol. Indicates the tire's speed; see speed rating chart below.
- 09** Tubeless (TL) or tubetype (TT), as applicable.
- 10** Expresses the tire's maximum load capacity (pounds) at the pressure indicated (psi); see load index chart below.
- 11** Indicates where the tire was produced.
- 12** Abbreviation of "US Department of Transportation." Serves to indicate that the tire conforms to the regulations issued by the US Department of Transportation. Includes the serial # for the tire, and the last 3 or 4 numbers represent the date. Example: 3805 means the tire was produced in the 38th week of 2005.
- 13** The arrows indicate the direction of rotation of the tire according to the fitting position (Front-rear); applicable for directional tires only.
- 14** Number of plies and material.
- 15** Tread Wear Indicator, as applicable.
- 16** Homologation number as of ECE-R75.

SIZE

Size may be indicated in inches, metric, or by letters (alpha). The chart shows the approximate comparison of the different size indications.

STREET TIRE SIZE CONVERSION CHART

INCH:	2.75/3.00	3.25	3.50	3.75/4.00	4.25/4.50	5.00/5.10	5.50	6.00
METRIC:	80	90	100	110	120	130	140	150
ALPHA:	MH	MJ	MM	MN/MP	MR	MT	MU	MV


MOTORCYCLE OFF-ROAD TIRE SIZE CONVERSION CHART

METRIC	FRONT TIRES METRIC	INCH	METRIC	REAR TIRES METRIC	INCH
60/100	90/80	2.50/2.75	80/100	80/90	2.50/3.60
70/100	90/80	2.75/3.00	90/100	110/90	3.60/4.10
80/100	100/80	3.00/3.25	100/100	130/80	4.00/4.50
-	-	-	120/100	140/80	5.00/5.10

SAFETY WARNINGS:

- WARNING** Tire failure hazard, which if not avoided, could result in death or serious injury. Always maintain recommended tire pressure. Underinflated tires can overheat and fail. Over inflated tires can also fail.
- WARNING** Tire failure hazard, which if not avoided, could result in death or serious injury. The load index and speed rating of your tires must meet or exceed vehicle manufacturer's original equipment. Check your vehicle owner's manual for tire specifications. Follow the vehicle manufacturer's and tire manufacturer's recommendations for tire care, maintenance, mounting, and warranty. Allow only trained personnel using proper equipment to mount tires.
- WARNING** Any fitment suggestions in this catalog contemplate that a product fits the selected vehicle only in manufacturer's original configuration. If your vehicle has been modified, the product identified may not be suitable and use could result in death or serious injury.
- WARNING** Tires that are designated as Not For Highway Service (NHS) must not be used in highway service. Using NHS tires in highway service may result in tire failure causing an accident resulting in serious personal injury or death.
- WARNING** TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

SPEED CATEGORY



LOAD INDEX CHART

U	KG.	U	KG.	U	KG.	U	KG.
0	45.0	30	106.0	60	250.0	90	600.0
1	46.2	31	109.0	61	257.0	91	615.0
2	47.5	32	112.0	62	265.0	92	630.0
3	48.7	33	115.0	63	272.0	93	650.0
4	50.0	34	118.0	64	280.0	94	670.0
5	51.5	35	121.0	65	290.0	95	690.0
6	53.0	36	125.0	66	300.0	96	710.0
7	54.5	37	128.0	67	307.0	97	730.0
8	56.0	38	132.0	68	315.0	98	750.0
9	58.0	39	136.0	69	325.0	99	775.0
10	60.0	40	140.0	70	335.0	100	800.0
11	61.5	41	145.0	71	345.0	101	825.0
12	63.0	42	150.0	72	355.0	102	850.0
13	65.0	43	155.0	73	365.0	103	875.0
14	67.0	44	160.0	74	375.0	104	900.0
15	69.0	45	165.0	75	387.0	105	925.0
16	71.0	46	170.0	76	400.0	106	950.0
17	73.0	47	175.0	77	412.0	107	975.0
18	75.0	48	180.0	78	425.0	108	1000.0
19	77.5	49	185.0	79	437.0	109	1030.0
20	80.0	50	190.0	80	450.0	110	1060.0
21	82.5	51	195.0	81	462.0	111	1090.0
22	85.0	52	200.0	82	475.0	112	1120.0
23	87.5	53	206.0	83	487.0	113	1150.0
24	90.0	54	212.0	84	500.0	114	1180.0
25	92.5	55	218.0	85	515.0	115	1215.0
26	95.0	56	224.0	86	530.0	116	1250.0
27	97.5	57	230.0	87	545.0	117	1285.0
28	100.0	58	236.0	88	560.0	118	1320.0
29	103.0	59	243.0	89	580.0	119	1360.0

WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

STREET
TIRES

V-TWIN
TIRES

SCOOTER
TIRES

OFFROAD
TIRES

ATV/UTV
TIRES &
WHEELS

BICYCLE
TIRES

TUBES &
ACCESSORIES

SHOP
EQUIPMENT
& STANDS

GENERAL
METRIC
SERVICE/
MAINTENANCE
TOOLS

V-TWIN
TOOLS

CHEMICALS,
LUBRICANTS
& POLISHES

TRANSPORT
& TRAILER

MERCHANDISING



ContiSportAttack Front/Rear

CONTISPORTATTACK VALUE SPORT RADIAL TIRES

- Engineered to meet the demands of today's powerful, high-performance sportbikes and naked muscle bikes
- 0° steel belt spooled onto a rayon base construction delivers the highest possible levels of grip, stability and control
- Ideal occasional track day tire
- Excellent grip in dry and wet conditions
- Excellent braking feedback
- Positive feedback at maximum lean angles

- Continuous transition from center to shoulder equals smooth, predictable performance
- Reduced kickback thanks to 0° steel belt on rear tire
- Stunning tread pattern to match today's sportbikes
- Tubeless (TL)
- See page 90 of the 2024 Europe Tires, Tools & Chemicals catalog for additional Contisportattack tire sizes

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
REAR			
190/50 ZR 17	(73W)	TL	0302-1204

CONTIMOTION HIGH-PERFORMANCE SPORT-TOURING RADIAL TIRES

- Sport touring all-season radial with high-end performance at a lower price
- Ideal for entry-level riders and price-conscious veterans
- Offers safe, reliable feedback on dry or wet roads
- Formulated polymers in the compound deliver an impressive cost/mileage ratio
- 0° steel-belt construction for improved stability and a smooth ride
- Value-priced leader
- Tubeless (TL)
- See page 92 of the 2024 Europe Tires, Tools & Chemicals catalog for additional Contimotion tire sizes



ContiMotion Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
REAR			
160/60ZR17	(69W)	TL	0302-1067

WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.



TKC 80

- Renowned for world class on and off-road performance and trusted since 1985
- Updated sidewall to fit modern bikes
- Improved compound mixing process increases safety in wet conditions
- New breaker material retains durability while giving a more stable ride
- Blackwall
- Tubeless (TL)



SIZE	LOAD/SPEED INDEX	TL/TT	PART #
FRONT			
120/70-19	60Q	TL	0316-0673
90/90-21	54T	TL	0316-0674

TKC 80 Front/Rear			
SIZE	LOAD/SPEED INDEX	TL/TT	PART #
REAR			
170/60B17	69Q	TL	0317-0916
120/90-18	65R	TL	0317-0917
140/60-18	70R	TL	0317-0918
150/70B18	70Q	TL	0317-0919



BATTLAX BT-45

BIAS-PLY SPORT-TOURING TIRES

- Sport touring bias-ply tires for mid-sized sport-touring bikes and older sport bikes
- Features silica-enriched compound for exceptional wet and dry grip
- Dual Tread Compound (DTC) in the rear allows for longer mileage than single compound and better stability from center, while shoulders offer grip and performance while cornering
- Larger crown radius contributes to excellent stability for high-speed touring
- Tubeless (TL)
- See page 78 of the Parts Europe Tire, Tools & Chemicals catalog for additional sizes of Battlax BT-45 tires



SIZE & RATING	LOAD/SPEED INDEX	TL/TT	PART #
BT-45R FRONT			
4.00 - 18	64H	TL	0305-0171



TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

STREET
TIRES

V-TWIN
TIRES

SCOOTER
TIRES

OFFROAD
TIRES

ATV/UTV
TIRES &
WHEELS

BICYCLE
TIRES

TUBES &
ACCESSORIES

SHOP
EQUIPMENT
& STANDS

GENERAL
METRIC
SERVICE/
MAINTENANCE
TOOLS

V-TWIN
TOOLS

CHEMICALS,
LUBRICANTS
& POLISHES

TRANSPORT
& TRAILER

MERCHANDISING



MAXXIS®

PROMAXX M1602/M6103

- Sporty cross-ply tire for high speeds
- Meets all the requirements of a high-performance cross-ply road tire
- Safe driving in wet conditions
- Central tread grooves for optimum water displacement
- Sporty tread design with excellent handling characteristics
- Outstanding driving stability at high speeds
- Tubeless (TL)

Promaxx M1602/M6103 Front/Rear

SIZE	TL/TT	PART #	SIZE	TL/TT	PART #	SIZE	TL/TT	PART #
130/90-15	TL	0306-0905	110/70-17	TL	0305-0991	140/70-17	TL	0306-0909
140/90-15	TL	0306-0906	110/80-17	TL	0305-0992	100/90-19	TL	0305-0993
130/90-16	TL	0306-0907	130/70-17	TL	0306-0908			



K65 Front/Rear

HEIDENAU

K65

- Designed for touring motorcycles
- The contour of the tire provides the best performance and handling
- The silica-rich compound offers good grip under every weather condition
- Tubeless (TL)
- See page 98 of the 2004 Europe Tires, Tools & Chemicals catalogue for additional K65 tire sizes

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SIZE	LOAD/SPEED INDEX	TL/TT	PART #
FRONT				REAR			
130/90B - 16	74H	TL	0305-0990	130/90B - 16	74H	TL	0306-0904



TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.



K34 Vintage Front

K34 VINTAGE

- Classic design combines with modern tire technology
- Mixtures of components and solid blocks give superior performance, stability and traction
- Can be used as front or rear tire
- Tube type (TT)
- See page 99 of the 2024 Parts Europe Tire, Tools & Chemicals catalog for additional sizes of K34 Vintage tires

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
FRONT			
3.25 - 18	52H	TT	0305-1020



K37 Vintage Enduro Rear

K37 VINTAGE ENDURO

- Classic look with block thread pattern
- Profile design creates good stability
- Tube type (TT)
- See page 101 of the 2024 Parts Europe Tires, Tools & Chemicals catalog for additional sizes of K37 Vintage Enduro tires

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
REAR			
4.00 - 19	71P	TT	0317-0922

WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

STREET
TIRES

V-TWIN
TIRES

SCOOTER
TIRES

OFFROAD
TIRES

ATV/UTV
TIRES &
WHEELS

BICYCLE
TIRES

TUBES &
ACCESSORIES

SHOP
EQUIPMENT
& STANDS

GENERAL
METRIC
SERVICE/
MAINTENANCE
TOOLS

V-TWIN
TOOLS

CHEMICALS,
LUBRICANTS
& POLISHES

TRANSPORT
& TRAILER

MERCHANDISING

MAXXIS®

SUPERMAXX SC MA-SC

- This durable tire with high mileage and low rolling resistance has been designed to guarantee good cornering performance and stability on both wet and dry roads
- With its dual compound, the rear tire ensures the perfect balance between mileage and grip
- Tubeless (TL)

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
FRONT			
120/70R15	56H	TL	0340-1350



Supermaxx SC MA-SC Front/Rear			
SIZE	LOAD/SPEED INDEX	TL/TT	PART #
REAR			
160/60R15	67H	TL	0340-1351

Continental

CONTISCOOT

- Exceptional grip in wet conditions
- High comfort on uneven driving surfaces
- High mileage and uniform wear ensures performance for the life of the tire
- Shortest braking distances on wet and dry surfaces
- Tubeless (TL)
- See page 167 of the 2024 Europe Tires, Tools & Chemicals catalog for additional Contiscoot tire sizes

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
FRONT			
120/70 - 15	56S	TL	0340-1348



ContiScoot Front/Rear			
SIZE	LOAD/SPEED INDEX	TL/TT	PART #
REAR			
140/70 - 14	68S	TL	0340-1349

Continental

CONTITWIST

- Recently developed carcass designed to handle large capacity scooters
- Innovative compound provides grip in all driving conditions regardless of mileage
- Excellent stability and handling
- White wall (WW)
- Tubeless (TL)
- See page 167 of the 2024 Europe Tire, Tools & Chemicals catalog for additional Contitwist tire sizes

SIZE	LOAD/SPEED INDEX	TL/TT	SIDEWALL	PART #
FRONT/REAR				
120/70 - 12	58P	TL	WW	0340-0779



WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

MAXXCROSS MX-MH M7325/M7326

- Completely newly developed "Midhard" tire that completes the range of MX competition tires
- The MX-MH tire can be used on loose ground with hard surfaces through to extreme hard ground
- The newly developed substructure and the new tread pattern give this tire optimum performance in its area of use
- Tested under the most extreme conditions with riders from the Motocross World and European Championships
- Tube Type (TT)
- Not certified for use on public roads (NHS)

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
FRONT			
80/100-21	51M	TT	0312-0617
REAR			
100/90-19	57M	TT	0313-1128



Maxxcross MX-MH Front/Rear			
SIZE	LOAD/SPEED INDEX	TL/TT	PART #
REAR (CONT)			
110/90-19	62M	TT	0313-1129
120/80-19	63M	TT	0313-1130

MAXXCROSS MX-ST M7332

- The new generation of Maxxis Motocross tires and a real all-rounder
- The completely newly developed lightweight carcass construction and the completely new tread design give the MX-ST high stability, excellent handling characteristics and outstanding traction values on the most diverse surfaces
- Possible applications range from sand/sludge to loose ground and intermediate terrain
- The American Supermotocross legend Jeremy McGrath was instrumental in the development and testing of the tires
- Tube Type (TT)
- Not certified for use on public roads (NHS)

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
FRONT			
60/100-14	30M	TT	0312-0615
70/100-17	40M	TT	0312-0616
REAR			
2.75-10	38J	TT	0313-1127



Maxxcross MX-ST Front/Rear			
SIZE	LOAD/SPEED INDEX	TL/TT	PART #
REAR (CONT)			
90/100-14	49M	TT	0313-1121
120/100-18	68M	TT	0313-1122
120/80-19	63M	TT	0313-1123



WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



Maxxcross IT Rear

MAXXCROSS IT M7304/M7305

- The Maxxcross IT gives you the edge with exceptional performance, especially on hard surfaces
- Specially developed tread blocks
- Excellent stability and grip
- Successfully tested at US Motocross Championships
- Tube Type (TT)
- Not certified for use on public roads (NHS)

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
REAR			
90/100-21	57M	TT	0313-1131



Maxxcross SI Front/Rear

MAXXCROSS SI M7311/M7312

- Race-proven tire compound
- Stable straight-line stability and dynamic cornering
- The Maxxcross SI was developed and successfully tested in the American Grand National Cross Country series
- Race-proven tread pattern
- Excellent traction on medium hard, clay and muddy surfaces
- Side lugs ensure firm, stable straight-line running and provide improved grip during dynamic cornering
- Loam/mud, intermediate, loose/hard ground
- Tube Type (TT)
- Not certified for use on public roads (NHS)

SIZE	LOAD/SPEED INDEX	PLY	TL/TT	PART #
FRONT				
2.5-10	33J	4	TT	0312-0609
60/100-12	36M	-	TT	0312-0610
60/100-14	30M	-	TT	0312-0611
70/100-17	40M	-	TT	0312-0612
70/100-19	42M	-	TT	0312-0613
90/100-21	57M	-	TT	0312-0614
REAR				
2.75-10	38J	-	TT	0313-1117
80/100-12	41M	-	TT	0313-1118
90/100-16	52M	-	TT	0313-1119
120/90-19	66M	-	TT	0313-1120

WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

MAXXIS®



Maxxenduro M7324/M7325

MAXXENDURO M7324/M7325

- The new generation of Maxxis Enduro competition tires
- Developed in the Enduro GP with the professionals from the Beta Boano Racing Team
- Balanced combination of traction, stability and durability
- Better self-damping and more grip due to the new carcass structure and the new tread design
- Tube Type (TT)

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
90/90-21	54R	TT	0312-0618
140/80-18	70R	TT	0313-1125

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
140/80-18	70R	TT	0313-1126



Maxxventure MA-MT Front/Rear

MAXXVENTURE MA-MT

- With the Maxxis MA-MT, the performance of adventure and dual-sport bikes is optimally transferred to the terrain
- The coarse tread ensures outstanding traction offroad and makes the hearts of demanding explorers beat faster
- Innovative Hex Cubic Design for more grip and less fuel consumption offroad
- Front wheel can be used as a trailer tire after its service life
- Tubeless (TL)

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
90/90-21	54R	TL	0316-0643

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
150/70R18	70R	TL	0317-0859



WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

MAXXIS®



Maxxventure MA-ADV Front/Rear

MAXXVENTURE MA-ADV

- The Maxxventure is an 80:20 road offroad adventure motorbike tire that allows motorcyclists to venture wherever their journey takes them
- Designed for a range of motorbikes from the Suzuki DL 650 V-Strom to the KTM 1290 Super Adventure, the Maxxventure tire is the latest technology in adventure motorbike tires
- Designed for comfort, stability and mileage, especially when loaded with pillion or luggage
- Incredible water evacuation and wet grip

- Excellent directional behavior and stability, even with luggage
- The shoulder is designed to enable reliable cornering and smooth cornering transitions
- Full silica high-grip compound provides excellent wet and dry grip
- Tubeless (TL)

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SIZE	LOAD/SPEED INDEX	TL/TT	PART #
FRONT				REAR			
110/80R19	59V	TL	0316-0644	150/70R17	69V	TL	0317-0860
120/70ZR19	60W	TL	0316-0645	170/60ZR17	72W	TL	0317-0861



Traxer Front/Rear

TRAXER M6017

- All-purpose Enduro tire with extra strong carcass construction for long riding pleasure on various surfaces
- The special tread grooves of Traxer offer excellent wet performance
- The aggressive directional tread pattern provides excellent traction on straight and curved roads
- The reinforced carcass construction ensures driving stability even at high speeds
- Tubeless (TL)

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
140/80-17	69H	TL	0313-1124



WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



VERSAGRIP TIRES

- Incredible traction and performance
- 6 ply rated tire
- 15 mm deep lugs
- Integrated side lugs for added traction
- Non-directional tread pattern
- Tubeless (TL)
- E-marked and REACH compliant



Versagrip Front/Rear

SIZE	PLY	TREAD DEPTH	PART #	SIZE	PLY	TREAD DEPTH	PART #
200/80-12	6	15 mm	0320-1488	230/70-14	6	15 mm	0320-1490
255/65-12	6	15 mm	0320-1489	305/55-14	6	15 mm	0320-1491

MAXXIS®

CEROS MU07/MU08

- The perfect combination of style and performance for every challenge
- The Ceros, a directional UTV tire, delivers the best performance on any offroad terrain
- Directional and even tread pattern
- Very precise and straightforward steering, even at top speed
- The radial design allows for safe grip and handling
- Perfectly suited for hard and medium-soft soil conditions
- Excellent braking properties and dynamic travel drive
- E-marked
- See page 230 of the 2024 Europe Tires, Tools & Chemicals catalog for additional Ceros MU07/MU08 tire sizes



Ceros MU07 Front/MU08 Rear

SIZE	LOAD/SPEED INDEX	TL/TT	PART #	SIZE	LOAD/SPEED INDEX	TL/TT	PART #
FRONT				REAR			
27x9R14	57K	TL	0320-1451	27x11R14	77K	TL	0320-1453
				29x9 R14	70M	TL	0320-1487

MAXXIS®

MU511/MU521

- Has an extremely high load capacity
- Optimum durability and puncture resistance
- An excellent self-cleaning tread pattern
- Can be used on hard, loamy or muddy surfaces



MU511 Front/MU521 Rear

SIZE	LOAD/SPEED INDEX	PLY	PART #	SIZE	LOAD/SPEED INDEX	PLY	PART #
27x9-12	73J	6	0319-0361	27x11-12	85J	6	0319-0360



TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

MAXXIS®



Razr M931 Front/M932 Rear

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

RAZR M931/M932

- First class tread with first class performance in every terrain
- Attractive, sporty tread pattern with outstanding grip and enhanced driving comfort
- "Championship-tested" tread design with excellent puncture resistance
- Designed for use on any type of terrain, hard, soft, mixed or rocky
- Secure grip and a comfortable ride on the road, on uneven terrain and in mud and snow

- Wider and more resistant tread blocks with excellent traction during acceleration and braking, reducing possible rolling
- Special tire compound with above-average road grip and unusually long durability
- Two-color lettering on the side for additional attractiveness
- Delivery range from 8" to 11" inches with speed classes from 100 km/h to partially 140 km/h
- Tubeless (TL)

SIZE	LOAD/SPEED INDEX	PLY	TL/TT	PART #
FRONT				
21x7-10	25N	4	TL	0321-0416
22x7-10	28N	4	TL	0321-0418

SIZE	LOAD/SPEED INDEX	PLY	TL/TT	PART #
REAR				
20x11-8	38J	4	TL	0321-0414
22x11-9	43J	4	TL	0321-0415



Razr M933 Front/M934 Rear

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

RAZR2 M933/M934

- The successor to the successful Razr with an aggressive tread pattern and improved performance
- Tread pattern specially designed for the American GGNC racing series
- Produced in 6-PR for exceptional load capacity and durability
- Highlighted tread blocks for improved traction control and grip

- Nearly unbeatable on medium-hard to sandy or muddy surfaces
- Aggressive and sporty look
- Tubeless (TL)
- E-marked
- See page 234 of the 2024 Europe Tires, Tools & Chemicals catalog for additional Razr2 M933/M934 tire sizes

SIZE	LOAD/SPEED INDEX	PLY	TL/TT	PART #
FRONT				
175x70-10, 22x7-10	33J	6	TL	0321-0412

SIZE	LOAD/SPEED INDEX	PLY	TL/TT	PART #
REAR				
22x11-9	48J	6	TL	0321-0413
22x11-10	47J	4	TL	0321-0417

WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.



MAXXIS®

BIGHORN RADIAL RADIAL UTILITY ATV TIRES

- Radial construction gives a smooth, comfortable ride without compromising tire strength
- Work great in desert, mud, dirt, rock and mountain conditions
- Tread pattern and wide footprint give exceptional traction
- Wide shoulder lugs protect sidewalls
- Solid white raised letters for an attractive look
- Non-directional tread pattern
- Tubeless (TL)
- E-marked
- See page 233 of the 2024 Europe Tires, Tools & Chemicals catalog for additional Bighorn Radial tire sizes

SIZE	LOAD/SPEED INDEX	PLY	TL/TT	PART #
26x9R14	48N	6	TL	0319-0359



Bighorn Radial Rear



MT911

ATV/UTV TIRES

- Offers a square shoulder tread design, belted bias construction and 8-ply rating to increase tread stiffness to provide better handling and excellent steering response
- 1,5" lugs provide exceptional traction in mud
- Center flex zone cleans out mud rapidly to ensure navigation through the muddiest trail sections
- Aggressive shoulder lugs to help propel your ride through rutted and rocky mud terrain
- Tough Tread rubber compound resist abrasions, chips and cuts
- Multi-angled lugs provide extra edges and a comfortable ride
- 8-ply rating
- Directional tread pattern
- Tubeless (TL)

SIZE	PLY	TL/TT	PART #	SIZE	PLY	TL/TT	PART #
FRONT/REAR				MT911 Front/Rear			
30x10-14	8	TL	0320-1441	FRONT/REAR (CONT)			
30x10-15	8	TL	0320-1442	32x10-15	8	TL	0320-1304



MT911 Front/Rear

WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

27X WHEEL

- Handles load capacities from 675 lbs for the 12x7 to 700 lbs for the 14x7 which meet or exceed all current market requirements
- Separate yourself from the herd with a line of wheels that are 100% X-rayed on the production line to ensure quality
- Center caps are included with each wheel, but lug nuts must be ordered separately; see page 259 of the 2024 Parts Europe Tires, Tools, and Chemicals catalog

SIZE	PATTERN	LOAD RATING	PART #	SIZE	PATTERN	LOAD RATING	PART #	SIZE	PATTERN	LOAD RATING	PART #
12x7	4-110	675	0230-1544	12x7	4-156	675	0230-1546	14x7	4-136	700	0230-1548
12x7	4-136	675	0230-1545	14x7	4-110	700	0230-1547	14x7	4-156	700	0230-1549

FITS MODEL	POSITION	SIZE	BOLT PATTERN	OFFSET	PART #
BOMBARDIER/CAN-AM					
Outlander 330/400/500/570/650/800/850/1000 03-23	Front	12x7	4/136	4+3	0230-1545
	Front/Rear	14x7	4/136	4+3	0230-1548
Renegade 500/570/800/850/1000 09-23	Front	12x7	4/136	4+3	0230-1545
	Front/Rear	14x7	4/136	4+3	0230-1548
Maverick/Max 1000 14-23	Front	12x7	4/136	4+3	0230-1545
	Front/Rear	14x7	4/136	4+3	0230-1548
Commander 800/1000 13-23	Front	12x7	4/136	4+3	0230-1545
	Front/Rear	14x7	4/136	4+3	0230-1548
Defender 16-23	Front	12x7	4/136	4+3	0230-1545
	Front/Rear	14x7	4/136	4+3	0230-1548
Maverick X3 17-23	Front/Rear	14x7	4/136	4+3	0230-1548
CFMOTO					
CFORCE 500/600 07-22	Front/Rear	14x7	4/110	4+3	0230-1547
UFORCE 500/600/800 07-22	Front/Rear	14x7	4/110	4+3	0230-1547
ZFORCE 500/800/1000 12-22	Front/Rear	14x7	4/110	4+3	0230-1547
HONDA					
TRX420AT/500AT (IRS) Rancher 09-24	Front	12x7	4/110	4+3	0230-1544
	Front/Rear	14x7	4/110	4+3	0230-1547
TRX650/680/700 Rincon 4x4 02-24 (IRS)	Front	12x7	4/110	4+3	0230-1544
	Front/Rear	14x7	4/110	4+3	0230-1547
TRX500 Foreman Rubicon 15-22 (IRS)	Front	12x7	4/110	4+3	0230-1544
	Front/Rear	14x7	4/110	4+3	0230-1547

WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.



27X WHEEL (CONT)

FITS MODEL	POSITION	SIZE	BOLT PATTERN	OFFSET	PART #
HONDA (CONT)					
Big Red 700 MUV 09-13	Front	12x7	4/110	4+3	0230-1544
	Front/Rear	14x7	4/110	4+3	0230-1547
Pioneer 500/700 14-24	Front	12x7	4/110	4+3	0230-1544
	Front/Rear	14x7	4/110	4+3	0230-1547
Pioneer 1000 16-24	Front	12x7	4/136	4+3	0230-1545
	Rear	14x7	4/136	4+3	0230-1548
Talon 1000 19-23	Front/Rear	14x7	4/136	4+3	0230-1548
KAWASAKI					
Brute Force 650I 4x4 06-22 (IRS)	Front	12x7	4/110	4+3	0230-1544
	Rear	14x7	4/110	4+3	0230-1547
Brute Force 750 4x4 05-23 (IRS)	Front	12x7	4/110	4+3	0230-1544
	Rear	14x7	4/110	4+3	0230-1547
Teryx 750/800 08-23	Front	12x7	4/136	4+3	0230-1545
	Front/Rear	14x7	4/136	4+3	0230-1548
Mule 2500/3000/4010 Series	Front	12x7	4/136	4+3	0230-1545
	Front/Rear	14x7	4/136	4+3	0230-1548
Mule Pro FXT 15-23	Front	12x7	4/156	4+3	0230-1546
	Front/Rear	14x7	4/156	4+3	0230-1549
KRX1000 20-23	Front/Rear	14x7	4/156	4+3	0230-1549
POLARIS					
Sportsman 335 99-06	Front	12x7	4/156	4+3	0230-1546
	Rear	14x7	4/156	4+3	0230-1549
Sportsman 400/450 01-13	Front	12x7	4/156	4+3	0230-1546
	Rear	14x7	4/156	4+3	0230-1549
Sportsman 500 96-13	Front	12x7	4/156	4+3	0230-1546
	Rear	14x7	4/156	4+3	0230-1549
Magnum 500 02-06	Front	12x7	4/156	4+3	0230-1546
	Rear	14x7	4/156	4+3	0230-1549
Sportsman 570 14-17	Front	12x7	4/156	4+3	0230-1546
	Rear	14x7	4/156	4+3	0230-1549
Sportsman 600 03-09	Front	12x7	4/156	4+3	0230-1546
	Rear	14x7	4/156	4+3	0230-1549
Sportsman 700 02-09	Front	12x7	4/156	4+3	0230-1546
	Rear	14x7	4/156	4+3	0230-1549
Sportsman 800 05-14	Front	12x7	4/156	4+3	0230-1546
	Rear	14x7	4/156	4+3	0230-1549
Sportsman XP 550/700/800/850/1000 09-22	Front	12x7	4/156	4+3	0230-1546
Note: Sportsman XP 2009 is 12.5 cm (5") wider with after market wheels.	Rear	14x7	4/156	4+3	0230-1549
Sportsman X2 500/550/800 09-18	Front	12x7	4/156	4+3	0230-1546
	Rear	14x7	4/156	4+3	0230-1549
Sportsman Ace 570/900 14-22	Front	12x7	4/156	4+3	0230-1546
	Rear	14x7	4/156	4+3	0230-1549
Ranger ETX/570/EV/800 6x6 4x4 03-23	Front	12x7	4/156	4+3	0230-1546
	Front/Rear	14x7	4/156	4+3	0230-1549
Ranger 570 (Full size) 14-23	Front	12x7	4/156	4+3	0230-1546
	Front/Rear	14x7	4/156	4+3	0230-1549
Ranger XP900/1000 14-23	Front	12x7	4/156	4+3	0230-1546
	Front/Rear	14x7	4/156	4+3	0230-1549
RZR 800/900XP 08-14, RZR 570 14-23	Front	12x7	4/156	4+3	0230-1546
	Front/Rear	14x7	4/156	4+3	0230-1549
RZR 900/900 XC/900 S 15-23					
RZR 1000 XP/4 14-17-23	Front	12x7	4/156	4+3	0230-1546
	Front/Rear	14x7	4/156	4+3	0230-1549
General 17-23	Front	12x7	4/156	4+3	0230-1546
	Front/Rear	14x7	4/156	4+3	0230-1549
SUZUKI					
King Quad 450/700/750 06-23 (IRS)	Front	12x7	4/110	4+3	0230-1544
	Rear	14x7	4/110	4+3	0230-1547
YAMAHA					
Grizzly 350 IRS 07-15	Front	12x7	4/110	4+3	0230-1544
	Rear	14x7	4/110	4+3	0230-1547
Kodiak 400/450 4x4 05-06 (IRS)	Front	12x7	4/110	4+3	0230-1544
	Rear	14x7	4/110	4+3	0230-1547
Grizzly 400/450/550/700 IRS 4x4 07-23	Front	12x7	4/110	4+3	0230-1544
	Rear	14x7	4/110	4+3	0230-1547
Big Bear 400 IRS 07-11	Front	12x7	4/110	4+3	0230-1544
	Rear	14x7	4/110	4+3	0230-1547

27X WHEEL continued on next page.



TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



STREET TIRES

27X WHEEL (CONT)

FITS MODEL	POSITION	SIZE	BOLT PATTERN	OFFSET	PART #
YAMAHA (CONT)					
Grizzly 660 02-09	Front	12x7	4/110	4+3	0230-1544
	Rear	14x7	4/110	4+3	0230-1547
Kodiak 700 16-22	Front	12x7	4/110	4+3	0230-1544
	Rear	14x7	4/110	4+3	0230-1547
Rhino 450/660/700 04-13	Front	12x7	4/110	4+3	0230-1544
	Front/Rear	14x7	4/110	4+3	0230-1547
Viking 700 14-23	Front	12x7	4/110	4+3	0230-1544
	Front/Rear	14x7	4/110	4+3	0230-1547
Wolverine 850 16-23	Front	12x7	4/110	4+3	0230-1544
	Front/Rear	14x7	4/110	4+3	0230-1547
Wolverine Rmax/Rmax 4 21-23	Front	12x7	4/156	4+3	0230-1546
	Front/Rear	14x7	4/156	4+3	0230-1549
YXZ1000R 16-18	Front	12x7	4/110	4+3	0230-1544
YXZ1000 19-23	Front	12x7	4/156	4+3	0230-1546
	Front/Rear	14x7	4/156	4+3	0230-1549

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



26X WHEEL

- Handles load capacities from 675 lbs for the 12x7 to 700 lbs for the 14x7, which meet or exceed all current market requirements
- Separate yourself from the herd with a line of wheels that are 100% X-rayed on the production line to ensure quality
- Center caps are included with each wheel, but lug nuts must be ordered separately; see page 259 of the 2024 Parts Europe Tires, Tools, and Chemicals catalog

SIZE	PATTERN	LOAD RATING	PART #	SIZE	PATTERN	LOAD RATING	PART #	SIZE	PATTERN	LOAD RATING	PART #
12x7	4-110	675	0230-1538	12x7	4-156	675	0230-1540	14x7	4-136	700	0230-1542
12x7	4-136	675	0230-1539	14x7	4-110	700	0230-1541	14x7	4-156	700	0230-1543

FITS MODEL	POSITION	SIZE	BOLT PATTERN	OFFSET	PART #
BOMBARDIER/CAN-AM					
Outlander 330/400/500/570/650/800/850/1000 03-23	Front	12x7	4/136	4+3	0230-1539
	Front/Rear	14x7	4/136	4+3	0230-1542
Renegade 500/570/800/850/1000 09-23	Front	12x7	4/136	4+3	0230-1539
	Front/Rear	14x7	4/136	4+3	0230-1542

WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.



26X WHEEL (CONT)

FITS MODEL	POSITION	SIZE	BOLT PATTERN	OFFSET	PART #
BOMBARDIER/CAN-AM (CONT)					
Maverick/Max 1000 14-23	Front	12x7	4/136	4+3	0230-1539
	Front/Rear	14x7	4/136	4+3	0230-1542
Commander 800/1000 13-23	Front	12x7	4/136	4+3	0230-1539
	Front/Rear	14x7	4/136	4+3	0230-1542
Defender 16-23	Front	12x7	4/136	4+3	0230-1539
	Front/Rear	14x7	4/136	4+3	0230-1542
Maverick X3 17-23	Front/Rear	14x7	4/136	4+3	0230-1542
CFMOTO					
CFORCE 500/600 07-22	Front/Rear	14x7	4/110	4+3	0230-1541
UFORCE 500/600/800 07-22	Front/Rear	14x7	4/110	4+3	0230-1541
ZFORCE 500/800/1000 12-22	Front/Rear	14x7	4/110	4+3	0230-1541
HONDA					
TRX420AT/500AT (IRS) Rancher 09-24	Front	12x7	4/110	4+3	0230-1538
	Front/Rear	14x7	4/110	4+3	0230-1541
TRX650/680/700 Rincon 4x4 02-24 (IRS)	Front	12x7	4/110	4+3	0230-1538
	Front/Rear	14x7	4/110	4+3	0230-1541
TRX500 Foreman Rubicon 15-22 (IRS)	Front	12x7	4/110	4+3	0230-1538
	Front/Rear	14x7	4/110	4+3	0230-1541
Big Red 700 MUV 09-13	Front	12x7	4/110	4+3	0230-1538
	Front/Rear	14x7	4/110	4+3	0230-1541
Pioneer 500/700 14-24	Front	12x7	4/110	4+3	0230-1538
	Front/Rear	14x7	4/110	4+3	0230-1541
Pioneer 1000 16-24	Front	12x7	4/136	4+3	0230-1539
	Rear	14x7	4/136	4+3	0230-1542
Talon 1000 19-23	Front/Rear	14x7	4/136	4+3	0230-1542
KAWASAKI					
Brute Force 650I 4x4 06-22 (IRS)	Front	12x7	4/110	4+3	0230-1538
	Rear	14x7	4/110	4+3	0230-1541
Brute Force 750 4x4 05-23 (IRS)	Front	12x7	4/110	4+3	0230-1538
	Rear	14x7	4/110	4+3	0230-1541
Teryx 750/800 08-23	Front	12x7	4/136	4+3	0230-1539
	Front/Rear	14x7	4/136	4+3	0230-1542
Mule 2500/3000/4010 Series	Front	12x7	4/136	4+3	0230-1539
	Front/Rear	14x7	4/136	4+3	0230-1542
Mule Pro FXT 15-23	Front	12x7	4/156	4+3	0230-1540
	Front/Rear	14x7	4/156	4+3	0230-1543
KRX1000 20-23	Front/Rear	14x7	4/156	4+3	0230-1543
POLARIS					
Sportsman 335 99-06	Front	12x7	4/156	4+3	0230-1540
	Rear	14x7	4/156	4+3	0230-1543
Sportsman 400/450 01-13	Front	12x7	4/156	4+3	0230-1540
	Rear	14x7	4/156	4+3	0230-1543
Sportsman 500 96-13	Front	12x7	4/156	4+3	0230-1540
	Rear	14x7	4/156	4+3	0230-1543
Magnum 500 02-06	Front	12x7	4/156	4+3	0230-1540
	Rear	14x7	4/156	4+3	0230-1543
Sportsman 570 14-17	Front	12x7	4/156	4+3	0230-1540
	Rear	14x7	4/156	4+3	0230-1543
Sportsman 600 03-09	Front	12x7	4/156	4+3	0230-1540
	Rear	14x7	4/156	4+3	0230-1543
Sportsman 700 02-09	Front	12x7	4/156	4+3	0230-1540
	Rear	14x7	4/156	4+3	0230-1543
Sportsman 800 05-14	Front	12x7	4/156	4+3	0230-1540
	Rear	14x7	4/156	4+3	0230-1543
Sportsman XP 550/700/800/850/1000 09-22	Front	12x7	4/156	4+3	0230-1540
Note: Sportsman XP 2009 is 12.5 cm (5") wider with after market wheels.	Rear	14x7	4/156	4+3	0230-1543
Sportsman X2 500/550/800 09-18	Front	12x7	4/156	4+3	0230-1540
	Rear	14x7	4/156	4+3	0230-1543
Sportsman Ace 570/900 14-22	Front	12x7	4/156	4+3	0230-1540
	Rear	14x7	4/156	4+3	0230-1543
Ranger ETX/570/EV/ 800 6x6 4x4 03-23	Front	12x7	4/156	4+3	0230-1540
	Front/Rear	14x7	4/156	4+3	0230-1543
Ranger 570 (Full size) 14-23	Front	12x7	4/156	4+3	0230-1540
	Front/Rear	14x7	4/156	4+3	0230-1543
Ranger XP900/1000 14-23	Front	12x7	4/156	4+3	0230-1540
	Front/Rear	14x7	4/156	4+3	0230-1543

26X WHEEL continued on next page.



TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



STREET TIRES

26X WHEEL (CONT)

FITS MODEL	POSITION	SIZE	BOLT PATTERN	OFFSET	PART #
POLARIS (CONT)					
RZR 800/900XP 08-14, RZR 570 14-23	Front	12x7	4/156	4+3	0230-1540
	Front/Rear	14x7	4/156	4+3	0230-1543
RZR 900/900 XC/900 S 15-23	Front	12x7	4/156	4+3	0230-1540
	Front/Rear	14x7	4/156	4+3	0230-1543
RZR 1000 XP/4 14-17-23	Front	12x7	4/156	4+3	0230-1540
	Front/Rear	14x7	4/156	4+3	0230-1543
General 17-23	Front	12x7	4/156	4+3	0230-1540
	Front/Rear	14x7	4/156	4+3	0230-1543
SUZUKI					
King Quad 450/700/750 06-23 (IRS)	Front	12x7	4/110	4+3	0230-1538
	Rear	14x7	4/110	4+3	0230-1541
YAMAHA					
Grizzly 350 IRS 07-15	Front	12x7	4/110	4+3	0230-1538
	Rear	14x7	4/110	4+3	0230-1541
Kodiak 400/450 4x4 05-06 (IRS)	Front	12x7	4/110	4+3	0230-1538
	Rear	14x7	4/110	4+3	0230-1541
Grizzly 400/450/550/700 IRS 4x4 07-23	Front	12x7	4/110	4+3	0230-1538
	Rear	14x7	4/110	4+3	0230-1541
Big Bear 400 IRS 07-11	Front	12x7	4/110	4+3	0230-1538
	Rear	14x7	4/110	4+3	0230-1541
Grizzly 660 02-09	Front	12x7	4/110	4+3	0230-1538
	Rear	14x7	4/110	4+3	0230-1541
Kodiak 700 16-22	Front	12x7	4/110	4+3	0230-1538
	Rear	14x7	4/110	4+3	0230-1541
Rhino 450/660/700 04-13	Front	12x7	4/110	4+3	0230-1538
	Front/Rear	14x7	4/110	4+3	0230-1541
Viking 700 14-23	Front	12x7	4/110	4+3	0230-1538
	Front/Rear	14x7	4/110	4+3	0230-1541
Wolverine 850 16-23	Front	12x7	4/110	4+3	0230-1538
	Front/Rear	14x7	4/110	4+3	0230-1541
Wolverine Rmax/Rmax 4 21-23	Front	12x7	4/156	4+3	0230-1540
	Front/Rear	14x7	4/156	4+3	0230-1543
YXZ1000R 16-18	Front	12x7	4/110	4+3	0230-1538
	Front/Rear	14x7	4/110	4+3	0230-1541
YXZ1000 19-23	Front	12x7	4/156	4+3	0230-1540
	Front/Rear	14x7	4/156	4+3	0230-1543

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER



REPLACEMENT CENTER CAPS

• Sold each

DESCRIPTION	PART #	DESCRIPTION	PART #
For 23X wheels with a 4/156 bolt pattern	0223-0306	For 27X wheels with a 4/110 bolt pattern, matte black	0223-0302
For 26X wheels with a 4/110 bolt pattern, gloss black	0223-0299	For 27X wheels with a 4/136 bolt pattern, matte black	0223-0303
For 26X wheels with a 4/136 bolt pattern, gloss black	0223-0300	For 27X wheels with a 4/156 bolt pattern, matte black	0223-0304
For 26X wheels with a 4/156 bolt pattern, gloss black	0223-0301		

WARNING TIRE FAILURE HAZARD, WHICH IF NOT AVOIDED, COULD RESULT IN DEATH OR SERIOUS INJURY. SEE PAGES 4-5 FOR IMPORTANT INFORMATION REGARDING PRODUCT USE.



DRAG SPECIALTIES INNER TUBE

- High-quality, standard thickness butyl rubber inner tubes
- Custom sizes for extra-wide wheel applications
- For Valve Stem Types, see chart on page 323 of the 2024 Europe Tires, Tools & Chemicals catalog
- Sold each
- Do not use on rim types CP or MT H2
- See page 323 of the 2024 Europe Tires, Tools & Chemicals catalog for additional Drag Specialties inner tube sizes



RIM SIZE	FITS TIRE SIZE	VALVE STEM TYPE	PART #
15"	5.00 - 5.10", 180/65	SRV	0350-0669



LITELOC™ II RIM LOCKS

- Thermoplastic polyurethane cover increases shock absorption and protects against pinch flats
- Precision-molded body made from high-strength nylon composite
- Unique angled and tapered ribs lock tire securely to rim
- Recommended tightening torque on nut is 13,59 Newton-meter (10 lb./ft.)
- Super light and impact resistant



FITS RIM SIZE	PART #	FITS RIM SIZE	PART #	FITS RIM SIZE	PART #
1.60"	0220-0062	1.85"	0220-0063	2.15"	0220-0064



TIRE VALVE TUBELESS STRAIGHT LONG

- Long, straight tire valve TR413 for tubeless rims on motorbikes, scooters, quads and cars

DESCRIPTION	PART #
Black rubber	0360-0082

TIRE VALVE TR412

- Measures 3,6 cm, with 2,6 cm visible (including the cap)
- Metal finish, making it robust and solid
- Ideal for wheels with a 10" diameter

DESCRIPTION	PART #
TR-412 tire valve (ea.)	0360-0084
TR-412 tire valve pack (10 pk.)	0360-0085



TUBLESS TIRE VALVE - STRAIGHT SHORT

- Short, straight metal tire valve for tubeless rims on motorbikes, scooters and ATVs up to every displacement class
- The total length of the valve is 3,6 cm and the visible length is 2,8 cm (both lengths included cap)
- Due to its compact size, it is compatible with rims as small as 10 inches
- Constructed of metal and is highly durable

DESCRIPTION	PART #
Tire Valve	0360-0081

TIRE TUBLESS VALVE ANGLED 60°

- Tire valve angled at 60° for tubeless rims with 16 mm diameter valve feed-through for scooters and quads or ATVs
- The 60° bend ensures optimum accessibility when inflating or checking tires
- Particularly ideal for smaller wheel diameters

DESCRIPTION	PART #
Valve stem, tubeless 60°	0360-0083



WARNING INNER TUBE FAILURE COULD RESULT IN DEATH OR SERIOUS INJURY. ALLOW ONLY TRAINED PERSONNEL TO INSTALL INNER TUBES.

WARNING VALVE STEM FAILURE COULD RESULT IN DEATH OR SERIOUS INJURY. ALLOW ONLY TRAINED PERSONNEL TO INSTALL VALVE STEMS.

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

TUBES & ACCESSORIES

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS


GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



QUICK FILL SCHRADER TUBELESS VALVE KITS

- Unique four-part design injects sealant without having it pass valve core
- Sealant passes directly from the bottle nozzle into the tire without breaking the tire bead or needing any tools
- Features durable Schrader valves for compatibility with air compressors (without an expensive chuck)
- Design shares the same CNC alloy base as our Presta version which makes them compatible with standard Presta drilled rims as well as tire inserts
- Schrader valves allow higher air flow than Presta, are less likely to clog, and the larger diameter makes them less vulnerable to impact damage
- No more tiny valve core pins to bend and nuts to check if tight and sealing
- Valve cap end is the right size to depress and release air as well
- Sold as a kit of two.

FITS RIM DEPTH	BLACK PART #	BRONZE PART #	ORANGE PART #	PURPLE PART #
16 to 24 mm	0306-0918	0306-0911	0306-0913	0306-0912
23 to 31 mm	0306-0914	0306-0915	0306-0917	0306-0916



RIM TAPE

- 7 mm wide rim transfers for motorcycle and scooters rims give a great visual boost
- It can also serve as a separation between different colors on bodywork panels or to accentuate specific contours
- Includes one 6 m roll of rim tape
- This is sufficient for two rims up to 18"

COLOR	PART #	COLOR	PART #	COLOR	PART #
Black	4301-1061	Lime green	4301-1064	Pink	4301-1067
Blue	4301-1062	Neon orange	4301-1065	Red	4301-1068
Green	4301-1063	Neon yellow	4301-1066	White	4301-1069

WARNING VALVE STEM FAILURE COULD RESULT IN DEATH OR SERIOUS INJURY. ALLOW ONLY TRAINED PERSONNEL TO INSTALL VALVE STEMS.



Bike-Lift®

MAGNETIC SOFT JAWS VICE

• Magnetic soft jaws for bench vice

DESCRIPTION

Magnetic soft jaws vice

PART #

3850-0661

4201-0285

HAYNES SERVICE & REPAIR MANUAL



KAWASAKI

Z1000SX/Ninja, Z1000 & Versys 1000

'10 to '16




“... a Haynes manual is the first thing to invest in ...”
Ride

COLOUR
Model history
Pre-ride checks
Wiring diagrams



REPAIR MANUALS

- Every Haynes manual is based on a complete teardown and then a step-by-step rebuild
- Everything is covered; from changing an oil filter to a complete engine rebuild
- See pages 390-393 of the 2024 Parts Europe Tires, Tools & Chemicals catalog for the complete line of repair manuals

STREET BIKE APPLICATIONS

DESCRIPTION	PART #	DESCRIPTION	PART #
DUCATI		KAWASAKI	
Scrambler 15-20	4201-0412	Z1000SX/Versys 10-16	4201-0285
HONDA		KTM	
CB650F/CB650R/CBR650F/CBR650R 14-19	4201-0414	1290 Super Duke 14-19	4201-0413

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



OPTIMATE™ 2 DUO BRONZE SERIES

- Automatically adapts to the connected battery type and guarantees health lithium or lead-acid batteries
- Highly efficient with the ability to maintain any type of 12V lead-acid or 12,8V lithium battery within the 2Ah to 20Ah range
- Designed to be safe, secure for vehicle electronics, and ideal for long-term battery maintenance
- Features an automatic shut-down mechanism in case of short-circuiting or battery disconnection
- Available for both indoor and outdoor use with a weatherproof case with wall mounts (minimum temperature tolerance: -40 °C (-40 °F))
- Includes weatherproof battery lead and battery clip set

DESCRIPTION

Charger OptiMate™ 2 Duo Bronze

PART

3807-0698



DRAG SPECIALTIES OPTIMATE™ 5

- Drag Specialties OptiMate™ 5, the fully sealed 12V 4A battery saving charger & maintainer for all motorcycle batteries
- For lead-acid (Pb) 12V powersport battery types including STD (with filler caps) and sealed VRLA such as AGM & GEL
- Diagnoses sulphated battery conditions and saves a deep discharged battery from as low as 0,5 Volts
- Fully automatic multi-step program brings the battery safely to full charge and tests battery state of health
- Maintains battery at full charge and good health - connect and forget, no supervision required
- Fully sealed (IP54)
- Rated for use down to -40 °C (-40 °F)
- Includes handlebar hanging hook

DESCRIPTION

OptiMate™ 5

PART

3807-0754

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING





OPTIMATE™ 1 VOLTMATIC

- The OptiMate™ 1 VoltMatic charges and provides long-term maintenance – just connect it to the battery, and it takes care of the rest without any supervision
- Delivers a 0,6 Amp charge current, ideal for maintaining smaller batteries
- A dust-proof plug-in case design ensures durability
- With energy-saving technology, it uses less than 0,5W of standby power, making it efficient for 24/7 battery maintenance
- Perfect for 6V or 12V lead-acid batteries (STD, AGM, GEL)
- Can start at a low voltage of 4V
- Keeps your battery fully charged and in good health
- A fully automatic battery maintainer for your 6V or 12V lead-acid batteries, ensuring more battery power and a longer battery life
- Safe to leave connected, with full electronic protection




DESCRIPTION	PART #
OptiMate™ 1 VoltMatic	3807-0609



OPTIMATE™ PRO 4 DUO

- Automatic diagnostic charger for up to four 12V Pb lead-acid (STD, AGM, GEL) and/or 12,8V LFP lithium (LiFePO4/Lithium Ferrous Phosphate) batteries
- Four fully independent 5A charging stations/banks, each with three selectable modes to service new or used powersport batteries, including 12V Pb (lead-acid, AGM, GEL) and 12,8V lithium (LiFePO4/LFP)
- Will activate, charge and/or test up to four new or used batteries at the same time
- Activate or prepare new batteries within one hour, including Pb (lead-acid, dry-charged AGM) with separate acid pack, factory activated Pb (AGM and GEL) and LFP lithium delivered in sleep mode and/or requiring a top up charge
- Correctly prepares new batteries for best performance and to prevent early failure
- Automatically save any type of deep discharged battery from as low as 0,5V, additionally for LFP lithium, manually reset the protective BMS and save from zero volts – dead-flat, neglected batteries can be recovered
- State of health test for GOOD (80 to 100%), OK (60 to 80%) or BAD (below 60%) batteries; confirms if battery is serviceable or should be replaced
- Designed for professional including battery service, new powersport vehicle and/or new battery sales



- Designed for continuous use, ideal for the professional shop
- Each bank is delivered with a replaceable output cord and fused battery clip set, AC power cord is replaceable and exchangeable

DESCRIPTION	PART #
OptiMate™ Pro 4 Duo	3807-0722



3807-0745



3807-0744



PA01 EYELET TERMINAL CONNECTORS

- Fused ring terminal leadset is the ideal solution if your battery is difficult to access
- Easy to connect
- Safe: connection spark free, reverse polarity, short circuit and internal overheat protection
- For all 12V vehicle and motorcycles batteries

- Compatible with BS 10, BS 15, BS 30 and BK 20 chargers
- 2 x M6 eyelets (1/4")
- 3A fuse
- Wire 61 cm (24") / 0,82 mm² (18AWG)

DESCRIPTION	PART #
PA01 eyelet terminal connector (ea.)	3807-0745

DESCRIPTION	PART #
PA01 eyelet terminal connectors (jar of 20)	3807-0744

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



TERMINAL REMOVAL TOOL

- Easily remove terminals or wires without damage
- Works on conventional terminals as well as multi-OEM applications
- Includes rectangular blades for pack-con terminals, flat blade to open connectors and a fork for ALDL connectors
- Prongs depress the barbs on conventional terminals
- All metal construction ensures strength and rigidity on stubborn connectors
- Comes in black finish

DESCRIPTION	PART #
Terminal removal tool	3807-0504



THIN WALL SPARK PLUG SOCKET

- Hardened chrome vanadium steel with built-in rubber inserts to hold plug steady
- Thin wall bi-hex sockets designed to access narrow spark plug holes
- Use with 9,5 mm (3/8") square and hex drives

DESCRIPTION	PART #
14 mm	3801-0439



POWER VISION TOKEN

- With this token for your Dynojet Power Vision, you can tune an additional vehicle on the same device
- This is perfect for dealers, as well as enthusiasts and families who have multiple vehicles to maintain
- Works with all Power Vision, Power Vision 3 and Power Vision 4
- Can be used on one vehicle an unlimited number of times, but not on multiple vehicles

1020-4230



DESCRIPTION	PART #
Single token	1020-4230
10 pk.	1020-4231



TEXA

DIAGNOSTIC LICENSES

- Subscription can be cancelled, but not returned
- Subscription automatically renews each year
- See page 415 of the 2024 Parts Europe Tires, Tools & Chemicals catalog for the complete line of Texa Diagnostic Licenses

DESCRIPTION	PART #
IDC5 Plus bike soft license and USB dongle	3807-0721
25+ month license missing update	3807-0750
13-24 month license missing update	3807-0751
7-12 month license missing update	3807-0752
3-6 month license missing update	3807-0753



2120-1337

TEXA

2120-1338

DIAGNOSTIC CABLES

- Read and delete error messages
- Sold each
- See page 415 of the 2024 Parts Europe Tires, Tools & Chemicals catalog for the complete line of Texa Diagnostic Cables

DESCRIPTION	PART #
CF Moto	2120-1337
Kymco	2120-1338
Suzuki (up to 2011), Cagiva, Epsilon 250 and KLV Kawasaki models	2120-1339



3801-0388



FLYWHEEL PULLER SETS

- Available for both internal and external thread magneto flywheels
- Internal set includes the following sizes: M19 x P1.0, M20 x P1.0, M22 x P1.0, M22 x P1.5, M24 x P1.0, M24 x P1.5, M26 x P1.0, M26 x P1.5, M27 x P1.0 (L), M27 x P1.25, M28 x P1.0, M28 x P1.5, M30 x P1.5 and M33 x P1.5

DESCRIPTION	PART #
For external thread magneto flywheels	3801-0388



64 MM (2 1/2") OIL FILTER WRENCH

- Redesigned handle incorporates two drain plug wrench sizes to easily fit drain plugs when changing oil and filters
- Canted 30° to allow easier access to the drain plug
- 12-sided wrench addition provides easy access to 12 mm and 17 mm drain plugs
- Zinc-plated with chrome finish
- For Honda VTX, VTX750, ST1100, SL1500 and GL1800 18-24 models


DESCRIPTION	PART #
64 mm (2 1/2") oil filter wrench	3801-0357



HEAVY-DUTY CLUTCH HOLDING TOOL

- Securely holds clutch hubs on most motorcycles and ATVs
- Can be used to remove the locking ring on UTV fuel cells to remove fuel pumps
- Reversible blades work on conventional square spline and on round spline style (KTM/Husqvarna) clutch hubs
- Aircraft-grade billet aluminum body with durable blue anodized finish
- Precision-machined stainless steel blades are strong and durable
- Billet aluminum clamp knob for fast and easy installation and removal
- Extended knurled handle provides sure grip when removing or torquing the clutch hub nut
- Tool jaws have a range of 75 to 125 mm (2.9" to 4.72")

DESCRIPTION	PART #
Heavy-duty clutch holding tool	3803-0233



3801-0387

- External set includes the following sizes: M24 x P1.0, M24 x P1.5, M26 x P1.0, M28 x P1.0, M30 x P1.0, M30 x P1.25, M30 x P1.5, M32 x P1.5, M33 x P1.5, M35 x P1.0, M35 x P1.5, M38 x P1.5, M42 x P1.5 and M50 x P1.5

DESCRIPTION	PART #
For internal thread magneto flywheels	3801-0387



OIL FILTER WRENCH

- Ultra-thin wrench allows removal of oil filter without removing fairing pieces
- Posi-Lock™ design; requires no adjustment
- Fits most 64 mm (2 1/2") oil filters for Honda VTX, VT750, ST1100, GL1500 and GL1800 01-17 models

DESCRIPTION	PART #
Oil filter wrench	3801-0037



STEERING BEARING PULLER

- Thrust bearing for super smooth action
- ACME/trapezoidal thread on the rod for extra strength when pulling
- 5-jaw mandrel for best grip

DESCRIPTION	PART #
Steering bearing puller	3805-0265

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

GENERAL METRIC SERVICE/MAINTENANCE TOOLS

STREET TIRES



3806-0134

V-TWIN TIRES

3806-0136



3806-0127



3806-0129



SCOOTER TIRES



3806-0135

OFFROAD TIRES



3806-0130



3806-0131



3806-0132

3806-0128



3806-0133

ATV/UTV TIRES & WHEELS



REPLACEMENT PARTS FOR CHAIN REPAIRING MASTER KIT


- Replacement parts for Bikeservice master kit for drive chain replacement and repair
- See page 466 of the 2024 Europe Tires, Tools & Chemicals catalogue for the Chain Repair Master Kit

DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION	PART #
Anvil	3806-0134	Press plate set	3806-0135	Rivet spindle	3806-0128
Chain express installation tool	3806-0136	Push pin 3.5 mm	3806-0130	Rivet tip	3806-0133
Chain pin extractor	3806-0127	Push pin 4.9 mm	3806-0131		
Knock spindle	3806-0129	Push pin 5.8 mm	3806-0132		

BICYCLE TIRES

TUBES & ACCESSORIES

3805-0270



3805-0269



3805-0271

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/MAINTENANCE TOOLS



REPLACEMENT FORK SEAL REPAIR KITS

- Specially designed to work with Bikeservice Universal Fork Seal Driver (sold separately)
- See page 474 of the 2024 Europe Tires, Tools & Chemicals catalogue for the Universal Fork Seal Driver Tool

DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION	PART #
4 pc repair kit	3805-0270	6 pc repair kit	3805-0269	Fastener repair kit	3805-0271

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES



DAMPING ROD HOLDER

- Holds damping rod for inner fork cartridge removal
- Fits damping rod diameters of 10 mm to 14 mm
- 6061-T6 aluminum
- Anodized finish with laser engraving

DESCRIPTION	PART #
Damping rod holder	3805-0266



STANDARD SHOCK SPRING TOOL

- Fits most springs on twin-shock motorcycles
- Easy to use; eliminates the hassle of removing shock springs

DESCRIPTION	PART #
Standard shock spring tool	3805-0267





SPOON-TYPE TIRE IRON SET

- Curved end fits securely in the hand
- Hard nickel-pewter finish
- Each lever is 25,5 cm (10") long and weighs 201 g (7,1 oz.)
- Width at spoon end is 25 mm
- See pages 493-494 of the 2024 Parts Europe Tire & Service catalog for Motion Pro's full line of tire irons

DESCRIPTION	PART #
Spoon tire iron set	3810-0171



STEEL TIRE IRON

- Cold-forged steel
- 21,5 cm (8 1/2") size is easy to carry and fits in most hip packs
- One end is flat and other end is curved
- Sold each
- See pages 493-494 of the 2024 Parts Europe Tire & Service catalog for Motion Pro's full line of tire irons



DESCRIPTION	PART #
21,5 cm (8 1/2") fire iron	3810-0170




DESCRIPTION	PART #
Universal tire valve tool	3810-0175



TIRE VALVE UNSCREWING TOOL

- Universal tool for opening or tightening valves



CLUTCH PULLERS

- High-quality, heat-treated steel for superior strength
- Engineered to be the strongest pullers on the market
- Precise machining on every model puller for accuracy
- Individually packaged with instructions included

- All pullers are one-piece style (unless noted)
- See pages 444-445 of the 2024 Europe Tire, Tools & Chemicals catalogue for additional clutch puller applications

ATV/UTV

FITS MODEL	PART #
CFMOTO	
CForce 400/500 16-23	3803-0251
UForce 500 16-21	3803-0251
ZForce 500 Trail 16-22	3803-0251
CForce 600 20-23	3803-0251
CForce 600 Touring/XC 19-23	3803-0251
UForce 600 21-23	3803-0251
UForce 800 (built after 1/13/22) 22-23	3803-0251
ZForce 800 EX (built after 1/13/22) 22	3803-0251

FITS MODEL	PART #
CFMOTO (CONT)	
ZForce 800 Trail (built after 1/13/22) 22-23	3803-0251
ZForce 950 20-23	3803-0251
ZForce 950 HO EX/Sport 22-23	3803-0251
CForce 1000 Overland 21-23	3803-0251
UForce 1000 19-23	3803-0251
UForce 1000 XL 22-23	3803-0251
ZForce 1000 18-19	3803-0251

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



3812-0670



3812-0673



3812-0674



M17/M19/M20 MULTI-TOOLS

• The ultimate trailside companions; these high tensile steel multi-tools feature a precise fit and finish and side grips for a secure handhold even with gloves on

DESCRIPTION	M20 MULTI-TOOL PART #	M19 MULTI-TOOL PART #	M17 MULTI-TOOL PART #
Black	3812-0670	3812-0673	3812-0675
Gold	3812-0671	3812-0672	3812-0674

DESCRIPTION	M20 MULTI-TOOL	M19 MULTI-TOOL	M17 MULTI-TOOL
Chain tool compatibility	8, 9, 10, 11, 12 speed	8, 9, 10, 11, 12-speed	8, 9, 10, 11, 12-speed
Spoke wrench #	#0, 1, 2	#0, 1, 2, 3	#0, 1, 2, 3
Hex wrench #	#2, 2.5, 3, 4, 5, 6, 8	#2, 2.5, 3, 4, 5, 6, 8	#2, 2.5, 3, 4, 5, 6, 8
Screwdriver type	Phillips #1 & #2, flat #1	Phillips #1 & #2, flat #2	Phillips #2, flat #2
Torx	T-10, T-25	T-10, T-25	T-25
Product length	89 mm	89 mm	89 mm
Weight	203 g	175 g	168 g
Open wrench	8 mm	8 mm, 10 mm	8 mm, 10 mm
Extra	Tire plug tool, tire plugs, valve core removal tool, rotor straightener, plug max tire pressure	N/A	N/A

F15 MULTI-TOOL

• Thin, lightweight, premium multi-tools
 • The tool cases also come equipped with a built-in bottle opener for those post ride refreshments

DESCRIPTION	PART #
F15 multi-tool	3812-0669

DESCRIPTION	F15 MULTI-TOOL
Chain tool compatibility	8, 9, 10, 11, 12-speed
Spoke wrench #	#0, 1, 2, 3
Hex wrench #	#2, 2.5, 3, 4, 5, 6, 8
Screwdriver type	Phillips #2, flat #1
Torx	T-25



DESCRIPTION	F15 MULTI-TOOL
Weight	164 g
Case	Magnetized, built-in bottle opener
Extra	Tire plug tool, tire plugs, valve core removal tool, rotor straightener, plug max tire pressure



KLIC DIGITAL FLOOR PUMP

- Magnetic hose attachment
- Hidden hose is magnetically held inside the body of the pump
- Quick connect for gauge to be mounted to pump
- Tripod base provides stability
- Universal head for Presta/Schrader
- Large, accurate digital gauge
- 160 psi/11 bar

DESCRIPTION
Klic digital floor pump

PART #
3810-0124



KLIC ANALOG FLOOR PUMP WITH BURST TANK

- Magnetic hose attachment
- Hidden hose magnetically held inside the body of the pump
- Quick connect for gauge to be mounted to pump
- Tripod base for stability
- Universal head for Presta/Schrader
- Large, accurate analog gauge
- Burst tank can be charged to install and inflate tubeless tires with ease
- Tank is removable for easy transport
- 160 psi/11 bar

DESCRIPTION
Klic analog floor pump with burst tank

PART #
3810-0112



GEM FLOOR PUMP

- Foot activated high-pressure/high-volume switch
- Wide stamped steel base for easy pumping
- Corrosion resistant aluminum body
- Dual head; Presta and Schrader ready
- Hidden needle adapter and plastic valve adapter
- Analog gauge
- 160 psi/11 bar

DESCRIPTION **PART #**
Gem floor pump **3810-0108**



3810-0137



3810-0138



3810-0139



3810-0140

GEM HAND PUMP

- Compact, lightweight dual-stage hand pump
- Feature a hybrid alloy/composite construction for low weight and high strength
- Includes a convertible head for Presta or Schrader valves
- Comes equipped with a bottle cage bracket mount for convenient on-bike storage
- Weight: 131 g
- 100+ psi/7+ bar
- Length: 176 mm

COLOR	PART #	COLOR	PART #
Black	3810-0137	Red	3810-0139
Silver	3810-0138	Green	3810-0140

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES



3810-0173

OFFROAD TIRES



TIRE LEVER AND PLUG REPAIR KIT

- Handy and compact tool is a combination of two sturdy composite tire levers that encase a tire plug needle and 5x3.5 mm self-adhesive plugs
- The levers are multi-purpose engineered, with a design tough enough for DH casing tire use and act as a comfortable handle for the tire plug needle, making insertion into even the heaviest casing tires a breeze
- Levers also include four sizes of spoke wrenches for spoke tension adjustments on the fly



3810-0174

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

COLOR	PART #	COLOR	PART #
Black	3810-0173	Red/seafoam	3810-0174

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/MAINTENANCE TOOLS



SPEEDIER TIRE LEVER

- Single lever removes/installs tires and protects knuckles from injury
- Weighs 26 g
- 144 mm length



DESCRIPTION	PART #
Speedier tire lever	3812-0676

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



CIGAR TOOL PLUG KIT AND CO₂ HEAD

- Compact tubeless tire repair kit with CO₂ adapter
- Aluminum storage case with threaded top cap for CO₂
- CO₂ cartridge screws directly into the plunger tool, doubling as storage and a handle
- Comes with Klic CO₂ cartridge adapter (Presta only) to allow use of CO₂
- Bottle cage bracket to mount directly to bike frame
- Includes five tire plugs



3812-0677

3812-0678

- Plug refill 10-pack available separately
 - Weighs: 55 g
 - Measures: 78 mm L x 30 mm W
- NOTE: CO₂ cartridges cannot be transported on an aircraft.**

DESCRIPTION	PART #	DESCRIPTION	PART #
Cigar Tool Plug Kit and CO ₂ Head (CO ₂ cartridge sold separately)	3812-0677	Plug refill 10-pack	3812-0678



6 MM MINI PRO T-HANDLE TOOL

- Compact size for easy access and easy transport
- 17 cm (6³/₄") shaft length
- Chrome-vanadium tool steel shafts
- Durable hard nickel-pewter finish
- See page 524 of the 2024 Parts Europe Tire & Service catalog for Motion Pro's full line of Mini Pro T-handle wrenches



DESCRIPTION	PART #
6 mm Mini Pro T-handle	3850-0639



3850-0647

3850-0648

3850-0650

3850-0649

3850-0651



T-HANDLE TORX WRENCHES

- Sliding cross-bar is secured by the spring and ball detent; allows greater leverage with better accessibility
- All three ends with torx drive
- Made of heat-treated chrome vanadium steel for durability and precise fit into torx head fasteners

SIZE	PART #	SIZE	PART #	SIZE	PART #	SIZE	PART #	SIZE	PART #
T25 x 180 mm	3850-0647	T27 x 180 mm	3850-0648	T30 x 180 mm	3850-0649	T40 x 210 mm	3850-0650	T45 x 210 mm	3850-0651



3850-0644

3850-0645

3850-0646



WINDOW SCALE DISPLAY TORQUE WRENCHES

- Torque range: 20 to 100 Nm
- 72-teeth ratchet mechanism; Length 390 mm
- Push and pull the locking button at the handle end to lock/unlock the torque setting
- Plus/minus 4% accuracy tolerance from the set scale value
- Supplied with calibration certificate and blow molded case

DRIVE SIZE	TORQUE RANGE	PART #	DRIVE SIZE	TORQUE RANGE	PART #
1/4"	5 to 25 Nm	3850-0644	1/2"	40 to 200 Nm	3850-0646
3/8"	20 to 100 Nm	3850-0645			



3850-0642

3850-0643



4 IN 1 REVERSIBLE RATCHET WRENCHES

- Special ratchet ring design enables four different sizes on one wrench
- Precision 72-tooth ratcheting gears need only a 5° swing arc to move fasteners in restricted spaces
- Available in four double hex sizes covering the most popular metric fasteners
- Made of chrome vanadium steel for strength and durability

DESCRIPTION	PART #
8 x 10 mm/12 x 13 mm	3850-0642
12 x 14 mm/17 x 19 mm	3850-0643



8 PC. STUBBY FLEX HEAD RATCHET COMBINATION WRENCH SET

- Precision 72-tooth ratcheting gears need only a 5° swing arc to move fasteners in restricted spaces
- Provides access and easy engagement of hard-to-reach fasteners and reduces fastener rounding
- Made of alloy steel for better strength and longer tool life

DESCRIPTION	PART #
Wrench set	3812-0779

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



3812-0782



SWITCHBACK™ DIRT BIKE TOOL KIT

- The Switchback™ EU tool kit PART #3812-0783 is a great fit for all modern KTM, Husqvarna, and most GasGas (KTM-era) enduro, dual-sport, woods, and MX motorcycles
- The Switchback™ EU tool kit includes: combination wrenches: 8 mm, 10 mm, 13 mm; hex bits: 4 mm, 5 mm, 6mm; Torx bits: T20, T25, T45; sockets: 6 mm, 8 mm, 10 mm, 13 mm, 17mm, 5-in-1 screwdriver, collapsible 1/4" drive T-Handle drive, 1/4 to 3/8" drive adapter, needle nose pliers, cable ties (5 pc.), mechanics wire
- The Switchback™ JAS tool kit PART #3812-0782 is a great fit for all modern Honda, Yamaha, Kawasaki and Suzuki enduro, dual-sport, woods, and MX motorcycles

DESCRIPTION	PART #
For European models	3812-0783

- Combination wrenches: 8 mm, 10 mm, 12 mm, 14 mm, 17 mm; hex bits: 4 mm, 5 mm, 6 mm, 8 mm; Torx bits: T20, T25; sockets: 8 mm, 10 mm, 12 mm, 5-in-1 screwdriver, collapsible 1/4" drive T-Handle drive, 1/4 to 3/8" drive adapter, needle nose pliers, cable ties (5 pc.), mechanics wire
- Comes in a durable zipper pouch

DESCRIPTION	PART #
For Japanese models	3812-0782



VACUUM AND FUEL HOSE REMOVAL PLIERS

- Use to easily remove 4 mm (5/32") to 12.7 mm (1/2") vacuum and fuel hoses during tube fittings

DESCRIPTION	PART #
Vacuum and fuel hose removal pliers	3801-0438



PINKLAW™ PUSH PIN TOOL

- Easily removes plastic push pins from body panels found on UTVs, motorcycles, ATVs, cars and trucks
- Works on all push pins 20 mm diameter and smaller
- Durable, lightweight aluminum construction
- Raised logo on handles provides extra grip
- Small tool size designed for tight spaces
- For use on plastic push pins only

DESCRIPTION	PART #
PinkLaw push pin tool	3811-0137



REUSABLE PUSH PINS

- Large reusable push pin rivets
- Fit 10 mm holes, have a 15 mm head diameter and 21 mm stem length
- Come in 10 pk.



DESCRIPTION	PART #
Large push pins	2402-0252



FLEXIBLE MAGNETIC CLAW PICK UP TOOL

- Flexible shaft is great for retrieving in confined spaces
- Featured with spring loaded extendable retrieval claw function
- Pressing the button extends the spring loaded claw; button release closes claw and secures the object
- Magnet can hold up to 1 lb.
- Length 700 mm; maximum claw opening is 25 mm

DESCRIPTION	PART #
Flexible magnetic claw pick up tool	3850-0641



MAGNETIC TOOL HOLDER

- Can be used horizontally, vertically or even upside down
- 102 mm (4") round stainless steel with rubber coated magnets to protect the work surface
- Holds metal items such as nuts, bolts and washers
- Sold each

DESCRIPTION	PART #
Magnetic tool holder	3850-0640





3850-0689

3850-0692

3850-0673

3850-0694



TUFF JUGS

- Tuff Jug is EPA approved for use as a quick-pour device for racing
- Wide-mouth neck design for pouring additives easily; translucent color makes it easy to check fuel level
- Hash marks in both directions for pouring and mixing
- Heavy-duty body
- Jug bottom is designed to prevent sliding in your truck bed

- Spill-proof, self-sealing Ripper spout automatically shuts off
- Ripper spill-proof spout also available separately
- Optional black adapter snaps onto spill-proof Ripper spout and lets owner use the Tuff Jug with small-neck applications such as karts, marine, lawn mowers and autos

DESCRIPTION	PART #
10 LITER (2,7 US GAL.)	
Blue w/ clear view strip and Ripper Cap	3850-0689
Green w/ clear view strip and Ripper Cap	3850-0693
Orange w/ clear view strip and Ripper Cap	3850-0692
Red w/ clear view strip and Ripper Cap	3850-0688
White w/ clear view strip and Ripper Cap	3850-0671
20 LITER (5 US GAL.)	
Blue w/ clear view strip and Ripper Cap	3850-0687
Green w/ clear view strip and Ripper Cap	3850-0694

DESCRIPTION	PART #
20 LITER (5 US GAL.) (CONT)	
Orange w/ clear view strip and Ripper Cap	3850-0691
Red w/ clear view strip and Ripper Cap	3850-0686
White w/ clear view strip and Ripper Cap	3850-0695
Yellow w/ clear view strip and Ripper Cap	3850-0690
OPTIONAL/REPL. COMPONENTS	
Flexible spout, 20L	3850-0674
Standard cap and plug	3850-0673



RIPPER CAPS

- Fastest pouring cap on the market
- Pours up to 19 L (5 gallons) in 42 seconds
- Features automatic fluid cutoff technology to prevent overfilling and spillage
- Spring-loaded design allows user to activate the ultra-fast fluid flow by simply pressing down on the nozzle
- Designed to fit most tank openings



3850-0683

3850-0679

3850-0675

3850-0682

3850-0678

DESCRIPTION	PART #	DESCRIPTION	PART #
10 L (2,5 GAL.)		10 L (2,5 GAL.) (CONT)	
Black	3850-0683	Red	3850-0675
Blue	3850-0679	20 L (5 GAL.)	
Kawasaki green	3850-0681	Black	3850-0684
Orange	3850-0677	Blue	3850-0680

DESCRIPTION	PART #
20 L (5 GAL.) (CONT)	
Kawasaki green	3850-0682
Red	3850-0676
Orange	3850-0678



OIL DRUM PUMP

- Lever-style
- Air operated

DESCRIPTION	PART #
Oil drum pump	3850-0617



PORTABLE OIL DRAIN PAN

- Combination of multi-purpose drain pan and transportation container for oil change and part cleaning
- Suitable for oil, additives, coolant and other fluids
- Screw cap with rubber seal ensures safe transportation and leak-free operation
- Made of durable and impact-resistant plastic with three carry handles
- Holds 4 L

DESCRIPTION	PART #
Oil pan	0712-0666



STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



EZ LIFT ENGINE "YANKERS"

- Strong and durable, tig-welded steel bracket made for removing and positioning engines in the frame
- Angled bracket design makes it easy to bolt directly to the engine and avoids potential frame damage
- Makes engine removal or install a one-person task (use of engine/overhead hoist is required)
- Aligns perfectly with M-Eight or Twin Cam engine mount bolts
- Maximum lifting capacity of 136 kg (300 lbs.)

NOTE: Requires bolts with maximum diameter of 12,7 mm (1/2"). Requires minimum of 12,7 mm (1/2") thread engagement and use of washers.

WARNING: Do NOT "yank" the engine from the frame or perform any work on the motor while it is attached to the hoist. Sudden movements may cause the engine to swing which could result in damage and/or injury. Immediate transfer of the engine to a suitable engine stand is recommended.

DESCRIPTION	PART #
M-Eight	3801-0435

DESCRIPTION	PART #
Twin Cam	3801-0436



CYLINDER HOLD DOWN NUTS

- Help to keep the cylinders in place when removing the heads from the engine
- One end fits Twin Cam models and the other fits M-Eight engines
- Sold in a set of two

PART #	DESCRIPTION
3801-0318	For 17-20 M-Eight and 99-17 Twin Cam



CAM PHASER TOOL

- Required service tool for accessing the cam chest on VVT engines
- Holds the cam phaser assembly in place to allow removal of the spool valve bolt
- Lets you get access to the cam plate, oil pump and the cam
- CNC machined from 4130 steel

PART #	DESCRIPTION
3801-0434	For 23-24 VVT CVO models



INSTALLED VALVE SPRING HEIGHT GAUGE

- Measures valve spring installed height
- Place tool on cylinder head in place of valve spring with spring cup and retainer in place, twist measuring tool to get accurate spring height measurement

PART #	DESCRIPTION
3801-0440	For all Twin Cam, Evolution Big Twin and XL



TWIN CAM COMPRESSION RELEASE VALVE INSTALLATION KIT

- For big-inch or high-compression Twin Cams
- Works on front and back head, with or without valves installed
- Simply drill, spot face, tap and install compression release valves
- Installation kit includes fixture, drill bit, spot face bit and thread-tapping tool
- Thread-tapping tool available separately

PART #	DESCRIPTION
DS-196408	Twin Cam compression release installation kit





FUEL SHARING SYSTEM

- Simple and easy to use with no tools or modifications needed
- Entire connection and disconnection takes only seconds
- Transfers up to 946 ml (1 US quart) of fuel every 20 seconds; will not stall engine while in use
- Small and compact size, stores anywhere; storage pouch included

PART #	DESCRIPTION
3850-0214	For 00-24 H-D® models with Delphi fuel injection (except V-Rod and 24 FLHX/FLTRX)



FUEL CHECK VALVE REBUILD KIT INSTALLATION TOOL

- The industry's first and only rebuild kit installation tool
- Provides for fast and easy professional installation of check valve O-Ring or Rebuild kit without having to remove tank from the bike

NOTE: O-rings and rebuild kit sold separately.

PART #	DESCRIPTION	PART #	DESCRIPTION
3850-0215	For 00-24 H-D models w/ Delphi fuel injection (except 24 FLHX/FLTRX and all V-Rod)	3850-0261	Repl. hooks, two of each

3850-0215

3850-0261



FUEL PRESSURE GAUGE

- Gauge attaches magnetically to your machine's fuel tank allowing you to quickly check both Static (idling) and Load (under acceleration) fuel pressure readings
- Use it to diagnose loss of power, poor fuel economy, hesitation and stalling
- Perfect for dyno tuning
- No tools required
- Entire connection and disconnection takes only seconds
- Comes complete with its own storage pouch and O-ring lube

PART #	DESCRIPTION
3850-0303	Fuel pressure gauge

FUEL PRESSURE CHECK GAUGE

- Provides simple, fast and accurate fuel pressure checks
- Quickly diagnoses loss of power, poor fuel economy and hesitation and stalling
- Includes a solid brass adapter and release valve, steel housing (100 psi) gauge, stainless steel springs, Viton® O-rings, O-ring lubricant and nylon storage pouch
- Releases fuel through drain line with the push of a button

PART #	DESCRIPTION
3850-0216	For 00-24 H-D® models with Delphi fuel injection (except V-Rod 4 FLHX/FLTRX)



- STREET TIRES
- V-TWIN TIRES
- SCOOTER TIRES
- OFFROAD TIRES
- ATV/UTV TIRES & WHEELS
- BICYCLE TIRES
- TUBES & ACCESSORIES
- SHOP EQUIPMENT & STANDS
- GENERAL METRIC SERVICE/ MAINTENANCE TOOLS
- V-TWIN TOOLS
- CHEMICALS, LUBRICANTS & POLISHES
- TRANSPORT & TRAILER
- MERCHANDISING

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

0701-1000



0701-0999



SADDLEMEN
THE GEL-SEAT EXPERTS / SINCE 1987

FUEL TANK COVERS

- Protect your tank in style while servicing or storing your motorcycle
- Saddlemen® Race Development inspired graphic
- Soft inner prevents scratches
- Built-in handlebar storage loops and tool pouches
- Zippered hardware storage pouch
- Available in small for "peanut" tanks and large for full-size tanks

PART #	DESCRIPTION	PART #	DESCRIPTION
0701-1000	Small	0701-0999	Large



FUEL TANK SERVICE COVER

- Designed to protect the tank when doing service
- Durable black vinyl
- Fits Dyna, Softail, Touring and Trike models

PART #	DESCRIPTION
4001-0249	Fuel tank service cover



SERVICE COVER FOR LARGE FRONT FENDER

- Protective cover for vehicle service
- Durable black vinyl

PART #	DESCRIPTION
4001-0248	For most Touring/Trike, 12-16 FLD, 86-17 FL Softail (except FLS/FLSS), 18-24 FLDR, FLHC/FLHCS



SERVICE COVER FOR NARROW FRONT FENDERS

- Protective cover for vehicle service
- Durable black vinyl

PART #	DESCRIPTION
4001-0250	For most FXD/FXDWG and XL



HIGH PERFORMANCE MOTORCYCLE OIL PREMIUM SYNTHETIC SAE 15W60

- Fully synthetic oil is specially developed for the latest generation of Harley-Davidson Revolution-Max engines
- Special fully synthetic base oils provide perfect lubrication and high temperature protection for high performance engines
- Best wear protection and extremely good shear stability thanks to special additive technology
- Suitable for oil bath clutches
- Meets all required specifications for Harley-Davidson engines
- Suitable for high-torque engines thanks to Jaso MA2
- API CI-4, API SL, JASO MA2
- Available in a 20 L bag in box (BiB); sold each
- See page 608 of the 2024 Parts Europe/ Drag Specialties Tires, Tools & Service catalog for the complete line of Drag Specialties High Performance motorcycle oil



DESCRIPTION	PART #
Premium synthetic SAE 15W60	3601-0937



4T ENGINE OIL 10W60 FULL SYNTHETIC FOR STREET RACE

- Fully synthetic high-performance motor oil
- Ensures maximum performance and protection of the engine under all operating conditions
- Optimum lubrication, outstanding engine cleanliness, excellent friction and minimal wear
- Developed for air- and water-cooled 4-stroke engines exposed to normal-to-extreme operating conditions
- Suitable for engines with or without a wet clutch
- Meets or exceeds API SN PLUS, JASO MA2 specifications
- See pages 617 to 618 of the 2024 Parts Europe Tire catalog for the complete line of Liqui Moly 4T Engine Oil



DESCRIPTION	PART #
20 L	3601-0421



EBC BRAKES DOT 5.1 BRAKE FLUID

- Premium specification brake and clutch hydraulic fluid
- Dry boiling point 268 °C (514 °F)
- Wet boiling point 180 °C (358 °F)
- Not suitable for use in mineral oil systems
- 500 ml bottle

DESCRIPTION	PART #
DOT 5.1; 500 ml bottle	3703-0074



ROAD AND TRACK FORK OIL

- High-performance fork oil specially developed for the Road and Track forks
- Stable viscosity and negligible fade, even under hard use
- Designed to minimize friction and wear on fork internals for longer service intervals
- Viscosity rating 19 cSt at 40 °C
- 1 L plastic bottle, 12 per case; sold each

DESCRIPTION	PART #
Road and Track fork oil (1 L) (Similar SAE 7.5W)	OH01309-01



STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING



3608-0021



3608-0037



FRONT FORK OIL

SS05

- 15,1 cSt at 40° C (104° F) in bright red color
- High-performance, front fork oil for high-hydraulic speeds; increases front fork rider feeling compared with OEM oil
- Low friction and longer durability
- Can be used both on- and off-road

DESCRIPTION	SHOWA REFERENCE #	PART #
SS05		
20 L	L598005020	3608-0021
5 L	L598005005	3608-0035

A15-00

- 15,1 cSt at 40° C (104° F) in orange color
- Reduces the friction and gives more feeling to the rider; developed in MXGP and AMA
- Low friction in low speed
- Can be used both on- and off-road

DESCRIPTION	SHOWA REFERENCE #	PART #
A15-00		
1 L	L598A15001	3608-0022
5 L	L598A15005	3608-0037



REAR SHOCK OIL

- 3,63 cSt at 40° C (104° F)
- Similar to SAE 2,5W
- Improves performance compared to OEM oil
- Low friction and long durability
- Can be used both on and offroad

DESCRIPTION	SHOWA REFERENCE #	PART #
1 L	L598025001	3608-0024

3608-0024



DESCRIPTION	SHOWA REFERENCE #	PART #
5 L	L598025005	3608-0036

3713-0113



WRS SHIELD PRO

- Specially developed with cutting-edge nanotechnology to cover windshields, fairings, visors and other plastic parts
- Nanometric particles are able to penetrate the microporosities of plastic surfaces to create a permanent oil and water repellent layer
- Eliminates need for specific cleaning products, simplifying maintenance
- Preserves beauty of surfaces
- PART #3713-0115 is a 21-pack that includes countertop display
- Store at temps between 5 °C and 30 °C
- Comes in 10 ml bottle; includes applicator and dryer cloth

DESCRIPTION	PART #
10 ml bottle	3713-0113



3713-0115

DESCRIPTION	PART #
Pack of 21	3713-0115



MOTORCYCLE CHAIN CARE KIT

- Everything you need to keep your chain clean and running right
- Kit includes: 400 ml Bio chain cleaner, all weather lube and motorcycle chain brush
- Bio chain cleaner features a contaminant-free grease-shedding formula
- All weather lube is engineered for maximum protection with ceramic additives to increase component life
- Motorcycle chain brush has a durable design to quickly remove dirt



DESCRIPTION	PART #
Chain care kit	3704-0443



2-IN-1 TIRE AND TUBE PREMIUM SEALANT

- For non-highway vehicles: ATVs/UTVs, golf carts, riding lawn mowers, small trailers, scooters and more
- Non-toxic, non-hazardous, non-flammable and non-corrosive, making it safe for tires and rims
- Instantly seals up to 6,35 mm (1/4") punctures in tires and 0,31 cm (1/8") punctures in tubes
- Continuously seals for two years
- Safe and easy to use; environmentally friendly and cleans up with water
- Stops slow leaks using Fibro-Seal technology
- Effective under the most extreme temperatures: low freezing point of -10 °C (14 °F) and a high separation point of 50 °C (122 °F)
- Available in 473 ml (16 US fl. oz.) bottle or 946 ml (32 US fl. oz.) bottle

NOTE: Slime's 2-in-1 Tire & Tube Premium Sealant formula is not approved for use in tubeless bicycle tires or in vehicle tires traveling highway speeds greater than 72 km/h (45 mph).



DESCRIPTION	PART #	DESCRIPTION	PART #
473 ml (16 US fl. oz.) bottle	3715-0034	946 ml (32 US fl. oz.) bottle	3715-0035



3090 INSTANT ADHESIVE

- Loctite® 3090 is an instant Adhesive is a 2-component, fast fixturing, gap-filling adhesive designed for assembling parts with varying bond gaps up to 5 mm
- Superior adhesion to a variety of common substrates, including metal, plastics, and rubber, as well as porous materials such as wood, paper, leather, and fabric
- The gel consistency prevents adhesive flow even on vertical surfaces
- Precise and clean application with the syringe that is a gel consistency, preventing adhesive flow, even on vertical surfaces
- Perfect for all quick repairs of broken plastic parts and all types of emergency repair



PART #	DESCRIPTION
3711-0050	3090 Instant Adhesive



454 INSTANT ADHESIVE

- Loctite® 454 is a general purpose, non-drip gel, instant adhesive that is ideal for vertical surfaces and overhead applications
- Instant adhesive designed for the assembly of difficult-to-bond materials which require uniform stress distribution and high tensile and/or shear strength
- Suited to bonding porous materials such as wood, paper, leather, and fabric
- The product provides for the rapid bonding of a wide range of materials, including metals, plastics, and elastomers
- Ideal for overhead application and vertical faces
- Non-wicking, especially suited to porous materials
- Bonds similar or dissimilar substrate combinations of wood, metals, ceramics, most plastics
- Universal instant adhesive gel
- Perfect for all quick repairs



PART #	DESCRIPTION
3711-0051	454 Instant Adhesive



5075 SELF-FUSING SILICONE RUBBER WRAP

- Loctite® SI 5075 is a non-sticky, self-fusing, multi-purpose wrap for tape-based repair situations.
- Self-fusing silicone rubber wrap for temporary repairs on flexible hoses and pipes
- Loctite SI 5075 also offers dielectric strength up to 15 kV/mm
- Self-fusing, sealing and insulating silicone rubber wrap
- Offering a tensile shear strength of 50 kg/cm, the tape stretches to three times its size and seals instantly.
- Resistant to UV, salt water, fuels and acids

PART #	DESCRIPTION
3714-0004	Self-fusing silicone rubber wrap



STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

STREET TIRES

V-TWIN TIRES

SCOOTER TIRES

OFFROAD TIRES

ATV/UTV TIRES & WHEELS

BICYCLE TIRES

TUBES & ACCESSORIES

SHOP EQUIPMENT & STANDS

GENERAL METRIC SERVICE/ MAINTENANCE TOOLS

V-TWIN TOOLS

CHEMICALS, LUBRICANTS & POLISHES

TRANSPORT & TRAILER

MERCHANDISING

3910-0110



XTRAX OFFROAD RECOVERY BOARDS

- Traction on-demand
- Innovative tread pattern designed for optimal grip
- Glove-friendly handle to clear debris in any conditions
- Proprietary material blend prevents chipping, cracking, or breaking
- Included recovery straps allow boards to be linked
- Available in red or black
- Dimensions: 67,3 cm L x 32 cm W (26.5" x 12.5")
- Sold as pair



3910-0111

DESCRIPTION	PART #	DESCRIPTION	PART #
Black	3910-0110	Red	3910-0111



45,5 CM (18") LOOPED TIE-DOWNS

- Looped nylon extension straps are the perfect solution to not having to worry about damaging your bike from the metal tie-downs while getting ready for trailering
- Simply loop one of these straps around your bike and attach the tie-down to the looped end, which will keep the metal tie-down end away from the bike
- Rated to 1587 kg (3500 lb)
- 25 mm (1") W
- Sold in pairs



DESCRIPTION	PART #
45,5 cm (18") looped tie-downs	3920-0487

1 7/8" HITCH BALL

- Universal hitch ball for standard mounting applications
- 907 kg (2.000 lb) load capacity
- 19 mm (3/4") threaded mount



DESCRIPTION	PART #
1 7/8" hitch ball	3902-0293






UNIVERSAL TRAILER WIRING HARNESS

- Electronically isolated trailer wiring harness system
- Easy plug-n-play harness
- Five wire system
- Zip-ties secure and elevate wiring



DESCRIPTION	PART #
Universal trailer wiring harness	3902-0245

YOUR ONE-STOP SHOP FOR MOTORBIKE TIRES SEARCH MADE SIMPLE



ECE TYPE APPROVED

This logo symbolizes that the article conforms to applicable UN ECE regulations. Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.



ECE R90 TYPE APPROVED

This logo symbolizes that the article conforms to applicable UN ECE R90 regulations. Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.



PPE (Personal Protective Equipment)

This logo indicates the article's conformity with the Essential Health and Safety Requirements of Regulation (EU) 2016/425.



EC TYPE APPROVED

This logo symbolizes that the article conforms to applicable EU EC directives. Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.



EU TYPE APPROVED

This logo symbolizes that the article conforms to applicable EU Regulation (generally for newer products). Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.



PPE

This logo indicates the article's conformity with the Essential Health and Safety Requirements of Regulation (EU) 2016/425. (non-motorcycle articles, e.g. Watercraft articles)




ECE R22.06

This logo symbolizes that a helmet, helmet visor/shield or other helmet accessory has been tested and certified to ECE 22.06 regulation.



ART

The ART quality mark symbolizes that the lock is independently tested according to the standard for two-wheeler theft prevention. (MBT-04) and certified by the ART Foundation. The locks are rated according to a 5 stars category designation system based on the use of a lock (bicycle, E-bike, scooter, motorcycle, other). The more stars a lock has, the higher its preventative value and the better it protects against theft.



ABE

This logo symbolizes the article has been approved by KBA (German Federal Motor Transport Authority) for specific vehicle application.



TEILEGUTACHTEN (German Parts Certificate)

This logo symbolizes that the article contains a TEILEGUTACHTEN (German Parts Certificate) to ensure the legal part installation. Issued by a German inspection body.



CLASSE S.R.A.

The logo symbolizes that the anti-theft device is tested and approved according to the SRA (SÉCURITÉ et RÉPARATION AUTOMOBILES France) rules for theft prevention. The classification in the "SRA classes" includes electronic protection systems (engine cut-off, alarm, etc.) and mechanical protection systems (U-locks, chains and disc locks).



SOLD SECURE

The logo symbolizes that the lock is tested and approved according to Sold Secure (UK's testing and certification house for security products) standards for theft prevention.



ELECTRICAL WIRING

WIRE GAUGE CONVERTER

GAUGE	MM ²	MM Ø	GAUGE	MM ²	MM Ø
22	0,33	0,65	10	5,0	2,6
20	0,5	0,8	8	8,0	3,3
18	0,8	1,0	6	13,0	4,1
16	1,0	1,3	4	19,0	5,2
14	2,0	1,7	2	32,0	6,5
12	3,0	2,1	0	52,0	8,3



WIRE GAUGE SELECTOR

It's important to match up wire diameter and current properly. To choose the right gauge wire, you will need to know how much Wattage (or Amperage) you will draw and what the length of the cable will be.

NOTE: The chart below is based on a 12V system. To find the appropriate wire for 6V systems, the Amp and Watt numbers should be divided in half.

AMP	WATT	91 CM (3 FT)	152 CM (5 FT)	213 CM (7 FT)	305 CM (10 FT)	457 CM (15 FT)	AMP	WATT	91 CM (3 FT)	152 CM (5 FT)	213 CM (7 FT)	305 CM (10 FT)	457 CM (15 FT)
5A	30W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG	20A	120W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG
6A	36W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG	22A	132W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG
7A	42W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG	24A	144W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG
8A	48W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG	30A	180W	18 AWG	16 AWG	16 AWG	14 AWG	10 AWG
10A	60W	18 AWG	18 AWG	18 AWG	18 AWG	16 AWG	40A	240W	18 AWG	16 AWG	14 AWG	12 AWG	10 AWG
11A	66W	18 AWG	18 AWG	18 AWG	18 AWG	16 AWG	50A	300W	16 AWG	14 AWG	12 AWG	12 AWG	10 AWG
12A	72W	18 AWG	18 AWG	18 AWG	18 AWG	16 AWG	100A	600W	12 AWG	12 AWG	10 AWG	10 AWG	6 AWG
15A	90W	18 AWG	18 AWG	18 AWG	18 AWG	14 AWG	150A	900W	10 AWG	10 AWG	8 AWG	8 AWG	4 AWG
18A	108W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG	200A	1200W	10 AWG	8 AWG	8 AWG	6 AWG	4 AWG

METRIC AND U.S.A STANDARD CONVERSIONS

METRIC TO U.S.A	
METRIC	U.S.A
VOLUME	
Milliliter (ml)	0.0338 fluid ounce (fl oz)
Milliliter (ml)	0.001057 quart
Milliliter (ml)	0.06102 cubic inch
Liter (L)	0.264 gallon (gal)
Liter (L)	61.02 cubic inch
Liter (L)	0.0353 cubic feet
LENGTH	
Millimeter (mm)	0.039 inch (in)
Centimeter (cm)	0.393 inch (in)
Centimeter (cm)	0.0328 feet (ft)
Meter (m)	3.28 feet (ft)
Kilometer (km)	0.62 mile (mi)
WEIGHTS	
Gram (g)	0.035 ounce net weight (oz net wt)
Kilogram (kg)	2.2 pounds (lbs)
PRESSURE	
Bar	14.5 psi
TEMPERATURE	
Degrees Celsius (°C)	Degrees Fahrenheit (°F -32) x 5/9
POWER	
Kilowatt (kw)	1.34 horsepower (hp)
SPEED	
Kilometers per hour (km/h)	0.62 miles per hour (mph)
TORQUE	
Newton meters	8.85 inch force-pounds (in lbs)
Newton meters	0.738 foot force-pounds (ft lbs)
ENGINE CAPACITY	
Cubic centimeters (cc) (cm ³)	0.06102 (ci)
FUEL CONSUMPTION	
Kilometers per liter (km/l)	2.35 miles per gallon (mpg)
Liters per kilometer (l/km)	0.425 gallons per mile (gpm)

U.S.A TO METRIC	
U.S.A	METRIC
VOLUME	
Fluid ounce (fl oz)	29.57 milliliter (ml)
Quart	946.4 milliliter (ml)
Cubic inch	16.39 milliliter (ml)
Gallon (gal)	3.785 liter
Cubic inch	0.01639 liter
Cubic feet	28.3169 liter
LENGTH	
Inch (in)	25.4 millimeters (mm)
Inch (in)	2.54 centimeters (cm)
Foot (ft)	30.5 centimeters (cm)
Foot (ft)	0.305 meter (m)
Mile (mi)	1.609 kilometer
WEIGHTS	
Ounce net weight (oz net wt)	28.35 grams (g)
Pound (lb)	0.45 kilograms (kg)
PRESSURE	
PSI	0.0689 Bar
TEMPERATURE	
Degrees Fahrenheit (°F)	Degrees Celsius (°C x 1.8) + 32
POWER	
Horsepower (hp)	0.7457 kilowatt (kw)
SPEED	
Miles per hour (mph)	1.6093 kilometers per hour (km/h)
TORQUE	
Inch force-pounds (in lbs)	0.113 newton meters (nm)
Foot force-pounds (ft lbs)	1.356 newton meters (nm)
ENGINE CAPACITY	
Cubic Inch Displacements (CID)	16.39 cubic centimeters (cc) (cm ³)
FUEL CONSUMPTION	
Miles per gallon (mpg)	0.425 kilometers per liter (km/l)
	2.35 liters per kilometer (l/km)

THE RIGHT PARTS - THE RIGHT FIT GEAR UP WITH FITMENT SEARCH

English | € EUR | Hide Dealer Price | Store Locator | Career | Contact

PARTS EUROPE Search Shop Type keywords here...

Categories | Vehicle Search | Tire Search | Chain Kit Wizard | Catalogs | Highlights

Filters HSN & TS VIN Search Vehicles Type keywords here and wait for results to load...

Brand	Model/Sales Name	Year	Country Version
Harley Davidson	RA 1250 ABS - Pan America	2024	ALL
Harley Davidson	RA 1250 S ABS - Pan America Special	2024	ALL
Harley Davidson	RH 1250 S ABS - Sportster S	2024	ALL
Harley Davidson	FXLRS 1923 ABS - Softail Low Rider S 117	2024	ALL
Harley Davidson	FLHRX 1868 ABS - Road King Special 114	2024	ALL
Harley Davidson	FLRT 1868 ABS - Freewheeler 114	2024	ALL
Harley Davidson	FLTRX 1977 ABS - Road Glide CVO 121	2024	ALL
Harley Davidson	FLHX 1977 ABS - Street Glide CVO 121	2024	ALL
Harley Davidson	FLHX 1868 ABS - Street Glide Special Anniversary 114	2023	ALL
Harley Davidson	FLTK 1868 ABS - Ultra Limited Anniversary 114	2023	ALL


Recently selected vehicles:
 HONDA GL 1800 ABS 2014
 YAMAHA MT-07 ABS 2021
 KAWASAKI NINJA 650 ABS 2023
 BMW R 1300 GS ABS 2024
 YAMAHA XTZ 700 2024
 HONDA CRF 450 RX 2025

Tire Pairs

- Tire Pairs (38 products)
- Special Sales
- Hardparts Clearance

Parts & Accessories

- Maintenance (34 products)
- Engine & Parts (6 products)
- Fuel & Air Systems (7 products)
- Diagnostic & Tuning Systems (6 products)
- Exhaust (9 products)
- Electrical & Gauges (41 products)
- Drivetrain (3 products)
- Brakes (25 products)
- Suspension (5 products)
- Wheels & Accessories (5 products)
- Body Parts (7 products)
- Windshields & Fairings (2 products)
- Handlebars & Hand Controls (71 products)
- Mirrors (10 products)
- Seats & Sissy Bars (8 products)
- Luggage (36 products)
- Racks, Hardware & Accessories (6 products)
- Footpegs & Foot Controls (61 products)
- Lighting (44 products)
- Audio, Video & Mounts (3 products)



STAY IN THE LOOP WITH HIGHLIGHT THE HOTTEST NEW PRODUCTS

English | € EUR | Hide Dealer Price | Store Locator | Career | Contact

PARTS EUROPE | Search Shop | Type keywords here...

Categories | Vehicle Search | Tire Search | Chain Kit Wizard | Catalogs | Highlights

HIGHLIGHTS NEWS, BRAND FOCUS & THE LATEST PRODUCTS

Filter: Select filter | Sort by: Default | Reset filters

Premier Helmets New 2025 Collection
Gear Up with Premier: Discover the Revolutionary 2025 Helmet Collection

Details

Biltwell - Gringo Helmets
The Biltwell Gringo lineup is a blend of retro-style and modern safety for motorcyclists who love a vintage vibe.

Details

HGS Exhaust Systems - All Products
HGS Exhaust Systems specializes in high-performance exhausts for motorcycles, designed to improve power, efficiency, and sound.

Details

SENA Products
SENA is a name that every motorbike enthusiast should know. Whether you're a weekend rider, a daily commuter, or an adventure rider exploring uncharted territories, SENA offers cutting-edge communication systems that enhance every journey.

From 2024-11-03

Details

Denali - All Products
Founded in 2012, DENALI set out to revolutionize the Powersports market with an innovative LED lighting kit designed specifically for an underserved segment.

From 2024-10-22

Details

John Doe - New Collection 2025
John Doe's apparel and accessories embody the spirit of adventure, offering riders not just protection but a seamless transition from road to lifestyle.

Details

Sand essentials
Enjoy now our selection of products for beach races and sand riding sessions

Details

Thor Reflex Helmets 2025
The THOR Reflex helmet is a game-changer in motocross and off-road protection, designed with innovative MIPS technology for enhanced safety against rotational impacts.

Details



We Support The Sport®!

We are the #1 resource for powersports products. We support our dealers, vendors and fans at races, rallies, special events and showcases.

DEALER POLICIES

Please visit: www.partseurope.eu

CATALOG CONTENTS

We believe the contents and specifications of this catalog are correct. We assume no liability for errors in listings, specifications, part numbers, prices or model applications. We reserve the right to change specifications, product descriptions, product quality, pricing and application at any time without further notice and without further obligation. The reproduction of any material from this catalog is forbidden without our written approval.

iPad®, iPhone®, iPhoto®, iPod®, iPod classic®, iPod nano®, iPod shuffle®, iPod touch®, MacBook®, MacBook Air® and PowerBook® are registered trademarks of Apple Inc.

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. Supplex® and Cordura® are registered trademarks

of Invista North America S.A.R.L. D30® is a registered trademark of Design Blue Limited. YKK® Vislon® and AquaGuard® are registered trademarks of YKK Corporation.

All model designations and applications used herein are determined by the manufacturer as USA and/or European specific. Contact the individual manufacturer for additional international model information.

WARRANTIES AND GUARANTEES

We do not guarantee the items sold by us or warrant the merchantability or fitness of purpose. Manufacturers supply their own warranties and guarantees and most of them do not permit a wholesaler or distributor to make any adjustment, replace any part or accept for return or exchange any defective or unsatisfactory item. Please follow the guarantee instructions when provided by the manufacturer. Any damages arising from the design or manufacturing of any item are the sole responsibility of the manufacturer.

HARLEY-DAVIDSON® AND BUELL® MOTORCYCLE MODEL DESIGNATIONS ARE UTILIZED IN THIS CATALOG FOR REFERENCE ONLY:

BAD BOY, BADLANDER, BLACKLINE, BOOM!, BREAKOUT, BUELL, CLASSIC, CONVERTIBLE, CROSSBONES, CRUISE DRIVE, CVO, CUSTOM VEHICLE OPERATIONS, DARK CUSTOM, DEUCE, DUO GLIDE, DYNA, DYNA GLIDE, DYNA WIDE GLIDE, ELECTRA GLIDE, EVOLUTION, FAT BOB, FAT BOY, FAT HEAD, FORTY-EIGHT, FREEWHEELER, HARLEY, HARLEY-DAVIDSON, HARLEY DAVIDSON STREET, HD, H-D, H-D HERITAGE SOFTAIL, HERITAGE SPRINGER, HIGHWAY KING, HYDRA GLIDE, HYDRA GLIDE REVIVAL, HUGGER, IRON 883, LIGHTNING, LOW RIDER, MILWAUKEE EIGHT, MUSCLE, NIGHTSTER, NIGHTSTER SPECIAL, NIGHT ROD, NIGHT TRAIN, LOW RIDER ST, LOWRIDER ST DIABLO, PAN AMERICA, PROFILE, REVIVAL, REVOLUTION, REVOLUTION X, ROAD GLIDE 3, ROCKER, ROCKERTAIL, ROAD GLIDE, ROAD KING, ROADSTER, SCREAMIN' EAGLE, SEVENTY-TWO, SOFTAIL SLIM, SOFTAIL, SPORT GLIDE, SPORTSTER, SPORTSTER S, SPRINGER, STREET, STREET BOB, STREET GLIDE, STREET ROD, STURGIS, SUPER GLIDE, SUPERLOW, SUPERLOW 1200T, SWITCHBACK, THE TRICK SEAT, T-SPORT, THUNDERBOLT, TOUR GLIDE, TOUR-PAK, TRI GLIDE, TWIN CAM, TWIN CAM 88, TWIN CAM 88B, TWIN CAM 96, TWIN CAM 96B, TWIN CAM 103, TWIN CAM 103B, TWIN CAM 110, TWIN CAM 110B, TWIN COOLED, ULTRA CLASSIC, ULYSSES, V-FIRE III, V-ROD, V-ROD MUSCLE, VRSC, WIDE GLIDE, XR1200 AND XR1200X ARE REGISTERED TRADEMARKS OF THE HARLEY-DAVIDSON MOTOR COMPANY, INC., MILWAUKEE, WI, U.S.A.

EL, FL, FLD, FLJ, FLDE, FLFB, FLFBS, FLH, FLHC, FLHCS, FLHF, FLHFB, FLHR, FLHRSE, FLHRC, FLHRS, FLHRSI, FLHRSI, FLHRCI, FLHRI, FLHRSEI, FLHRSE2, FLHRSE3, FLHRSE4, FLHRSE5, FLHRXS, FLHS, FLHT, FLHTI, FLHTC, FLHTCI, FLHTCSE, FLHTCU, FLHTCUI, FLHTCUL, FLHTCUSE, FLHTCUSE2, FLHTCUSE3, FLHTCUSE4, FLHTCUSE5, FLHTCUSE6, FLHTCUSE7, FLHTCUSE8, FLHTCUTG, FLHTK, FLHTKL, FLHTKSE, FLHTP, FLHTPI, FLHX, FLHXS, FLHXI, FLHXSE, FLHXSE2, FLHXSE3, FLHXST, FLHXXX, FLRT, FLS, FLFSB, FLSL, FLSS, FLFB, FLFBS, FLST, FLSTI, FLSTC, FLSTCI, FLSTF, FLSTFB, FLSTFBS, FLSTFI, FLSTFSE, FLSTFSE2, FLSTN, FLSTNSE, FLSTNI, FLSTS, FLSTSB, FLSTSE, FLSTSE2, FLSTSE3, FLSTSI, FLSTSC, FLSTSCI, FLT, FLTC, FLTCU, FLTCUI, FLTC ULTRA, FLTR, FLTRI, FLTRK, FLTRSEI, FLTRT, FLTRU, FLTRUSE, FLTRX, FLTRXS, FLTRXST, FLTRXSE, FLTRXSE2, FXB, FXBB, FXBBS, FXBR, FXBRS, FXCW, FXCWC, FXD, FXDB, FXDBI, FXDC, FXDCI, FXDI, FXDI35, FXDF, FXDFSE, FXDFSE2, FXDG, FXDL, FXDLI, FXDLX, FXDLS, FXDRS, FXDS-COM, FXDSE, FXDSE2, FXDWG, FXDWG2, FXDWG3, FXDWGI, FXDX, FXDXI, FXDXT, FXE, FXEF, FXFB, FX, FXLR, FXLRS, FXLRST, FXR, FXR2, FXR3, FXR4, FXRC, FXRDG, FXRS, FXRSE, FXRST, FXRS-SP, FXRT, FXS, FXSB, FXBR, FXBRS, FXFBS, FXSE, FXSBSE, FXST, FXSTI, FXSTB, FXSTBI, FXSTC, FXSTD, FXSTDI, FXSTDSEI, FXSTS, FXSTSB, FXSTSI, FXSTSSE, FXSTSSE2, FXSTSSE3, FXWG, K, KH, WL, WLA, RA1250, RA1250S, RH 975, RH975S, RH1250S, XG 500, XG 750, XG 750A, XL, XL 883, XL 883C, XL 883L, XL 883N, XL 883R, XL 1200C, XL1200CX, XL 1200L, XL 1200N, XL 1200R, XL 1200S, XL1200T, XL1200V, XL1200X, XLCH, XLCR, XLH, XLH 883, XLH 883C, XLH 883 HUGGER, XLH 1100, XLH 1200, XL 50, XLR, XLS, XLI, XR, XR1200, XR1200X, M2, X1, S1, S2, S2T, S3, S3T, FIREBOLT XB9R, LIGHTNING, LIGHTNING CITY X, XB9S, XB9SX, XB12CG, XB12R, XB12S, XB12SS, XB12X, 1125R, XB12XT, 1125CR, VRSC, VRSCA, VRSCAW, VRSCB, VRSCD, VRSCDX, VRSCF, VRSCR, VRSCSE, VRSCSE2, VRSCX AND BLAST.



dragspecialties.eu



partseurope.eu

Parts Europe GmbH

Conrad-Röntgen-Strasse 2

54332 Wasserliesch/Trier, Germany

Sales: +49 6501 9695-2000

Fax: +49 6501 9695-2650

Reception: +49 6501 9695-0

info@partseurope.eu

A DIVISION OF LEMANS CORPORATION

PO Box 5222, Janesville, WI 53547-5222 • 608-758-1111

COPYRIGHT 2024 • LeMans Corporation • ALL RIGHTS RESERVED
These materials may not be copied or reproduced in any manner without written permission of LeMans Corporation.




TIRES TOOLS & CHEMICALS

2025 UPDATE



TIRES, OILS, TOOLS
& CHEMICALS.
EVERYTHING AVAILABLE IN
ONE CATALOGUE!
DISCOVER THE LATEST
TIRES & TOOLS CATALOGUE

OUR CATALOGUES
COVER HARLEY, INDIAN,
SCOOTER, ATV, WATERCRAFT,
AND MUCH MORE!
BROWSE THEM ALL HERE



PARTS EUROPE

DRAG Specialties

9901-3531
PRINTED IN GERMANY



ONLINE AVAILABLE AS PAGE FLIPPER IN



partseurope



partseurope.official



partseurope.official