

# PARTS & ACCESSORIES FOR INDIAN MOTORCYCLES

Indian® is a registered trademark of Indian Motorcycle International, LLC



QUICKLY FIND  
ALL THE PARTS  
YOU NEED ON  
OUR WEBSITE



**PARTS**  
**EUROPE**

**DRAG**  
Specialties



partseurope





partseurope.official



partseurope.official

# 1947 Indian Chief



## ON THE COVER

**The Indian Motorcycle Company** started in 1901 when George M. Hendee and Oscar Hedstrom put a 1.75 horsepower single-cylinder engine in a simple bicycle-style frame. They would have never imagined that motorcycle was the beginning of a brand that would grow to become a worldwide presence.

The company's original run lasted from 1901 until 1953. Indians from that period are highly prized motorcycles sought out by museums, collectors and dedicated riders. The model shown in the catalogue is a 1947 Indian Chief. It is from the collection of Fred Fox, the founder of LeMans Corporation.

Mike "Kiwi Indian" Thomas, a long-time industry expert and restorer of these classic motorcycles, reviewed the bike and shared his knowledge to point out the Chief's more notable features. It has a 74 cubic inch V-Twin motor and a three-speed transmission that is hand shift. The Rocker foot clutch is operated on the left side, and operates in reverse of

a standard foot clutch – you raise your heel to go.

The plunger rear suspension was a feature introduced in 1940, and the girder forks have a built-in steering damper. This feature was introduced on Indian Chief models in 1946, but it was used on the earlier 841 Indian military motorcycle models starting in 1941.

The bike has been converted from its original right-hand shift/left throttle to the now industry standard right throttle/left-hand shift. The left grip now operates the manual spark advance/retard functions.

The '47 Chief rides on 16" wheels (an upgrade introduced in the 1941 model year) wrapped in the beautiful, iconic skirted fenders.

The twin tanks split fuel and oil duties – the left tank holds two gallons of fuel, the right tank holds an additional 1½ gallons of fuel and 2 ½ quarts of oil. The tanks feature the Indian 'script' logo tank badges, first introduced in model year 1947.

Optional accessories on this Chief include fender tips, a

# 2023 Indian Challenger



rear bumper, luggage rack, rear spark plug guard, front and rear highway bars, foot board extensions, a seat rail, Indian head shift knob, a mirror and a Raceway air cleaner.

The second bike featured would no doubt amaze and delight the founders of the Indian motorcycle company when they saw their iconic brand logo on such a beautiful, powerful machine.

This model is a 2023 Indian Challenger, powered by a liquid-cooled 108 cubic inch engine that produces 122 horsepower and 128 pounds of torque – figures that place it at the front of the American V-Twin performance touring machines.

The aggressive shape of the bike is enhanced with a full race replica custom wrap, giving it a true 'race bagger' look on the street. A Klock Werks Flare dark smoke windshield adds an additional aggressive look to the bike.

Ciro RydeCulture footrests, footpeg mounts and floorboard inserts add rider comfort, and further accent the

performance bagger styling. The bike rides on 10-spoke cast wheels with Metzeler Cruisetec radials.


Ciro also provides custom LED accents – the bike has a set of RydeCulture Bryant M1 saddlebag accent LEDs with smoke lenses at the rear, and a set of Machete Bag LED lights along the bottom edges of the saddlebags. A pair of TAC-10 light cannons give the driver a pair of high-intensity LEDs for improved visibility of the road ahead in poor light conditions.

A brushed stainless steel 2-into-1 Qualifier exhaust system from S&S boosts performance and gives the bike a racy, aggressive exhaust note.

Together, these two bikes are highlights from two eras of Indian motorcycle – the 1947 Chief is a beautiful, original, well cared for example from Indian motorcycle's first 'golden age.' The 2023 Challenger is a showcase of modern technology and performance that shows Indian is still going strong, almost 125 years after the first models were produced.

# TABLE OF CONTENTS

1. WINDSHIELDS & FAIRINGS . . . . .	6-21	10. LIGHTING & LICENSE PLATES . . . . .	89-115
2. SADDLEBAGS & LUGGAGE . . . . .	22-40	11. HANDLEBARS, CONTROLS & MIRRORS .	116-134
3. SEATS & SISSY BARS . . . . .	41-55	12. CABLES . . . . .	135-136
4. EXHAUST . . . . .	56-65	13. BRAKES & BRAKE LINES . . . . .	137-148
5. FUEL/AIR SYSTEMS . . . . .	66-70	14. TANKS & OIL FILTERS . . . . .	149-150
6. ENGINE . . . . .	71-72	15. DASHES & GAUGES . . . . .	151-156
7. TRANSMISSION, CLUTCH LINE & DRIVELINE . . . . .	73-76	16. FRAMES & SUSPENSION . . . . .	157-162
8. GASKETS & SEALS . . . . .	77	17. FENDERS . . . . .	163-164
9. ELECTRICAL . . . . .	78-88	18. FOOTRESTS & FLOORBOARDS . . . . .	165-171
		19. WHEELS & AXLES . . . . .	172-174
		20. COVERS, LOCKS & GENERAL . . . . .	175-177
		21. AUDIO, COMMUNICATION & MOUNTS . .	178-198
		QUICK REFERENCE GUIDE . . . . .	199
		CONVERSION CHART & EUROPEAN CERTIFICATIONS . . . . .	200-202



# **IMPORTANT INFORMATION RELATING TO MANUFACTURER'S WARRANTY, EMISSION CONTROL REGULATION AND NOISE REGULATION INFORMATION:**

**DISCLAIMER:** There is no warranty on exhaust pipes and mufflers with regard to any discoloration. Discoloration (blueing) is caused by tuning characteristics, i.e. timing, carburetor, fuel injection/controller settings, etc., and is not caused by defective manufacturing. See the Tires, Tools and Chemicals catalog for products that will help prevent and remove blueing.

**DISCLAIMER:** Products shown may be designed, manufactured, intended and sold for closed circuit race use only and use of the same on public roads or lands may be a violation of local, state and/or federal/EU laws.

**DISCLAIMER:** A number of regions have exhaust noise laws. Exhaust products advertised might not be legal for sale or use on public roads or lands in such jurisdictions. Check applicable laws and regulations.

**DISCLAIMER:** Check your applicable laws and manufacturer's publication(s) and/or website(s) for manufacturer's warranty, maintenance, safety, mounting and any regulatory compliance/non-compliance information.



Black Smoke



Dark Black Smoke



Clear



See chart for details

**MEMPHIS SLIM**

- Slimmed-down version of Memphis Fats
- Available in solar (a light tint with 72% visible light transmission), black smoke and dark black smoke
- Measures 45,5 cm wide (18"); available in 38 cm (15") and 43 cm (17") heights with an 18 cm (7") headlight cutout
- Made of Lucite® for excellent optics and durability
- Windshield straps are available in polished stainless steel with CNC-machined billet aluminum fittings and stainless steel socket-head screws or "Night Shades" black version, which is a gradient black windshield with black E-coated stainless steel straps, fittings and hardware for a black-on-black sinister look

- Mounting kits must be ordered separately; see page 9
- Optional Lowers available for additional windshield coverage; see page 7

**PART #** **DESCRIPTION** **COLOR**


PART #	DESCRIPTION	COLOR
38 CM (15")		
MEM4110 <sup>1</sup>	Clear	
MEM4119 <sup>1</sup>	Solar	
2313-0274	Black smoke	
2313-0276	Dark black smoke	

<sup>1</sup> ABE approved.<sup>1</sup> ABE approved.

Clear



Solar



Dark Black Smoke

See chart for details

**MEMPHIS FATS**

- Feature traditional American styling available in clear, solar (a light tint with 72% visible light transmission), black smoke and dark black smoke
- Made from Lucite® for excellent optics and durability
- 56 cm W (22") with five standard heights to choose from
- Windshield straps are available in polished stainless steel with CNC-machined billet aluminum fittings and stainless steel socket-head screws

- Available with a 18 cm (7") headlight cutout
- Mounting kits must be ordered separately; see page 9

**PART #** **DESCRIPTION**

PART #	DESCRIPTION
38 CM (15")	
2313-0064 <sup>1</sup>	Clear
2313-0072 <sup>1</sup>	Solar
2313-0264	Black smoke

<sup>1</sup> ABE approved.<sup>1</sup> ABE approved.

PART #	DESCRIPTION
43 CM (17")	
MEM3210 <sup>1</sup>	Clear
MEM3219 <sup>1</sup>	Solar
2313-0268	Black smoke

<sup>1</sup> ABE approved.

PART #	DESCRIPTION
48,5 CM (19")	
MEM3310 <sup>1</sup>	Clear
MEM3319 <sup>1</sup>	Solar
2313-0270	Black smoke

<sup>1</sup> ABE approved.


PART #	DESCRIPTION	PART #	DESCRIPTION
53,5 CM (21")		53,5 CM (21") (CONT)	
MEM3410	Clear	MEM3419	Solar
		53,5 CM (21") (CONT)	
		2313-0272	Black smoke

All part numbers in **BLUE** are new for 2026.



## SIDE WINGS

- Expand comfort pocket, channeling air outward while "cleaning" the flow
- Adjust to suit rider preference
- Can be installed/removed with windshield intact – Santoprene pads grip the windshield but do not mar the surface
- "Ghost" shade – a neutral tint with 85% light transmission; barely noticeable, with just enough tint to make the edges disappear
- Side Wings fit all Memphis Fats windshields or similar windshields that measure either 3 mm or 4,5 mm thick (includes inserts for both sizes); feature injection-molded glass-filled nylon clamps in place of the billet aluminum; can be mounted along with Hot Wing



PART #	DESCRIPTION
2350-0200	Side Wings

## HOT WING

- Boost airstream upward – Venturi action speeds up the airstream while smoothing the flow – without buffeting
- Allows the use of a shorter shield; now you can easily look over your shield
- Made with "Ghost" shade – a neutral tint with 85% light transmission; barely noticeable, with just enough tint to make the edges disappear
- Uses lightweight, economical injection-molded glass-filled nylon clamps; fits Memphis Fats windshields or similar windshields that measure 3 mm or 4,5 mm thick (includes inserts for both sizes)



PART #	DESCRIPTION
2350-0199	Memphis Hot Wing



Clear



Gradient black

## CUSTOM LOWERS PLASTIC

- Lowers work with Sportshields as well as Memphis Fats and Slim
- Extend coverage downward to shield rider from rain, wind and noise coming up from the road
- Made of the same high-quality materials as Memphis Shades windshields with matching tints
- Must purchase Lowers mounting hardware separately; see pages 13-14 of the 2026 Europe FatBook
- Sold in pairs

PART #	DESCRIPTION
MEP5810	Clear

PART #	DESCRIPTION
MEP5811	Gradient black



## LOWERS MOUNT KITS

- Shield rider from rain, wind and noise coming up from the road
- Lowers Quick Change hardware lets you install or remove your Lowers in seconds
- Made of the same high-quality materials as Memphis Fats

PART #	DESCRIPTION
2321-0777	For 22-25 Chief

PART #	DESCRIPTION
2321-0776	For 22-25 Chief Bobber

All part numbers in **BLUE** are new for 2026.

**EL PASO**

- Headlight cutout sized for 14,5 cm to 18 cm (5 3/4 to 7" headlight)
- 48,5 cm (19") tall
- Smooth design complements the lines of your machine
- Tapered windshield lower is ideal for handlebar-mounted turn signals
- Made of Lucite® for excellent optics and durability
- Available in solar (a light tint with 72% visible light transmission)
- Measures approximately 51 cm W (20")
- Fits most round headlights
- No-Tool detachable Trigger-Lock mounting kits must be ordered separately; see page 9

**DEL REY**

- Small, sleek design that offers good protection in a minimalist package
- Made of Lucite® for excellent optics and durability
- Available in solar (a light tint with 72% visible light transmission)
- Measures approximately 38 cm W x 33 cm (15" x 13") above headlight
- Fits most round headlights
- No-Tool detachable Trigger-Lock mounting kits must be ordered separately; see page 9



PART #	DESCRIPTION
MEP5229	Solar

PART #	DESCRIPTION
MEP5019	Solar



2313-0089



See chart for details

**SPEED DEMON**

- Offers more protection with a sporty look
- Features a similar shape and style to the popular handlebar mount "Demon" shield, but with the benefits of easier installation and faster removal due to the exclusive Sportshield mounting system
- Measures 53,5 cm W (21") and 43 cm (17") above the headlight; fits a 18 cm (7") headlight cutout
- Made of Lucite® for excellent optics and durability
- No-Tool detachable Trigger-Lock mounting kits must be ordered separately; see page 9

## PART #

2313-00891

2313-0280

DESCRIPTION
Solar
Black smoke

1 ABE approved.

**POP TOP SPORTSHIELDS**

- Two inches taller than the handlebar-mounted Shooter windshield
- Measures 45,5 cm W (18") x 40,5 cm H (16") above headlight
- Available for 18 cm (7") headlights
- Made of Lucite® for excellent optics and durability
- Available in black smoke and dark black smoke
- No-Tool detachable Trigger-Lock mounting kits must be ordered separately; see page 9

## PART #

2313-0282

Black smoke

DESCRIPTION
Dark black smoke

Dark black smoke

All part numbers in **BLUE** are new for 2026.



WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

### NO-TOOL TRIGGER-LOCK MOUNT KITS FOR FATS/SIM



2321-0772

2321-0370

2321-0374



- Memphis Shades Fats/Slim mount kits feature Quick-Change mounting, which allows you to remove or swap out your Memphis Fats or Slim windshields in about one minute
- Hardware is custom-fit to each style of bike for no-hassle installation
- Hardware includes stainless steel bolts and CNC-machined aluminum mounting plates and anchors

#### POLISHED

-

2321-0370

2321-0370

#### BLACK

2321-0772

-

-

#### DESCRIPTION

For 22-25 Chief

For 15-24 Scout

For 16-24 Scout Sixty

#### TURN SIGNAL RELOCATION KITS-BLACK

2321-0374

#### DESCRIPTION

For 15-24 Scout and 16-24 Scout Sixty

#### TURN SIGNAL RELOCATION KITS-BLACK

2020-1621

#### DESCRIPTION

For 18-24 Scout Bobber



2321-0771



2321-0768



2321-0366



2321-0374

### NO-TOOL TRIGGER-LOCK MOUNT KITS FOR SPORTSHIELDS

- The revolutionary No-Tool Trigger-Lock mounting kits feature a detach system that allows you to quickly and easily remove or swap out your Sportshield without the use of any tools
- A pair of latches lock the windshield down until the spring-loaded "trigger locks" are intentionally disengaged, allowing the rider to remove the windshield

- Kits are a combination of CNC-machined aluminum plates and anchors, stainless steel hardware, gray polymer bushings and glass-filled nylon latches or "Night Shades" black version, which is a gradient black windshield with black E-coated stainless steel straps, fittings and hardware for a black-on-black sinister look
- Kits are custom-fit to each style of bike for no-hassle installation

#### TRIGGER-LOCK MOUNT KIT POLISHED

-

-

2321-0366

#### TRIGGER-LOCK MOUNT KIT BLACK

2321-0771

2321-0768

-

#### DESCRIPTION

For 22-25 Chief

For 22-25 Chief Bobber

For 15-24 Scout, 16-24 Scout Sixty, 18-24 Scout Bobber

#### TURN SIGNAL RELOCATION KIT-BLACK

2321-0374

#### FITS MODEL

For 15-24 Scout and 16-24 Scout Sixty

#### TURN SIGNAL RELOCATION KIT-BLACK

2020-1621

#### FITS MODEL

For 18-24 Scout Bobber



### CLASSIC DEUCE WITH ABE

- Smooth shape surrounds headlight to become part of the motorcycle
- Available in solar tint
- Measures approximately 49,5 cm W x 47 cm H (19 1/2" x 18 1/2") above headlight
- Available to fit 18 cm (7") headlights
- Made of Lucite® for excellent optics and durability
- Solid two-point handlebar mounting hardware fits many custom and stock applications
- Included two-point mounting hardware consists of polished billet aluminum handlebar clamps that fit 25,4 mm (1") and 22 mm (7/8") handlebars (with sizing bands), and aluminum rake plates and fittings, machined with recesses for stainless steel socket-head screws for a clean, custom look

NOTE: To remove, simply loosen two socket-head screws, leaving clamps on bars for perfect reattachment of shield.

All part numbers in **BLUE** are new for 2026.

PART #  
MEM2129

DESCRIPTION  
Solar




**HELL CAT**

- Sculpted full-body shape
- Measures 51 cm W (20") x approximately 45,5 cm H (18") above headlight
- Fits most round headlights
- Made of Lucite® for excellent optics and durability
- Available in solar (a light tint with 72% visible light transmission)
- Included two-point mounting hardware consists of polished billet aluminum handlebar clamp that fits 25 mm (1") and 22 mm (7/8") handlebars (with sizing band), aluminum rake plates and bushings, stainless steel support rods and socket-head screws
- Optional 32 mm (1 1/4") handlebar clamps sold separately (PART #MEM9950)

NOTE: To remove, simply loosen two socket-head screws, leaving clamps on bars for perfect reattachment of shield.



PART #	DESCRIPTION
<b>MEM1719</b>	Solar


**DEMON**

- Measures 53,5 cm W (21") x 45,5 cm H (18") above headlight
- Fits most round headlights
- Made of Lucite® for excellent optics and durability
- Available in solar
- Included two-point mounting hardware consists of polished billet aluminum handlebar clamps that fit 25 mm (1") and 22 mm (7/8") handlebars (with sizing band), aluminum rake plates and bushings, stainless steel support rods and socket-head screws
- Optional 32 mm (1 1/4") handlebar clamps sold separately (PART #MEM9950)

NOTE: To remove, simply loosen two socket-head screws, leaving clamps on bars for perfect reattachment of shield.



PART #	DESCRIPTION
<b>MEM2219</b>	Solar



**MEM1619**  
Solar

See chart for details

**THE SHOOTER**

- Looks great on today's wide-body motorcycles
- Measures 48,5 cm W (19") x approximately 35,5 cm H (14") above headlight
- Fits most round headlights
- Made of Lucite® for excellent optics and durability
- Available in solar (a light tint with 72% visible light transmission), black smoke or dark black smoke

- Included two-point mounting hardware consists of polished billet aluminum handlebar clamps that fit 25 mm (1") and 22 mm (7/8") handlebars (with sizing band), aluminum rake plates and bushings, stainless steel support rods and socket-head screws
- Optional 32 mm (1 1/4") handlebar clamps sold separately (PART #MEM9950)

NOTE: To remove, simply loosen two socket-head screws, leaving clamps on bars for perfect reattachment of shield.



**Black smoke**

**Dark black smoke**

PART #	DESCRIPTION
<b>MEM1619<sup>1</sup></b>	Solar

PART #	DESCRIPTION
<b>2313-0290</b>	Black smoke


PART #	DESCRIPTION
<b>2313-0291</b>	Dark black smoke

<sup>1</sup> ABE approved.

All part numbers in **BLUE** are new for 2026.



## Chieftain/Roadmaster Flare™



### FLARE™ WINDSHIELD

#### FLARE™ WINDSHIELDS

- Manufactured from dual-side, hard-coated polycarbonate material for outstanding impact strength
- Innovative design features "hips" at the outer edge of the shield that re-route the air to add downforce and aid stability
- Installs easily using stock mounting hardware, maintains stock adjustability
- FLARE at the top sends clean, less turbulent air to rider and passenger
- Choose from clear, dark smoke or tint color options

PART #	COLOR	HEIGHT
<b>FOR 20-25 CHALLENGER, 22-25 PURSUIT</b>		
2312-0506	Dark smoke	20,5 cm (8")
2312-0836	Dark smoke	28 cm (11")
2312-0835	Tint	28 cm (11")

PART #	COLOR	HEIGHT
<b>FOR 14-25 CHIEFTAIN, 15-25 ROADMASTER</b>		
2312-0262	Dark smoke	25,5 cm (10")
2312-0261	Tint	25,5 cm (10")
2312-0260	Dark smoke	30,5 cm (12")
2312-0259	Tint	30,5 cm (12")

PART #	COLOR	HEIGHT
<b>FOR 14-25 CHIEFTAIN, 15-25 ROADMASTER (CONT)</b>		
2312-0479	Clear	35,5 cm (14")
2312-0481	Dark smoke	35,5 cm (14")
2312-0480	Tint	35,5 cm (14")

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



Ice Kolor Flare

2312-1248



Kolor Flare

2312-1089

**KOLOR FLARE™ WINDSHIELDS**

- The patented Flare™ design includes "hips" at the edges that redirect air to add downforce, improving stability compared to a stock windshield
- The "flip" at the top pushes air up and back, providing cleaner, less turbulent airflow for both the rider and passenger
- Kolor Flare™ windshields are crafted from acrylic
- Ice Kolor Flares feature a fluorescent edge for extra flair on your bike
- Installs easily with stock hardware and retains stock windshield height adjustability
- Check local laws concerning the use of colored windshields in your area

**NOTE: Klock Werks typically recommends selecting a Flare™ size that allows you to comfortably see over the windshield while seated in your natural riding position.**

**The Klock Werks Flare™ Windshields are protected under United States Patents: D632235S, D586274S, D586275S, D633017S, D626046S, D633018S. And also under International Patents: 324093, 324094, 325192.**

**FOR 20-25 CHALLENGER, 22-25 PURSUIT**

PART #	DESCRIPTION	PART #	DESCRIPTION	
<b>ICE KOLOR FLARE™</b>			<b>ICE KOLOR FLARE™ (CONT)</b>	
<a href="#">2312-1209</a>	20,5 cm (8") blue	<a href="#">2312-1247</a>	25,5 cm (10") yellow	
<a href="#">2312-1087</a>	20,5 cm (8") green	<b>KOLOR FLARE™</b>		
<a href="#">2312-1085</a>	20,5 cm (8") orange	<a href="#">2312-1089</a>	20,5 cm (8") blue	
<a href="#">2312-1210</a>	20,5 cm (8") pink	<a href="#">2312-1091</a>	20,5 cm (8") bronze	
<a href="#">2312-1086</a>	20,5 cm (8") yellow	<a href="#">2312-1213</a>	20,5 cm (8") green	
<a href="#">2312-1249</a>	25,5 cm (10") blue	<a href="#">2312-1211</a>	20,5 cm (8") orange	
<a href="#">2312-1248</a>	25,5 cm (10") green	<a href="#">2312-1090</a>	20,5 cm (8") purple	
<a href="#">2312-1246</a>	25,5 cm (10") orange	<a href="#">2312-1088</a>	20,5 cm (8") red	
<a href="#">2312-1245</a>	25,5 cm (10") pink	<a href="#">2312-1212</a>	20,5 cm (8") yellow	
<b>KOLOR FLARE™ (CONT)</b>				
<a href="#">2312-1254</a>	25,5 cm (10") blue			
<a href="#">2312-1256</a>	25,5 cm (10") bronze			
<a href="#">2312-1253</a>	25,5 cm (10") green			
<a href="#">2312-1251</a>	25,5 cm (10") orange			
<a href="#">2312-1255</a>	25,5 cm (10") purple			
<a href="#">2312-1250</a>	25,5 cm (10") red			
<a href="#">2312-1252</a>	25,5 cm (10") yellow			

All part numbers in **BLUE** are new for 2026.

2312-0873



2312-0391



2312-0873



2312-0876

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**REPLACEMENT WINDSHIELDS**

- Made of crystal-clear or tinted 5 mm (5/16") Lucite®
- Distortion-free, optically correct and break-resistant
- Precision crafted for a perfect fit

PART #	DESCRIPTION
<b>FOR 15-22 CHIEFTAIN/ROADMASTER</b>	
<b>CLEAR</b>	
<b>2312-0391</b>	30,5 cm (12")

PART #	DESCRIPTION
<b>FOR 20-22 CHALLENGER</b>	
<b>CLEAR</b>	
<b>2312-0873</b>	24 cm (9,5")
<b>2312-0874</b>	29 cm (11,5")
<b>TINTED</b>	
<b>2312-0876</b>	29 cm (11,5")

**SS-30 CLASSIC WINDSHIELDS**

- Complement your rider's style with this sleek design
- Versatile Quick-Release mounting systems fit many different bikes with standard fork tubes or oversized fork tubes
- All styles are 58,5 cm (23") wide

NOTE: See application chart on page 15.

PART #	DESCRIPTION
<b>43 CM H X 58,5 CM W (17" X 23") CLEAR WINDSHIELD W/ CHROME HARDWARE</b>	
<b>2313-0177</b>	W/ standard fork mounting system (28 to 41 mm fork tubes w/ 23 cm to 26,5 cm (9" to 10,5") fork span)
<b>56 CM H X 58,5 CM W (22" X 23") CLEAR WINDSHIELD W/ CHROME HARDWARE</b>	
<b>2313-0176</b>	W/ standard fork mounting system (28 to 41 mm fork tubes w/ 23 cm to 26,5 cm (9" to 10,5") fork span)
<b>2313-0191</b>	W/ oversized fork mounting system (42 to 58 mm fork tubes w/ 28 cm to 32 cm (11" to 12,5") fork span)
<b>2313-0193</b>	W/ wide fork mounting system (28 to 41 mm fork tubes w/ 28 cm to 32 cm (11" to 12,5") fork span)

2313-0176



2313-0001



2313-0121

**S-06 SPITFIRE SPORT SHIELDS**

- Great protection and devastating style come together in the Spitfire Sport Shield
- Constructed of 3 mm (1/8") acrylic with red graphics
- Fully adjustable; mounts/dismounts in seconds; fits both 22 mm (7/8") and 25,4 mm (1") handlebars

PART #	DESCRIPTION
<b>2313-0120</b>	Clear w/ chrome hardware
<b>2313-0001</b>	Clear w/ black hardware

- For round or rectangular headlights
- Height: 38 cm (15") above headlight; width: 44,5 cm (17 1/2")

NOTE: See application chart on pages 15.

PART #	DESCRIPTION
<b>2313-0121</b>	Tint w/ chrome hardware
<b>2313-0002</b>	Tint w/ black hardware

All part numbers in **BLUE** are new for 2026.

**SS-10 VIPER**

- Uses the same quick-release mounting system as the Spitfire shield
- Larger glass for added protection
- Available in smoke tint with 22,2 mm (7/8") and 25,4 mm (1") hardware
- Dimensions: 44 cm H x 56,5 cm W (17 1/4" x 22 1/4")

NOTE: See application chart on page 15.

PART #	DESCRIPTION
SS-10-T-1	Smoke w/ black hardware



DS-710361

**MINI POLICE WINDSHIELDS**

- Designed to replicate the Harley police shield, this Slipstreamer original takes it one step farther
- Mounted with quick-release mounting hardware to remove and put back in seconds
- Features stainless steel straps and anodized aluminum hardware
- Comes standard with both 22 mm (7/8") and 25,4 mm (1") handlebar hardware
- Dimensions: 37 cm (14 1/2") wide, 38 cm (15") from headlight to top

NOTE: See application chart on page 15.

PART #	DESCRIPTION
DS-710360	Clear windshield and hardware kit

PART #	DESCRIPTION
DS-710361	Smoke windshield and hardware kit



HD3-C



HD3-DS

**TOMBSTONE**

- A nostalgic design that gives your bike a one-of-a-kind American style
- Shield mounts/removes in short order thanks to an advanced quick-release system
- Fits both 22 mm (7/8") and 25,4 mm (1") handlebars

- 25,5 cm (10") W; 34,5 cm (13 5/8") from headlight cutout to top and 35,5 cm (14") H overall
- Available in dark smoke or clear

NOTE: See application chart on page 15.

PART #	DESCRIPTION
2313-0239	Clear windshield and chrome hardware kit
HD3-C	Clear windshield and black hardware kit

PART #	DESCRIPTION
HD3-DS	Dark smoke windshield and black hardware kit

All part numbers in **BLUE** are new for 2026.



### SS-24 HELLFIRE CRUISER SHIELD

- Constructed of high-strength, 5 mm (3/16") clear acrylic
- Fully adjustable four-point mounting
- Ball-socket mounts for versatility
- For height and width see chart

NOTE: See application chart below.

PART #	DESCRIPTION
SS24-A	Clear fairing 43 cm H x 48,5 cm W (17" x 19")



### S-00 ENTERPRISE II FAIRING

- A full-size bolt-on fairing for excellent protection from the elements; even provides coverage below the headlight
- High-strength, 5 mm (3/16") acrylic
- Four-point, fully adjustable mounting for versatility
- Anodized-aluminum support rods; logo graphics
- Round or rectangular headlights
- Height: 53,5 cm (21") above headlight; width: 84 cm (33")
- Fits both 22 mm (7/8") and 25,4 mm (1") handlebars

NOTE: See application chart below.

PART #	DESCRIPTION
S00-C	Clear windshield and hardware kit



PART #	DESCRIPTION
S02-C	Clear fairing and hardware kit

### S-02 SPIRIT FAIRINGS

- Striking styling and graphics complement fit and function
- Constructed of high-strength, 5 mm (3/16") acrylic
- Anodized-aluminum support rods will never rust
- For cycles with round headlights
- Ball-socket mounts for versatility
- Height: 53,5 cm (21") above headlight; width: 84 cm (33")
- Fits 22 mm (7/8") and 25,4 mm (1") handlebars

NOTE: See application chart below.

### SLIP STREAMER SHIELD APPLICATIONS


FITS MODEL	ITEM BAR DIA.	BULLET/ B-WING (SS-30)	CLASSIC (S-00)	ENTERPRISE	MINI POLICE (HD-0)	SPIRIT (S-02)	SPITFIRE (S-06)	TOMBSTONE (HD-3)	VIPER (SS-10)
For 14-21 Chief Classic	32 mm (1 1/4")	-	-	-	3	-	2	3	2
For 00-03 Chief	25,4 mm (1")	1	-	-	1	-	1	1	1
For 10-12 Chief Classic	25,4 mm (1")	1	-	-	1	-	1	1	1
For 10-21 Chief Dark Horse	25,4 mm (1")	1	-	-	1	-	1	1	1
For 10 Chief Bomber	25,4 mm (1")	1	-	-	1	-	1	1	1
For 01-03 Scout	25,4 mm (1")	1	1	1	1	1	1	1	1
For 15-24 Scout (41 mm/125,4 mm (1") span)	25,4 mm (1")	1	1	-	1	-	1	1	1
For 16-24 Scout 60 (41 mm/125,4 mm (1") span)	25,4 mm (1")	1	1	-	1	-	1	1	1
For 01-03 Spirit	25,4 mm (1")	1	3	1	1	1	1	1	1

<sup>1</sup> Fits with no modifications.

<sup>2</sup> Fits with 32 mm (1 1/4") handlebar clamps.

<sup>3</sup> Order w/ "Wide Glide" fork hardware.

All part numbers in **BLUE** are new for 2026.



### MEMPHIS SHADES BATWING FAIRING

- Features clean aerodynamic shape
- Inner fairing structure is black ABS
- Fairing outer shell is opaque black Lucite® with a class A finish that looks great as is, or can easily be painted
- Memphis Shades exclusive No-Tool Trigger-Lock mounting kits feature a detach system that allows you to quickly and easily remove or install your fairing, or swap out with other Memphis Shades windshields, sportshields or fairings
- Trigger-Lock kits are available in a combination of CNC-machined aluminum plates, stainless steel bolts and aluminum anchors or black E-coated plates, bolts and anchors for a clean appearance that's built to last
- Fairing is predrilled and fitted with push-out hole plugs for easy wind deflector installation
- Windshields are available in four heights and gradient black, as well as clear and solar (a light tint with 72% visible light transmission) for Spoiler windshields; see below
- Optional wind deflectors for increased downward airflow, windshield tri-pouch for storage and fairing trim for style are also available; see page 17

NOTE: Batwing Fairing is not compatible with any other fairing windshields, wind deflectors or accessories.

NOTE: Plate-only kits are for riders who already have a Memphis Shades Trigger-Lock windshield installed and do not need the anchoring hardware components.

#### FITS MODEL

22-25 Chief Bobber/Chief Bobber Dark Horse

#### BATWING FAIRINGS

#### WHAT TO ORDER

1. Batwing Fairing
2. Trigger-Lock Mount Kit
3. Windshield of your preference; height and color options are shown below for Spoiler windshields

22-25 Chief/Chief Dark Horse

#### TRIGGER-LOCK MOUNTING KIT-BLACK

15-24 Scout/Scout Sixty<sup>1</sup>

2321-0769

18-24 Scout Bobber<sup>2,3</sup>

2321-0773

<sup>1</sup> Requires headlight riser block kit PART #2001-1502. <sup>3</sup> Requires headlight extension kit PART #2001-1827.

<sup>2</sup> Requires turn signal relocation kit PART #2020-1621.

2330-0270

2321-0405

2330-0272

2321-0405

2330-0075

2321-0405

2330-0081

2321-0405

### BATWING FAIRING, WINDSHIELDS, DEFLECTORS AND ACCESSORIES

- Windshields specific to the Batwing Fairing provide superior optics and Lucite® construction

- Available in four heights and three translucent color options, as well as clear and solar (a light tint with 72% visible light transmission)

- 12,5 cm (5") windshields are solid translucent while 18 cm (7"), 23 cm (9") and 30,5 cm (12") windshields are gradient translucent
- Optional solid translucent color wind deflectors are available to extend the lower fairing surface for smooth downward airflow



Clear



Black

- See page 17 for Spoiler windshields
- Also available is a windshield tri-pouch for storage and decorative trims for style

#### WINDSHIELDS

PART #	DESCRIPTION	PART #	DESCRIPTION
12,5 CM (5")	Clear	18 CM (7")	Clear
2310-0269	Clear	2310-0270	Clear
2310-0304	Solar	2310-0305	Solar
2310-0215	Black		

PART #	DESCRIPTION	PART #	DESCRIPTION
23 CM (9")	Clear	2310-0271	Clear
2310-0306	Solar	2310-0307	Clear

PART #	DESCRIPTION
30,5 CM (12")	Clear
2310-0315	Solar

<sup>1</sup> Solid color.

All part numbers in **BLUE** are new for 2026.



## MEMPHIS SHADES BATWING FAIRING (CONT)

PART #  
WIND DEFLECTORS  
2350-0111

DESCRIPTION  
Black



2350-0152



2350-0153



2350-0110



2350-0119



2350-0134



2350-0128



3508-0017



3508-0020

PART #  
DESCRIPTION  
ACCESSORIES

2350-0152	"Night Shades" cut fairing trim; Dots
2350-0153	"Night Shades" cut fairing trim; Ellipse
2350-0110	Polished stainless steel fairing trim; slotted fat-style
2350-0119	Polished stainless steel fairing trim; solid fat-style
2350-0134	Polished stainless steel fairing trim; slotted slim-style
2350-0128	Polished stainless steel fairing trim; solid slim-style
3508-0017	Windshield single pouch

PART #  
DESCRIPTION  
ACCESSORIES (CONT)

3508-0018	Windshield tri-pouch
3508-0020	Big Zipper quad pouch for Batwing Fairings and windshield
2001-1502	Headlight riser block kit
2001-1827	Headlight extension block
2001-2631	Headlight extension block
2020-1621	Turn signal relocation kit
2321-0374	Turn signal relocation hardware kit



## SPOILER WINDSHIELDS

- Designed to be looked over, the spoiler windshield diffuses the air stream, effectively slowing the flow without buffeting
- Fit all Memphis Shades Batwing Fairings
- Made of Lucite® for superior optics and durability

12,5 CM (5")  
FOR MEMPHIS SHADES BATWING FAIRINGS  
2350-0167

16,5 CM (6,5")  
2350-0135

23 CM (9")  
2350-0170

DESCRIPTION  
Smoke



2350-0167

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS



2330-0093



2321-0401

**MEMPHIS SHADES BULLET FAIRINGS**

- Strong, one-piece fairings constructed of high-impact aircraft-grade Lucite®
- Bold aerodynamic shape with a hint of outlaw styling designed to streamline today's low-slung cruisers
- Provide full torso coverage to virtually eliminate wind fatigue while allowing an unobstructed view of the countryside; your head is in clean air
- A machined groove outlines the smoke windshield section
- The lower section features an opaque glare-free matte coating on the inside that gives the outside a high-gloss black "factory" finish for a clean two-piece look; looks great as is, or can be easily painted to really achieve the next level of custom

**BULLET FAIRING**

2330-0093

**TRIGGER-LOCK MOUNTING KIT BLACK**

2321-0401

**DESCRIPTION**

15-24 Scout/Scout Sixty



2330-0165



2320-0205

2001-1829

**ROAD WARRIOR FAIRING**

- Stylish coverage with clean lines and smooth curves
- 48,5 cm (19") wide
- Class A gloss black finish outside
- Model-specific mounting kits feature Memphis Shades exclusive Trigger-Lock mounting system and are sold separately

**ROAD WARRIOR FAIRING**

2330-0271

**TRIGGER-LOCK MOUNT KIT-BLACK**

2321-0774

**DESCRIPTION**

For 22-24 Chief

2330-0269

2321-0770

For 22-24 Chief Bobber

2330-0165

2320-0205

For 15-24 Scout/Scout Sixty<sup>1</sup>

2330-0165

2320-0205

For 18-24 Scout Bobber<sup>2</sup>**WHAT TO ORDER**

- Road Warrior Fairing
- Trigger-lock mounting kit
- Windshield for Road Warrior
- Headlight extension block

**HEADLIGHT EXTENSION BLOCK**

PART #

2001-1828

DESCRIPTION

15-24 Scout/Sixty

2001-1829

18-24 Scout Bobber

<sup>1</sup> Requires headlight extension block PART #2001-1828.<sup>2</sup> Requires headlight extension block PART #2001-1829.All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS




2330-0162



2321-0395



2321-0397



Trigger-Lock Mounts let you remove or change your Cafe Fairing in a moment's time

### CAFE FAIRING

- One-piece construction – machined groove outlines
- Class A gloss black finish
- Made of aircraft-grade Lucite
- Custom fit, model-specific mounting kits feature Memphis Shades exclusive Trigger Lock Mounting System – on and off without tools

#### CAFE FAIRING

**2330-0162** **TRIGGER LOCK MOUNTING KIT-POLISHED**

**2321-0395**

**2330-0107** **TRIGGER LOCK MOUNTING KIT-POLISHED**

**2321-0395**

#### TRIGGER LOCK MOUNTING KIT-BLACK

**2321-0397**

#### DESCRIPTION

15-24 Scout/Scout Sixty<sup>1</sup>

18-24 Scout Bobber<sup>2,3</sup>

<sup>1</sup> Requires turn signal relocation kit PART #2321-0374.

<sup>3</sup> Requires headlight extension block PART #2001-1827.

<sup>2</sup> Requires turn signal relocation kit PART #2020-1621.

#### PART #

#### DESCRIPTION

#### TURN SIGNAL RELOCATION KITS-BLACK

For 15-24 Scout and 16-24 Scout Sixty

#### PART #

#### DESCRIPTION

#### TURN SIGNAL RELOCATION KITS-BLACK (CONT)

For 18-24 Scout Bobber

#### PART #

#### DESCRIPTION

#### HEADLIGHT EXTENSION BLOCK

2001-1827

#### DESCRIPTION

Headlight extension block



2321-0391



2020-1621



2001-1827

### MOUNT KITS FOR GAUNTLET FAIRINGS

- Trigger Lock Mounting system – on and off without tools

#### TRIGGER LOCK MOUNTING KIT-POLISHED

**2321-0391**

#### DESCRIPTION

15-24 Scout/Scout Sixty<sup>1</sup>

#### TRIGGER LOCK MOUNTING KIT-POLISHED

**2321-0391**

#### DESCRIPTION

18-24 Scout Bobber<sup>2,3</sup>

<sup>1</sup> Requires turn signal relocation kit PART #2321-0374.

<sup>3</sup> Requires headlight extension block PART #2001-1827.

<sup>2</sup> Requires turn signal relocation kit PART #2020-1621.

#### PART #

#### DESCRIPTION

#### TURN SIGNAL RELOCATION KITS-BLACK

For 15-24 Scout and 16-24 Scout Sixty

#### PART #

#### DESCRIPTION

#### TURN SIGNAL RELOCATION KITS-BLACK (CONT)

For 18-24 Scout Bobber

#### PART #

#### DESCRIPTION

#### HEADLIGHT EXTENSION BLOCK

2001-1827

#### DESCRIPTION

Headlight extension block

### WINDSHIELD/FAIRING STORAGE BAG

- Constructed of 600D "tool bag" material and lined with faux Sherpa to ensure a mar-free surface
- Safe way to carry or store Memphis Shades windshields or small fairings
- Convenient handle to carry windshield/fairing or hang out of harm's way
- Will hold one Memphis Fats/Slim, Sportshield or Fairing (Bullet, Gauntlet, Cafe) with or without mounting plates installed

#### PART #

#### DESCRIPTION

**3508-0042** Windshield/fairing storage bag



All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



2331-0202

**FXRP FAIRING FIT KITS**

- Klassic reproduction designed to elevate your motorcycle's style and performance
- Comes as a complete kit
- Polyester-primed fiberglass fairing
- Powdercoated neck bracket
- 18 cm (7") headlight mount
- 23 cm (9") Flare™ windshield for FXRP style fairings in dark smoke (PART #2310-0635) included
- Kolored Flare windshield available, see page 12
- All necessary fasteners and hardware

NOTE: Requires relocation of turn signals.



2331-0201

PART #	DESCRIPTION	PART #	DESCRIPTION
2331-0202	For 16-24 Springfield	2331-0201	For 22-24 Chief



2040-3227

**FANG® LOWER FAIRING LIGHTS**

- Ultra-bright light technology for a radiant uniform glow
- Create a wide spread of light; great for dark parking lots and low speed maneuvering
- Plug-and-play
- Bright white running light
- Amber turn signals
- Everlight LEDs
- Polycarbonate clear lens with Ghost Lens™ technology for maximum dispersal of light
- Improves side visibility



2040-3228

- 180° side-to-side light pattern
- No restriction to airflow

PART #	DESCRIPTION	PART #	DESCRIPTION
FOR 22-24 PURSUIT 2040-3227	Chrome	FOR 22-24 PURSUIT (CONT) 2040-3228	Black

All part numbers in **BLUE** are new for 2026.



2040-3028



2040-3027



### DYNAMIC LED FAIRING VENT INSERTS

- Replaces OEM fairing vent with built-in white running light and auxiliary amber turn signals
- Dual-color amber/white LEDs
- Decorative stainless mesh

#### PART #

FOR 19-25 CHIEFTAIN/LTD/DARK HORSE/ELITE, 19-25 ROADMASTER DARK HORSE, 21-25 ROADMASTER LTD, 24 ROADMASTER ELITE

2040-3028

2040-3027

#### DESCRIPTION

Chrome

Black



### FAIRING VENT SCREENS

- Accents the vent system on the Challenger and Pursuit
- Easy to install
- Adds a custom touch to the front of your fairing
- Screen catches or stops larger bugs and other road debris from entering through your fairing vent
- Sold in pairs

#### PART #

FOR 20-25 CHALLENGER, 22-25 PURSUIT

2330-0257

#### DESCRIPTION

Black



2330-0237

#### PART #

FOR 20-25 CHALLENGER, 22-25 PURSUIT (CONT)

2330-0265

#### DESCRIPTION

Clear



### FLARE™ WINGS

- Indian Flare™ Wings provide a sporty, custom look to the motorcycle while improving air management and rider comfort
- Create a much broader air pocket for rider and passenger protection
- Designed to enhance aerodynamic performance
- Crafted from lightweight and durable ASA plastic to match the factory finish
- Ready to install with 3M™ VHB™ tape already applied
- Sold in pairs



#### PART #

2350-0577

#### DESCRIPTION

For 20-25 Challenger, 22-25 Pursuit



### KURYAKYN®

#### FRONT FAIRING TURN SIGNAL TRIM

- Continue the design lines from the OEM chrome fairing panel to the front turn signals
- Quick, simple peel-and-stick installation
- Sold in pairs

#### PART #

0521-1254

#### DESCRIPTION

For 14-18 Chieftain, 19-21 Chieftain Classic and 15-21 Roadmaster

All part numbers in **BLUE** are new for 2026.



3501-1919



3501-1920



3501-1921



3501-1523



3501-1527



3501-1529

**LEGEND GEAR SIDE BAG SYSTEM**

- Vintage, lightweight soft luggage design with modern support
- Coated canvas sailing material and robust synthetic leather reinforce the bags' structure
- Fiber-reinforced polyamide quick-lock system provides fast and reliable attachment and removal of the bags
- LC1 dimensions: 26 cm H x 31 cm W x 14 cm D (10 1/4" x 12 1/4" x 5 1/2"); 9,8 L carrying capacity
- LC2 dimensions: 35 cm H x 31 cm W x 14 cm D (13 3/4" x 12 1/4" x 5 1/2"); 13,5 L carrying capacity
- Side bags include side single bag, two waterproof inner bags and all required mounting hardware

**SIDE BAGS**

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>LC1 SIDE BAGS</b>		<b>LC2 SIDE BAGS</b>	
3501-1523	Black/brown, left-side mounting	3501-1527	Black/brown, left-side mounting
3501-1525	Black, left-side mounting	3501-1529	Black, left-side mounting

All part numbers in **BLUE** are new for 2026.



### LEFT SLC SIDE CARRIER

- Precisely developed to allow for simple and secure mounting on the bike's original attachment points
- Quick-release mounting system allows side bags to be easily attached or removed
- Provides secure hold for side bags, side cases, adapter plates and universal side bracket number plates
- Includes mounting hardware

PART #	DESCRIPTION
<b>1510-0793</b>	For 19-24 FTR1200



### SLH SIDE CARRIERS

- Bike-specific design
- Can be quickly and easily mounted on the original attachment points on the fender strut
- Quick-lock system allows Legend Gear side bags to be attached and removed in moments
- Includes mounting hardware

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>FOR 24-25 SCOUT</b>		<b>FOR 16-24 SCOUT</b>	
<b>3501-2257</b>	LH1 L	<b>1510-1053</b>	LH1 L
<b>3501-2258</b>	LH1 R	<b>1510-0933</b>	LH2



### URBAN ABS TOP CASE

- Sporty, lightweight and robust top case
- Secure four-point strap mounting system
- Constructed from thick ABS plastic
- Carrying capacity can expand from 16 L to 29 L
- Can fit one helmet when fully expanded
- Convenient carrying handle
- Spacious mesh compartment on the inside of the lid
- Dimensions: 40,5 cm L x 36 cm W x 21,5 - 46 cm D (16" x 14 1/4" x 8 1/2" - 18")

PART #	DESCRIPTION
<b>3516-0313</b>	Urban ABS top case

All part numbers in **BLUE** are new for 2026.

3516-0439



3516-0440

**LEGEND GEAR TAIL BAGS**

- Overlapping lids with inner compartments on both sides
- Tunnel insert for sissy bar strap (included in delivery)
- Spacious and easily accessible outer pockets with covered zippers
- High form stability for a firm fit on the motorcycle
- Non-slip material underside
- Made of durable and highly UV-resistant Eco-Tech polyester with a splashproof inner lining
- Four simple loop straps for customized attachment
- Waterproof inner bag with click closure

- Subtle, slightly reflective bull logo
- Light-colored interior for better packing organization
- Laminated cam buckles and imitation leather covers on the zipper pullers
- Adjustable SHOULDER STRAP sold separately
- LR1 capacity: 17,5 L
- LR4 capacity: 18 L (25 L expanded)
- LR5 capacity: 52 L

PART #	DESCRIPTION	PART #	DESCRIPTION
<a href="#">3516-0307</a>	LR1 tailbag	<a href="#">3516-0439</a>	LR4 tailbag



3516-0308

3516-0309

**LEGEND GEAR LR2 TAIL BAGS**

- Universal fit for most motorcycles, even for those with high exhausts
- Anti-skid bottom
- Safe four-point strap mounting
- Offers additional mounting of Legend Gear accessory bags

- Splash-proof coated canvas and waterproof inner bag
- Dimensions: 68 cm W x 45 cm H x 30 cm D (26,75" x 17,75" x 11,75")
- Capacity: 48 L

PART #	DESCRIPTION
<a href="#">3516-0308</a>	Black/brown

PART #	DESCRIPTION
<a href="#">3516-0309</a>	Black

**LEGEND GEAR LR1 TAIL BAG**

- Universal fit for seat and rack
- Also works with bikes with high exhausts
- Safe four-point strap mounting
- Adjustable shoulder straps transform the bag into a backpack
- Converts to a shoulder bag with Legend Gear shoulder strap (sold separately)
- Waterproof rain cover
- Dimensions: 40 cm H x 30 cm W x 17 cm D (15 3/4" x 11 3/4" x 6 3/4")
- Capacity: 17,5 L

PART #	DESCRIPTION
<a href="#">3516-0307</a>	LR1 tail bag

All part numbers in **BLUE** are new for 2026.



### LEGEND GEAR LT3 MAGNETIC TANK BAG

- Suitable for almost all steel fuel tanks
- Volume expansion via zipper from 3,5 L to 5,5 L
- Coated underside
- Made of matt black Eco-Tech cotton with excellent UV and abrasion resistance
- Black imitation leather details complete the classic look
- Discreet reflective bull logo
- Flat underside, compatible with almost all tank shapes
- MOLLE system on the top for attaching accessory bags
- Cable feed-through on the front and back
- Laminated belt buckles and imitation leather covers on the zipper pullers



### LEGEND GEAR LT3 TANK BAG

- Volume expansion via zipper from 3 L to 5 L
- To attach the LT3 tank bag you need the appropriate PRO tank ring for your motorcycle model
- Magnetic guide in the PRO tank ring for easy attachment
- Pre-assembled guide rail of the top ring for ergonomic adjustment of the tank bag
- Made of matt black Eco-Tech cotton with excellent UV and abrasion resistance
- Black imitation leather details complete the classic look
- Discreet reflective bull logo
- Flat underside, compatible with almost all tank shapes



### LEGEND GEAR LT2 TANK BAG

- Attaches to the bike by classic strap mounting
- Two aluminum buckles provide fast access to the gas cap
- Overlapping lid offers protection against moisture and dirt
- Protection from the rain provided by splash-proof material and a waterproof rain cover
- Military-grade fastening system for other Legend Gear bags
- Dimensions: 30 cm L x 15 cm W x 18 cm D (11 3/4" x 6" x 7")
- Capacity: 5,5 L

PART #	DESCRIPTION
<a href="#">3502-0756</a>	Legend Gear LT3 tank bag

PART #	DESCRIPTION
<a href="#">3502-0362</a>	Legend Gear LT2 tank bag

All part numbers in **BLUE** are new for 2026.



3501-1869



3501-1465

**LEGEND GEAR SIDE BAGS**

- Combines the low weight of a saddlebag with the high form stability of a case
- Constructed from weather- and UV-resistant 600D polyester
- Reinforced sides and a back panel help bags keep their shape
- Can be easily and quickly mounted on to the original attachment points along the fender strut
- Features MOLLE attachment system
- Integrated anti-theft protection on the inside of the bag
- Convenient carrying handle

## PART #

3501-1466

## DESCRIPTION

LH1 side bag (right side only)

3501-1869

LH1 side bag (left side only)

- All bags include waterproof inner bag
- LH1 bags fit on right or left side, LH2 bag fits on the left side
- LH1 bags measure 42,0 cm W x 28,0 cm H x 24,0 cm D (16,5" x 11,0" x 9,4"); 19,5 L (5,2 US gallon) carrying capacity
- LH2 bag measures 47,0 cm W x 39,0 cm H x 24,0 cm D (18,5" x 15,4" x 9,4"); 25,5 L (6,7 US gallon) carrying capacity

## PART #

3501-1465

## DESCRIPTION

LH2 side bag

## 3512-0329

**LEGEND GEAR ACCESSORY BAGS**

- Fits on almost all products of the Legend Gear luggage series
- Military-grade fastening system
- Made of Naponal synthetic leather and coated canvas with a splash-proof inner lining
- Waterproof rain cover included
- LA9 bag capacity: 2,5 L
- LA10 bag capacity: 1,5 L

## PART #

3512-0329

## DESCRIPTION

LA9 Legend Gear accessory bag

## PART #

3512-0328

## DESCRIPTION

LA10 Legend Gear accessory bag



## PART #

3920-0535

## DESCRIPTION

Legend Gear shoulder strap

All part numbers in **BLUE** are new for 2026.



### PRO TRAVELBAG TAIL BAG

- Three mesh compartments with zipper on the inside of the lid
- Additional storage thanks to two outer pockets with covered zippers
- Underside made of anti-slip material
- Four eyelet points for attaching to the bike or for attaching accessory bags
- UV-resistant 1680D ballistic nylon construction
- Splashproof inner lining
- Reflective details
- Elastic loops prevent the zipper pulls from fluttering
- Hypalon MOLLE attachments on the top and front for fastening accessory bags
- Simple and quick attachment of the bag to the motorcycle via loop straps with patented lashing hooks

- Weather protection thanks to the supplied waterproof inner bag
- Three carrying handles
- Can be converted into a travel bag in no time at all with shoulder strap
- Capacity: 65 L
- Includes tail bag, waterproof inner bag, four loop straps with lashing hooks, shoulder strap, two lashing eyes for attaching to the license plate holder, paint protection film, and mounting instructions

PART #	DESCRIPTION
<b>3516-0363</b>	PRO Travelbag tail bag



### PRO REARBAG TAIL BAG

- Universal fit for almost all motorcycles
- Top of the bag is made of laminated and dimensionally stable EVA material.
- Zipper mesh compartment in the lid
- Additional storage thanks to two outer pockets with covered zippers
- Storage space for a helmet
- Underside made of anti-slip material
- Robust lashing eyes for secure fastening of the bag at four points and for lashing accessory bags
- Made of durable and highly UV-resistant 1680D ballistic nylon with splashproof inner lining
- Reflective details for better visibility
- Zipper management: Elastic loops prevent the zipper pulls from fluttering
- MOLLE attachment made of stable Hypalon material on the upper side for attaching accessory bags

- Simple and quick attachment of the bag to the motorcycle with loop straps with a patented lashing hook
- Weather protection thanks to the supplied waterproof inner bag
- Sturdy carrying handle
- Capacity: 22 L to 34 L

PART #	DESCRIPTION
<b>3516-0343</b>	PRO Rearbag tail bag



### PRO ROADPACK TAIL BAG

- Universal fit for almost all motorcycles
- Top of the bag is made of laminated and dimensionally stable EVA material
- Zipper mesh compartment in the lid
- Underside made of anti-slip material
- Robust lashing eyes for secure fastening of the bag at 4 points and for lashing accessory bags
- Made of durable and highly UV-resistant 1680D ballistic nylon with splashproof inner lining
- Reflective details for better visibility
- Elastic loops prevent the zipper pulls from fluttering
- MOLLE attachment made of stable Hypalon material on the upper side for attaching accessory bags
- Simple and quick attachment of the bag to the motorcycle with loop straps with a patented lashing hook
- Weather protection thanks to the supplied waterproof inner bag
- Sturdy carrying handle
- Inside pocket with zipper in the lid provides storage for keys, wallet and other small items

- Straps are hooked and tensioned in one step
- Capacity: 8 L to 14 L
- Includes tail bag, waterproof inner bag, four loop straps with lashing hooks, protective foil, and mounting instructions

PART #	DESCRIPTION
<b>3516-0346</b>	PRO Roadpack tail bag

All part numbers in **BLUE** are new for 2026.



### PRO ENDURO WP STRAP TANK BAG

- Waterproof
- Top of the tank bag made of laminated EVA material
- Overlapping lid prevents water ingress
- Welded body made of TPU material without seams
- MOLLE attachment made of stable Hypalon material on the top for attaching smart phones and tablet holders
- Two outer pockets made of welded Hypalon with mesh compartments
- Visible pocket for smart phones or maps in the inner lid
- Sealed metal zippers
- Reflective details



- Carrying handle
- Underside made of non-slip material
- Capacity: 11 L
- Includes PRO Enduro WP strap tank bag, strap set, 2 paint protection films, and mounting instructions

**NOTE:** The outside pockets are splash-proof but not completely waterproof.

PART #	DESCRIPTION
<b>3502-0443</b>	PRO Enduro WP strap tank bag



### PRO ENDURO STRAP TANK BAG

- Top and bottom constructed of laminated EVA material
- Body constructed of durable, UV-resistant 1680D ballistic nylon with water-resistant interior coating
- MOLLE attachment on top for smartphone and tablet holders
- Reflective details
- Two outer pockets
- Interior mesh compartments
- Rain cover included
- Carrying handle
- Cable feed-through on the front and rear
- Can be used with a cable lock or anti-theft protection

- Capacity: 12 L, 15 L expanded
- Includes strap tank bag, waterproof inner bag, paint protection film, and mounting instructions

PART #	DESCRIPTION
<b>3502-0525</b>	PRO Enduro strap tank bag



### PRO DAYPACK MAGNET TANK BAG

- Strong magnets give the PRO Daypack tank bag a firm hold, even on uneven terrain
- Compatible with nearly any steel tank
- Coated underside
- Body constructed of durable, UV-resistant 1680D ballistic nylon with water-resistant interior coating
- MOLLE attachment on top for smartphone and tablet holders
- Reflective details
- Interior mesh compartments
- Weather protection with the supplied rain cover
- Carrying handle
- Cable feed-through on the front and rear
- Includes tank bag, rain cover and adhesive protective foil

PART #	DESCRIPTION
<b>3502-0442</b>	PRO Daypack Magnet tank bag

All part numbers in **BLUE** are new for 2026.

### PRO MICRO WP TANK BAG

- Seamless welded TPU plastic body
- Top and bottom made of laminated and dimensionally stable EVA
- EVA lid with magnetic closure
- Hypalon MOLLE system on the top of the lid for attaching accessories
- Lockable plastic zipper
- Reflective details
- Carrying handle
- PRO tank ring with magnetic guide aid secures the PRO tank bags with a mechanical QUICK-LOCK snap fastener
- Bike-specific PRO tank ring required for mounting on the tank
- Includes tank bag, tank ring, mounting instructions, and mounting hardware



PART #	DESCRIPTION
<b>3502-0605</b>	PRO Micro WP tank bag



PART #	DESCRIPTION
<b>3512-0321</b>	PRO Plus WP accessory bag



<ul style="list-style-type: none"> <li>• Secure the T-Lock with a swift hand movement</li> <li>• Includes T-Lock holder, MOLLE adapter, and mounting instructions</li> </ul>
<b>PART #</b>

PART #	DESCRIPTION
<b>3502-0597</b>	T-Lock holder with MOLLE adapter

### T-LOCK HOLDER WITH MOLLE ADAPTER

- Designed for universal use with the MOLLE system
- Using the twist-locking connector, the T-Lock holder connects accessory bags to the tail bags and tank bags with which a MOLLE system
- MOLLE attachment system is used for all PRO series' tank bags and tail bags, as well as for numerous bags from the Legend Gear series
- Provides flexibility when transporting luggage
- The lower part of the T-Lock on the bag's MOLLE attachment is secured by means of a star-shaped adapter and the top is looped once on the accessory bag



### ION TAIL BAGS

- 600D polyester construction
- Carrying handles
- Can be attached to almost any motorcycle tail
- Reflective piping
- Large main compartment for individual loading

PART #	DESCRIPTION
<b>3516-0325</b>	Small



<ul style="list-style-type: none"> <li>• Stitched logo name and bull in silver grey</li> <li>• Small capacity: 7 L to 15 L</li> <li>• Medium capacity: 26 L to 36 L</li> <li>• Includes tail bag, waterproof inner lining, adhesive protective foil, and tail bag strap set</li> </ul>
<b>PART #</b>

PART #	DESCRIPTION
<b>3516-0326</b>	Medium

All part numbers in **BLUE** are new for 2026.

**DRYBAG 700 TAIL BAG 2.0**

- Built for all weather, all terrain and almost any motorcycle
- Made of sturdy 500D PVC material that is waterproof and extremely durable
- Two welded outer pockets
- Two MOLLE adapters for attaching accessory bags
- Carries up to 70 L of luggage
- Reflective details for added safety
- Padded handle
- D-rings allow for bag to be mounted tightly to the motorcycle
- Dimensions: 76 cm H x 75 cm W x 30 cm D (30" x 29 1/2" x 11 3/4")

**PART #**  
**3530-0047**

**DESCRIPTION**  
Drybag 700 tail bag 2.0

**3530-0041**

**DRYBAG 350/600 TAIL BAGS**

- Universal fit for almost any motorcycle
- Excellent tear, tensile, puncture and impact resistance
- Stable four-point attachment system
- Waterproof tarpaulin construction
- Several drybags can be mounted on top of each other
- Includes four mounting straps and a shoulder strap
- Retroreflective details for increased safety on the road
- 350 bag capacity: 35 L
- 600 bag capacity: 60 L

**PART #**  
**3530-0041**

**DESCRIPTION**  
350 tail bag

**PART #**  
**3530-0042**

**DESCRIPTION**  
600 tail bag



**3530-0044**



**3530-0045**

**DRYBAG 180/260 TAIL BAGS**

- Lightweight for convenient carrying
- Sturdy, waterproof 500D PVC construction

- Easily attached to luggage rack or other Drybags
- Includes four fastening straps for secure mounting

**PART #**  
**3530-0044**

**DESCRIPTION**  
Drybag 180 tail bag (18 L)

**PART #**  
**3530-0045**

**DESCRIPTION**  
Drybag 260 tail bag (26 L)

**DRYBAG 80 2.0**

- Universal fit on almost all bikes
- Welded outer pocket
- Universal fit for almost all motorcycles
- Made of sturdy 500D PVC
- Waterproof, extremely durable roll
- Waterproof, extremely durable luggage roll
- D-rings allow the bag to be pulled tightly against the motorcycle
- Integrated handle on the side
- Waterproof roll closure and taped seams
- Dimensions: 19,0 cm x 9,0 cm x 35,0 cm (7,5" x 3,5" x 13,8")

**PART #**  
**3530-0043**

**DESCRIPTION**  
Drybag 80 2.0

All part numbers in **BLUE** are new for 2026.



### DRYBACK 300 BACKPACK

- Reliable and waterproof backpack with roll closure
- Constructed from sturdy and easy-to-clean Tarpaulin
- Padded shoulder straps and waist belt
- Zippered outer pocket
- 30 L capacity
- Dimensions: 26 cm W x 48 cm H x 24 cm D (10 1/4" x 18 3/4" x 9 1/2")

PART #  
3517-0528

DESCRIPTION  
Gray/black



### DAILY WP BACKPACK

- Waterproof main compartment made of TPU material with roll-top closure
- Tie-down straps on the front for compact luggage transport
- MOLLE attachment for mounting accessory bags
- Chest strap with magnetic click closure
- Padded adjustable-length carrying straps
- Removable hip belt
- Ergonomically shaped back padding
- Reflective features on the front and sides
- Additional reflective detail on the backpack straps
- Reinforced carrying handle

PART #  
3517-0527

DESCRIPTION  
Daily WP Backpack



### DRYBAG 20 BELT BAG

- Robust, breathable, and waterproof
- Tarpaulin material construction protects against all weather conditions
- Ergonomic, adjustable and padded abdominal belt guarantees the highest comfort

PART #  
3520-0007

DESCRIPTION  
Drybag 20 belt bag



### WATERPROOF LEG BAG

- Carry wallet, keys, phone, and other important items on your body without luggage
- Holster can be adjusted to fit leg length, thigh size and hip size for optimal comfort

PART #  
3512-0320

DESCRIPTION  
Waterproof leg bag

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

All part numbers in **BLUE** are new for 2026.

[dragspecialties.eu](http://dragspecialties.eu) / [partseurope.eu](http://partseurope.eu)



### MOMENTUM ROAMER TAIL BAG

- Durable UV-rated, weather-resistant 1200D textile material with removable rain cover
- External adjustable bungee storage for coat, bedroll or other items
- Low-profile carrying handle and removable shoulder strap for off-the-bike convenience
- Multiple welded D-rings and included strap kit for secure mounting
- Integrated MOLLE modular attachment points
- External quick-stash pockets and bottle pockets
- Includes optional clear protective film for fender/paint protection
- Dimensions: 44,5 cm W x 38 cm D x 20,5 cm T (17,5" x 15" x 8")
- 30,5 L (1860 cu in) capacity

PART #  
**3502-0315**

DESCRIPTION  
Momentum Roamer tail bag



### MOMENTUM RAMBLER ROLL BAG

- UV-rated, weather-resistant 1200D textile construction with removable rain cover
- Bottom-mounted tie-down loops for easy mounting on luggage racks or Momentum Drifter, Road Warrior and Vagabond bags, all sold separately
- Convenient side entry doors to easily access items while mounted
- Front stash pocket for easy access to small items
- Quick-mount sissy bar strap design for secure mounting in seconds
- External, adjustable bungee storage system for coat, bedroll or other items
- Integrated MOLLE modular attachment points
- Low-profile carrying handle plus removable shoulder strap for easy portability off the bike
- Rigid structure retains its shape whether loaded or empty

- Multiple D-rings for additional easy and secure mounting options
- Dimensions: 39,5 cm W x 23 cm T x 23,5 cm D (15,5" x 9" x 9,25")
- 21 L (1290 cu in) capacity

PART #  
**3516-0268**

DESCRIPTION  
Momentum Rambler roll bag



### BARRIO MULTI-FIT BAG

- Durable UV-rated, weather-resistant 1200D textile material
- Rolltop design with high-strength hook-and-loop closure for storage versatility and water resistance
- Fully adjustable, convenient speed-buckle clasps
- MOLLE modular attachment points
- Safe and secure storage for wallets, sunglasses, phones, road sodas, tools and more
- Front and side quick-stash pockets
- Dimensions: 18 cm W x 10 cm D x 23 cm T (7" x 4" x 9")
- 4,5 L (266 cu in) capacity

PART #  
**3510-0095**

DESCRIPTION  
Barrio fork bag

All part numbers in **BLUE** are new for 2026.



3517-0435



3517-0414



### ROLL TOP BACKPACKS

- Wet-waxed UV-treated cotton canvas construction
- Leather paneling for style and support
- Burly brand flannel straps
- Interior is fully padded with a partition for a 38 cm (15") laptop
- Auxiliary pass-through port for charging cables or audio cords
- Large front zippered pocket for storing loose items
- Roll top has variable-height snap closure
- Speed buckles, zippers and metal Burly-embossed button snaps and accents
- Anti-flail snap system keeps everything in place at speed

**PART #**  
**3517-0435**

**DESCRIPTION**  
Black Cordura® nylon

**PART #**  
**3517-0414**

**DESCRIPTION**  
Dark oak waxed cotton

3501-1345



3501-1240



### SADDLEBAG

- Wet-waxed UV-treated cotton canvas or black Cordura® nylon construction with leather paneling for support
- Leather will age and show character over time to give the bag a true vintage look
- Metal and polyurethane internal bag frame keeps the bag's shape, even when empty
- Rolltop closure with snap/hook-and-loop sealing system keeps out the wind and the elements
- Speed buckles and zippers and metal Burly-embossed button snaps

**PART #**  
**3501-1345**

**DESCRIPTION**  
Black Cordura® nylon

- Included shoulder strap for messenger bag use
- Quick-release, pin-lock bracket system allows the saddlebag to be easily mounted/removed from the bike (model-specific saddlebag mount brackets sold separately)
- Dark oak or black finish
- Dimensions: 29 cm W x 32 cm T x 13 cm D (11,5" x 12,5" x 5")
- Sold each

**PART #**  
**3501-1240**

**DESCRIPTION**  
Dark oak cotton canvas

All part numbers in **BLUE** are new for 2026.

3502-0309



3502-0260

**TAIL/TANK BAGS**

- Dark oak bag is wet-waxed UV-treated cotton canvas construction
- Mounts to metal gas tanks using high-strength magnets
- Bag also has D-ring anchor points and tail-mounting accessory flange for securing the bag to the rear seat/tail section of the bike
- Map pouch attaches to the tank bag with magnets; pouch can be mounted by itself to a steel tank
- Clear map/accessory screen is an innovative stretching material design that will accommodate most smartphones, small tablets and small GPS units

**PART #**

3502-0309

**DESCRIPTION**

Black

- Two exterior zipper-closure storage pockets
- Large main compartment with elastic interior sides
- Bag has a pass-through port for charging cords, headphone cords, etc.
- Built-in carry handle for easy off-the-bike portability

**PART #**

3502-0260

**DESCRIPTION**

Dark oak

**TOOL ROLL**

- Wet-waxed UV-treated cotton canvas construction
- Leather securing straps and carry handle offer support and secure mounting points
- Eight-pocket system in three widths to hold multiple tools of various sizes (tools are not included)
- Catch-all zippered pocket for smaller items
- Speed buckles and zippers with metal Burly-embossed button snaps and accents
- Anti-flap snap closure system keeps the tools secure
- Adjustable quick-release mounting system works on handlebars, sissy bars or side frame mounting
- Dimensions: 27 cm W x 17 cm T (when expanded) (10,5" x 6,5")

**PART #**

3510-0091

**DESCRIPTION**

Tool roll

**NELSON-RIGG**  
COVERS - LUGGAGE - RAINWEAR

**UltraMAX**™
**ROUTE 1 TRAVELER TOUR TRUNK BAG**

- Industry leading UltraMax™ fabric with maximum UV protection
- Mounts to most tour trunks luggage racks
- Can hold two full-face helmets even when non-expanded
- Additional 76 mm (3") expansion section for extra storage
- Three generous outer pockets for quick-access items
- Mesh pockets under lid and sides of main compartment
- Reflective piping for increased visibility
- Rugged quick-release buckles securely mount to rack

- Rigid construction helps bag hold its shape, even when empty
- Airline carry-on friendly
- Waterproof rain hood included
- Main compartment dimensions: 56 cm L x 30,5 cm W x 37 cm H (22" x 12" x 14,5"); 56 cm L x 30,5 cm W x 43 cm H (22" x 12" x 17") expanded
- Capacity: 63 L; 73,5 L expanded

**PART #**

3516-0269

**DESCRIPTION**

Route 1 Traveler Tour trunk rack bag

All part numbers in **BLUE** are new for 2026.

NELSON-RIGG  
COVERS · LUGGAGE · RAINWEAR

UltraMAX™

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**ROUTE 1 GETAWAY 2.0 BAG**

- Features UltraMax™ fabric for maximum UV protection
- Mounts to luggage rack, sissy bar or seat using quick release and self fastening straps
- Upper and lower storage compartments with lockable zippers
- Rigid construction and solid base panel prevents sagging
- Front pocket folds down to provide easy access to main compartment
- 76 mm (3") expansion section
- 3 outer pockets
- Carry handle for transport off the bike
- Reflective piping enhances visibility
- Waterproof rain cover included
- Can mount directly to seat with optional NR-USA (Under Seat Attachment) PART #3515-0205
- Main compartment dimensions: 33 cm L x 21,5 cm W x 29 cm H (13" x 8,5" x 11,5")
- 20 L capacity expands to 24 L
- Top compartment dimensions: 33 cm L x 21,5 cm W x 11,5 cm H (13" x 8,5" x 4,5")
- 8 L capacity



PART #

3516-0441

DESCRIPTION

Getaway 2.0 tail bag

**ROUTE 1 ROVER PET CARRIER**

- UltraMax™ fabric for maximum UV protection
- For pets up to 9,1 kg (20 lbs)
- Mounts to tour trunk racks, sissy bar
- Rigid construction and solid base panels
- Side panels unzip allowing maximum airflow
- Small permanently open side mesh vents
- Large lid opening for ease of access
- Lid has two-stage zipper opening; first stage allows flap to open with mesh closed, second stage opens mesh to allow pet to look out while on integrated leash
- Both lid panels roll back, with tab to secure open
- Wide front panel also has two-stage opening; first stage opens mesh porch, second stage opens completely
- All two-stage opening zippers securely latch together
- Base has padded removable panel for comfort and cleaning

- Adjustable leash allows pet to move freely
- Two side pockets for storing pet essentials
- Carry handles make for easy transport
- Reflective piping
- Main compartment dimensions: 43 cm L x 30,5 cm W x 38 cm H (17" x 12" x 15")
- Capacity: 50 L

PART #

3515-0214

DESCRIPTION

Route 1 pet carrier

All part numbers in **BLUE** are new for 2026.

dragspecialties.eu / partseurope.eu



### UltraMAX™

#### TRAVELER TAIL BAG

- Made with industry-leading UltraMax™ fabric
- Maximum UV protection against fading
- Universal fitment on trunks and luggage racks
- Fits inside all Harley-Davidson Tour Trunks
- 100% waterproof rain cover included
- Quick-release straps securely mount to trunk rack
- Also mounts to backrest/sissy bar and racks
- Rigid construction with mesh pocket under lid

- Lined interior easily holds a full-face helmet
- Reflective piping for enhanced visibility
- Carry handles for transporting off the bike
- Dimensions: 45,5 cm L x 30,5 cm W x 25,5 cm H (18" x 12" x 10")
- Capacity: 35 L

PART #	DESCRIPTION
<b>3515-0220</b>	Traveler tail bag



PART #	DESCRIPTION
<b>3516-0401</b>	Hurricane RiggPak crash bar/tail bag

### UltraMAX™

#### TRAILS END BOTTLE HOLDER

- Industry leading UltraMax™ fabric with maximum UV protection
- Roll top closure ensures bottle stays secure
- Integrated straps weave into MOLLE systems as found on trails end tail bags
- Includes four webbing straps and buckles can mount to most racks
- Holds bottles up to 887 ml (30 US fl oz)
- Dimensions: 30,5 cm L x 95 mm D (12" x 3,75")



PART #	DESCRIPTION
<b>3501-1462</b>	Trails End bottle holder

All part numbers in **BLUE** are new for 2026.



WINDSHIELDS  
& FAIRINGSSADDLEBAGS  
& LUGGAGESEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION,  
CLUTCH LINE  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING  
& LICENSE  
PLATESHANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES &  
BRAKE LINESTANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES &  
SUSPENSION

FENDERS

FOOTRESTS &  
FLOORBOARDSWHEELS &  
AXLESCOVERS,  
LOCKS &  
GENERALAUDIO,  
COMMUNICATION  
& MOUNTS**RIGG GEAR SADDLEBAG  
QUICK RELEASE PLATE**

- Aircraft grade aluminum plate and mounting hardware
- Powdercoated and anodized finish for maximum durability
- Stainless steel screws and washers will not rust
- Fits most tubular pannier racks up to 18 mm and 20 mm racks with optional latch
- Compatible with racks offset for exhaust with optional aluminum extension
- Designed for Rigg Gear Hurricane and Sierra saddlebags
- Works with Sierra and other dual sport saddlebags with optional strap
- Accommodates most aftermarket soft panniers



3501-2004



3501-2005

- Lockable release latch (lock sold separately)
- Can be hard mounted to most plastic hard cases
- Rotopax Ready
- 13,6 kg (30 lbs) weight limit or the weight limit of your pannier rack (whichever is less)
- Dimensions: 35,5 cm L x 33 cm H (14" L x 13" H)
- Sold as a pair

**DESCRIPTION**

Rigg Gear saddlebag quick release plate

20 mm replacement latch

Saddlebag plate latch extension

**SHOW CHROME®****480 SADDLEBAG KING KOOLER**

- Turn your saddlebag into an insulated cooler
- Liner is insulated, waterproof and custom fit saddlebags
- Ideal for hot, dusty roads, picnics or parties
- Dimensions: 48,5 cm x 25,5 cm x 15 cm (19" x 10" x 6")
- Sold each

**PART #**

3511-0026

**DESCRIPTION**

King Kooler

**SADDLEBAG LINERS**

- Specifically designed to fit the Indian hard saddlebags
- No need for saddlebag organizers; liners feature three storage compartments on top with zipper closures
- Constructed of heavyweight polyester fabric with a PVC internal coating
- Center compartment is made of a see-through mesh for locating items quickly
- Zippers on the outer compartments wrap around two sides for easy access
- The zipper on the main liners wraps around three sides and the lid will flip up, creating an open access for EZ loading and locating items

- Each liner has two 25 mm (1") handles that can be joined together with hook-and-loop material for easy carrying
- Dimensions: 58,5 cm L x 19 cm W x 25,5 cm H (23" L x 7 1/2" W x 10" H)
- Sold in pairs

**PART #****DESCRIPTION**

For 20-22 Challenger, 14-22 Chieftain Vintage/Classic/Limited, 16-22 Chieftain Dark Horse, 15-22 Roadmaster, 17-22 Springfield, 14-22 Chief

All part numbers in **BLUE** are new for 2026.



WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### BA DETACHABLE SOLO LUGGAGE RACKS

- Big Ass solo luggage rack is 30% larger than the standard rack
- Features a 6,35 cm (2,5") kick up at the rear to help secure items
- Uses Cobra's® proprietary release mechanism, allowing the rack to be installed/removed in a matter of seconds
- Docking kit included with all necessary mounting hardware
- Dimensions: 34,3 cm L x 44,5 cm W (13,5" x 17,5")
- Available in gloss black finish

PART #

1510-0857

DESCRIPTION

For 15-24 Scout (except Bobber)



1501-0730



1510-1028



### BA DETACHABLE LUGGAGE RACKS

- Uses Cobra's® proprietary release mechanism, allowing the rack to be installed/removed in seconds
- Uses simple plunger-type spring for installation and removal
- Must install a Cobra docking kit (sold separately, unless noted)
- Dimensions: 35,5 cm L x 44,5 cm W (14" x 17,5")

PART #	DESCRIPTION
FOR 14-25 CHIEFTAIN, 20-25 CHALLENGER/VINTAGE/DARK HORSE, 18-19 ROADMASTER ELITE, 17-18 ROADMASTER CLASSIC, 19-25 CHIEF DARK HORSE, 14-19 CHIEF VINTAGE AND 14-18 CHIEF CLASSIC	
1501-0733	Chrome flat rack
1501-0730	Black flip-up rack
FOR 22-25 CHIEF	
1510-1022	Black flip-up rack

PART #

FOR 18-24 SCOUT BOBBER

1510-1027<sup>1,2</sup>

Chrome

1510-1028<sup>1,2</sup>

Black

<sup>1</sup> Will not work with detachable backrest, passenger seat, extended-reach rider backrest, saddlebags or OEM docking kits.  
<sup>2</sup> Includes docking kit.

DESCRIPTION

PART #	DESCRIPTION
1501-0725	Black docking kit

### DOCKING KITS

PART #	DESCRIPTION
1501-0725	Black docking kit

All part numbers in **BLUE** are new for 2026.

dragspecialties.eu / partseurope.eu



1510-1030



1501-0732

**BA DETACHABLE WRAPAROUND RACKS**

- Racks for full length seats are approximately 33 cm (13") from front to back and 48,26 cm W (19")
- Racks for solo seats with pillion are 43,2 cm W (17")
- Include docking kit (unless noted)
- Available in gloss black finish

**DETACHABLE RACKS**

PART #	DESCRIPTION
1501-0732 <sup>1</sup>	For 14-25 Chieftain
1510-1024	For 22-25 Chief
1510-1026 <sup>2</sup>	



1501-0726



PART #	DESCRIPTION
1510-1030	For 18-24 Scout Bobber

<sup>1</sup> Docking kits sold separately.  
<sup>2</sup> Not compatible with saddlebags or OEM docking kits.

**DOCKING KITS**

PART #	DESCRIPTION
FOR 17-25 CHIEFTAIN LIMITED/CHIEFTAIN ELITE, 16-25 CHIEFTAIN DARK HORSE AND 14-22 CHIEFTAIN 1501-0725	Chrome

PART #	DESCRIPTION
FOR 17-25 CHIEFTAIN LIMITED/CHIEFTAIN ELITE, 16-25 CHIEFTAIN DARK HORSE AND 14-22 CHIEFTAIN (CONT) 1501-0726	Black

**DETACHABLE SOLO LUGGAGE RACKS**

- Mount all your gear without scratching your bike's fender
- Uses Cobra's® proprietary quick release mechanism, allowing the rack to be installed/removed in a matter of seconds
- Includes mounting kit and all necessary hardware
- Dimensions: 35,5 cm L x 21,6 cm W (8,5" x 14")
- Available in gloss black finish

PART #	DESCRIPTION
1510-1018	For 22-25 Chief



PART #	DESCRIPTION
1510-1020	For 18-24 Scout Bobber



3550-0295

**TRUNK RELOCATION BRACKETS**

- Moves trunk back 51 mm (2")
- Chrome-plated
- Easy to install

PART #	DESCRIPTION
FOR 15-24 ROADMASTER 3550-0295	Chrome



PART #	DESCRIPTION
FOR 15-24 ROADMASTER (CONT) 3550-0427	Black

All part numbers in **BLUE** are new for 2026.



0810-2274



### LOW-PROFILE TOURING SEATS WITH FORWARD-POSITIONING

- Features solar-reflective leather in the seating area and automotive-grade vinyl on the sides (unless noted); patented process reduces surface temperature by as much as 14 °C (25 °F) for a cooler seat, higher durability and longer life over conventional leather or vinyl
- 5 mm (3/16") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Seat is made narrow up front for better leg clearance to ground contact

#### PART #

**FOR 14-23 CHIEFTAIN/CHIEFTAIN VINTAGE/CLASSIC/LIMITED, 16-22 DARK HORSE, 15-23 ROADMASTER, 17-23 SPRINGFIELD, 14-21 CHIEF**  
**81 CM L OVERALL (37,5 CM L X 37,5 CM W FRONT) (38 CM L X 28 CM W REAR), 12,5 CM RISE; 32" L OVERALL (14 3/4" L X 14 3/4" W FRONT) (15" L X 11" W REAR), 5" RISE**

0810-2273<sup>1</sup>

0810-2274

<sup>1</sup> Not solar-reflective leather.

- Features a 12,5 cm (5") tall driver support
- Seat moves the rider forward 25 mm (1") and 13 mm (1/2") lower compared to the factory seat
- Seat is 51 mm (2") further forward compared to stock seat
- Includes all mounting hardware

#### DESCRIPTION

Double diamond, black thread, vinyl
Double diamond, black thread



### LOW-PROFILE TOURING SEAT

- High-quality automotive-grade vinyl
- Molded polyurethane foam for maximum comfort and styling
- 5 mm (3/16") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Features a 14 cm (5 1/2") tall driver support
- Seat geometry places rider 51 mm (2") further back than the Drag Specialties Low Profile Touring forward seat and up to 13 mm (1/2") lower than stock seat

- Seat is made narrow up front for better leg clearance to ground contact
- Includes all mounting hardware

#### PART #

**FOR 14-23 CHIEFTAIN/CHIEFTAIN VINTAGE/CLASSIC/LIMITED, 16-22 DARK HORSE, 15-23 ROADMASTER, 17-23 SPRINGFIELD, 14-21 CHIEF**  
**81 CM L OVERALL (43 CM L X 37,5 CM W FRONT) (33 CM L X 28 CM W REAR) 32" L OVERALL (17" L X 14 3/4" W FRONT) (13" L X 11" W REAR)**

0810-2258

#### DESCRIPTION

Double diamond, black thread
------------------------------

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

### PREDATOR III FORWARD POSITIONING SEAT

- High-quality automotive-grade vinyl
- Molded polyurethane foam for maximum comfort and styling
- 5 mm (3/16") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Features a 16,5 cm (6 1/2") tall driver support
- Seat is made narrow up front for better leg clearance
- Seat moves the rider forward 25 mm (1") and 13 mm (1/2") lower compared to the factory seat
- Seat geometry is 51 mm (2") further forward than the Drag Specialties Predator III standard seat
- Includes all mounting hardware



#### DESCRIPTION

**FOR 14-23 CHIEFTAIN/CHIEFTAIN VINTAGE/CLASSIC/LIMITED, 16-22 CHIEFTAIN DARK HORSE, 17-23 SPRINGFIELD, 15-23 ROADMASTER, 14-21 CHIEF  
81 CM L OVERALL (37,5 CM L X 32 CM W FRONT) (30,5 CM L X 18 CM W REAR) 16,5 CM RISE; 32" L OVERALL (14 3/4" L X 12 1/2" W FRONT)  
(12" L X 7 1/4" W REAR) 6 1/2" RISE**

**0810-2270**

Double diamond, black thread



**0810-2262**



**0810-2120**

### PREDATOR III SEATS

- Automotive-grade vinyl cover
- Features a 15 cm (6") tall driver support
- Molded polyurethane foam for maximum comfort and styling

- 5 mm (3/16") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Includes all mounting hardware

#### DESCRIPTION

**FOR 14-23 CHIEFTAIN/CHIEFTAIN VINTAGE/CLASSIC/LIMITED, 16-22 CHIEFTAIN DARK HORSE, 15-23 ROADMASTER, 17-23 SPRINGFIELD, 14-21 CHIEF  
81 CM L OVERALL (42,5 CM L X 32 CM W FRONT) (28 CM L X 18 CM W REAR); 32" L OVERALL (16 3/4" L X 12 1/2" W FRONT) (11" L X 7 1/4" W REAR) 6" RISE**

**0810-2262**

Double diamond, black thread

**FOR 15-23 SCOUT/SCOUT SIXTY (EXCEPT SCOUT BOBBER)**

**73,5 CM L OVERALL (30 CM L X 32 CM W FRONT) (29 CM L X 17 CM W REAR) (29" L OVERALL (11 3/4" L X 12 1/2" W FRONT) (11 1/2" L X 6 3/4" W REAR))**

**0810-2119**

Double diamond, black thread

**0810-2120**

Double diamond, silver thread



**0810-2265**



**0810-2267**

### SOLO SEATS

- High-quality automotive-grade vinyl cover
- Molded polyurethane foam for maximum comfort and styling
- 5 mm (3/16") ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Features a 76 mm (3") tall back for support

- Seat is made narrow up front for better leg clearance to ground contact
- Seat moves the rider back 25 mm (1") and 13 mm (1/2") lower compared to the factory seat
- Includes all mounting hardware

#### DESCRIPTION

**FOR 14-23 CHIEFTAIN/CHIEFTAIN VINTAGE/CLASSIC/LIMITED, 16-22 CHIEFTAIN DARK HORSE, 15-23 ROADMASTER, 17-23 SPRINGFIELD, 14-21 CHIEF  
59,5 CM L OVERALL (43 CM L X 32,5 CM W FRONT), 76 MM RISE; 23 1/2" L OVERALL (17" L X 12 3/4" W FRONT), 3" RISE**

**0810-2265**

Smooth, vinyl

**0810-2267**

Double diamond, black thread

All part numbers in **BLUE** are new for 2026.



0810-2257



0810-1993

### BOBBER-STYLE FRONT AND REAR SOLO SEATS

- Looks like a vintage spring solo seat, but is rigid-mounted
- High-quality automotive-grade vinyl
- Molded polyurethane foam for maximum comfort and styling
- 5 mm ( $\frac{3}{16}$ ) ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Front solo seats can be used with or without a rear solo seat
- Rear seat PART #0810-1993 features solar-reflective leather in the seating area and automotive-grade vinyl on the sides (unless noted); patented process reduces surface temperature by as much as 14 °C (25 °F) for a cooler seat, higher durability and longer life over conventional leather or vinyl

#### PART #

#### FOR 18-23 SCOUT BOBBER

FRONT SOLO SEAT 38 CM L OVERALL X 25 CM L X 32,5 CM W (15" L OVERALL X 10" L X 12  $\frac{3}{4}$ " W)

0810-2257<sup>1</sup>

#### FOR 18-23 SCOUT BOBBER W/ ABS AND W/O ABS

REAR SOLO SEAT 30 CM L X 19 CM W (11  $\frac{3}{4}$ " L X 7  $\frac{1}{2}$ " W)

0810-1993

<sup>1</sup> Not solar-reflective leather.

- Rear solo seats will work with OEM front solo seats, sold separately
- All will work with the OEM driver backrest bar
- Includes all mounting hardware

#### DESCRIPTION



### 3/4 SOLO SEATS

- Gives the bike a cafe-racer style look
- Has a 15 cm (6") rise at the back of the seat for added support
- Features solar-reflective leather in the seating area and automotive-grade vinyl on the sides (unless noted); patented process reduces surface temperature by as much as 14 °C (25 °F) for a cooler seat, higher durability and longer life over conventional leather or vinyl
- Molded polyurethane foam for maximum comfort and styling

#### PART #

#### FOR 18-23 SCOUT BOBBER

3/4 SOLO SEAT; 56 CM L OVERALL ( 28 CM L X 28,5 CM W FRONT) (23 CM L X 12,5 CM W REAR); 22" L OVERALL (11" L X 11  $\frac{1}{4}$ " W FRONT) (9" L X 5" W REAR)

0810-2254

0810-2255



- 5 mm ( $\frac{3}{16}$ ) ABS thermoformed seat base for a perfect fit, with a carpeted bottom and rubber bumpers to protect paint
- Extended-reach seat is approximately 25 mm (1") taller than standard seat height; positions the rider approximately 38 mm (1  $\frac{1}{2}$ ") back from the stock seating position
- Mount just like the OEM seat; no additional hardware needed
- Includes all mounting hardware

#### DESCRIPTION

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



**SADDLEMEN**  
THE GEL-SEAT EXPERTS / SINCE 1987

0810-2346



0822-0506



### ROADSOFA™ SEATS

- Tall lumbar support and wide driver saddle supports the back and legs for superior comfort, while the streamlined nose improves the rider's reach to the ground
- Refined split-cushion design maximizes long-range comfort by separating the seating surface from the lumbar support to reduce tailbone and back pressure

PART #	DESCRIPTION
<b>FOR 25 CHIEFTAIN POWERPLUS, 20-25 CHALLENGER</b>	
<b>HEATED</b>	
0810-2353	W/o driver's backrest
0810-2352	W/ driver's backrest
<b>UNHEATED</b>	
0810-2350	W/o driver's backrest
0810-2351	W/ driver's backrest
<b>FOR 14-25 CHIEFTAIN/CLASSIC/LIMITED (EXCEPT POWERPLUS), 14-25 ROADMASTER/CLASSIC/DARK HORSE (EXCEPT POWERPLUS), 14-24 SPRINGFIELD/DARK HORSE, 14-25 CHIEF CLASSIC/DARK HORSE/VINTAGE, AND 14-20 CHIEF</b>	
<b>HEATED</b>	
0810-2349	W/o driver's backrest
0810-2348	W/ driver's backrest

- GelCore™ in front and rear reduces tailbone pressure and increases circulation and comfort for both driver and passenger
- Seats available heated or unheated and with or without driver's backrest
- Matching passenger backrest/trunk pad (sold separately) completes the custom look

PART #	DESCRIPTION
<b>FOR 14-25 CHIEFTAIN/CLASSIC/LIMITED (EXCEPT POWERPLUS), 14-25 ROADMASTER/CLASSIC/DARK HORSE (EXCEPT POWERPLUS), 14-24 SPRINGFIELD/DARK HORSE, 14-25 CHIEF CLASSIC/DARK HORSE/VINTAGE, AND 14-20 CHIEF (CONT)</b>	
<b>UNHEATED</b>	
0810-2346	W/o driver's backrest
0810-2347	W/ driver's backrest
0822-0506	TourPak trunk pad
<b>FOR 25 ROADMASTER POWERPLUS, 22-25 PURSUIT</b>	
<b>UNHEATED</b>	
0810-2430	W/o driver's backrest
0810-2431	W/ driver's backrest
0822-0506	TourPak trunk pad



### ROADSOFA™ LS SEATS

- Tall lumbar support and wide driver saddle support the back and legs for superior comfort, while the streamlined nose improves the rider's reach to the ground
- Refined split-cushion design maximizes long-range comfort by separating the seating surface from the lumbar support to reduce tailbone and back pressure
- GelCore™ in front and rear increases comfort for both driver and passenger
- LS - Lattice stitch seat infuses old-school lattice stitch retro styling with a modern twist

PART #	DESCRIPTION
<b>FOR 25 CHIEFTAIN POWERPLUS, 20-25 CHALLENGER</b>	
<b>HEATED</b>	
0810-2180	W/o driver's backrest
0810-2182	W/ driver's backrest
<b>UNHEATED</b>	
0810-2179	W/o driver's backrest



0810-2182



0810-2426

- Ventilated soft leather upholstery provides a luxurious look and ride
- Made with perforated leather inserts and weatherproof, no-maintenance-required SaddleHyde™
- Includes a fitted rain cover specially designed to protect seat from water and dirt
- Matching passenger backrest/trunk pad (sold separately) completes the custom look
- Available with or without driver's backrest

PART #	DESCRIPTION
<b>FOR 14-25 CHIEFTAIN/CLASSIC/LIMITED (EXCEPT POWERPLUS), 14-25 ROADMASTER/CLASSIC/DARK HORSE (EXCEPT POWERPLUS), 14-24 SPRINGFIELD/DARK HORSE, 14-25 CHIEF CLASSIC/DARK HORSE/VINTAGE, AND 14-20 CHIEF</b>	
<b>HEATED</b>	
0810-2091	W/ driver's backrest
0810-2088	W/o driver's backrest
0810-2090	W/ driver's backrest
<b>FOR 25 ROADMASTER POWERPLUS, 22-25 PURSUIT</b>	
<b>UNHEATED</b>	
0810-2426	W/o driver's backrest
0810-2427	W/ driver's backrest

All part numbers in **BLUE** are new for 2026.



0810-2241



0810-2429



### ROADSOFA™ CF SEATS

- Constructed from contrasting carbon fiber (CF) weave and SaddleHyde™
- GelCore™ in front and rear reduces tailbone pressure and increases circulation and comfort for both driver and passenger
- Tall lumbar support and wide driver saddle support the back and legs for superior comfort, while the streamlined nose improves the rider's reach to the ground
- Available with or without driver's backrest

#### PART #

**FOR 14-25 CHIEFTAIN/CLASSIC/LIMITED (EXCEPT POWERPLUS), 14-25 ROADMASTER/CLASSIC/DARK HORSE (EXCEPT POWERPLUS), 14-24 SPRINGFIELD/DARK HORSE, 14-25 CHIEF CLASSIC/DARK HORSE/VINTAGE, AND 14-20 CHIEF**

0810-2241

#### DESCRIPTION

W/o driver's backrest

0810-2243

W/ driver's backrest

**FOR 25 ROADMASTER POWERPLUS, 22-25 PURSUIT**

0810-2428

W/o driver's backrest

0810-2429

W/ driver's backrest

0810-2405



0810-2406



### CAREY HART SIGNATURE SERIES SEATS

- Designed by the legendary Carey Hart for ultimate performance, style and comfort
- Sleek design hugs the contours of the frame
- GelCore™ technology and ProFoam™ interior offer the pinnacle of support
- High lumbar support locks the rider into the saddle
- Available in black with black stitching

#### PART #

#### DESCRIPTION

**0810-2405 For 14-25 Chieftain/Classic/Limited (except Powerplus), 14-25 Roadmaster/Classic/Dark Horse (except Powerplus), 14-25 Springfield/Dark Horse 14-25 Chieftain/Classic/Limited (except Powerplus), 14-25 Chief Classic/Dark Horse/Vintage, and 14-20 Chief**

**0810-2406 For 22-25 Chief**

### KLOCKWERKS™ PRO SERIES SEAT

- Trusted Saddlemen® quality with a signature KlockWerks™ twist
- High-performance comfort with a streamlined look
- Black SaddleHyde™ cover with black stitching
- Driver's portion dimensions: 19" L x 14.75" W x 7" H
- Passenger's portion dimensions: 13" L x 8.5" W



#### DESCRIPTION

**FOR 14-25 CHIEFTAIN/CLASSIC/LIMITED (EXCEPT POWERPLUS), 14-25 ROADMASTER/CLASSIC/DARK HORSE (EXCEPT POWERPLUS), 14-24 SPRINGFIELD/DARK HORSE, 14-25 CHIEF CLASSIC/DARK HORSE/VINTAGE, AND 14-20 CHIEF**

0810-2193

KlockWerks™ ProSeries seat

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



**SADDLEMEN®**  
THE GEL-SEAT EXPERTS / SINCE 1987

### SLIM LS SEAT

- Refined split-cushion design separates seating surface from lumbar support to reduce tailbone and back pressure for maximum long-range comfort
- Tall lumbar support and wide driver saddle support back and legs for superior comfort; streamlined nose improves reach to ground
- GelCore™ technology in both driver and passenger areas reduces tailbone pressure and increases circulation and comfort
- **LS** - Lattice stitch seat infuses old-school lattice stitch retro styling with a modern twist
- Perforated leather inserts and SaddleHyde™ cover
- Fitted, protective rain cover included
- Available in black



PART #	DESCRIPTION
<b>FOR 20-24 CHALLENGER, 20-23 PURSUIT</b> <b>0810-2191</b>	Slim LS seat



### GEL CHANNEL™ TRACK-CF SPORT BIKE SEAT

- Performance oriented materials and construction
- More comfortable than any OEM seat
- Fine-grain SaddleHyde™ vinyl construction
- High-tech, carbon fiber-look cover with center channel strip and rear seat cover
- Designed specifically for the rider who needs a seat that can do everything—canyon carving, track days or commuting
- Features Gel Channel™ technology that incorporates a split piece of GelCore™ and a channel in the base foam to relieve pressure for all-day riding comfort
- Special seat cover materials allow for easy movement when riding aggressively
- Matches the height of the original seat and incorporates a specially-shaped nose that helps rider's feet better touch the ground at stops



PART #	FITS MODEL
<b>FOR 19-24 FTR1200</b> <b>0810-2203</b>	Gel Channel™ Track-CF sport bike seat



### TRACK LS SEAT

- Track LS seat results from Saddlemen's® devotion to creating better looking, better fitting and more comfortable seats
- Improved GelCore™ progressive density formulation creates exceptional seat foundation
- Beautifully upholstered with unique, ventilated-style stitched leather cover that provides both a luxurious look and a comfortable ride
- Matches the height of the original seat and incorporates a specially-shaped nose that helps rider's feet better touch the ground at stops
- **LS** - lattice stitch seats infuse old-school lattice stitch retro styling with a modern twist
- Custom-fitted rain cover included to protect the seat from water and dirt



PART #	DESCRIPTION
<b>FOR 19-24 FTR1200</b> <b>0810-2204</b>	Track LS seat



### STEP-UP™ GRIPPER SEATS

- Blend rider and passenger comfort with the ergonomics required to keep the rider locked in place and in control of the bike
- Combines a GelCore™ interior with Ultra-Foam to create a perfect balance of rigidity and user compliance
- The Ultra-Foam's unique molding process creates an element-resistant, self-skinning process that seals the foam from water and enhances the seat's durability and comfort
- Gripper lumbar will stick you to the seat

PART #	DESCRIPTION
<b>FOR 22-24 CHIEF/DARK HORSE</b> <b>0810-2313</b>	Step-Up™ Gripper seat
<b>FOR 20-24 CHALLENGER, 22-23 PURSUIT</b> <b>0810-2412</b>	Extended reach Step-Up Gripper seat

- Extended reach seat is designed for taller riders and moves the seating area 5 cm (2") rearward
- All mounting hardware and instructions are included for easy installation
- Available with a black SaddleHyde™ cover with black stitching

PART #	DESCRIPTION
<b>FOR 25 SCOUT</b> <b>0810-2440</b>	Step-Up Gripper seat

All part numbers in **BLUE** are new for 2026.



### STEP-UP™ SEATS

- Saddlemen® collaborated with top freestyle performers to create the T-sport-inspired Step-Up™ lattice stitch (LS) or tuck-n-roll (TR) seats
- LS** - seats infuse old-school lattice stitch retro styling with a modern twist
- TR** - seats feature true tuck-n-roll styling
- Extended reach seats are designed for taller riders and move the seating area 5 cm (2") rearward

- High lumbar keeps the rider locked into the seat
- Features Saddlemen's Ultra-Foam, which is formulated to provide a perfect balance of rigidity and user compliance with integrated GelCore™ technology
- Whisper-grain SaddleHyde™ covers
- Installs easily with all necessary mounting hardware and instructions included

#### FOR 20-24 CHALLENGER

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
<b>STANDARD REACH</b>		<b>EXTENDED REACH (CONT)</b>		<b>EXTENDED REACH (CONT)</b>	
0810-2171	Full LS	0810-2414	Front LS	0810-2410	Front TR, rear LS
<b>EXTENDED REACH</b>		0810-2413	Rear LS		
0810-2411	Full LS	0810-2415	Front TR		

#### FOR 22-25 CHIEF/DARK HORSE

PART #	DESCRIPTION						
0810-2314	Full LS	0810-2309	Front LS	0810-2308	Front TR	0810-2316	Front TR, rear LS

#### FOR 25 SCOUT

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
<b>BLACK</b>		<b>BLACK (CONT)</b>		<b>BLACK (CONT)</b>	
0810-2442	Full LS	0810-2439	Rear LS	0810-2452	Front TR, rear LS

#### FOR 18-24 SCOUT BOBBER

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
<b>BLACK</b>		<b>BLACK (CONT)</b>		<b>BROWN</b>	
0810-2135	Full LS	0810-2137	TR	0810-2139	Front LS
0810-2138	Front LS	0810-2167	Front TR, rear LS	0810-2168	Front TR, rear LS



### DOMINATOR™ SOLO SEAT

- Combines GelCore™ interior, progressive-density foam and a Gel Channel™-design cover to provide riders with unparalleled comfort, control and modern style
- Gel Channel (GC) technology relieves seating pressure and increases blood flow, keeping the rider comfortable in the saddle
- GC-style center also provides an airflow passage
- The rugged carbon fiber (CF) weave and smooth vinyl cover hold up to hard use
- Large gel pad for additional foam support and vibration damping usually only found in much larger seats



- Marine-grade fiberglass pans and chrome brackets make sure the seat is suited for decades of riding
- Easy to install; some seats and pillion pads include additional mounting hardware as needed
- The matching optional driver's backrest installs in seconds without using tools and can be adjusted both horizontally and vertically to the rider's back and is removable for a sleek appearance

PART #	DESCRIPTION
<b>FOR 14-25 CHIEFTAIN/CLASSIC/LIMITED (EXCEPT POWERPLUS), 14-25 ROADMASTER/CLASSIC/DARK HORSE (EXCEPT POWERPLUS), 14-24 SPRINGFIELD/DARK HORSE, 14-25 CHIEF CLASSIC/DARK HORSE/VINTAGE, AND 14-20 CHIEF</b>	
0810-2152	Dominator solo seat
0822-0399	Optional driver's backrest

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

Brakes & Brake Lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

0810-2305



0810-2154



0822-0399



0810-2133



### RENEGADE™ LS SOLO SEATS AND PILLION PADS

- Built to streamline and complement the motorcycle while maintaining a comfortable ride
- Includes exclusive GelCore™ technology for additional comfort

- Popular lattice stitch (LS) retro styling
- Optional driver's backrests available for select models

#### FOR 22-25 CHIEF/DARK HORSE

0810-2305

Renegade™ LS solo seat

PART #	DESCRIPTION
<b>FOR 14-25 CHIEFTAIN/CLASSIC/LIMITED (EXCEPT POWERPLUS), 14-25 ROADMASTER/CLASSIC/DARK HORSE (EXCEPT POWERPLUS), 14-24 SPRINGFIELD/DARK HORSE, 14-25 CHIEF CLASSIC/DARK HORSE/ VINTAGE, AND 14-20 CHIEF</b>	
<b>BLACK</b>	
<b>0810-2154</b>	Renegade™ LS solo seat
<b>0822-0399</b>	Optional driver's backrest
<b>BROWN</b>	
<b>0822-0400</b>	Optional driver's backrest

PART #	DESCRIPTION
<b>FOR 18-24 SCOUT BOBBER</b>	
<b>BLACK</b>	
<b>0810-2132</b>	Renegade LS solo seat
<b>BROWN</b>	
<b>0810-2133</b>	Renegade LS solo seat



### RENEGADE™ SOLO SEAT

- Low, wide and comfortable with carefully designed contours and frame-hugging profile
- Combines a GelCore™ interior and ProFoam™ channel design for unparalleled comfort and modern styling
- Available in black SaddleHyde™ with black stitching
- All necessary mounting hardware and instructions included

PART #	DESCRIPTION
<b>FOR 18-24 SCOUT BOBBER</b>	
<b>0810-2131</b>	Renegade™ Solo seat



### KNUCKLE RENEGADE™ SOLO SEAT

- Instantly transform your bike with this audacious new custom seat
- Deep, aggressive ribs are carefully stitched into the black SaddleHyde™ cover
- Hand-crafted GelCore™ provides comfort that is not usually present in a low-profile seat
- Plated hardware ensures a perfect fit and simple installation



PART #	DESCRIPTION
<b>FOR 22-25 CHIEF/DARK HORSE</b>	
<b>0810-2307</b>	Knuckle Renegade™ solo seat

PART #	DESCRIPTION
<b>FOR 18-24 SCOUT BOBBER</b>	
<b>0810-2129</b>	Knuckle Renegade solo seat

All part numbers in **BLUE** are new for 2026.



### HEATED ONE-PIECE TOURING SEAT

- Seat features high/low dual-heating controls for driver and passenger
- Controls are hidden beneath the diamond-stitched black seat cover
- Driver seating area measures approximately 38 cm (15") W
- Seat also puts driver 19 mm (3/4") lower and 22 mm (7/8") further back than the stock seating position for improved comfort

#### PART #

**FOR 15-25 ROADMASTER, 17-18 ROADMASTER CLASSIC, 18-19 ROADMASTER ELITE, 20-25 ROADMASTER DARK HORSE, 21 ROADMASTER LIMITED, 23-25 ROADMASTER LIMITED**

**0810-2144**

- Fully adjustable driver's backrest pad is included; pad can be easily removed and folds for convenient storage
- Seat base is marine-grade fiberglass construction with proprietary comfort foam padding

#### DESCRIPTION

Diamond-stitched w/ white thread; black



### SHOPE SIGNATURE SERIES TRIPPER SEATS

- Designed exclusively by John Shope of Dirty Bird Concepts®
- Features double-stitched, high-quality expanded vinyl
- Perforated design with diamond-stitched center panel

#### PART #

**FOR 14-25 CHIEFTAIN/ROADMASTER/SPRINGFIELD/CHIEF/VINTAGE**

**0810-2018**

#### FRONT WIDTH

Diamond; 28 cm (11") W front, 15 cm (6") W rear



#### PART #

**FOR 15-24 SCOUT/SCOUT SIXTY**

**0810-2016**

#### FRONT WIDTH

Diamond; 21,5 cm (8,5") W front, 12,5 cm (5") W rear



### SHOPE SIGNATURE SERIES CAFE SEAT

- Designed exclusively by John Shope of Dirty Bird Concepts®
- Features double-stitched, high-quality expanded vinyl
- Perforated design with a diamond-stitched center panel

#### PART #

**FOR 14-25 CHIEF/CHIEFTAIN/ROADMASTER/SPRINGFIELD**

**0810-2017**

#### DESCRIPTION

Diamond; 29 cm (11,5") W



### RUNAROUND™ SOLO SEAT

- Provides quality comfort and distinctive styling
- Features a precisely molded proprietary foam that contours to the shapes and angles needed for optimal cruising comfort
- Engineered low, seat measures 24 cm (9,5") W
- Constructed of marine-grade fiberglass for a secure install and long-term durability

NOTE: Not intended for use with a passenger seat.

#### PART #

**0810-1839**

#### DESCRIPTION

For 15-24 Scout/Scout Sixty

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

### SQUAREBACK™ SOLO SEAT AND PASSENGER SEAT

- Add an aggressive style and upgrade your comfort on your Chief with the Squareback™ by Mustang
- The solo seat has an aggressive look and a generous rise with a 26 cm (10.25") wide seating area
- Bucketed rider area provides excellent support and diamond-stitched perforated center panels
- Places the rider at a similar reach compared to stock
- 18.5 cm (7.25") wide passenger seat allows for comfortable 2-up riding and overlaps the top of the solo for more driver back support
- Handsewn cover with classic single diamond stitching made from marine-grade expanded vinyl

0810-2381



0810-2382



0822-0523

- Mustang's proprietary controlled-density foam formula requires no break-in and retains shape and support after years of use
- Marine-grade fiberglass baseplate for long-lasting support and durability, with polyurethane bumpers to absorb vibration
- Matching sissy bar pad, made specifically for the new Indian Chief low-rise bar

PART #	DESCRIPTION	PART #	DESCRIPTION
0810-2381	Squareback solo seat	0810-2382	Passenger seat

PART #	DESCRIPTION
0810-2382	Passenger seat

PART #	DESCRIPTION
0822-0523	Sissy bar pad



0810-2383



0810-2385



0810-2384



0810-2386



0822-0524

### STANDARD TOURING SOLO SEATS AND PASSENGER SEATS

- Enhance the comfort of your Indian Chief with the standard touring collection from Mustang
- The solo seats have a classic look and generous rise with a comfortable 34,5 cm (13,5") wide seating area
- Hand sewn cover with classic single diamond stitching made from marine-grade expanded vinyl
- Mustang's proprietary controlled-density foam formula requires no break-in and retains shape and support after years of use
- Marine-grade fiberglass baseplate for long-lasting support and durability, with polyurethane bumpers to absorb vibration

- Pair it with an optional 25 cm (9,75") wide passenger seat that overlaps the top of the solo for even more driver back support
- Wide bucketed rider area provides excellent support with a classic diamond stitch and carbon-fiber look accents
- Places rider at a similar reach compared to stock
- 25 cm (9,75") wide passenger area allows for comfortable 2-up riding
- Matching sissy bar pad, made specifically for the new Indian Chief low-rise bar

PART #	DESCRIPTION	PART #	DESCRIPTION
0810-2383	Solo seat	0810-2384	Passenger seat
0810-2385	Solo seat w/ driver backrest	0810-2386	Recessed passenger seat

PART #	DESCRIPTION
0810-2386	Recessed passenger seat

PART #	DESCRIPTION
0822-0524	Sissy bar pad



0810-2127



0810-2128

### STANDARD TOURING SOLO SEATS

- Front width of 33 cm (13") is 51 mm (2") wider than stock with a contoured bucket that offers lower back support
- Increases rider comfort and positioning while enhancing bobber styling with its custom looks
- Keeps the rider at a similar reach to the controls and eliminates sliding back in the saddle
- Smooth and textured seat available in black vinyl or distressed brown with textured black vinyl
- Large, diamond-stitched center panel with reinforced double stitching on the side panels

- Proprietary polyurethane-based foam compound
- Lightweight and durable marine-grade fiberglass seat pan

PART #	DESCRIPTION
0810-2127	Black vinyl

PART #	DESCRIPTION
0810-2128	Distressed brown w/ textured black vinyl

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### VINTAGE SOLO SEATS

- Provides quality vintage design
- Features a precisely molded proprietary foam that contours to the shapes and angles needed for optimal cruising comfort
- 33 cm (13") W driver solo seat provides ample room for comfort without compromising the look of the bike
- Constructed of marine-grade fiberglass for a secure install and long-term durability



PART #	DESCRIPTION
0810-1835	For 15-24 Scout/Scout Sixty



### BEAT THE HEAT DYNAMAT SEAT KIT

- Reduces the heat from under your seat by 10 degrees
- Keeps your seat cooler by deflecting heat from the rear rocker cover
- Easy installation, precut material and only takes about 10 minutes



PART #	DESCRIPTION
0502-0550	For 14-23 Chieftain/Classic/Vintage/Dark Horse, 15-23 Roadmaster, 16-23 Springfield

## DAYTONA

### SEAT REPAIR STICKER

- Synthetic leather and acrylic adhesive tape
- Dimensions: 17 mm L x 110 mm W (0,66" x 4,33")



PART #	DESCRIPTION
0821-3646	Seat repair sticker



### SEAT HEATERS

- Mounted on stretchable neoprene to maximize comfort
- Dual heating levels warm the seat quickly and keep it warm throughout the ride
- Waterproof heating elements
- Illuminated high/low power switch to easily control the heat
- Medium heater dimensions: 11,5 cm - 19 cm W x 25,5 cm L (4 1/2" - 7 1/2" x 10")
- Large heater dimensions: 16 cm - 35,5 cm W x 29,5 cm L (6 1/4" - 13 7/8" x 11 5/8")



PART #	DESCRIPTION	PART #	DESCRIPTION
0821-3280	Medium	0821-3279	Large



### SECURITY SEAT SCREWS

- Secures the seat to the bike with a Torx security screw
- Dimensions: 8 mm x 1,25 thread
- Tab cover and screw tool included
- Sold each



PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
0820-0162	Chrome	0820-0161	Black	0820-0163	Gold

All part numbers in **BLUE** are new for 2026.



1501-0747



1501-0748



1501-0725

### TALL DETACHABLE BACKRESTS

- Taller than standard detachable backrest with a smaller pad
- Convenience of a comfortable back support for your passenger, with the ability to quickly remove

- Pad dimensions: 16,5 cm W x 11,5 cm H (6,5" x 4,5")
- Backrests and required docking kits sold separately

PART #	DESCRIPTION
<b>FOR 14-25 CHIEFTAIN</b>	
1501-0747	Chrome
1501-0748	Black

PART #	DESCRIPTION
<b>DOCKING KITS</b>	
1501-0725	Chrome
1501-0726	Black



1501-0723



1501-0724



1501-0725

### DETACHABLE BACKRESTS AND DOCKING KITS

- Passenger comfort when you need it
- Easily removable when not in use
- Compatible with OEM turn signals

- Pad dimensions: 28,6 cm W x 20,5 cm H (11,25" x 8")
- Backrests and docking kits sold separately

PART #	DESCRIPTION
<b>FOR 14-25 CHIEFTAIN, 20-25 CHALLENGER/VINTAGE/DARK HORSE, 18-19 ROADMASTER ELITE, 17-18 ROADMASTER CLASSIC, 19-25 CHIEF DARK HORSE, 14-19 CHIEF VINTAGE AND 14-18 CHIEF CLASSIC</b>	
1501-0723	Chrome
1501-0724	Black

PART #	DESCRIPTION
<b>DOCKING KITS</b>	
1501-0725	Chrome
1501-0726	Black



1501-0692



1501-0695

### DETACHABLE BACKREST KITS

- A detachable backrest offers the best of both worlds for your passenger
- The convenience of a comfortable back support for your passenger, with the ability to quickly remove
- Each is bike-specific and includes docking kit, round bar and pad
- 30,5 cm (12") height measured from bottom of passenger seat to top of bar

- Pad dimensions: 12,7 cm H x 15,25 W x 5 cm D (5" x 6" x 2")
- Does NOT require the relocation of turn signals
- Available in chrome or black

PART #	DESCRIPTION
<b>FOR 15-24 SCOUT</b>	
1501-0692	For two-up seat, chrome

PART #	DESCRIPTION
<b>FOR 15-24 SCOUT (CONT)</b>	
1501-0695	For solo seat w/ pillion pad, black

All part numbers in **BLUE** are new for 2026.



### SHORT DETACHABLE BACKRESTS AND DOCKING KITS

- Shorter than the standard detachable backrest with a smaller pad
- Pad measures 16,5 cm (6,5") W x 11,5 cm (4,5") H
- A detachable backrest offers the best of both worlds for your passenger
- The convenience of a comfortable back support for your passenger, with the ability to quickly remove
- Does NOT require the relocation of turn signals
- Backrests and required docking kits sold separately



PART #	DESCRIPTION
<b>FOR 17-25 CHIEFTAIN ELITE/CHIEFTAIN LIMITED, 16-25 CHIEFTAIN DARK HORSE AND 14-25 CHIEFTAIN</b> 1501-0728	Black

PART #	DESCRIPTION
<b>DOCKING KITS</b>	
<b>1501-0725</b>	Chrome
<b>1501-0726</b>	Black



### SHORT DETACHABLE BACKRESTS

- Shorter than standard detachable backrest
- Convenience of a comfortable back support for your passenger, with the ability to quickly remove



PART #	DESCRIPTION
<b>FOR 14-25 CHIEFTAIN</b>	
<b>1501-0753</b>	Chrome
<b>1501-0754</b>	Black

PART #	DESCRIPTION
<b>DOCKING KITS</b>	
<b>1501-0725</b>	Chrome
<b>1501-0726</b>	Black



### DETACHABLE MINI-BACKRESTS

- Includes docking kit
- Dimensions: 40,6 cm (16") H measured from bottom of passenger seat to top of bar

- Pad dimensions: 12,7 H x 15,25 cm W x 5 cm D (5" x 6" x 2")
- Available in chrome or gloss black

PART #	DESCRIPTION
<b>FOR 22-25 CHIEF</b>	
<b>1501-0749</b>	Chrome
<b>1501-0750</b>	Black

PART #	DESCRIPTION
<b>FOR 18-24 SCOUT BOBBER</b>	
<b>1501-0751</b>	Chrome
<b>1501-0752</b>	Black

PART #	DESCRIPTION
<b>FOR 18-24 SCOUT (EXCEPT BOBBER)</b>	
<b>1501-0715</b>	Chrome
<b>1501-0716</b>	Black

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

## KURYAKYN®

### SISSY BAR WITH PAD

- Durable all-steel construction (mounts and uprights) with premium chrome plating
- Easy to install with included hardware
- Includes cushioned backrest pad made from weather- and UV-resistant PU material
- Backrest pad can be easily removed for a clean sissy bar look
- Pad measures 15 cm W (at widest point) x 18 cm H (5.8" x 7")



PART #	DESCRIPTION	BAR HEIGHT
1501-0718	For all 14-25 Indian (except Roadmaster, Scout and FTR)	53,5 (21")



## KURYAKYN®

### PLUG-N-GO DRIVER BACKREST

- Provides enhanced comfort on long rides
- Backrest pad measures 25,4 cm (10" W) x 18 cm (7") H with black or tan premium synthetic leather cover

- Pad height is adjustable and requires no tools for adjustment
- Includes stainless steel mount bracket that installs under the OEM seat

PART #	DESCRIPTION
0822-0268	For all 14-25 Indian (all except Scout, Scout Sixty and FTR)



## KURYAKYN®

### BACKREST MOUNT KIT

- Mount kit for Kuryakyn multipurpose driver and passenger backrest, PART #0822-0257 (sold separately)

PART #	DESCRIPTION
0822-0346	For all 14-25 Indian (except Roadmaster, Scout and FTR models)



## DRAG Specialties seats

### BACKREST PAD

- High-quality automotive-grade vinyl cover
- Features a faux brown leather construction
- Internal baseplate is 14-gauge steel
- Bolts directly to OEM accessory backrest bar
- PART #s 2880231-156, 2880871-156 and 2880985-156
- Includes all mounting hardware

PART #	DESCRIPTION
FOR 15-23 SCOUT/SCOUT SIXTY 23 CM W X 14,5 CM H (9" W X 5 3/4" H) 0822-0316	Brown, smooth

All part numbers in **BLUE** are new for 2026.



### SQUARETUDE ATTITUDE-STYLE SISSY BAR STICKS

- Attitude-style sissy bar sticks are made from 14,3 mm (9/16") round cold-rolled steel
- Daggertude-style are made from 14,3 mm (9/16") square steel bar
- Available in two sizes: approximately 45,5 cm or 76 cm tall (18" or 30")
- Available with chrome or black powdercoated finish
- Side plates must be purchased separately

NOTE: For show use only, not designed for passenger support.

NOTE: Fits all side plates except for plug-and-play.



1501-0025



1501-0032



1501-0247

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

### SISSY BAR PAD

- Fits OEM accessory sissy bar
- Premium-quality expanded vinyl cover
- Foam is contoured to follow natural curvature of the back
- Available in Vintage style
- Measures 30,5 cm W x 23 cm H (12" x 9")
- Sold each

PART #

0822-0220

## DESCRIPTION

For 14-25 Chieftain, 15-25 Roadmaster, 16-25 Springfield, 14-25 Chief, 21-25 Vintage



0822-0530



0822-0534



0822-0532



0822-0527



### SISSY BAR PADS

- Perfect match for a variety of Saddlemen® seats
- Mounts to OEM 30,5 cm (12") sissy bars and most popular aftermarket brands with 12,7 cm (5") width
- Pad can be mounted using OEM/aftermarket bolt pattern or utilize included chrome mounting brackets



0822-0529



0822-0526



0822-0528

• Dimensions: 23 cm (9") H x 28 cm (11") W in a classic gravestone silhouette

PART #	DESCRIPTION
FOR EXPLORER™ & STEP-UP™ LS SEATS	
0822-0530	Black
FOR EXPLORER RS SEATS	
0822-0534	Black
FOR RENEGADE™/PROTOUR/PROFILER™ SEATS	
0822-0532	Black
FOR ROADSOFA CF SEATS	
0822-0527	Black

PART #	DESCRIPTION
FOR LS SEATS	
0822-0535	Black
0822-0529	Brown
FOR ROADSOFA PT SEATS	
0822-0534	Black
FOR SLIM RP SEATS	
0822-0526	Black
FOR TR SEATS	
0822-0528	Black

All part numbers in **BLUE** are new for 2026.



1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808

1810-2808



### ROAD RACE 2-INTO-1 EXHAUST

- 4" OD muffler with removable baffle
- Includes full heat shields that cover header pipes
- Black finish
- Slash-cut end cap

PART #  
**1810-2779**

DESCRIPTION  
For 20-25 Challenger



### RIPPER SUPER BIKE 2-INTO-1 EXHAUST SYSTEM

- Stepped headers – 1 3/4" to 1 7/8" designed for maximum performance and more ground clearance
- Utilizes an advanced inner collector for maximum performance
- Upswept Super Bike 4" OD stainless muffler body with aluminum end cap and a new removable conical performance baffle delivers an all new aggressive exhaust sound
- Stainless steel construction

- Hand TIG welded
- Includes 18 mm O<sub>2</sub> bungs for tuning, 12 mm adapters and plugs
- Full coverage stainless heat shields for the front and rear header pipes included

PART #  
**1810-3129**

DESCRIPTION  
For 22-25 Chief

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**4" SLIP-ON MUFFLERS**

- For riders who want a more aggressive sound from their exhaust system
- 4" OD muffler bodies and black billet end caps with flutes
- Perforated 2" OD core baffles

PART #	DESCRIPTION
<b>FOR 22-25 CHIEF</b> 1811-4469	Chrome

- Baffles are removable
- Hardware kit for installation

PART #	DESCRIPTION
<b>FOR 22-25 CHIEF (CONT)</b> 1811-4470	Black

**4" SHORT MEGAPHONE MUFFLER**

- 4" OD stainless megaphone muffler for a great sound
- Removable baffle
- Billet slash-cut end cap
- TIG-welded Bassani logo nameplate
- Low-mount without catalytic converter
- Includes mounting hardware; uses stock headpipes

PART #	DESCRIPTION
<b>1811-3800</b>	For 19-20 FTR1200

**CLASSIC 3" SLIP-ON MUFFLERS WITH TIP**

- 3" OD mufflers made from 16-gauge steel
- Chrome finish
- Billet end caps
- 50% lighter than stock mufflers
- Increase power and performance
- Include mounting hardware
- Sold in pairs

PART #	DESCRIPTION
<b>1811-2905</b>	For 15-16 Scout/Scout Sixty, 18-20 Scout Bobber

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



1811-3398



1811-3397

**SLIP-ON MUFFLERS**

- 16-gauge steel construction
- Include mounting hardware and instructions
- Sold in pairs

PART #	DESCRIPTION
<b>FOR 17-24 SCOUT/SCOUT SIXTY/SCOUT BOBBER</b>	
<b>1811-3398</b>	3" chrome with slash-cut end cap (removable baffles)

PART #	DESCRIPTION
<b>FOR 17-24 SCOUT/SCOUT SIXTY/SCOUT BOBBER (CONT)</b>	
<b>1811-3397</b>	3" black with slash-cut end cap (removable baffles)



1811-4959



1811-4958

**DBX45 SLIP-ON MUFFLERS**

- 4.5" OD slip-on muffler bodies
- Proprietary baffle that's engineered specifically to increase and enhance the sound, while providing a free-flowing exhaust and the perfect amount of backpressure, unlocking both horsepower and torque
- Gives your bike a louder, bass heavy tone that never sounds muffled or flat
- Comes with Tradition end caps
- Sold in pairs

**FOR ROADMASTER DARK HORSE/CHALLENGER LIMITED, CHALLENGER DARK HORSE, CHALLENGER LIMITED 20-25, SPRINGFIELD DARK HORSE 18-25, CHIEFTAIN 14-25, CHIEFTAIN DARK HORSE 16-25, CHIEFTAIN LIMITED 17-25, CHIEFTAIN ELITE 20-25**

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>1811-4959</b>	Chrome w/ traditional chrome end caps (pr.)	<b>1811-4960</b>	Black w/ traditional black end caps (pr.)
<b>1811-4958</b>	Chrome w/ traditional black end caps (pr.)		



1811-4960

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



1810-3210



1810-3174



1810-3259



1810-3258

## QUALIFIER 2-INTO-1 EXHAUST SYSTEMS

- Inspired by the S&S King Of The Baggars racing efforts
- Stainless steel stepped header design to maximize power output
- Full-length heat shields on front and rear header pipes

- Race-inspired S&S end cap
- Saddlebag supports included for 20-23 Challenger applications
- Chief applications feature a removable dB reducer

### FOR 22-24 CHIEF (SHORT MUFFLER)

PART #	DESCRIPTION
<b>W/ CATALYTIC CONVERTER (NON EU APPROVED)</b>	
1810-3210	Brushed stainless steel
1810-3211	Guardian Black

PART #	DESCRIPTION
<b>RACE ONLY</b>	
1810-3212	Brushed stainless steel
1810-3213	Guardian Black

### FOR 20-23 CHALLENGER (EXCEPT PURSUIT) (SHORT MUFFLER)

PART #	DESCRIPTION
1810-3174	Brushed stainless steel

PART #	DESCRIPTION
1810-3176	Guardian Black

### FOR 25 CHIEFTAIN/ROADMASTER, 20-25 CHALLENGER, 22-25 PURSUIT W/ POWERPLUS MOTOR (FULL LENGTH MUFFLER)

PART #	DESCRIPTION
<b>W/ CATALYTIC CONVERTER (NON EU APPROVED)</b>	
1810-3259	Brushed stainless
1810-3260	Guardian Black

PART #	DESCRIPTION
<b>RACE ONLY</b>	
1810-3256	Brushed stainless
1810-3258	Guardian Black

## SADDLEBAG MOUNTS FOR 2-INTO-1 EXHAUST

- Required when running a 2-into-1 exhaust
- Kit includes saddlebag brackets and all necessary mounts/hardware for installation

PART #	DESCRIPTION
1861-1732	For 20-23 Challenger (except Pursuit)



**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.



1811-4518



1811-4677

### GRAND NATIONAL SLIP-ON MUFFLERS

- Performance slip-on mufflers that will wake up the sound of your Scout
- Direct bolt-on to the factory header pipes; do not require EFI tuning
- Steel muffler bodies
- Aluminum end caps

- Stainless steel baffles
- Removable dB reducer is J2825 compliant
- Sold in pairs

#### FOR 19-23 SCOUT/SCOUT BOBBER/SCOUT SIXTY

PART #	DESCRIPTION
<b>RACE ONLY</b>	
1811-4518	Chrome
1811-4520	Guardian Black

#### FOR 25 SCOUT

PART #	DESCRIPTION
<b>WITH CATALYTIC CONVERTER</b>	
1811-4678	Chrome
1811-4677	Guardian Black



1801-1764



1801-1765

### BROADHEAD 4" SLIP-ON MUFFLERS

- Sleek look and classic style
- Slash-cut end caps

- Removable dB reducer is J2825 compliant
- Sold in pairs

PART #	DESCRIPTION
<b>FOR ALL 20-25 CHALLENGER/PURSUIT, 14-25 CHIEFTAIN</b>	
1801-1765	Chrome

PART #	DESCRIPTION
<b>FOR ALL 20-25 CHALLENGER/PURSUIT, 14-25 CHIEFTAIN (CONT)</b>	
1801-1764	Black

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**GRAND NATIONAL  
SLIP-ON MUFFLERS**

- Race-inspired design with Grand National muffler end cap design
- Stainless steel muffler body with exposed TIG welds for that factory race look
- Stainless steel perforated core baffle, wrapped in long-lasting proprietary insulation for a deep exhaust note
- Carbon fiber heat shield (covers outlet from the factory CAT box)
- Meets ECE requirements according to EU Regulation 11033 G - Approval for non-original motorcycle noise abatement device



PART #	DESCRIPTION
<b>1801-1433</b>	For 19-22 FTR1200

**END CAP FOR 4" GRAND NATIONAL MUFFLERS**

- Fits Grand National 4" mufflers
- Black finish
- Sold each

PART #	DESCRIPTION
<b>1860-1904</b>	4" black end cap for Grand National mufflers

**1811-4320****1811-4323****4 1/2" WAR HAMMER INDIAN MUFFLERS**

- 16-gauge muffler bodies with a 2.5" Perforate core baffles
- Industry-leading signature Khrome Werks deep, aggressive sound

- Does not come with end caps (sold separately)
- Mufflers sold in pairs

PART #	DESCRIPTION
<b>FOR 14-24 TOURING, 20-24 CHALLENGER W/ BAGS</b>	
<b>1811-4320</b>	Chrome
<b>1811-4321</b>	Black
<b>FOR 14-24 TOURING, 20-24 CHALLENGER W/O BAGS</b>	
<b>1811-4322</b>	Chrome
<b>1811-4323</b>	Black

**1861-1685****1861-1684****END CAPS**

- Work with any 4.5" Khrome Werks muffler (sold separately)
- Sold each
- Made in the U.S.A.



PART #	DESCRIPTION	PART #	DESCRIPTION
<b>1861-1685</b>	Edge, Eclipse	<b>1861-1683</b>	Klassic, Eclipse, left
<b>1861-1684</b>	Klassic, Eclipse	<b>1861-1684</b>	Klassic, Eclipse, right

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.



### 2-INTO-1 HOT ROD EXHAUST SYSTEM

- Made from high-quality seamless, mandrel-bent stainless steel
- Dyno developed and tested
- Offers a sleek look, aggressive sound and all-around performance throughout the entire powerband
- Comes in black finish
- Features full heat-shield coverage and built-in O<sub>2</sub> bungs

NOTE: Bikes equipped with passenger footpegs will require rear footpeg relocation kit, PART #1620-1644 (sold separately).

PART #	DESCRIPTION
<b>1810-2282</b>	For 15-23 Scout/Scout Sixty, 18-23 Scout Bobber



PART #	DESCRIPTION
<b>1620-1644</b>	Footpeg relocation kit for PART #1810-2282



### ASSAULT 2-INTO-1 EXHAUST SYSTEM

- Made from high-quality stainless steel, mandrel bent, then TIG-welded
- Includes custom heat shields with wire tied fasteners
- Double slip fit and gusset for additional strength
- 18 mm O<sub>2</sub> ports included

PART #	DESCRIPTION
<b>1800-2456</b>	For 14-25 Chieftain



### SLIP-ON MUFFLERS

- Provide improved performance and sound throughout the entire powerband
- Dyno developed and tested
- Made from high-quality steel pipe
- Tapered tip
- Sold in pairs

PART #	DESCRIPTION
<b>FOR 15-22 SCOUT/SCOUT SIXTY, 18-22 SCOUT BOBBER</b>	Chrome

PART #	DESCRIPTION
<b>FOR 15-22 SCOUT/SCOUT SIXTY, 18-22 SCOUT BOBBER (CONT)</b>	Black

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



1811-4229



1811-4230



1811-4233



1811-4227



1811-4228



1811-4231

### NH SERIES MUFFLERS

- 3" muffler body morphs to 3,25" at the rear
- Including 2" constant-velocity cores for exceptional sound and performance, as well as the bonded E-glass and stainless steel mesh
- For riders who think that too loud is just about right
- Sold in pairs

PART #	DESCRIPTION
<b>FOR 17-18 ROADMASTER CLASSIC, 16, 18 CHIEF, 14-18 CHIEF CLASSIC, 17-24 CHIEF DARK HORSE, 14-19 CHIEF VINTAGE, 20-21 VINTAGE AND 21 VINTAGE DARK HORSE</b>	
1811-4225	Chrome
1811-4226	Black
<b>FOR 16-24 SPRINGFIELD (EXCEPT DARK HORSE), 15-24 ROADMASTER (EXCEPT 17-18 CLASSIC, 20-24 DARK HORSE), 18-20 CHIEFTAIN CLASSIC</b>	
1811-4227	Chrome
1811-4228	Black

PART #	DESCRIPTION
<b>FOR 14-24 CHIEFTAIN (EXCEPT 18-20 CLASSIC), 20-24 CHALLENGER/ROADMASTER DARK HORSE, 18-24 SPRINGFIELD DARK HORSE</b>	
1811-4231	Chrome
1811-4232	Black

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.



**VANCE & HINES**

### HI-OUTPUT SLIP-ON MUFFLERS

- Bold stepped design
- CNC-machined billet end cap
- Laser-engraved logo badge
- Made in the U.S.A.

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>FOR 25 SCOUT AND SCOUT BOBBER</b> 1811-4811	Chrome	<b>FOR 25 SCOUT AND SCOUT BOBBER (CONT)</b> 1811-4810	Black



**VANCE & HINES**

### TWIN SLASH 3" SLIP-ON MUFFLERS

- PCX™ (Power Chamber Exhaust) technology
- Chambered high-flow catalyst cartridge designed to increase torque
- Full-coverage heat shields

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>FOR 15-24 SCOUT/SCOUT SIXTY, 18-24 SCOUT BOBBER</b> 1801-1528	Chrome	<b>OPTIONAL BAFFLES</b> 1861-0571	Quiet baffle (ea.)
1801-1533	Black		

- Available in chrome or matte black
- Sold in pairs



**AKRAPOVIC**

### HEADER, LINK PIPE AND HEAT SHIELD

- Let your bike stand out with more power, a beautiful design and the unique Akrapovic sound
- 2-into-1 titanium header is a high performance upgrade which replaces all primary exhaust components, except for the muffler
- Optional stainless steel link pipe takes the FTR1200 to a higher performance level by providing more power and torque (use with stock head pipes)
- Header and link pipe are both designed to fit with either the stock muffler or Akrapovic low mount slip-on or Akrapovic high mount slip-on that come as standard or original accessory by Indian Motorcycles
- Optional carbon fiber heat shield is designed to replace the stock heat shield and can be used on Akrapovic or stock header

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>FOR 19-20 FTR1200/S</b> 1812-0472	2-into-1 titanium header	<b>FOR 19-20 FTR1200/S (CONT)</b> 1861-1457	Optional carbon fiber heat shield to replace stock heat shield
1812-0473	Stainless link pipe	1861-1458	



**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



## POWER COMMANDER 6

- Compact design for discrete placement and easy uninstallation to revert to stock settings
- Easily change and upgrade tunes as you upgrade parts
- Comes with Power Core software that connects dyno runs with our EFI Tuning Devices to unlock your ride's potential
- Pair with other Power Commander accessories like the Autotune, Quickshifter or POD-300
- Analog input allows you to install any 0 to 5V sensor and build an adjustment table based on its input such as boost or temperature
- Easily connects to your computer via USB
- Each cylinder can be mapped individually and for each gear, giving riders more granular control



### PART # DESCRIPTION

<b>1020-3610<sup>2</sup></b>	For 20-24 Challenger, 24 Pursuit
<b>1020-3607<sup>2</sup></b>	For 14-24 Chieftain/Roadmaster/Springfield// Chief Classic/Vintage, 14-20 Chief 111"
<b>1020-3611<sup>2</sup></b>	For 22-23 Chief 111"

### PART # DESCRIPTION

<b>1020-3608<sup>1</sup></b>	For 15-24 Scout
<b>1020-3609<sup>1</sup></b>	For 17-24 Scout Sixty

<sup>1</sup> Includes ignition adjustment.<sup>2</sup> With crank sensor.

## POWER COMMANDER V MAP SELECT SWITCH

- Switches between two different maps that have been pre-loaded in a Power Commander V
- Comes with a switch, wiring and instructions
- Universal mount

### PART # DESCRIPTION

<b>1020-2082</b>	Map select switch
------------------	-------------------



## WIDEBAND CX DUAL CHANNEL AFR KIT

- Plugs into the vehicle's diagnostic port and seamlessly integrates AFR data from the included wideband O<sub>2</sub> sensor(s) with the OEM database
- When used in conjunction with Power Vision CX, you can view and datalog wideband O<sub>2</sub> data alongside custom channels directly from the vehicle's diagnostic port
- Plug-and-play kit with no extra cables for power, ground and signal that are typically associated with wideband controllers
- Ensures real-time wideband O<sub>2</sub> AFR accuracy with negligible latency and avoids any signal offset issues with its industry-first, innovative design

### PART # DESCRIPTION

<b>1020-3200</b>	For all Indian models (except 19-20 FTR1200)
------------------	--

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.



### POWER VISION 4

- Flash tunes to your ECU – no setup required, just create an account, select your tune, flash and enjoy the ultimate ride
- Access to a vast database of pre-loaded tunes for different configurations
- Easily download and manage pre-loaded and custom tunes
- Record real-time engine data and display in WinPEP 8 Data Center
- Optimized for remote tuning so you can easily ride, record and share data logs and tunes
- Read, review, clear and share diagnostic trouble codes (DTCs) with built-in descriptions
- Supports licensing additional vehicles
- Return to stock at any time, your original factory tune is safely backed up on the cloud and on your phone

PART #	DESCRIPTION
<b>1020-4051</b>	For 15-24 Roadmaster, 14-23 Chieftain, 16-24 Springfield, 14-20 Chief, 15-24 Scout and 19-24 FTR1200

- See Dynojet website: <http://www.dynojet.com/powervision-tune-license-programs.aspx> for information about purchasing additional Power Vision tune licenses

**NOTE: All Power Vision returns and/or adjustments must be made directly with Dynojet Research. The Power Vision may be used on any bike to read and clear trouble codes.**

### POWER VISION 3

- Flash performance tunes via OEM diagnostic connector, no need to remove and send out ECU
- Display vehicle data channels in real-time
- Weather-resistant for use in all conditions
- High-contrast display, viewable in direct sunlight
- Fueling revised for maximum power and torque
- Spark timing optimized for 91-93 octane fuel
- Rev limit raised
- Speed limit raised

**NOTE: All Power Vision returns and/or adjustments must be made directly with Dynojet Research.**

PART #	DESCRIPTION
<b>1020-4247</b>	For 20-24 Challenger, 22-24 Pursuit, 22-24 Chief
<b>1020-4156</b>	For 14-24 models w/ Thunderstroke 111"/116"
<b>1020-4155</b>	For 15-24 Scout



**1020-4156**

PART #	DESCRIPTION
<b>1020-4157</b>	For 17-24 Scout Sixty
<b>1020-3185</b>	For 19-24 FTR1200
<b>1020-4058</b>	Reflash harness for all Euro 5 motorcycle models



PART #	DESCRIPTION
<b>0636-0337</b>	Handlebar mount kit



### POD-300 DIGITAL DISPLAY

- Display channels real-time: rpm, TP, map position (when using map switch), duty cycle, fuel exchange, ignition change and wideband air/fuel ratio (with WB2 or auto-tune connected)
- Weather-resistant for use in all conditions
- Log channels saved to internal memory and can be viewed/analyzed with Dynojet's powercore software
- High-contrast display, viewable in sunlight
- Includes CAN cable for attachment to Power Commander V, Auto Tune and Wide Band Power Commander

**NOTE: Not for use with Power Commander III USB.**

PART #	DESCRIPTION
<b>1020-2371</b>	POD-300 digital display

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



## STEALTH AIR CLEANER KITS

- Stealth intake provides 38 percent increase in flow
- High-strength synthetic polymer backplate is designed to reduce heat transfer to intake air
- Cooler, denser air allows for more efficient cylinder fill and better performance
- Easy installation
- Washable filter element

1010-3408

1010-3407

- Available with or without S&S teardrop air cleaner cover; kits without cover must order their choice of S&S Stealth Air Cleaner cover (sold separately)

## FOR 25 CHEIFTAIN/ROADMASTER POWERPLUS MODELS, 20-25 CHALLENGER/PURSUIT

PART #	DESCRIPTION	PART #	DESCRIPTION
<a href="#">1010-3408</a>	W/ chrome teardrop air cleaner cover	<a href="#">1010-3409</a>	W/o air cleaner cover
<a href="#">1010-3407</a>	W/ gloss black teardrop air cleaner cover		



**DESCRIPTION**  
For 15-25 Scout/Scout Sixty/Scout Bobber

## STEALTH TWO AIR CLEANER KIT

- One-piece, black molded filter body with blue element
- Element constructed of pleated cotton

**PART #**  
[1010-3412](#)



**DESCRIPTION**  
For 14-21 Chieftain, Roadmaster, Chief Classic/Vintage, Springfield

## AIR CLEANER KIT WITH COVER

- Engineered to boost performance
- High-flow air filter provides twice the surface area of the stock filter for up to 37% more airflow and a five horsepower gain
- Design maintains leg clearance
- Billet aluminum construction with a high-quality, washable and re-usable cotton gauze air filter element
- Cover is made from billet aluminum and show-chrome plated, features the "nostalgia script" S&S logo
- Optional S&S pre-filter available separately

**PART #**  
[1010-2775](#)



## AIR FILTER PRE-FILTER

- Water resistant and traps large dirt particles
- For use with S&S air cleaners

**PART #**  
[1011-3491](#)

**DESCRIPTION**  
S&S pre-filter

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.



### VELOCITY 90° AIR CLEANER KITS

- Feature a forward-facing intake design positioned at a 90° angle
- Intake's 90° angle with its proprietary Velocity filter results in more horsepower and torque, without sacrificing legroom
- Engineered to increase airflow to the engine for increased horsepower and torque
- Performance air filter is made from black pre-oiled cotton media for the best in airflow and filtration
- Include throttle body cover



#### FOR 14-24 CHIEFTAIN/CHIEF W/ 111"/116" THUNDERSTROKE® ENGINE

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>1010-3269</b>	Chrome backing plate and chrome elbow	<b>1010-3268</b>	Black anodized backing plate and black powdercoated elbow

1010-3267



1010-3266



### STAGE 1 AIR CLEANERS

- Replace the restrictive factory air box to increase airflow to the Thunderstroke® engine for added horsepower and torque
- Engineered to increase airflow to the engine for increased horsepower and torque
- CNC machined billet aluminum backing plate and components

- Performance air filter is made from black pre-oiled cotton media for the best in airflow and filtration
- Includes Smooth Stage 1 air cleaner cover

#### FOR 14-24 CHIEFTAIN/CHIEF W/ 111"/116" THUNDERSTROKE® ENGINE

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>1010-3267</b>	Stage 1 Air Cleaner w/ chrome smooth outer cover	<b>1010-3266</b>	Stage 1 Air Cleaner w/ black smooth outer cover



### MAX HP AIR CLEANER

- CNC-machined aluminum backing plate
- Internal rubber breather tubes to eliminate oil leakage
- Internal power cone design for smooth, laminar airflow
- Innovative conical design for improved knee clearance
- Comes in Contrast Cut™ finish
- Contrast Cut starts with a polished air cleaner that has been black anodized, then recut to open the design
- All mounting hardware and gaskets included

PART #	DESCRIPTION
<b>1010-1977</b>	For 14-21 Chieftain

### VINTAGE AIR CLEANERS

- Designed for a timeless look
- Prominently placed headbolt
- Available in Black Ops™ finish
- Black Ops features a gloss black finish over a contrasting texture black finish for outstanding durability and looks

PART #	DESCRIPTION
<b>1010-2241</b>	For 14-21 Chieftain

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**TRASK PERFORMANCE****POWERFLOW AIR CLEANER**

- Improves airflow and efficiency of engine
- Increases horsepower and torque with no additional remapping
- High-quality rubber construction, six layers of cotton gauze and epoxy-coated wire mesh
- Durable, washable and reusable



PART #	DESCRIPTION
<b>1010-1967</b>	For 15-24 Scout/Scout Sixty, 18-22 Scout Bobber

**S&S PROVEN PERFORMANCE****HIGH FLOW AIR FILTER**

- 4-ply washable filter media for better filtration 20% increase in flow



PART #	DESCRIPTION
<b>1011-4580</b>	For 20-24 Challenger

**K&N****HIGH-FLOW AIR FILTERS™**

- Designed to provide increased performance
- Pleated media provides a large filtration area offering long service intervals
- Multi-layers of woven cotton gauze media offers excellent filtration
- Fits directly into OEM airbox with application specific Sealing Bead to ensure a precise fit

**1011-3818****1011-5067**

- Fuel-management modifications are not required for increased performance
- Washable and reusable, pre-oiled and ready to ride

**PART #** **DESCRIPTION**

<b>1011-4574</b>	For 25 Chieftain/Roadmaster PowerPlus, 20-25 Challenger/Pursuit
<b>1011-3818</b>	For 14-25 Chieftain/Roadmaster/Springfield, 14-20 Chief
<b>1011-4775</b>	For 22-25 Chief/Chief Bobber/Super Chief
<b>1011-5067</b>	For 25 Scout Bobber/Scout Sixty Bobber/Scout Classic/Scout Sixty Classic/Sport Scout/Sport Scout Sixty/Super Scout/101 Scout
<b>1011-3730</b>	For 15-24 Scout/Sixty, 18-24 Scout Bobber/Sixty/Twenty, 22-24 Scout Rouge/Sixty
<b>1011-4362</b>	For 19-20 FTR1200/Rally/S

**1011-4647****1011-3523****DRAG Specialties****OEM-STYLE REPLACEMENT AIR FILTER ELEMENTS**

- High-quality paper filter medium
- Meets or exceeds OEM specifications
- For use with OEM stock air filter housings

**PART #** **DESCRIPTION**

<b>1011-4647</b>	For 20-24 Challenger/Dark Horse/Limited and 23 Pursuit; repl. OEM #s 7083019, 7082417 and 7082713
<b>1011-3523</b>	For 14-24 Chieftain/Roadmaster/Springfield/Chief Classic/Vintage; repl. OEM #s 5815068, 5813976
<b>1011-3522</b>	For 15-24 Scout, 16-24 Scout Sixty/Scout Bobber, 22-24 Scout Rogue; repl. OEM #s 7082702, 7082218, 7082024, 7081905

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

ANDREWS



### FTR PERFORMANCE CAMS

- 420 bolt-in street cam with more torque and HP for all around riding with stock CR (1800 to 5200 rpm range)
- 450 cam has great pulling power throughout the rpm range

PART #		DESCRIPTION		PART #		DESCRIPTION	
FOR 19-22 FTR1200		0925-1366		FOR 19-22 FTR1200 (CONT)		0925-1367	
GRIND	OPEN	CLOSE	DURATION @ 0,020"		DURATION @ 0,040"	VALVE LIFT	LIFT TDC
<b>420</b>							
Intake	11°	47°	254°		238°	0,426"	0,083"
Exhaust	55°	3°	254°		238°	0,426"	0,050"
<b>450</b>							
Intake	19°	51°	266°		250°	0,456"	0,122"
Exhaust	61°	09°	266°		250°	0,456"	0,074"



### SCOUT PERFORMANCE CAMS

- 420 bolt-in street cam with more torque and HP for all around riding with stock CR (1800 to 5200 rpm range)
- 450 cam has great pulling power throughout the rpm range

PART #		DESCRIPTION		PART #		DESCRIPTION	
FOR 15-24 SCOUT		0925-1368		FOR 15-24 SCOUT (CONT)		0925-1369	
GRIND	OPEN	CLOSE	DURATION @ 0,020"		DURATION @ 0,040"	VALVE LIFT	LIFT TDC
<b>420</b>							
Intake	15°	43°	254°		238°	0,426"	0,102"
Exhaust	55°	3°	254°		238°	0,426"	0,050"
<b>450</b>							
Intake	23°	47°	266°		250°	0,456"	0,142"
Exhaust	61°	09°	266°		250°	0,456"	0,074"



### HIGH-PERFORMANCE CAMS

- Engine performance upgrade
- TS550 cam features higher valve lift and more duration for increased power in the 2000 to 6000 rpm range
- TS570 cam features slightly more valve lift and duration than the TS550 cam for increased power in the 2200 to 6500 rpm range
- All Andrews cams use Landis CNC cam grinders and computer-designed labels

GRIND		OPEN		CLOSE		DURATION @ 0,020"		DURATION @ 0,050"		VALVE LIFT		LIFT TDC	
<b>TS550</b>													
Intake	8°		30°			249°		218°		0,550"		0,136"	
Exhaust	33°		4°			253°		222°		0,550"		0,116"	

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

WINDSHIELDS  
& FAIRINGSSADDLEBAGS  
& LUGGAGESEATS &  
SISSEY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION,  
CLUTCH LINE  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING  
& LICENSE  
PLATESHANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES &  
BRAKE LINESTANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES &  
SUSPENSION

FENDERS

FOOTRESTS &  
FLOORBOARDSWHEELS  
& AXLESCOVERS,  
LOCKS &  
GENERALAUDIO,  
COMMUNICATION  
& MOUNTS**KURYAKYN****CYLINDER BASE COVER**

- The finishing piece to complete a fully-chromed appearance on the left-side engine base for Indian Big Twins
- Covers the powdercoated left-side cylinder base
- Made from quality aluminum with a flawless chrome finish
- Easy to install with high-strength and high-temperature 3M™ VHB™
- Sold each




PART #	DESCRIPTION
0940-1983	For 14-25 Indian (except Scout, FTR and Challenger)

**CULT-WERK****CAMSHAFT COVER**

- Self-adhesive and attach to the original silver camshaft covers on the left side of the engine
- Sold as a 4 pk.



PART #	DESCRIPTION
0940-2040	For 17-25 Scout/Scout Bobber



1904-0283

**KLOCK**  
Werks**OUTRIDER RAD GUARD**

- Guards the radiator against road debris
- Easy-to-install laser cut, honeycomb aluminum mesh screen
- Includes installation instructions and mounting adhesive



1904-0092

PART #	DESCRIPTION	PART #	DESCRIPTION
FOR 15-24 SCOUT 1904-0283	Black	FOR 15-24 SCOUT (CONT) 1904-0092	Natural

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.



All Rekluse clutch products are precision-engineered and made of high-quality materials to provide the best in performance and durability. Their components are stronger, lighter, longer-lasting and built for maximum performance. Rekluse's industry-leading auto clutches are optimized for each bike model as it comes from the factory and they've designed each clutch to be fine-tuned for every rider. Rekluse's manual clutches deliver unprecedented performance, tuning and durability with a design that provides more disks in less space, allowing up to four additional friction disks over stock.

### RADIUSX CLUTCH KITS

- With RadiusX a high-performance auto clutch is just a clutch pack swap away
- RadiusX combines TorqDrive® friction disc technology with Rekluse's innovative EXP (auto clutch) disc
- TorqDrive provides more clutch discs in less space, delivering high-performance auto function within the framework of the stock clutch
- The RadiusX clutch prevents engine stalls so you can focus on the ride and let the auto clutch do the rest
- RadiusX delivers increased power transfer over OEM and longer clutch life with less adjustment over time
- Standard clutch lever function is retained and full override
- Some configurations include Rekluse basket sleeves to prolong basket life

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>1130-0578</b>	For 14-20 Chief/Chieftain/Roadmaster (all)	<b>1130-0315</b>	For 15-24 Scout (all)



**1130-0315**

### TORQDRIVE® CLUTCH KITS

- TorqDrive® provides more disks in less space, allowing us to add up to six additional friction disks to the clutch pack over stock
- More frictions = more torque capacity, thus unlocking the full power of your engine without the need to add stiffer pressure plate springs or a lock-up device

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
<b>1130-0433</b>	For 14-20 Chief/Roadmaster	<b>1130-0305</b>	For 15-24 Scout (all)	<b>1130-0583</b>	For 19-22 FTR1200/S, 1200 Rally



**1130-0305**



**1130-0583**

- TorqDrive provides smoother shifting and improved lever feel
- Rekluse basket sleeves eliminate basket wear and notching

### CARBON FIBER CLUTCH KIT

- Carbon fiber
- Includes seven frictions, six steels and a set of five heavy-duty springs

PART #	DESCRIPTION
<b>1131-3025</b>	For 14-22 Chief/Springfield/Roadmaster, 14-20 Chieftain



**1131-3025**

### EXTRA PLATE CLUTCH KITS

- PART #1131-3910 includes 12 aramid fiber plates, 11 tempered steel plates and a set of 3 heavy-duty springs
- PART #1131-3959 includes 11 aramid fiber plates, 10 tempered steel plates and a set of 3 heavy-duty springs
- PART #1131-3378 includes 8 aramid fiber friction plates, 7 tempered steel plates and a set of 5 heavy-duty springs

PART #	DESCRIPTION
<b>1131-3910</b>	For 23-25 Challenger/Chieftain, 22-25 Chief
<b>1131-3959</b>	For 22 Super Chief, 20-22 Challenger, 21-24 Roadmaster/Chief/Chieftain/Springfield (except 21 Chief Vintage, 23-24 Sport Chief)
<b>1131-3378</b>	For 15-20 Roadmaster, 14-21 Chief Vintage, 14-20 Chief/Classic/Dark Horse, 14-20 Chieftain, 21-22 Springfield
<b>1131-3379</b>	For 14-24 Scout/Scout Rouge/Scout Sixty/Scout Bobber

**1131-3910**



**1131-3379**

- PART #1131-3379 includes 8 aramid fiber friction plates, 7 tempered steel plates and a set of 6 heavy-duty springs
- Increases clutch capacity and performance
- Measured to ensure proper fit and performance

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION


FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL


AUDIO, COMMUNICATION &amp; MOUNTS



CK series



SRK series

**CLUTCH KITS****CK STANDARD SERIES CLUTCH KIT**

- Cork-based clutch material impregnated with aluminum particles to increase wear life and heat resistance
- Highly compressed construction avoids swell and clutch drag
- Ideal for general purpose street/sport/touring bikes
- Kit includes complete engine set of friction plates only
- For use with manufacturer's recommended oil

**DESCRIPTION**

For 16-20 Springfield, 18 Springfield Dark Horse

For 15-21 Scout/Scout Sixty/Scout Bobber

**SRK RACE/SPORT SERIES CLUTCH KITS**

- Include aramid fiber-lined friction plates, steel separator plates and springs
- Diaphragm-style springs used in kits for bikes with OEM diaphragm clutch springs
- All kits designed to withstand the rigors of hard street and racetrack use
- For use with manufacturer's recommended engine oil

**CK CLUTCH KIT PART #**

1131-3336

**SRK CLUTCH KIT PART #**

1131-3899

1131-3898

**CLUTCH PLATE KIT**

- Kit features 11 aramid friction plates, 10 tempered steel plates and three heavy-duty springs
- Direct replacement for stock clutch plates -- retains OE cushions/seats

**PART #**


1131-3909

**DESCRIPTION**

For 23-25 Challenger/Roadmaster/Sport Chief/Springfield, 22-25 Chief/Pursuit, 21-25 Chieftain, 22-24 Super Chief

**CLUTCH STEEL PLATE**

- Meets or exceeds OEM specifications
- Six plates required for a complete set
- Sold each

**PART #**

1131-3889

**DESCRIPTION**

For 17-20 Chieftain Elite, 18-20 Roadmaster Elite, 15-20 Roadmaster, 14-18 Chief Classic/Vintage, 17-19 Chief Dark Horse/Classic, 20 Vintage, 21 Springfield Dark Horse/Vintage Dark Horse

**CLUTCH PLATE KIT**

- Clutch plate are Red Eagle® organic material; includes seven clutch plates
- Clutch plate combined plate kits available in Red Eagle or aramid fiber; includes nine friction plates and nine steel plates
- For OEM replacement

**PART #**

1131-3328

**DESCRIPTION**

For 18-22 Scout/Scout Bobber/Scout Sixty

All part numbers in **BLUE** are new for 2026.



### IGNITION QUICK SHIFTER

- Allows any vehicle with up to four coils to have quick shifter functionality
- Features the latest Intellishift™ technology and provides the smoothest shifts of any stand-alone unit on the market
- Kill times per rpm band and shift sensor activation point are adjustable
- Includes Denso coil cap connectors for easy installation on many late-model motorcycles; connectors can be removed for applications without this style of coil
- 4-channel variation has control box only; requires Power Commander shifter sensor
- Kit includes sensor and module




PART #	DESCRIPTION
1601-0528	For 20-24 Challenger, 24 Pursuit



### ELECTRIC EASY SHIFT SPEED SHIFTER KIT

- Easy shifting for rider comfort and convenience or for speed for the performance-oriented rider
- For performance, this is the best bang-for-your-buck product
- Gain a minimum of one bike length per shift
- Shift up at partial or full throttle and back down with the push of a button
- Eliminate the need to shift with your foot or clutch
- OEM shifting ability is retained after installation
- Clutch use is still required for starting and stopping when using these kits
- Uses state-of-the-art control module to send a signal from the button control to the shift solenoid



- Kit includes a stylish dual-button shift control for upshifts/downshifts, a chrome-plated electronic shift cylinder, ignition kill module, control modules and all necessary brackets

PART #	DESCRIPTION
1601-0470	For 14-21 Chief (not for 116" models)

### KURYAKYN

#### HEEL SHIFT LEVERS

- Feature an ergonomic design that extends past the rear of the floorboard for effortless shifting
- Accepts Kuryakyn Spear, Kinetic and ISO® shift pegs, or any Indian OEM shift peg (all sold separately)
- Easy bolt-on install to the factory toe shift location with included hardware and spacer
- Does not include shift peg



1602-1129

PART #	DESCRIPTION
1602-1129	Chrome

- Durable aluminum construction available in chrome or gloss black finish

PART #	DESCRIPTION
1602-1130	Gloss black



1602-1392

1602-1393



1602-1393

### KURYAKYN

#### COMFORT FRONT SHIFT LEVER

- Extended design measures 13 mm (1/2") longer than stock, is angled to allow more natural shifting movement and frees up extra room on the floorboard
- Rugged aluminum construction

PART #	DESCRIPTION
1602-1392	Chrome

- Available in chrome or gloss black finish
- Sold each

PART #	DESCRIPTION
1602-1393	Gloss black



### CLUTCH SHAFT ARM

- Provides better clutch separation, smoother shifting and ease of finding neutral

PART #	DESCRIPTION
1132-1343	For 14-20 Chief/Chieftain/Roadmaster/Springfield



WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

All part numbers in **BLUE** are new for 2026.

dragsspecialties.eu / partseurope.eu



## 525 FRONT AND REAR SPROCKETS

- A special steel, high-quality case hardening and precise gearing ensure exceptionally high strength and durability
- Ideal for wear-intensive conditions in all areas
- Concentricity and axial run-out tolerances of less than 0,1 mm
- Front sprockets have been specially developed for the high OEM requirements
- Machined on CNC automatic lathes
- No negative effect on running performance despite maximum weight reduction
- Optimized for racing applications

1212-2386

1211-3008

- State-of-the-art broaching machines produce a precise fit on the drive shaft
- Weight optimization through lightening holes and additional twist-in

**PART #** **DESCRIPTION**  
FOR 19-21 FTR1200 1212-2386

**PART #** **DESCRIPTION**  
FOR 19-21 FTR1200 (CONT) 1211-3008

**PART #** **DESCRIPTION**  
FOR 19-21 FTR1200 (CONT) 1211-3008



## REAR DRIVE BELTS

- BDL now offers Gates carbon X7N material for its rear belts
- The same brand used by Harley-Davidson since 1980 due to its reliability
- Teeth on the belts have a slick surface that is easy on pulleys
- Outer surface of the Gates belt is ribbed to help with flexibility
- Higher reliability due to increased length stability and better pitch




1204-0232

**PART #** **DESCRIPTION**  
1204-0232 For 14-23 Chieftain/Chieftain Classic/Chieftain Dark Horse/Chieftain Elite/Chieftain Limited  
1204-0232 For 15-23 Roadmaster/Roadmaster Classic

- Higher resistance to humidity
- Higher tensile strength and robust construction

NOTE: No warranty claims are made or implied.

**PART #** **DESCRIPTION**  
1204-0232 For 16-23 Springfield/Springfield Dark Horse  
1204-0232 For 14-23 Chief Classic/Chief Dark Horse/Chief Vintage



## TRANSMISSION CENTER COVER

- Precisely sculpted and contoured to completely transform the dull, wrinkled black area of the transmission case behind the cylinders
- Made from premium chrome-plated, die-cast aluminum
- Installs in minutes using high-temp and high-strength 3M™ VHB™ adhesive

**PART #** **DESCRIPTION**  
1105-0211 For all 14-25 Indian (except Challenger/Scout/Scout Sixty/Scout Bobber and FTR)



1120-0363



## INNER PRIMARY COVER

- Die-cast aluminum construction with a chrome finish
- Quick installation using high-strength 3M™ VHB™ adhesive

**PART #** **DESCRIPTION**  
1120-0363 For all 14-25 Indian (except Challenger/Scout/Scout Sixty/Scout Bobber and FTR)  
1120-0402 3M™ VHB™ service kit for inner primary cover

All part numbers in **BLUE** are new for 2026.



### FORK SEAL KIT

- For those looking to save money and only want the fork seals
- Kits include a pair of oil seals and dust seals; no bushings or other rebuild parts included



#### PART #

**0407-0714**

#### DESCRIPTION

For 16-25 Springfield, 15-25 Roadmaster, 14-25 Chieftain, and 14-21 Chief

#### SIZE CHART

##### PART #

**0407-0714**

##### ID (MM)

46

##### OD (MM)

58

SIZE CHART	
PART #	0407-0714



### FORK SEALS

- High-quality performance fork seals
- Check for seal dimension before ordering
- Sold in pairs

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>0407-0593</b>	For 14-25 Chieftain/Roadmaster/Springfield/Chief (46 mm Showa forks)	<b>0407-0566</b>	For 15-25 Scout, 17-25 Scout Sixty (41 mm Showa forks)



### FORK SEALS AND DUST SEALS

- Seal profile is engineered to create equal pressure in each seal lip; equalized seal pressure creates less drag and longer seal life
- MAX-LIFE has a coefficient of friction up to three times less than the OEM seal material
- Triple-lip seal design

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>FOR 20 CHALLENGER</b>		<b>FOR 22-24 CHIEF, 16-19 CHIEF DARK HORSE, 14-18 CHIEF CLASSIC, 14-21 CHIEF VINTAGE, 17-19 CHIEFTAIN LIMITED, 14-24 CHIEFTAIN, 15-24 ROADMASTER, 16-22 SPRINGFIELD (CONT)</b>	
<b>0407-0414</b>	Fork seal and dust seal kit	<b>0407-0455</b>	Fork oil seal kit
<b>0407-0451</b>	Fork oil seal kit	<b>0407-0486</b>	Fork dust seal kit
<b>0407-0468</b>	Fork dust seal kit	<b>0407-0425</b>	Fork seal and dust seal kit
<b>FOR 22-24 CHIEF, 16-19 CHIEF DARK HORSE, 14-18 CHIEF CLASSIC, 14-21 CHIEF VINTAGE, 17-19 CHIEFTAIN LIMITED, 14-24 CHIEFTAIN, 15-24 ROADMASTER, 16-22 SPRINGFIELD</b>		<b>0407-0467</b>	Fork dust seal kit
<b>0407-0418</b>	Fork seal and dust seal kit		



- Directional ribs allow seal to be installed easily
- Kits include fork oil seals and dust seals; fork oil seals and dust seals also available separately

PART #	DESCRIPTION
<b>FOR 22-24 CHIEF, 16-19 CHIEF DARK HORSE, 14-18 CHIEF CLASSIC, 14-21 CHIEF VINTAGE, 17-19 CHIEFTAIN LIMITED, 14-24 CHIEFTAIN, 15-24 ROADMASTER, 16-22 SPRINGFIELD (CONT)</b>	
<b>0407-0455</b>	Fork oil seal kit
<b>0407-0486</b>	Fork dust seal kit
<b>FOR 19-24 FTR 1200, 20-23 FTR 1200 RALLY, 19 FTR RALLY LE/FTR 1200 S</b>	
<b>0407-0425</b>	Fork seal and dust seal kit
<b>0407-0467</b>	Fork dust seal kit



### REPLACEMENT EXHAUST GASKETS

- High-quality products for long-term reliability
- Manufactured from premium fuel-resistant materials that will not creep, crack or become brittle
- Sold in pairs

PART #	OEM #	DESCRIPTION	MATERIAL
<b>FOR 21-24 CHALLENGER, PURSUIT AND SCOUT</b>	5271416	Exhaust header gasket	Stainless steel

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

Brakes & Brake Lines

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

WINDSHIELDS  
& FAIRINGSSADDLEBAGS  
& LUGGAGESEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION,  
CLUTCH LINE  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING  
& LICENSE  
PLATESHANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES &  
BRAKE LINESTANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES &  
SUSPENSION

FENDERS

FOOTRESTS &  
FLOORBOARDSWHEELS  
& AXLESCOVERS,  
LOCKS &  
GENERALAUDIO,  
COMMUNICATION  
& MOUNTS

IRIDIUM IX

IGNITION  
PARTS**IRIDIUM IX SPARK PLUG**

- The ultimate in the evolution of spark plug technology and performance from the industry leader
- The iridium electrode is 25% smaller than a platinum electrode and it's just  $\frac{1}{4}$  the size of a conventional nickel electrode
- Ultra-small-diameter center electrode reduces voltage requirement and extends ignition system life



- Metal shell plating has enhanced anticorrosion qualities
- Sold each

PART #	DESCRIPTION	NGK PART #	THREAD	REACH
2103-0573	For 20-24 Challenger	LZMAR8AI-10	10 mm	26,41 mm (1,04")

**IRIDIUM SPARK PLUGS**

- The ultimate in spark plug technology and performance
- Iridium electrode is smaller than a standard electrode; requires less voltage
- Hotter spark and extended spark plug service life compared to conventional plugs
- Has the distinctive black ceramic with red lettering and gold-colored corrosion-protected coating on the metal shell



- Exceed OEM specifications for plug service life
- Sold in pairs in convenient blister pack

PART #	DESCRIPTION	REFERENCE #
2103-0575	For 20-24 Challenger and Pursuit	3070482
2103-0576	For 17-24 Roadmaster, 17-24 Chieftain, 21-21 Vintage, 16-24 Springfield, 14-24 Chief	3088051

**PERFORMANCE SPARK PLUGS**

- Conventional-style spark plugs, available in OEM heat ranges
- Plugs have a unique look with a black ceramic body and bold red logo/script
- Insulator is made of 95% pure alumina, features strong resistance to heat shock and superior insulation
- Multi-rib design of the insulator eliminates flashover
- Nickel-plated housing prevents oxidation and corrosion
- Multi-layer gaskets and heat crimping process ensure a leak-free, gas-tight seal

- Copper core electrode prevents oxidation and corrosion, has good electrical and heat conductivity and creates long spark plug service life
- Sold in pairs in blister pack



PART #	DESCRIPTION	REFERENCE #
2103-0577	For 15-24 Scout, 19-24 FTR1200	3022662

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### PLUG WIRES

- Constructed with silicone throughout the jacket, insulation and core to deliver high-temperature resistance
- Rated at SAE Class E J2031 with a continuous operating temperature of 232 °C (450 °F)



PART #	DESCRIPTION
2104-0296	For 09-13 Indian (all)



### IGNITION COIL

- Increased spark energy
- Cost-effective replacement

PART #	DESCRIPTION
2102-0330	For all 14-22 Chief/Chieftain/Roadmaster/Springfield; repl. OEM #4010425



### HOT SHOT SERIES UNIVERSAL LITHIUM-ION BATTERY-COMPATIBLE REGULATOR/RECTIFIER

- Designed as a universal piece, comes with wire leads only
- Connect your OE plug to the regulator harness via soldering
- The voltage set point is 14V +/- 0.2
- 50A unit made with Mosfet technology and designed for single phase systems with the correct voltage set point for lithium batteries
- Ballistic Performance Batteries are recommended; for all other manufacturers of lithium ion batteries please contact the manufacturer of the battery to ensure our product set point is compatible with their battery



NOTE: Not for use with standard lead acid batteries.

NOTE: Some harness fabrication will be needed.

PART #	DESCRIPTION
2112-1809	For 15-20 Scout (all models)



2112-1151

2111-0210

PART #	DESCRIPTION
2112-1151	For all 14-24 Chieftain/Roadmaster/Springfield/Chief; repl. OEM #4014300
2111-0210	For 15-24 Scout/Scout Sixty and Scout Bobber, 20-24 FTR; repl. OEM #4012941



### REGULATOR/RECTIFIERS

- OEM-style regulator/rectifiers

PART #	DESCRIPTION
2112-1151	For all 14-24 Chieftain/Roadmaster/Springfield/Chief; repl. OEM #4014300
2111-0210	For 15-24 Scout/Scout Sixty and Scout Bobber, 20-24 FTR; repl. OEM #4012941

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.



2113-0940



2113-0786




### HIGH PERFORMANCE LITHIUM BATTERIES

- Innovative lithium-ion motorcycle and powersport batteries
- Designed for the most demanding riders looking for higher performance, safer performance, faster acceleration, reduced weight and a much longer battery life
- Very low self-discharge provides the possibility to start an engine after a very long period of storage; even in very cold temperature conditions
- Robust brass terminals for enhanced electrical performance
- Super fast charging capabilities
- Multi-position mounting (up to 180°)
- Very safe and environmental friendly
- Up to 70% lighter than lead acid batteries
- Waterproof design
- Heat temperature resistance up to 230 °C
- Ready to use; no need for preparation, just plug and play

#### PART # DESCRIPTION

PART #	DESCRIPTION
2113-0940	For 20-25 Challenger/Dark Horse/Limited, 22-24 Pursuit Dark Horse
2113-0940	For 14-25 Chieftain/Roadmaster/Springfield/Chief Classic/Chief Bobber/Chief Dark Horse/Chief Vintage/Super Chief
2113-0940	For 12-13 Chief Classic/Vintage/Dark Horse
2113-0940	For 02-03 Chief
2113-0786	For 15-25 Scout/Scout Sixty/Scout Bobber/Scout Sixty/Scout Bobber Twenty/Scout Rogue
2113-0786	For 19-22 FTR 1200/Rally/R Carbon/S



PART #	YUASA REF. #	CAPACITY AH (10-HR)	POWER (WH)	CCA	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	APPROX. WEIGHT (KG)	TERMINAL CONFIGURATION
2113-0786	YB10A-A2, YTZ10S, YTZ10S-BS, YB12A-A/B, YB12C-A, YT12B-BS, YT12B-4, 12N12A-4A-1, YB14A-A1/ A2, YB14-A2, YB14-B2, YT14B-BS, YT14B-4, YTX14AH, YTX14AH-BS	4	48	280	134	65	92	0,95	+
2113-0940	YTX20L, YTX20L-BS, YTX20HL, YTX20HL-BS, YTX24HL, YTX24HL-BS, Y50-N18L-A/A2/A3/ AT, 51913	7,5	90	480	148	86	105	1,28	+



2113-0987



### SLA MAX BGZ FACTORY-ACTIVATED AGM MAINTENANCE-FREE BATTERIES

- Provides maximum reliability and highest starting ability to all heavy-duty engines
- Designed with taller plates and built-in copper nuts terminals
- Superior capacity
- AGM construction (Absorbed Glass Material)
- VRLA battery (Valve Regulated Lead Acid)
- Sealed and factory activated
- Spillproof design
- Multi-positional fitment
- Ready and easy to use
- Increased power and extended life
- Extreme vibration resistance

#### PART # DESCRIPTION

2113-0987	For 14-25 Chieftain/Roadmaster/Springfield/Chief Classic/Chief Dark Horse/Chief Vintage
2113-0935	For 09-11 Chief (all)
2113-0935	For 02-03 Scout/Spirit
2113-0935	For all 99-01 models

PART #	YUASA REF. #	CAPACITY AH (10-HR)	CAPACITY AH (20-HR)	CCA @ -18 °C	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	APPROX. WEIGHT (KG)	TERMINAL CONFIGURATION
2113-0935	GYZ20H	20	21,1	320	175	89	155	6,6	+
2113-0987	GYZ20HL	20	21,1	320	175	89	155	6,6	+


**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.



### SLA MAX FACTORY-ACTIVATED AGM MAINTENANCE-FREE BATTERIES

- Designed to offer maximum performance to big engine bikes equipped with lots of electronic accessories
- Superior capacity
- AGM construction (Absorbed Glass Material)
- VRLA battery (Valve Regulated Lead Acid)
- Sealed and factory activated
- Spillproof design
- Multi-positional fitment
- Ready and easy to use
- Increased power and extended life
- Extreme vibration resistance



#### PART # FITS MODEL

**2113-0836** For 15-25 Scout/Scout Sixty/Scout Bobber/Scout Bobber Sixty/Scout Bobber Twenty/Scout Rogue

PART #	YUASA REF. #	CAPACITY AH (10-HR)	CAPACITY AH (20-HR)	CCA @ -18 °C	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	APPROX. WEIGHT (KG)	TERMINAL CONFIGURATION
<b>2113-0836</b>	YTX14AH	12	12,6	210	133	90	164	5,1	+



**2113-0640**



**2113-0637**


### SLA FACTORY-ACTIVATED AGM MAINTENANCE-FREE BATTERIES

- AGM construction (Absorbed Glass Material)
- VRLA battery (Valve Regulated Lead Acid)
- Sealed and Factory-Activated
- Spill-proof design
- Multi-positional fitment

- Ready and easy to use
- Increased power and extended life
- Extreme vibration resistance

#### PART # DESCRIPTION

**2113-0640** For 20-25 Challenger/Dark Horse/Limited, 22-25 Pursuit Dark Horse  
**2113-0640** For 14-25 Chieftain/Roadmaster/Springfield/Chief Classic/Chief Bobber/Chief Dark Horse/Chief Vintage/Super Chief  
**2113-0637** For 15-25 Scout/Scout Sixty/Scout Bobber/Scout Bobber Sixty/Scout Bobber Twenty/Scout Rogue



PART #	YUASA REF. #	CAPACITY AH (10-HR)	CAPACITY AH (20-HR)	CCA @ -18 °C	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	APPROX. WEIGHT (KG)	TERMINAL CONFIGURATION
<b>2113-0834</b>	YB7-A	8	8,4	105	135	75	133	2,9	+
<b>2113-0835</b>	YB12A-A2	12	12,6	155	134	80	160	4,2	+
<b>2113-0637</b>	YTX14AH	12	12,6	210	135	90	167	4,4	+
<b>2113-0640</b>	YTX20HL	18	18,9	310	175	87	155	6,0	-

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS  
& FAIRINGSSADDLEBAGS  
& LUGGAGESEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION,  
CLUTCH LINE  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING  
& LICENSE  
PLATESHANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES &  
BRAKE LINESTANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES &  
SUSPENSION

FENDERS

FOOTRESTS &  
FLOORBOARDSWHEELS  
& AXLESCOVERS,  
LOCKS &  
GENERALAUDIO,  
COMMUNICATION  
& MOUNTS

2113-0449



2113-0448




2113-0450

### DRAG SPECIALTIES HIGH PERFORMANCE BATTERIES

- Specifically designed for high-performance engines that need extra cranking power
- Superior engineering features include an AGM (Absorbed Glass-Mat) radial grid design for maximum cranking amps
- High vibration resistance
- Spill-proof, pre-filled, pre-charged, maintenance-free sealed design
- Batteries include brass spacers, stainless steel nuts, bolts and star washers

NOTE: Factory-Activated batteries should be charged once a month when not in service.



PART #	DESCRIPTION
2113-0449	For 20-25 Challenger/Dark Horse/Limited, 22-25 Pursuit
2113-0449	For 14-25 Chieftain/Roadmaster/Springfield/Chief Classic/Chief Dark Horse/Chief Vintage
2113-0450	For 12-13 Chief Classic/Vintage/Dark Horse
2113-0448	For 09-11 Chief (all)
2113-0450	For 02-03 Chief
2113-0448	For 02-03 Scout/Spirit
2113-0448	For all 99-01 models

PART #	YUASA REF. #	CCA	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	TERMINAL CONFIGURATION
2113-0448	YTX20H-BS	310	175	87	155	+
2113-0449	YTX20HL-BS	310	175	87	155	-
2113-0450	YTX24HL-BS	350	205	87	160	+

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

# YUASA BATTERY

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION


FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



## HIGH-PERFORMANCE AGM MAINTENANCE-FREE BATTERIES

- This new generation of maintenance-free batteries delivers higher cranking amps for vehicles that require extra starting power
- Additional cranking amps make these one of the most powerful batteries on the market
- Acid pack included

PART #	DESCRIPTION
<b>YTX20HL-BS</b>	For 20-25 Challenger/Dark Horse/Limited, 22-25 Pursuit
<b>YTX20HL-BS</b>	For 14-25 Chieftain/Roadmaster/Springfield/Chief Classic/Chief Dark Horse/Chief Vintage
<b>YTX24HL-BS</b>	For 12-13 Chief Classic/Vintage/Dark Horse
<b>YTX24HL-BS</b>	For 02-03 Chief

PART #	YUASA REF. #	CAPACITY AH (10-HR)	REGULAR CHARGE CURRENT (AMP)			LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	APPROX. WEIGHT W/ ACID (KG)	TERMINAL CONFIGURATION
			310	350	310					
<b>YTX20HL-BS</b>	YTX20HL-BS	18	1,8	310	175	87	155	6,8	-	+
<b>YTX24HL-BS</b>	YTX24HL-BS	21	2,1	350	205	87	162	8,0	-	+



YTX-20BS



## AGM MAINTENANCE-FREE BATTERIES

- Special absorbed-glass mat battery eliminates water loss, permitting the battery to be permanently sealed once it is filled with acid
- Truly the world's finest "install it and forget it" motorcycle battery
- Acid pack included

PART #	DESCRIPTION
<b>YTX20L-BS</b>	For 20-25 Challenger/Dark Horse/Limited, 22-25 Pursuit
<b>YTX20L-BS</b>	For 14-25 Chieftain/Roadmaster/Springfield/Chief Classic/Chief Dark Horse/Chief Vintage
<b>YTX-20BS</b>	For 09-11 Chief (all)
<b>YTX-20BS</b>	For 02-03 Scout/Spirit
<b>YTX-20BS</b>	For all 99-01 models

PART #	YUASA REF. #	CAPACITY AH (10-HR)	CCA @ -18 °C	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	APPROX. WEIGHT W/ ACID (KG)	TERMINAL CONFIGURATION
<b>YTX-20BS</b>	YTX20-BS	18	270	175	87	155	6,3	+
<b>YTX20L-BS</b>	YTX20L-BS	18	270	175	87	155	6,3	-

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### PB-02 POWER BOX JUMP STARTER

- Perfect back-up power solution able to deliver 600A for jump starting vehicles (motorcycles, cars, boats and more), charge USB devices (smartphones or tablets) and offer emergency lighting
- Compact and powerful booster rated at 600A (1200A peak current)
- Up to 20 jumps starts in one charge
- Designed for gas and diesel engines
- Very safe: smart cable with spark-proof connection and reverse polarity protection
- Power supply for small electronic devices via their USB ports (most of smartphones, earphones, portable gaming devices, MP3/MP4 players can be charged with the included accessories)
- LED flashlight function with 3 modes (powerful constant light/strobe/SOS)
- LED display with battery state of charging indication and output port used
- Compatible with lead acid batteries (SLA, GEL, AGM, EFB, MF, DRY, Ca/Ca)

PART #	DESCRIPTION
2113-0913	Power Box PB-02



### BST 1000 LEAD ACID AND LITHIUM BATTERY TESTER

- For lead acid (flooded, AGM flat plate, AGM spirale, GEL, EFB) and lithium batteries
- For all 12V vehicle and motorcycle batteries
- Five battery tests: cold cranking amps, voltage, internal resistance, health, starting
- Vehicle charging and cranking system test
- Easy to read large LCD screen
- Print function via PC printer
- Multiple languages: English, German, Spanish, French, Dutch and Italian
- Short circuit and polarity reverse connection protections
- Useful, compact and delivered with clamp set, pouch protection and a USB cable to connect the tester to a computer for printing out all the diagnostics

PART #	DESCRIPTION
2113-0914	BST 1000 lead acid and lithium battery tester



### ELECTROMAGNETIC DUAL HORN KIT

- Dual low/high tone electromagnetic horns
- Kit includes horns, mounting bracket, wire harness and relay
- 109 dB(a) at 2 m per horn
- Nominal voltage: 12VDC

PART #	DESCRIPTION
2107-0332	Electromagnetic dual horn kit



### SOUNDBOMB™ UNIVERSAL HORN MOUNT KIT

- Mounts allow SoundBomb™ horns to be mounted in the optimum location for your bike
- Powdercoated steel mounts with all necessary mounting hardware

PART #	DESCRIPTION
2107-0351	For all 15-24 Scout

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**motogadget****mo.LOCK NFC DIGITAL IGNITION LOCK AND ACCESSORIES**

- Contactless digital ignition lock
- No more fumbling with keys or mechanical wear on lock cylinders
- The ignition and power supply of the bike is switched on when within 30 to 50 mm of the digital key/transponder
- Uses the most recent NFC technology (Near-Field-Communication)
- Each key is singular by its digital code and cannot be spoofed
- Includes one master key and one user key that are the size of a key tag

PART #	DESCRIPTION
<b>2105-0133</b>	mo.Lock NFC digital ignition lock
<b>2105-0134</b>	mo.Lock NFC wiring kit



- Keys do not require batteries
- Optional wiring harness kit ensures seamless installation process
- NFC connection cable is a high quality, 2 m long, 3-wire cable for connecting the mo.lock NFC and fits the included cable cover

PART #	DESCRIPTION
<b>2105-0135</b>	mo.Lock NFC connect cable

**motogadget****mo.SWITCH PLAIN**

- Universal, high-quality push-button control for handlebars with 1" or 22 mm (7/8") tube diameter in a simple, elegant design
- CNC-milled from billet aluminum anodized glossy black or silver
- Available in two- or three-button black units
- Protected against vibrations and water (IP65)
- Hidden M5 stainless steel mounting screw clamps the housing securely to handlebars
- Allows safe operation (even when operating with a glove) due to sufficient size and ergonomic pressure point

PART #	DESCRIPTION
<b>TWO-BUTTON UNITS</b>	
<b>0616-0442</b>	Black anodized
<b>0616-0443</b>	Silver anodized

**0616-0442****0616-0445**

- Compatible with all common push-button controls such as mo.unit blue/basic
- Two push-button mo.switch measures 22 mm (7/8") and 1" inner dia. x 45 mm outer dia. x 22 mm W
- Three push-button mo.switch measures 22 mm (7/8") and 1" inner dia. x 45 mm outer dia. x 42,5 mm W

PART #	DESCRIPTION
<b>THREE-BUTTON UNITS</b>	
<b>0616-0444</b>	Black anodized
<b>0616-0445</b>	Silver anodized

**DAYTONA****3-BUTTON SWITCHES FOR HANDLEBARS**

- CNC aluminum housing
- Coated ABS button
- For 7/8" or 1" handlebars
- Outer diameter: 50 mm
- Thickness: 16 mm
- Max. current 50mA
- No need to drill a hole on handlebar
- Need relay to function
- Icon stickers included
- Sold each

PART #	DESCRIPTION
<b>0616-0439</b>	Chrome

PART #	DESCRIPTION
<b>0616-0440</b>	Black

**0616-0439****0616-0440**

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



## motogadget

### mo.FLASH DIGITAL FLASHER

- Replaces all conventional flasher relays; only uses two cables
- Perfect for custom bikes and modifications with limited space
- Route through the handlebar, frame tubing or in the cable harness
- Constant and correct flashing rate; suitable for almost all LED blinkers and all micro-blinkers
- Works with four signal lights or two handlebar end blinkers and has an immediate, lossless flasher response
- Features an automatic overload protection; does not generate heat during operation

PART #	DESCRIPTION
2020-0463	mo.flash digital relay

- Takes 5 to 18V to operate; suitable for 6V flashers
- Water- and short circuit-proof
- Does not require load resistors or similar accessories
- PART #2020-0463 is suitable for all LED blinkers, micro blinkers, halogen blinkers and bulb blinkers from 1W-100W
- mo.wave (PART #2020-0464) is the first flasher relay to allow a smooth fade in/fade out with your flashing lights

PART #	DESCRIPTION
2020-0464	mo.wave digital relay



### IC RELAYS

- Three terminals
- 85 flash/min
- 12VDC
- Output range of 0,1 to 100W
- Dimensions: 38 mm L x 28,4 mm H x 17,5 mm W (1,49" x 1,157" x 0,68")

PART #	DESCRIPTION
2040-2875	IC relay w/ connector



PART #	DESCRIPTION
2040-2876	IC relay w/ position/hazard lights



### 61 CM (24") HANDLEBAR EXTENSION HARNESSES

- Complete plug-and-play kit includes Throttle-By-Wire and all the items needed to successfully extend the wiring to a set of OEM handlebar switches

PART #	DESCRIPTION
2120-0867	For 14-17 Chief/Springfield

PART #	DESCRIPTION
2120-0868	For 14-17 Chieftain/Roadmaster



### 46 CM (18") HANDLEBAR CONTROL EXTENSION HARNESS

- Allows for handlebars up to 508 mm (20") tall
- Kit includes OEM color wire with pre-installed terminals, heat shrink and three OEM connectors
- Requires soldering



PART #	DESCRIPTION
2120-1057	For 15-24 Scout

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### SPEEDOMETER EXTENSION HARNESS

- Helps riders install taller risers, bars or change location of speedometer
- Easy installation
- OEM connectors, color-matching wire that is covered with PVC extruded tubing

PART #	DESCRIPTION
<b>2120-1232</b>	For 22-24 Chief



### HEADLIGHT ADAPTER

- Plug-n-play installation
- Works with OEM headlights

PART #	DESCRIPTION
<b>2120-1111</b>	For all 20-22 Indian (except Scout/FTR1200)



### INDIAN Y-POWER ADAPTOR HARNESS

- Plug-n-play installation

PART #	DESCRIPTION
<b>2120-1113</b>	For all 14-17 Indian



### Y-HARNESS FOR DAYTIME RUNNING LIGHTS AND WARBONNET

- Plug-n-play installation

PART #	DESCRIPTION
<b>2120-1112</b>	For all 14-24 Indian



### SOLDERLESS WIRE CONNECTORS

- No soldering gun required
- Low-heat solder melts with just a heat gun and shrinks the tubing for a watertight seal
- Waterproof, solderless heat shrink wire connectors come in four different sizes: yellow (12 to 10 AWG), blue (16 to 25 AWG), red (22 to 18 AWG) and white (26 to 24 AWG)
- PART #2120-0954 is a reclosable plastic box including 40 pieces red 22 to 18 AWG, 40 pieces blue 16 to 14 AWG, 10 pieces white 26 to 24 AWG and 10 pieces yellow 12 to 10 AWG

PART #	DESCRIPTION
<b>100 PACKS</b>	Red 22-18 AWG (6 pcs./pack)

### DAYTONA

#### MINI FUSE HOLDER

- Attached fuse (small): 10A
- Dimensions: 24 mm W x 30 mm H x 24 mm D (0,94" x 1,18" x 0,94")

NOTE: Please observe the ratings. The case will deteriorate with age. Please check and replace periodically.

PART #	DESCRIPTION
<b>2040-3435</b>	Mini fuse holder

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.

**QUICK CHARGE PORT USB TYPE-A**

- ABS housing
- For 22,2 and 25,4 mm (7/8" and 1") handlebars
- Powers on with ignition key
- Overcurrent protection
- Short-circuit protection
- QC3,0 (Quick charge 3,0)
- Input 12,5VDC
- Output 5V/3A, 9V/3A, 12V/2,5A

PART #  
[2130-0375](#)



DESCRIPTION  
Quick charge port USB Type-A

**USB TYPE-C COWL FAIRING MOUNT**

- High quality USB-C socket for mounting in e.g. the motorcycle fairing
- Hole diameter measures 20 mm and a minimum depth of approx. 35 mm is required
- Aluminum housing and nut
- For USB power delivery
- Input 12VDC
- Output 5V/3A, 9V/2A, 12V/1,5A
- Max. 18W
- Powers on with ignition key
- Water-resistant when closed
- Green LED indicator when charging

PART #  
[2130-0365](#)



DESCRIPTION  
USB-C socket

**SLIM-MOUNT USB POWER SOCKETS**

- USB power sockets with a slim size and clean appearance
- Handle clamps are compatible with 22,2 mm and 25,4 mm handlebars and can be mounted on a wide range of vehicles
- PART #2130-0337 features: 1 port (USB-A), max. 5V 2,4A, 12VDC input voltage, 10 to 16VDC input voltage range, 4,8 to 5,2V output voltage and 2,4A output rated current, 13,5 mm thickness
- PART #2130-0338 features: 2 ports (USB-A), max. 5V 4,8A, 12VDC input voltage, 10 to 16VDC input voltage range, 6mA standby current (when not in use), 4,8 to 5,2V output voltage, 2,4A (1 port) output rated current, 12W/24W (2 ports total) output rated efficiency

PART #	DESCRIPTION
<a href="#">2130-0337</a>	1 port socket (USB-A)
<a href="#">2130-0338</a>	2 port socket (USB-A)



- PART #2130-0411 features: 2 ports (1 x USB-A port, 1 x USB-C port), Type-C USB PD (Power Delivery), Type-A 3,0 QC dual port, ABS housing, IPX6 water resistance
- Sold each

PART #	DESCRIPTION
<a href="#">2130-0411</a>	2 port socket (USB-A and USB-C)



2130-0339

**USB POWER SUPPLIES**

- Work with main switch
- 12VDC input

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
<a href="#">2130-0342</a>	Type-A (two-port)	<a href="#">2130-0340</a>	Slim type-C (one-port)	<a href="#">2130-0339</a>	Type-C (one-port)



2130-0343

**USB CABLES**

- L-shaped
- 200 mm (7,87") long
- 18W (5V/3A, 9V/2A, 12V/1,5A)

PART #	DESCRIPTION	PART #	DESCRIPTION
<a href="#">2130-0346</a>	Type-A to Lightning	<a href="#">2130-0343</a>	Type-C to Type-C
<a href="#">2130-0345</a>	Type-A to Type-C	<a href="#">2130-0344</a>	Type-C to Lightning

**DISCLAIMER:** SEE PAGE 5 FOR IMPORTANT INFORMATION REGARDING CERTAIN WARRANTY AND EMISSION CONTROL REGULATION COMPLIANCE AND NOISE REGULATION INFORMATION.

All part numbers in **BLUE** are new for 2026.



### 18 CM (7") LED ADAPTIVE 2 HEADLIGHTS

- The improved Adaptive 2 series headlights allow for the adaptive technology when using high beam, as well as low beam
- Senses leaning angles up to 30° and dynamically fills in dark areas while turning
- Direct replacement for most 18 cm (7") headlights, retrofits PAR56 headlights
- Superior visibility, safety and durability
- Easy plug-n-play H4-style connector
- Die-cast aluminum housing
- 1600 lumen output (high beam), 1020 lumen output (low beam)
- Includes mount kit for easy installation



2001-1776

2001-1773

FOR 14-18 CHIEF CLASSIC, 14-21 CHIEF VINTAGE, 14-21 CHIEFTAIN, 16-21 SPRINGFIELD, 15-21 ROADMASTER, 16-21 CHIEF DARK HORSE, 16-21 CHIEFTAIN DARK HORSE, 17-21 ROADMASTER CLASSIC

PART #	DESCRIPTION	PART #	DESCRIPTION
2001-1776	Chrome	2001-1774	Replacement chrome headlight
2001-1773	Replacement black headlight		



### 18 CM (7") PEDESTAL MOUNT LED ADAPTIVE 2 HEADLIGHTS

- The improved Adaptive 2 series headlights allow for the adaptive technology when using high beam, as well as low beam
- Senses leaning angles up to 30° and dynamically fills in dark areas while turning
- Unique design does not require a headlight shell to mount
- Pedestal mount accepts most 19 mm (3/4") headlight mounting blocks
- Direct replacement for most 18 cm (7") headlights, retrofits PAR56 headlights

- Superior visibility, safety and durability
- Hardwire connection
- Die-cast aluminum housing
- 1600 lumen output (high beam), 1020 lumen output (low beam)



2001-1777

2001-1778

PART #	DESCRIPTION	PART #	DESCRIPTION
2001-1777	Black	2001-1778	Chrome

### HEADLIGHT MOUNTING KIT

- Direct replacement for most 18 cm (7") diameter headlights
- Superior visibility, safety and durability
- 1150 lumen output (high beam), 750 lumen output (low beam)
- Easy, plug-n-play H4-style connector

PART #	DESCRIPTION
2001-1106	Mounting Kit



All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

WINDSHIELDS  
& FAIRINGSSADDLEBAGS  
& LUGGAGESEATS &  
SISSY BARS**J.W. SPEAKER**

2001-1768



2001-1769

**18 CM (7") EVO 2 DUAL BURN HEADLIGHTS**

- Direct replacement for most 18 cm (7") PAR56 headlights
- Dual burn technology provides the rider with the spread of the low beam and the punch of the high beam simultaneously
- 1260 lumen output (high beam), 750 lumen output (low beam)

- Easy, plug-n-play H4-style connector
- Die-cast aluminum housing
- Includes mounting ring for easy installation

**FOR 14-18 CHIEF CLASSIC, 14-21 CHIEF VINTAGE, 14-21 CHIEFTAIN, 16-21 SPRINGFIELD, 15-21 ROADMASTER,  
16-21 CHIEF DARK HORSE, 16-21 CHIEFTAIN DARK HORSE, 17-21 ROADMASTER CLASSIC**

PART #	DESCRIPTION	PART #	DESCRIPTION
2001-1768	Black	2001-1769	Chrome

ENGINE

TRANSMISSION,  
CLUTCH LINE  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING  
& LICENSE  
PLATESHANDLEBARS,  
CONTROLS  
& MIRRORS


CABLES

BRAKES &  
BRAKE LINESTANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES &  
SUSPENSION

FENDERS

FOOTRESTS &  
FLOORBOARDSWHEELS  
& AXLESCOVERS,  
LOCKS &  
GENERALAUDIO,  
COMMUNICATION  
& MOUNTS**CULT-WERK**

2001-2549



2001-2551

**HEADLIGHT KITS**

- Includes LED "Daymaker" headlight with the appearance of the V-Rod/Night Rod
- Includes CNC laseried headlight bracket which lowers the headlight by approx. 30 mm
- Includes ABS plastic headlight mask
- Achieves an even more aggressive look

PART #	DESCRIPTION
FOR 18-25 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY 2001-2549	Gloss black; Night Rod style

- Speedometer remains in the original position
- Mounts to original mounting points
- Must be soldered to the original wiring harness
- Contains TEILEGUTACHTEN/German Parts Certificate

PART #	DESCRIPTION
FOR 18-25 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY (CONT) 2001-2551	Raw paintable; Night Rod style

**SHARK DEMON®  
HEADLIGHT KIT  
FOR MEMPHIS SHADES  
ROAD WARRIOR® FAIRING**

- Specialized high-performance LED headlights designed for motorcycle use
- Durable polycarbonate lens with IP67 waterproofing
- 5800 to 6500K daylight color temperature
- Low beam has 3 projection LEDs; 3600 raw lm/2651 effective lumens

- High beam has 4 direct-reflective LEDs: 9080 raw lm/4485 effective lumens
- Low beam stays on while high beam is engaged
- 3 mm 304 stainless steel mounting bracket mounts to Memphis Shades Road Warrior® fairing

PART #	DESCRIPTION
2001-3015	For 22-24 Chief Bobber/Bobber Dark Horse w/ Memphis Shades Road Warrior® Fairing PART #2330-0269
2001-3015	For 22-24 Chief/Dark Horse w/ Memphis Shades Road Warrior Fairing PART #2330-0271
2001-3015	For 18-24 Scout Bobber, 16-24 Scout Sixty, 15-24 Scout w/ Memphis Shades Road Warrior Fairing PART #2330-0165

All part numbers in **BLUE** are new for 2026.



WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### PROBEAM 18 CM (7") ADAPTIVE 2 LED HEADLAMPS

- Round headlamp with polycarbonate lens
- Die-cast aluminum housing
- Adaptive, plug-and-play technology

**FOR 20-25 CHALLENGER/DARK HORSE/ELITE/LIMITED, 22-25 PURSUIT DARK HORSE/LIMITED, 15-25 CHIEFTAIN/CHIEFTAIN DARK HORSE/CHIEFTAIN LIMITED/ROADMASTER/ROADMASTER DARK HORSE/ROADMASTER LIMITED, 15-24 CHIEFTAIN ELITE, 15-21 ROADMASTER CLASSIC/ROADMASTER CLASSIC, 15-21/24-25 ROADMASTER ELITE, 16-25 SPRINGFIELD/DARK HORSE, 15-20 CHIEF/CLASSIC/DARK HORSE/VINTAGE, 21 VINTAGE/DARK**

PART #	DESCRIPTION	PART #	DESCRIPTION
2001-2410	Chrome	2001-2409	Black



NOTE: PART #2001-2291 is required for 20-24 Challenger/Chieftain Limited/Chieftain Elite/Roadmaster, 22-24 Pursuit Limited and Pursuit Dark Horse and Chieftain Dark Horse models (sold separately see page 110).



### 18 CM (7") PROBEAM® LED HEADLAMPS

- Low beam consists of three high-power advanced optical D lenses and a DRL
- High beam keeps low beam illuminated and adds two additional advanced optical D lenses with three projector lenses for an incredibly wide optical pattern producing an ideal beam pattern with illumination down the road as well as on either side
- Made from a heavy-duty, lightweight die-cast aluminum, the low-profile housing requires no trim ring and offers a plug-and-play installation
- Durable polycarbonate lens for long-term durability
- Headlamps are available with a chrome or True Black finish

**FOR 20-25 CHALLENGER/DARK HORSE/ELITE/LIMITED, 22-25 PURSUIT DARK HORSE/LIMITED, 15-25 CHIEFTAIN/CHIEFTAIN DARK HORSE/CHIEFTAIN LIMITED/ROADMASTER/ROADMASTER DARK HORSE/ROADMASTER LIMITED, 15-21 CHIEFTAIN CLASSIC/ROADMASTER CLASSIC, 15-24 CHIEFTAIN ELITE, 15-21/24-25 ROADMASTER ELITE, 16-25 SPRINGFIELD/DARK HORSE, 15-20 CHIEF/CLASSIC/DARK HORSE/VINTAGE, 21 VINTAGE/DARK**

PART #	DESCRIPTION	PART #	DESCRIPTION
2001-1825	Chrome	2001-1826	True Black



NOTE: PART #2001-2291 is required for 20-24 Challenger/Chieftain Limited/Chieftain Elite/Roadmaster, 22-24 Pursuit Limited and Pursuit Dark Horse/Chieftain Dark Horse models (sold separately see page 110).

### 18 CM (7") TRUBEAM® HEADLIGHTS

- Premium 18 cm (7") round LED headlamp designed for custom installation on models with factory 18 cm (7") headlight
- Complex reflector design features three low beam LEDs and two high beam LEDs with a combination of projector and reflector type LEDs and built-in halo ring
- LED combination provides superior low and high beam outputs
- Durable polycarbonate lens with H4 connector and mounting hardware included; no additional trim ring needed
- 4210 raw lumens/2947 effective lumens; 5800K color temp

PART #	DESCRIPTION
FOR 19-25 CHIEFTAIN/DARK HORSE/LIMITED, 19-23 CHIEFTAIN ELITE, 20-25 ROADMASTER DARK HORSE/LIMITED, 24-25 ROADMASTER ELITE, 15-25 SPRINGFIELD/DARK HORSE, 15-20 CHIEF/CLASSIC/DARK HORSE/VINTAGE, 21 VINTAGE/DARK HORSE	
2001-1572 <sup>1</sup>	Chrome
2001-1572 <sup>1</sup>	Black chrome
FOR 15-18 CHIEFTAIN/DARK HORSE/LIMITED, 15-20 CHIEFTAIN CLASSIC, 15-25 ROADMASTER, 15-21 ROADMASTER CLASSIC/ELITE	
2001-1575 <sup>2</sup>	Chrome



- 1,1A low current draw, 1,5A high current draw, 0,2A halo ring current draw
- Available in chrome or black chrome (smoked) reflector

PART #	DESCRIPTION
ADAPTER 2001-1397	Opt. hi/lo adapter and halo ring enabler (ea.)

<sup>1</sup> Headlight adapter PART #2001-2291 required for 20-24 Chieftain LTD/Dark Horse, 23-24 Chieftain, 20-23 Chieftain Elite, 20-24 Roadmaster/Dark Horse/LTD/Elite, and 23-24 Springfield/Dark Horse w/ OEM 7" LED headlamp (sold separately).

<sup>2</sup> Headlight adapter PART #2001-2291 required for 20-24 Roadmaster w/ OEM 7" LED headlamp (sold separately).

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

J.W. SPEAKER®



2001-1781



2001-1782



### 14.5 CM (5.75") PEDESTAL MOUNT LED ADAPTIVE 2 HEADLIGHTS

- The improved Adaptive 2 series headlights allow for the adaptive technology when using high beam, as well as low beam
- Senses leaning angles up to 30° and dynamically fills in dark areas while turning
- Pedestal mount accepts most 19 mm (3/4") headlight mounting blocks
- Direct replacement for most 14.5 cm (5.75") headlights, retrofits PAR46 headlights
- Superior visibility, safety and durability
- Easy plug-n-play H4-style connector
- Die-cast aluminum housing
- 1600 lumen output (high beam), 1020 lumen output (low beam)

PART #	DESCRIPTION
2001-1781	Black

PART #	DESCRIPTION
2001-1782	Chrome

2001-1779



2001-1780



### 14.5 cm (5.75") ADAPTIVE LED 2 HEADLIGHTS

- Retrofit round, Adaptive 2 series headlights
- Available for 14.5 cm (5.75") PAR46 headlights
- Includes bracket, rubber ring, lamp-to-bracket hardware and bracket-to-bucket hardware

PART #	DESCRIPTION
2001-1779	Black

PART #	DESCRIPTION
2001-1780	Chrome

2001-2383



2001-2382



### 14.5 CM (5.75") LED HEADLIGHTS

- Direct replacement for most 14.5 cm (5.75") headlights, retrofits PAR46 headlights
- Superior visibility, safety and durability
- Easy plug-n-play H4-style connector
- Die-cast aluminum housing
- 1600 lumen output (high beam), 1020 lumen output (low beam)

PART #	DESCRIPTION
2001-2383	Black

PART #	DESCRIPTION
2001-2382	Chrome

All part numbers in **BLUE** are new for 2026.

**DAYTONA****LED HEADLIGHT CAPSULES**

- Vibration and water-resistant
- 120 mm (4,72")

PART #	DESCRIPTION	PART #	DESCRIPTION
2001-2455	Side mount, chrome	2001-2456	Side mount, black
2001-2457	Bottom mount, chrome	2001-2458	Bottom mount, black

**DAYTONA****HEADLIGHT BRACKETS**

- Comes in a short 55 mm (2,16"), long 101 mm (3,97") and retro style
- Made of CNC-machined aluminum (unless noted)

PART #	DIAMETER	PART #	DIAMETER	PART #	DIAMETER
<b>55 MM (2,16") LENGTH (SHORT)</b>		<b>55 MM (2,16") LENGTH (SHORT) (CONT)</b>		<b>101 MM (3,97") LENGTH (LONG) (CONT)</b>	
2001-2469	35 mm (1 3/8")	2001-2473	49 mm (1 15/16")	2001-2466	41 mm (1 5/8")
2001-2470	39 mm (1 9/16")	2001-2464	35 mm (1 5/8")	2001-2467	43 mm (1 11/16")
2001-2471	41 mm (1 5/8")	2001-2465	39 mm (1 9/16")	2001-2468	49 mm (1 15/16")
2001-2472	43 mm (1 11/16")				

PART #	DIAMETER	PART #	DIAMETER
<b>RETRO STYLE</b>		<b>RETRO STYLE (CONT)</b>	
2001-2479	39 mm	2001-2478	41 mm

**DAYTONA****DUAL-AXIS HEADLIGHT BRACKET SETS**

- Adjustable dual-axis headlight bracket set
- CNC-machined aluminum
- Suitable for fork tubes with a diameter of 35 mm (1,37")
- Fork clamp adjusts vertically allowing the headlight position to be adjusted in the front-back direction
- Joints on all four clamps allow the width of the headlight mount to be varied and the braces to run parallel
- M-Eight indicator mount kit is included
- Sold in pairs

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
2001-2474	35 mm (1 3/8")	2001-2475	39 mm (1 9/16")	2001-2476	41 mm (1 5/8")	2001-2477	49 mm (1 15/16")

**CULT-WERK****GERMAN PARTS  
CERTIFICATE****HEADLIGHT MASKS**

- Provides an aggressive, narrower look
- The original headlight remains (or can be replaced with an LED variant with an identical attachment) and will continue to be used in conjunction with the kit
- Kit includes a high-quality ABS plastic mask and a CNC-lasered mask holder that ensures a perfect fit
- The speedometer remains in the original position and no changes to the original cables are necessary
- All the holes needed to attach the mask are already there; kit is mounted on the original breakpoints to ensure a firm and secure hold

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>FOR 18-25 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY</b>		<b>FOR 18-25 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY (CONT)</b>	
2001-2539	Custom; gloss black	2001-2541	Custom; raw paintable



- Allows the headlight and mask to be adjusted
- Available in raw paintable or gloss black
- Contains TEILEGUTACHTEN/German Parts Certificate

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



2001-2918

**LED HEADLIGHT BEZELS**

- Simple and stylish way to put additional lighting on the front of the motorcycle
- Perfectly sculpted to fill the space around the headlight and streamline the look of the fairing
- Fang-shaped LED white running lights with amber turn signals
- Polycarbonate lens with Ghost Lens™ technology disperses light for maximum impact
- Easy installation on headlight; include everything needed
- Plug-and-play into the factory wire harness
- Easily removed to service the headlight

PART #

FOR 19-25 CHIEFTAIN

2001-2918

DESCRIPTION

Chrome

2001-2919



PART #

FOR 19-25 CHIEFTAIN (CONT)

2001-2919

DESCRIPTION

Black



2001-1157

2001-1158

**J.W. SPEAKER****11.5 CM (4.5") LED FOG LIGHTS**

- Replacement for stock PAR36 fog lights
- Outperform bulb-based fog lights with superior visibility, extreme durability and unmatched longevity
- Compatible with most fog light housings
- Sold in pairs

PART #

2001-1157

DESCRIPTION

Black

PART #

2001-1158

DESCRIPTION

Chrome

**J.W. SPEAKER****11.5 CM (4.5") REFLECTOR LED FOG LIGHTS**

- Replacement for stock PAR36 fog lights
- Provide premium performance with a classic look
- Compatible with most fog light housings
- SAE compliant
- Sold in pairs




PART #

2001-1858

DESCRIPTION

Black

All part numbers in **BLUE** are new for 2026.



2001-2206



2001-2205



### PROBEAM® LED HALO FOG LIGHTS

- Utilize Cree LEDs to produce a superior beam pattern with a super-bright white LED halo
- Available in traditional clear polycarbonate lenses
- Clear lens produces a white halo and beam for optimizing light output and distance
- Easily mount to engine guards with ProBEAM® Tube clamps PART #s 2040-2345 and 2040-2346 (sold separately)
- Plug-and-play wire harness

#### PART #

**FOR 15-25 CHIEFTAIN LTD, 19-23 CHIEFTAIN ELITE, 18-20 CHIEFTAIN CLASSIC (W/ 1.25" ENGINE GUARDS), 15-25 ROADMASTER/DARK HORSE, 18 ROADMASTER CLASSIC, 20-21/24-25 ROADMASTER ELITE, 16-25 SPRINGFIELD, 18-25 SPRINGFIELD DARK HORSE, 15-19 CHIEF/CLASSIC, 15-20 CHIEF DARK HORSE/VINTAGE, 21 VINTAGE/DARK HORSE W/ 1.25" ENGINE GUARDS**

2001-2206

#### DESCRIPTION

Chrome

2001-2205

Black

- 20W, 430 effective lumens
- Short circuit and thermal overload protection
- Dimensions: 81 mm L x 60 mm D (3.2" x 2.36")
- Sold in pairs

#### PART #

**FOR 20-23 CHALLENGER/DARK HORSE/LTD**

2001-2490

#### DESCRIPTION

Chrome

2001-2489

Black



2001-1339

2001-1341

### SHOW CHROME

#### LED MINI DRIVING LIGHTS

- Die-cast body with smooth design comes in aluminum or black finish
- Visor integrated into bezel; setscrew allows visor to rotate to desired position for custom installation
- 95 mm x 60 mm (3 3/4" L x 2 3/8" dia.; 8 mm (5/16") stem
- 7W, six 12V bulbs
- Sold each

#### PART #

2001-1339

#### DESCRIPTION

Aluminum

#### PART #

2001-1341

#### DESCRIPTION

Black

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**SPOT® DF (3 IN 1)**

- Replacement 3-in-one, brake lights, taillights and turn signal
- Sensational look for the rear of the motorcycle
- EXtranz® - Extreme Optical Transparency Technology
- Kellermann HighPower LED technology
- Long Life Protection Guard®, IC operated, 330 kHz
- High-quality metal housing
- Suitable for 12VDC applications
- Dimensions: 14 mm L, 10 mm max dia., 7,8 mm glass dia.



PART #	DESCRIPTION
2020-2192	Black with clear lens

**SPOT® WL POSITION LIGHTS**

- Replacement mini rear and brake light, rear on both sides (horizontal)
- EXtranz® - Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable for 12VDC applications
- M5 x 0,5 x 6,5 fastening screw
- Dimensions: 14 mm L, 10 mm max dia., 7,8 mm glass dia.

PART #

DESCRIPTION

2001-2723 Black with clear lens

**SPOT® RB POSITION LIGHT**

- Replacement LED position light, front on both sides
- EXtranz® - Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable for 12VDC applications
- M5 x 0,5 x 6,5 fastening screw
- Dimensions: 14 mm L, 10 mm max dia., 7,8 mm glass dia.

PART #	DESCRIPTION
2010-1522	Black with clear lens
2010-1523	Black with strongly tinted lens

**SPOT® MINI INDICATOR LIGHT**

- Replacement LED mini indicator, black, front and rear on both sides
- Lightly extended in length and a strong base that fits close to bike
- EXtranz® - Extreme Optical Transparency Technology
- Kellermann HighPower LED Technology
- High-quality metal housing
- Suitable for 12VDC applications

PART #

DESCRIPTION

2020-2190 Black with clear lens

2020-2190

- With M5 x 0,5 x 6,5 fastening screw
- Dimensions: 14 mm L x 10 mm max dia. x 7,8 mm glass dia.

PART #	DESCRIPTION
2020-2191	Black with strongly tinted lens

**ATTO® LIGHTS**

- Sensationally small, spectacularly bright
- EXtranz® - Extreme Optical Transparency Technology
- Kellermann HighPower LED technology
- 330 kHz
- High-quality metal housing



PART #

DESCRIPTION

2040-2126 Indicator, clear lens, black finish

2010-1384 Indicator, clear lens, chrome finish

- Suitable for 12VDC applications
- With M5 x 0,5 x 6,6 fastening screw
- Dimensions: 14 mm L and 10 mm D, 7,8 mm glass dia.

PART #	DESCRIPTION
2040-2127	Indicator, smoke lens, black finish
2010-1361	Taillight, black housing

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**Kellermann**  
high quality products made in germany



### ATTO® DF

- Replaces existing rear and brake light and indicators
- Sensational look for the rear of the motorcycle
- EXtranz® - Extreme Optical Transparency Technology
- Kellermann HighPower LED technology

PART #  
**2040-2296**

2040-2296

DESCRIPTION  
Black



2040-2295

- Long Life Protection Guard®, IC operated
- High-quality metal housing
- Suitable for 12VDC applications
- Sold each

PART #  
**2040-2295**

DESCRIPTION  
Chrome




### ATTO® RB BRAKE LIGHTS

- Horizontally or vertically mounted
- Small but spectacularly bright
- EXtranz® - Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable for 12VDC applications
- With M5 x 0,5 x 6,5 fastening screw
- Dimensions: 14 mm L, 10 mm max diameter, 7,8 mm glass diameter

PART #  
**2010-1390<sup>2</sup>**  
**2010-1391<sup>1</sup>**  
**2010-1392<sup>2</sup>**  
**2010-1389<sup>2</sup>**

2010-1390

DESCRIPTION  
Black housing, clear lens  
Black housing, smoke lens  
Black housing, smoke lens  
Chrome housing, clear lens



2010-1387

2010-1386

2010-1385

2010-1385

### ATTO® WL BRAKE LIGHTS

- Horizontal mounting
- Small, but spectacularly bright
- EXtranz® - Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable for 12VDC applications
- M5 x 0,5 x 6,5 fastening screw
- Dimensions: 14 mm L (0,55"), max diameter of 10 mm (0,39"), glass diameter of 7,8 mm (0,31")

PART #  
**2010-1386**  
**2010-1387**  
**2010-1385**

DESCRIPTION  
Black housing, clear lens  
Black housing, smoke lens  
Chrome housing, clear lens



### ATTO® DF INTEGRAL

- Designed for a seamless and clean appearance
- EXtranz® - Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable 12VDC applications
- Comes with M5 x 0,5 x 6,5 fastening screw

PART #  
**2010-1423**

DESCRIPTION  
Atto® DF Integral



### ATTO® RB INTEGRAL

- Designed so the rear of the bike can have a seamless and clean appearance
- EXtranz® - Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable for 12VDC applications
- Can be mounted in pairs or as a single light

PART #  
**2010-1425**

DESCRIPTION  
Dark



PART #  
**2010-1424**

DESCRIPTION  
Standard



2010-1426

2040-2297

2040-2692

### ATTO® INTEGRAL

- Designed for a seamless and clean appearance
- High-quality metal housing
- EXtranz® - Extreme Optical Transparency Technology
- Suitable for 12VDC applications

PART #  
**2010-1422**  
**2010-1426**



### ATTO® MOUNTING PLATES/ACCESSORIES

- Designed specifically for mounting Atto® indicators

PART #  
**MOUNTING PLATES**  
**2040-2692**  
**2040-2297**  
**2040-2298**

DESCRIPTION

Black; 174 mm  
Chrome; 174 mm  
Chrome; 204 mm

PART #  
**ACCESSORIES**  
**2040-2304**  
**2040-2302**  
**2040-2303**  
**2040-2301**

DESCRIPTION

15 mm extension kit  
M8 x 40 mm screw  
M8 x 20 mm screw  
M10 x 20 mm screw

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



2020-1080

2020-1079

**BULLET 1000® W/ SPECIAL FLASHING EFFECT**

- High light output
- Special flashing effect
- Works with 12V applications
- Available in gloss chrome or black

**DESCRIPTION****PART #**

2020-1080

Black

**PART #**

2020-1079

Gloss chrome

**BULLET 1000® DARK**

- Unique and homogeneous light ring with a tinted glass
- HPT® - Homogenous Projection Technology
- Kellermann HighPower LED technology
- Long life Protection Guard®, IC operated, 330kHz
- High-quality metal housing
- Suitable for 12VDC applications
- With M8 x 20 fastening screw

**DESCRIPTION****PART #**

2020-1680

Bullet 1000® Dark

**BULLET 1000® PL**

- Increased safety due to improved visibility
- Replaces the existing position light as well as the indicator
- Special flashing effect
- Unique and homogeneous light ring
- Extreme light power
- HPT®- Homogenous Projection Technology
- Kellermann HighPower LED Technology

**DESCRIPTION****PART #**

2020-1402

Black

**DESCRIPTION****PART #**

2020-1401

Chrome

**BULLET 1000® INDICATOR POSITION LIGHTS**

- Modern technology LED indicator with position light, front on both sides, featuring a classic bullet style and Kellermann's elegant design
- The Bullet 1000® PL is an indicator with an integrated position light forming a continuous white light ring
- Together with the main light they boost the safety features of the bike

**DESCRIPTION****PART #**

2020-1077

Black

- Enhances bike safety when combined with the main light

- Works with 12V applications

**DESCRIPTION****PART #**

2020-1076

Gloss chrome

**BULLET 1000® DF BRAKE/REAR LIGHTS**

- Replace existing brake and indicator lights
- High light output
- Work with 12V applications
- Available in gloss chrome and black
- ECE approved

**DESCRIPTION****PART #**

2020-1074

Black

**DESCRIPTION****PART #**

2020-1073

Gloss chrome

**BULLET SERIES REPLACEMENT PARTS****DESCRIPTION****PART #**

2040-1850

Rigid mounting M8 x 40, black

**PART #**

2040-1849

Rigid mounting M8 x 40, chrome

All part numbers in **BLUE** are new for 2026.


**JETSTREAM TURN SIGNALS**


- "IC"-chip technology
- 32MHz real time microprocessor controlled
- Kellermann HighPower LED technology
- Silent-Current, advanced Power Saving algorithm
- High measure of visibility across a wide-angle range

PART #	DESCRIPTION
<b>2040-2905</b>	Jetstream DF 3-in-1 rear turn signal/ rear light/break light (amber/red)



- Suitable for 12VDC
- Flow-optimized metal housing, high-quality manufacturing
- M8 x 20 mm thread
- Sold each

PART #	DESCRIPTION
<b>2040-2906</b>	Jetstream front/rear turn signal (amber)


**2040-1338**

**2040-1662**

- Designed for bikes with 12V electrical systems
- High-quality metal casing, available in black or chrome
- Sold each

**BL 2000 TURN SIGNALS**

- This spectacularly bright ring-shaped indicator provides an elegant complement to your handlebars
- Features Kellermann HighPower LED technology with Long Life Protection Guard®, IC controlled, set at 330 kHz

PART #	DESCRIPTION
<b>2040-1338</b>	Black

PART #	DESCRIPTION
<b>2040-1662</b>	Chrome


**2040-0739**

**2040-0738**
**BL 1000 LED HANDLEBAR END INDICATORS**

- Feature 330 kHz IC-operated Long Life Protection Guard® system, modern high power LEDs and innovative clear glass design
- Housing shape creates a clean line at the bar end
- Also dampens the vibrations of the handlebar
- Includes all necessary adapters for mounting onto most handlebar models
- Suitable for 12V applications
- Sold each

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>2040-0739</b>	Black	<b>2040-0738</b>	Chrome


**BL 1000 DARK HANDLEBAR END INDICATOR**

- Indicator is hidden behind strongly tinted glass when not in use
- Housing shape creates a clean line at the bar end
- High-performance LED technology with 330 kHz IC-operated Long Life Protection Guard® system
- Also dampens the vibrations of the handlebar
- Includes all necessary adapters for mounting onto most handlebar models
- Suitable for 12V applications
- Available in black
- Sold each

PART #	DESCRIPTION
<b>2040-0741</b>	Black


**BL 1000 HANDLEBAR END INDICATOR**

- Combine the function of an indicator with that of handlebar vibration damping
- Proven technology, classical elegance and xenon-blue reflective look
- 21W halogen lamp
- High-quality metal housing
- Suitable for 12V applications

- Available with an amber lens in brass for heavy handlebar damping or aluminum for lighter damping
- Sold each

PART #	DESCRIPTION
<b>2040-0772</b>	Aluminum, black

All part numbers in **BLUE** are new for 2026.

2040-0746



2040-0750



2040-0748



2030-1378



2030-1379

PART # DESCRIPTION

BL 1000/BL 1000 WHITE/BL 1000 SG/BL 1000 LED/  
BL 1000 PL/BL 1000 DARK (CONT)

2040-0750 Multi-function piece (without mounting rubber + nut)

2030-1378 M8 x 20 screw (black)

2030-1379 M8 x 20 screw (chrome)

## BL 1000 SERIES REPLACEMENT PARTS

PART # DESCRIPTION

BL 1000/BL 1000 WHITE/BL 1000 SG/BL 1000 LED/  
BL 1000 PL/BL 1000 DARK

2040-0746 BL 1000 F glass (amber) only for BL 1000

2040-0756 BL 1000 cable with earth contact BL 1000/BL 1000 white

2040-0748 Halogen lamp 12V/H21W BL 1000/1000 white/1000 white SG



## MICRO 1000 DF DARK (3 IN 1)

- Replaces the existing brake lights, taillights and turn signals
- Sensational rear optics
- High-power LED technology with 330 kHz IC-operated Long Life Protection Guard® system
- Compact, high-quality metal housing for reduced weight
- Suitable for 12V applications
- M8 x 20 thread with flexible mounting and tinted glass
- Suitable for all motorcycle models
- Sold each

PART #

2020-0552

DESCRIPTION

Black



## MICRO 1000 DARK INDICATOR

- Strong glass tint with high-power LED technology and 330 kHz IC-operated Long Life Protection Guard® system
- Indicator is hidden behind the tinted glass when not in use
- Compact, high-quality metal housing for reduced weight
- Suitable for 12V applications
- Replaceable flexible rubber adapter protects the indicator from vibration damage and vandalism
- M8 x 20 thread with flexible mounting and clear glass
- Suitable for all motorcycle models
- Sold each

PART #

2040-0679

DESCRIPTION

Black



## MICRO S DARK

- Strongly tinted glass but spectacularly bright
- EXtranz® - Extreme Optical Transparency Technology
- High-quality metal housing
- Suitable for 12VDC applications
- With M5 x 0,5 x 6,5 mm thread

PART #

2040-2436

DESCRIPTION

Micro S dark

## MICRO S DF DARK

- Replaces existing rear brake lights and indicators
- Sensational new look for the rear of the motorcycle
- EXtranz® - Extreme Optical Transparency Technology
- Kellermann HighPower LED technology
- Long Life Protection Guard®, IC operated, 330 kHz
- High-quality metal housing
- Suitable for 12VDC applications
- With M5 x 0,5 x 6,5 fastening screw
- Sold each

PART #

2040-2274

DESCRIPTION

Micro S DF dark

All part numbers in **BLUE** are new for 2026.



2020-1684



2020-1686



2020-0558



2020-1679



2020-0559

**RHOMBUS S**

- Extranz® - Extreme optical transparency technology
- Kellermann HighPower LED technology
- Long Life Protection Guard®, IC operated, 330 kHz
- High-quality metal housing
- Suitable for 12VDC applications
- With M5 x 0,5 x 6,5 mm fastening screw
- Sold each

DESCRIPTION	LEFT	RIGHT
Dark	2020-1684	2020-1685
DF dark	2020-1687 <sup>1</sup>	2020-1686 <sup>1</sup>
Extreme	2020-1679	2020-1683

<sup>1</sup> Rear light only.



2040-0695



2040-0696

**MICRO RHOMBUS DARK INDICATORS**

- Indicators are hidden behind strongly tinted glass when not in use
- High-power LED technology with 330 kHz IC-operated Long Life Protection Guard® system
- High-quality metal housing
- Suitable for 12V applications
- Replaceable flexible rubber adapter protects the indicator from vibration damage and vandalism
- Sold each

PART #	DESCRIPTION
2040-0695	Black; left front or right rear
2040-0696	Black; right front or left rear



2040-0726



2040-1092



2040-0725



2040-0730



2040-2319



2040-0719

**MICRO SERIES REPLACEMENT PARTS**

PART #	DESCRIPTION
2040-0726	20 mm flexible rubber adapter
2040-1092	30 mm silent rubber extension
2040-0725	40 mm flexible rubber adapter
2040-0730	Indicator glass Micro 1000 Evo
2040-0733	Posi-lock cable connector, 9 per set

PART #	DESCRIPTION
2040-0734	Posi-lock cable connector, 5 per set
2040-2319	Mini Posi-lock cable connector, 5 per set
2040-0719	Rigid mounting M8 x 20, chrome
2040-0720	Rigid mounting M8 x 20, black

**REPLACEMENT PART FOR MICRO S/RHOMBUS S/ATTO®**

PART #	DESCRIPTION
2040-2466	M6 variable mounting adapter



All part numbers in **BLUE** are new for 2026.

**mo.BLAZE DISC TURN SIGNALS**

- Transparent light-emitting discs with TranzLight-Technology® that give handlebars a harmonious finish
- Features Motogadget's high-power LED technology (IntensiLED®)
- Made of scratch-resistant plastic with compact aluminum base
- Dark signals feature a tinted lens with black anodized housings for a seamless look

PART #	DESCRIPTION	PART #	DESCRIPTION
2040-3169	Black anodized, left	2040-32891	Dark, left
2040-3170	Black anodized, right	2040-32901	Dark, right



2040-3169

2040-3172

- ECE approved
- Contains TEILEGUTACHTEN / German Parts Certificate (where noted)
- Sold each

PART #	DESCRIPTION
2040-3171	Polished, left
2040-3172	Polished, right

<sup>1</sup> Contains TEILEGUTACHTEN / German Parts Certificate.**mo.BLAZE tens4 2-IN-1 LED FRONT TURN SIGNALS**

- CNC-machined aluminum housing
- Smallest front position light in the world
- High-power LED bulbs use Motogadget's IntensiLED® technologies plus an additional lateral beam angle provides precise illumination and intense visibility
- Two push-lock cable connectors
- M8 mounting thread; no mounting adaptor or special heat sink nut necessary
- Includes installation instructions
- Fit left and right side
- ECE approved
- Sold each

PART #	DESCRIPTION
2040-2772	mo.blaze tens5 LED front position light



2040-2770

2040-2771

**mo.BLAZE tens4 2-IN-1 LED FRONT TURN SIGNALS**

- CNC-machined aluminum housing
- Smallest turn signal with position light in the world
- High-power LED bulbs use Motogadget's IntensiLED® technologies plus an additional lateral beam angle provides precise illumination and intense visibility
- Three push-lock cable connectors
- M8 mounting thread; no mounting adaptor or special heat sink nut necessary
- Includes installation instructions
- Fit left and right side
- ECE approved
- Sold each

PART #	DESCRIPTION	PART #	DESCRIPTION
2040-2770	Black anodized	2040-2771	Polished

**mo.BLAZE tens3 3-IN-1 LED REAR TURN SIGNALS**

- CNC-machined aluminum housing
- The smallest 3-in-1 rear turn signal in the world operates as a turn signal, rear light and brake light in one light element
- High-power LED bulbs use Motogadget's IntensiLED® technologies plus an additional lateral beam angle provides precise illumination and intense visibility
- Four push-lock cable connectors
- M8 mounting thread; no mounting adaptor or special heat sink nut necessary
- Includes installation instructions
- Fit left and right side
- ECE approved
- Sold each

PART #	DESCRIPTION	PART #	DESCRIPTION
2040-2768	Black anodized	2040-2769	Polished



2040-2768

2040-2769

**mo.BLAZE tens1 LED FRONT/REAR TURN SIGNALS**

- CNC-machined aluminum housing
- Smallest front/rear turn signal in the world
- High-power LED bulbs use Motogadget's IntensiLED® technologies plus an additional lateral beam angle provides precise illumination and intense visibility
- Two push-lock cable connectors
- M8 mounting thread; no mounting adaptor or special heat sink nut necessary
- Includes installation instructions

PART #	DESCRIPTION
2040-2764	Black anodized

**mo.BLAZE tens2 LED REAR TAILLIGHTS/BRAKE LIGHTS**

- CNC-machined aluminum housing
- Smallest taillight/brake light in the world
- High-power LED bulbs use Motogadget's IntensiLED® technologies plus an additional lateral beam angle provides precise illumination and intense visibility
- Three push-lock cable connectors
- M8 mounting thread; no mounting adapter or special heat sink nut necessary
- Includes installation instructions
- Fit left and right side
- ECE approved
- Sold each

PART #	DESCRIPTION	PART #	DESCRIPTION
2040-2766	Black anodized	2040-2767	Polished



2040-2764

2040-2765

- Fit left and right sides
- ECE approved
- Sold each

PART #	DESCRIPTION
2040-2765	Polished

All part numbers in **BLUE** are new for 2026.



### PROBEAM® REAR BULLET RINGZ™

- Direct OEM turn signal replacement
- 8 red LEDs embedded into an outer aluminum bezel with an inner cluster
- Available in a red or smoke lens
- Installs with simple two-wire hookup
- Posi Lock® connectors provided for in-line connections to replace OEM turn signal lens and bulb
- Operates as turn signal only
- Available in chrome or gloss black finishes



2020-1888




2020-1885


NOTE: Smart Triple Play® PART #2050-0319 required for run/brake/turn signal function (sold separately; see page 109).

FOR 15-18 CHIEFTAIN/DARK HORSE, 18-20 CHIEFTAIN CLASSIC, 15-25 ROADMASTER, 18 ROADMASTER CLASSIC, 20-21/25 ROADMASTER ELITE, 16-25 SPRINGFIELD, 18-19 SPRINGFIELD DARK HORSE, 15-19 CHIEF/CLASSIC/DARK HORSE, 15-20 CHIEF VINTAGE, 21 VINTAGE

PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1887	Chrome bezel, red lens	2020-1885	Gloss black bezel, red lens
2020-1888	Chrome bezel, smoke lens	2020-1886	Gloss black bezel, smoke lens



2020-1911



2020-1910

### PROBEAM® UNIVERSAL DYNAMIC RINGZ™ FRONT LED TURN SIGNALS

- Outer ring of 24 white ProBEAM® LEDs showcase a smooth white halo that functions as a running light
- 12 center amber LEDs function as the turn signal
- When turn signal is activated, the white LEDs turn completely off for the entire turn signal cycle
- Aluminum bullet housing dimension: 79 mm L x 57 mm D (3,125" x 2,25") with  $5/16$ " - 18 mounting stud

- Include smoked lenses
- Sold in pairs
- Load equalizer may be required

FOR 19-24 SCOUT, 16-24 SCOUT SIXTY, 18-24 SCOUT BOBBER, 20-24 SCOUT BOBBER SIXTY/BOBBER TWENTY, 22-24 SCOUT ROGUE/ROGUE SIXTY (REPL. OEM #2412602)

PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1911	Chrome	2020-1910	Gloss black



### PROBEAM® DYNAMIC RINGZ™ FRONT TURN SIGNAL INSERTS WITH SMOKED LENSES

- Maximize performance with a unique reflector technology and automotive-grade LEDs composed into a sealed unit for superior reliability
- Turn signals produce an even brighter light output with wider viewing angle
- Outer ring of 24 white LEDs showcase a smooth white halo that functions as the running light while 12 center amber LEDs function as the turn signal

FOR 19-25 CHIEFTAIN/CHIEFTAIN LTD./CHIEFTAIN DARK HORSE/ROADMASTER DARK HORSE, 19-24 CHIEFTAIN ELITE, 21-25 ROADMASTER LTD., 24 ROADMASTER ELITE, 15-25 SPRINGFIELD/DARK HORSE, 15-20 CHIEF/CLASSIC/DARK HORSE/VINTAGE, 21 VINTAGE/DARK HORSE

PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1795	Chrome	2020-1794	Black

All part numbers in **BLUE** are new for 2026.



2020-1742

2020-1741

**PROBEAM® FRONT LED TURN SIGNALS**

- Outer ring of 24 white ProBeam® LEDs showcase a smooth white halo that functions as a running light
- 12 center amber LEDs function as the turn signal
- When a turn signal is activated, the white LEDs turn completely off for the entire turn signal cycle

FOR 15-24 SPRINGFIELD/DARK HORSE, 15-20 CHIEF/CLASSIC/DARK HORSE/VINTAGE, 21 VINTAGE/DARK HORSE

PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1742	Chrome	2020-1741	Gloss black

ENGINE

**PROBEAM® FRONT/REAR LED TURN SIGNALS**

- 24 amber single-intensity turn, automotive-grade LEDs per unit
- Aluminum bullet housing dimensions: 76 mm L x 61 mm D x (3" x 2,4")
- Available in gloss black or chrome finishes
- Sold in pairs



2020-1744

2020-1743



FRONT SIGNAL REPLACEMENT: FOR 15-25 SPRINGFIELD/DARK HORSE, 15-20 CHIEF/CLASSIC/DARK HORSE/VINTAGE, 21 VINTAGE/DARK HORSE

REAR SIGNAL REPLACEMENT: FOR 15-18 CHIEFTAIN/DARK HORSE, 18-20 CHIEFTAIN CLASSIC, 15-25 ROADMASTER, 18 ROADMASTER CLASSIC, 20-21/25 ROADMASTER ELITE, 16-25 SPRINGFIELD, 18-19 SPRINGFIELD DARK HORSE, 15-19 CHIEF/CLASSIC/DARK HORSE, 15-20 CHIEF VINTAGE, 21 VINTAGE

PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1744	Chrome	2020-1743	Gloss black

LIGHTING &amp; LICENSE PLATES



2020-1746



2020-1745

**PROBEAM® REAR LED TURN SIGNALS**

- 24 red single-intensity turn, automotive-grade LEDs per unit
- Aluminum bullet housing dimensions: 76 mm L x 61 mm D x (3" x 2,4")
- 100% plug-and-play front turn signals
- Sold in pairs

FOR 15-18 CHIEFTAIN/DARK HORSE, 18-20 CHIEFTAIN CLASSIC, 15-25 ROADMASTER, 18 ROADMASTER CLASSIC, 20-21/25 ROADMASTER ELITE, 16-25 SPRINGFIELD, 18-19 SPRINGFIELD DARK HORSE, 15-19 CHIEF/CLASSIC/DARK HORSE, 15-20 CHIEF VINTAGE, 21 VINTAGE

PART #	DESCRIPTION	PART #	DESCRIPTION
2020-1746	Chrome	2020-1745	Gloss black

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS

SADDLEBAGS &amp; LUGGAGE

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

EXHAUST

FUEL/AIR SYSTEMS

SEATS &amp; SISSEY BARS



## OLD SCHOOL TURN SIGNALS AND 3-IN-1 INDICATORS

- High-quality power LEDs are installed in the black aluminum housing and all turn signals are supplied with E-mark
- Available as turn signals only or as 3-in-1 (rear light, brake light and turn signals)
- Measure 45 mm (1,75") x approximately 70 mm (2,75") with M10 x 1,5 mm threaded bolt
- Sold in pairs

### PART #

**2020-2048**

**2020-2049**



**2020-2048**



**2020-2049**

NOTE: We recommend using the offered mini resistor  
PART #2050-0467 (sold separately) so that the display  
and the flashing frequency work properly.

### DESCRIPTION

For 18-25 Scout Bobber/Bobber Sixty/Bobber Twenty

For 15-25 Scout/Scout Sixty/Scout Twenty/Scout Rogue; 3-in-1 indicators



**2020-2020**



**DAYTONA**



### D-LIGHTS

- Modern LED technology
- Easy mount with M8 thread
- Integrated vibration damping
- Encased in metal housing

### PART #

**2020-2183**

### DESCRIPTION

LED turn signal (2 pc.)

**2020-2331**

Orange lens

**2020-2020**

Ray LED sequential turn signal

**2020-2332**

Smoke lens

**2020-2024**

Sol turn signal, smoke lens

**DAYTONA**



**2020-2332**



**2020-2023**



**2020-2026**

PART #	DESCRIPTION
<b>2020-2023</b>	Sol-W turn signal, orange lens
<b>2020-2025</b>	Sol-W turn signal, tailight, orange lens (2 pc.)
<b>2020-2026</b>	Sol-W turn signal, tailight, smoke lens (2 pc.)
<b>2020-2021</b>	Stellaris LED sequential turn signal (2 pc.)



**2020-2027**

## FORK CLAMP SETS

- For indicator mounting
- Constructed of aluminum
- Sold in two-piece set
- Inside groove for hidden wiring

### PART #

**2020-2027**

### DESCRIPTION

For 35 mm (approx. 1,37") forks

**2020-2028**

For 39 mm (approx. 1,53") forks

**2020-2029**

For 41 mm (approx. 1,61") forks

**2020-2030**

For 43 mm (approx. 1,69") forks

**2020-2051**

For 47 mm (approx. 1,87") forks

### PART #

**2020-2032**

### DESCRIPTION

For 48 mm (approx. 1,88") forks

**2020-2033**

For 49 mm (approx. 1,92") forks

**2020-2034**

For 53 mm (approx. 2,08") forks

**2020-2035**

For 57 mm (approx. 2,24") forks

**2020-2056**

For 59 mm (approx. 2,32") forks



**DAYTONA**

## ADAPTER COLLARS M10

- Metal adapter collar for fitting different lights to your vehicle
- Silver finish
- Left or right mounting position
- Sold in pairs

### PART #

**0504-0367**

### DESCRIPTION

Adapter collars M10



## REAR RED LED TURN SIGNALS

- Plug-n-play
- For use with Badlands Illuminator module  
PART #2050-0260; sold separately
- Sold in pairs

### PART #

**2020-1279**

### DESCRIPTION

For 14-24 Indian (except Scout/Challenger and FTR1200)



## PROBEAM® TURN SIGNAL LENSES

- Replaces OEM front and rear turn signal lenses
- Include gasket to prevent moisture

### PART #

**FOR 15-24 SCOUT/SCOUT SIXTY (EXCEPT SCOUT BOBBER/ROGUE)**



**2020-1916**

### DESCRIPTION

Amber lens

**2020-1917**

Red lens



- Use stock mounting screws
- Sold in pairs


### PART #

**FOR 15-24 SCOUT/SCOUT SIXTY (EXCEPT SCOUT BOBBER/ROGUE) (CONT)**

**2020-1918**

### DESCRIPTION

Smoke lens



All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### RYDECULTURE™ BRYANT M1 SADDLEBAG LIGHTS

- Distinguish your motorcycle from the pack in a subtle and classy manner
- Red run and brake lights along with amber or red turn signals
- Plug-and-play
- No drilling required; easy to install with just adhesive

FOR 21-23 CHALLENGER/LIMITED/DARK HORSE, 22-23 CHALLENGER ELITE/DARK HORSE ICON, 23 PURSUIT ELITE/LIMITED W/ PREMIUM PACKAGE ICON, 22-23 PURSUIT DARK HORSE/LIMITED W/ OR W/O PREMIUM PACKAGE, 21-24 ROADMASTER LIMITED/DARK HORSE, 22-23 CHIEFTAIN DARK HORSE ICON, 21-23 CHIEFTAIN ELITE/DARK HORSE, 21-23 SPRINGFIELD DARK HORSE

PART #	DESCRIPTION	PART #	DESCRIPTION
2040-3137	Light smoke lens, amber turn signal	2040-3138	Red lens, amber turn signal
2040-3251	Light smoke lens, red turn signal	2040-3252	Red lens, red turn signal



2050-0499

### MACHETE™ BAG LED LIGHT

- Function and style in one stealthy package
- Smoked, shatterproof, polycarbonate lens with built-in optics
- Low-profile housing maintains plenty of ground clearance while cornering
- Red run, turn and brake LED lights; 40 LEDs in each light
- Requires plug-and-play lighting controller or wiring adapter to work (sold separately; see note)

PART #	DESCRIPTION
2040-3136	For 21-23 Challenger/Limited/Dark Horse, 22-23 Challenger Elite/Dark Horse Icon, 23 Pursuit Elite, 22-23 Chieftain Dark Horse Icon, 20-23 Chieftain Elite/Dark Horse, 22-23 Roadmaster Limited/Dark Horse w/ or w/o Premium Icon Package, 20-23 Springfield Dark Horse
2120-1244	Wiring adapter
2050-0499	Lighting controller



2040-3399



### SPAR SIDE LIGHTS

- Designed specifically for Indian Touring trunks
- Distinctive curved stake shape
- Red run, turn and brake functions
- Multi-layered GHOST™ Lens Technology delivers unparalleled brightness with a wide dispersion of light to enhance visibility
- Available in chrome or black finishes with light smoke or red polycarbonate lenses
- Installs with pre-applied 3M VHB adhesive

- Plug-and-play installation harness PART #2120-1244 and Ciro® Lighting Controller PART #2050-0499 sold separately

FOR 18-24 ROADMASTER/PURSUIT, 18-24 TOURING MODELS W/ FACTORY TOURING TRUNK ACCESSORY OEM #2884046-XXX

PART #	DESCRIPTION	PART #	DESCRIPTION
2040-3396	Chrome w/ light smoke lens	2040-3397	Black w/ light smoke lens
2040-3398	Chrome w/ red lens	2040-3399	Black w/ red lens

All part numbers in **BLUE** are new for 2026.



2040-3201



2040-3202

### DUAL-INTENSITY LOW-PROFILE SADDLEBAG LIGHTS

- 48 dual-intensity red LEDs are encased behind a red or smoke lens
- Mounts with tape
- In-line quick disconnect
- Include decorative chrome trim; gloss black trim PART #3501-1861 sold separately (see below)

- Smart Triple Play® PART #2050-0319 required for run/brake/turn function, sold separately (see page 109)
- Plug-and-play technology

FOR 15-18 CHIEFTAIN/DARK HORSE, 18-20 CHIEFTAIN CLASSIC, 18 CHIEFTAIN LTD., 15-25 ROADMASTER, 18-21/25 ROADMASTER ELITE, 16-25 SPRINGFIELD, 18-19 SPRINGFIELD DARK HORSE

PART #	DESCRIPTION	PART #	DESCRIPTION
2040-3201	Red lens	2040-3202	Smoke lens



2040-2726



2040-2693



2040-2694

### LOW-PROFILE BAGZ™

- Sleek low-profile design
- Mount to the top edge on OEM saddlebags
- Utilize super-bright LEDs behind a red or smoked lens
- Include run/brake functionality (except international fitments)
- In-line disconnect for quick removal of saddlebags

- Come pre-taped and include a plug-and-play wiring adapter for easy installation
- Units are completely sealed
- Sold in pairs

PART #	DESCRIPTION	PART #	DESCRIPTION
FOR 20-25 CHALLENGER/DARK HORSE/LIMITED (108 MODELS), 20-24 CHALLENGER ELITE, 22-25 PURSUIT DARK HORSE/LIMITED (108 MODELS), 25 CHIEFTAIN POWERPLUS 108/CHIEFTAIN POWERPLUS DARK HORSE 108/CHIEFTAIN POWERPLUS LIMITED 108/ROADMASTER POWERPLUS DARK HORSE 108/ROADMASTER POWERPLUS LIMITED 108 (EXCEPT 25 POWERPLUS 112 MODELS AND INTERNATIONAL MODELS)		FOR 19-25 CHIEFTAIN/CHIEFTAIN DARK HORSE/CHIEFTAIN LIMITED/ROADMASTER DARK HORSE, 19-23 CHIEFTAIN ELITE, 21-25 ROADMASTER LIMITED, 24 ROADMASTER ELITE, 20-25 SPRINGFIELD DARK HORSE (EXCEPT INTERNATIONAL MODELS)	
2040-2695	Red lens	2040-2693	Red lens
2040-2696	Smoke lens	2040-2694	Smoke lens
FOR 20-25 CHALLENGER/DARK HORSE/LIMITED (108 MODELS), 20-24 CHALLENGER ELITE, 22-25 PURSUIT DARK HORSE/LIMITED (108 MODELS), 25 CHIEFTAIN POWERPLUS 108/CHIEFTAIN POWERPLUS DARK HORSE 108/CHIEFTAIN POWERPLUS LIMITED 108/ROADMASTER POWERPLUS DARK HORSE 108/ROADMASTER POWERPLUS LIMITED 108 (INTERNATIONAL MODELS ONLY)			
2040-2726	Red lens		
2040-2727	Smoke lens		



### GLOSS BLACK SADDLEBAG TRIM

- Upgrade the chrome decorative trim included with Custom Dynamics® Saddlebag Lights PART #s 2040-2843, 2040-2844 to gloss black (sold separately)
- Units are pre-taped for mounting and measure 26.3 cm (10 3/8")
- Sold in pairs

PART #	DESCRIPTION
3501-1861	For 15-18 Chieftain/Dark Horse, 18-20 Chieftain Classic, 18 Chieftain LTD, 15-25 Roadmaster, 18-21/25 Roadmaster Elite, 16-25 Springfield, 18-19 Springfield Dark Horse

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS




### BADLANDS ILLUMINATOR MODULE

- Designed to add running light, brake light and turn signal functions to each rear turn signal
- Features a built-in load equalizer that is perfect for switching out factory turn signals to LED versions
- Plug-n-play design for easy installation
- Includes new wiring harness for rear fender

PART #	DESCRIPTION
2050-0260	For all 14-20 Indian (except Scout)



PART #	DESCRIPTION
2050-0290	For all 15-23 Scout



### PLUG-N-PLAY ILLUMINATOR

- Provides running light function to front turn signals
- Built-in load equalizer prevents turn signals from flashing rapidly

PART #	DESCRIPTION
2050-0291	For 14-17 Indian (except Scout)



### PLUG-N-PLAY ILLUMINATOR

- Provides running light, brake light and turn signal functions to new rear turn signals
- Built-in load equalizer to prevent rapid flashing
- Includes new wiring harness for rear fender

PART #	DESCRIPTION
2050-0290	For 15-23 Scout



## KURYAKYN

### REAR SIGNAL SPLITTER MODULES

- Easily install any Kuryakyn by Kellermann or other custom LED turn signals
- Available in two versions to accommodate any custom turn signal application
- Modules are plug-and-play into stock wiring harness and stock taillight remains in place
- Custom turn signals need to be hardwired to pigtail that can then be plugged into the module outputs
- 3-wire: (run power, brake and turn power, and ground) allows replacement of stock amber turn signals with red custom turn signals for additional run and brake and turn lighting to the rear of the bike

PART #	DESCRIPTION
2050-0373	FOR 15-25 SCOUT (EXCEPT BOBBER, BOBBER SIXTY AND BOBBER TWENTY) 3-wire

- 4-wire: (run power, brake power, turn power and ground) allows removal of stock amber turn signals to replace with custom turn signals that provide additional red run, red brake, as well as amber (or red) turn lighting to the rear of the bike
- Sold each

PART #	DESCRIPTION
2050-0374	FOR 15-25 SCOUT (EXCEPT BOBBER, BOBBER SIXTY AND BOBBER TWENTY) (CONT) 4-wire



## KURYAKYN

### PASSING LAMP ADAPTER HARNESS

- Offer easy plug-and-play installation of Kuryakyn Orbit and Phase 7 LED passing lamps
- Eliminate the hassle of cutting and splicing the stock wiring harness
- Sold in pairs

PART #	DESCRIPTION
2120-0935	For 14-25 Chieftain and Roadmaster w/ OEM passing lamps

All part numbers in **BLUE** are new for 2026.



### SMART TRIPLE PLAY®

- Converts rear turn signals to run-brake-turn
- Works with LEDs or incandescent bulbs
- Ten user-selectable, built-in brake light strobe/flash patterns (user can also select no strobe/flash on brake)
- Ten user-selectable running light intensities allow user to match the running light brightness of turns to center taillight
- Ability to apply brake strobe/flash patterns on center taillight only, rear turns only, or rear turns and center taillight
- Built-in short circuit protection
- Sealed, weathertight case
- Slimline design: 10,6 cm L x 35,56 mm W x 15 mm H (4,2" x 1,4" x 0,6")



#### PART # DESCRIPTION

<b>2050-0319</b>	For 15-18 Chieftain/Dark Horse, 18-20 Chieftain Classic, 15-25 Roadmaster, 18 Roadmaster Classic, 20-21/25 Roadmaster Elite, 16-25 Springfield, 18-19 Springfield Dark Horse, 15-19 Chief/Classic/Dark Horse, 15-20 Chief Vintage, 21 Vintage
<b>2050-0408</b>	For 15-24 Scout/Scout Sixty (except Scout Bobber/Rogue)

### LOAD ISOLATOR MODULES

- Total isolation of all lighting and electrical accessories from vehicle
- Short circuit protection of all outputs without any relays or other mechanical devices
- Plug-and-play
- 30A max total capacity
- Left turn, right turn, brake, battery, accessory power inputs
- Ground to isolated outputs
- DLI will feed both brake and turn signal power on the output ports with LTOU and RTOU labels, if the motorcycle carries brake and turn function on the same circuit
- Isolated integrated output: turn/brake output



#### PART # DESCRIPTION

<b>2050-0447</b>	For 25 Chieftain PowerPlus 108/Chieftain PowerPlus Dark Horse 108/Chieftain PowerPlus Limited 108/Roadmaster PowerPlus Dark Horse 108/Roadmaster PowerPlus Limited 108, 20-25 Challenger/Dark Horse/Limited, 20-24 Challenger Elite, 22-25 Pursuit Dark Horse/Limited, 22-23 Chief/Bobber/Bobber Dark Horse/Dark Horse/Super Chief/Super Chief Limited, 23-24 Sport Chief (except 25 PowerPlus 112 models)
<b>2050-0296</b>	For 15-25 Chieftain/Dark Horse, 18-20 Chieftain Classic, 19-25 Chieftain Limited, 19-23 Chieftain Elite, 15-25 Roadmaster/Dark Horse, 18 Roadmaster Classic, 20-21/24-25 Roadmaster Elite, 16-25 Springfield, 18-25 Springfield Dark Horse, 15-19 Chief/Classic, 15-20 Chief Dark Horse/Vintage, 21 Vintage/Dark Horse

### MAGIC STROBES™ BRAKE LIGHT FLASHERS

- 10 user-selectable flash/strobe patterns
- Over-current/thermal/short circuit/reverse wiring protection
- Plug-and-play
- Sealed weather-tight case
- Dimensions: 57,2 mm L x 31,8 mm W x 12,7 mm H (2,25" x 1,25" x 0,5")



#### PART # DESCRIPTION

<b>2050-0453</b>	For 20-25 Challenger/Dark Horse/LTD, 20-24 Challenger Elite, 22-25 Pursuit Dark Horse/LTD, 25 Chieftain PowerPlus 108/Chieftain PowerPlus LTD 108/Chieftain PowerPlus Dark Horse 108/Roadmaster PowerPlus Dark Horse 108/Roadmaster PowerPlus LTD 108, 22-24 Chief/Dark Horse/Bobber Bobber Dark Horse/Super Chief/Super Chief LTD, 23-24 Sport Chief (North America models only, except 25 PowerPlus 112 models)
<b>2050-0324<sup>1</sup></b>	For 22-25 Pursuit LTD/Dark Horse (except 25 PowerPlus 112 models), 15-25 Roadmaster/LTD/Dark Horse/Elite
<b>2050-0454</b>	For 19-25 Chieftain/Chieftain Limited/Chieftain Dark Horse/Roadmaster Dark Horse, 19-23 Chieftain Elite, 21-25 Roadmaster Limited, 24 Roadmaster Elite, 20-25 Springfield Dark Horse, 20 Chief Dark Horse, 21 Vintage (U.S., Canada and Mexico models only, does not fit international models)
<b>2050-0322</b>	For 15-24 Scout/Scout Sixty (except Scout Bobber/Rogue)

<sup>1</sup> 108 models only (trunk lights).

### WIRING ADAPTER

- Pass through wire harness is equipped with Delphi 6-position connectors that mate to the Indian main wire harness under the seat
- Pass through, color-coded wires have Posi-Tap quick connectors providing easy connections of the motorcycle's brake, running and turn signal wires
- Allows for quick and simple installation of low-current, aftermarket lighting accessories
- Lighting accessories are powered through OEM wiring

NOTE: To prevent overload and Vehicle Control Module (VCM) codes, ensure your chosen add-on lighting accessories do not exceed the thresholds of your year and model.



#### PART # DESCRIPTION

<b>2020-1884</b>	For 20-25 Challenger/Dark Horse/Limited (108 models), 20-24 Challenger Elite, 22-25 Pursuit Limited/Dark Horse (108 models), 15-25 Chieftain/Chieftain Dark Horse/Chieftain Limited/Roadmaster/Roadmaster Dark Horse/Roadmaster Limited/Springfield/Springfield Dark Horse, 25 Chieftain PowerPlus 108/Limited 108/Dark Horse 108, 15-23 Chieftain Elite, 15-21/24-25 Roadmaster Elite, 15-21 Roadmaster Classic/Chieftain Classic, 15-24 Chief/Dark Horse, 22-24 Chief Bobber/Dark Horse/Super Chief/Super Chief Limited, 24 Sport Chief, 15-20 Chief Classic/Vintage, 21 Vintage/Dark Horse
------------------	---

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



## HEADLIGHT ADAPTER

- Required when installing a Custom Dynamics TruBEAM® or ProBEAM® LED headlamp on 20-24 Indian models with factory OEM LED headlamp
- Plug-and-play headlamp harness
- One adapter needed per bike

PART #	FITS MODEL
2001-2291	For 20-24 Challenger/Dark Horse/LTD/Elite, 22-24 Pursuit LTD/Dark Horse, 23-25 Chieftain, 20-25 Chieftain Dark Horse/LTD, 20-23 Chieftain Elite, 20-25 Roadmaster/Dark Horse/LTD, 20/24-25 Roadmaster Elite, 23-25 Springfield/Dark Horse (w/ OEM 7" LED headlamp)



## PASSING LAMP ADAPTERS


- Plug-and-play H11/881 wire adapter compatible with Passing Lamp PART #s 2001-1751, 2001-1752 (sold separately)
- Sold in pairs

PART #	DESCRIPTION
2001-1856	For 15-23 Indian models

## PASSING LAMP ADAPTER FOR 11,5 CM (4,5") PASSING LAMPS

- Plug-and-play H11/881 wire adapter connects to OEM incandescent passing lamp connectors
- For use with aftermarket passing lamps that use H11/881 connector
- Sold each

PART #	DESCRIPTION
2001-1571	Passing lamp adapter for 15-23 Roadmaster, 15-21 Roadmaster Classic/Elite



## TURN SIGNAL POLARITY CONVERTERS

- For switch-ground turn signal circuits
- Works with multi-function lighting with common ground
- 500mA max per side
- Sold in pairs

PART #	DESCRIPTION
2050-0410	For 15-25 Chieftain/Chieftain Dark Horse/Chieftain LTD/Roadmaster/Roadmaster Dark Horse/Roadmaster LTD, 15-23 Chieftain Elite, 15-21 Chieftain Classic/Roadmaster Classic, 15-21/24-25 Roadmaster Elite, 15-25 Springfield/Dark Horse, 15-20 Chief/Classic/Dark Horse/Vintage, 21 Vintage/Dark Horse, 15-24 Scout/Scout Sixty/Bobber/Bobber Sixty/Bobber Twenty/Rogue/Rogue Sixty



## HEADLIGHT ADAPTER

- Converts OEM headlight wire harness to 3-wire H4 connector
- Allows easy installation of aftermarket headlights
- Plug-and-play

PART #	DESCRIPTION
2001-2842	For 22-24 Pursuit Limited/Dark Horse, 20-24 Challenger/Chieftain/Roadmaster



## WIRE HARNESS FOR TAC-10 LIGHT CANNONS

- Harness allows easy installation of Tac-10 Light Cannons
- PART #2001-2487 to your bike (sold separately)

PART #	DESCRIPTION
2120-1399	For 20-24 Challenger/Dark Horse/Elite/Limited, 22-24 Pursuit Dark Horse/Limited, 15-21/24 Roadmaster Elite, 15-24 Chieftain/Chieftain Dark Horse/Chieftain Limited/Roadmaster/Dark Horse/Limited, 15-23 Chieftain Elite, 15-21 Chieftain Classic/Roadmaster Classic, 15-20 Chief Classic/Vintage, 15-24 Chief/Dark Horse, 22-24 Chief Bobber/Bobber Dark Horse, 24 Sport Chief, 21 Vintage/Dark Horse

All part numbers in **BLUE** are new for 2026.



## CANBUS MODULE

- Requires no cutting, splicing or soldering
- Prevents damage to your factory wiring
- Plug-and-play installation
- Allows CAN bus signal to work with trailer lights
- Works with Rivco trailer wiring components



PART #	DESCRIPTION
3902-0194	For all 14-24 Indian models (except Scout/FTR)



## i.NEX CONNECTOR SET

- Plug-n-play wiring kits designed to connect Kellermann's i.NEX lighting system
- Includes two adapter cables with matching plugs, two extension cables, and cable connectors, allowing for quick and secure installation


PART #	FITS MODEL	DESCRIPTION
2050-0577	Scout Bobber 1133cc 18	Front, 224 cm (88,19")
2050-0578	Scout Bobber 1133cc 18	Rear, 94 cm (37,01")

PART #	FITS MODEL	DESCRIPTION
2050-0579	Scout 1000cc 16-20, Scout 1130 ABS Bobber 15-26	Rear, 64 cm (25,20")



## i.NEX ADD-ON ADAPTER

- Converts Indian's negative-switching system to positive control for Kellermann indicator lights
- This adapter ensures proper functionality without triggering error codes or requiring complex rewiring
- Plug-and-Play integration, simplifies installation—no cutting or splicing required.
- Error-free operation prevents dashboard warning lights and CAN bus issues
- Built for long-lasting performance in all riding conditions
- Sold each



PART #	DESCRIPTION
2120-1441	i.Nex adapter




## POWER RESISTORS

- When changing the original indicators to LED or halogen, the indicating frequency is automatically altered
- The indicating frequency is adjusted for parallel switched power resistors
- See application chart for guidance

NOTE: When using micro 1000 DF and a light control bulb, one additional resistor at 33-ohms (PART #2040-0712) for the rear light and one additional resistor at 7,5-ohms (PART #2040-0711) for the brake light are required.

PART #	DESCRIPTION	PART #	DESCRIPTION
2040-0710	10-ohm	2040-0711	7,5-ohm



PART #	DESCRIPTION
2040-0712	33-ohm

### APPLICATION CHART

POWER INTAKE OF ORIGINAL INDICATORS	MICRO 1000 HALOGEN	MICRO 1000 LED/RHOMBUS	MICRO BL 1000 LED
<b>REQUIRED RESISTOR WHEN CHANGING TO KELLERMANN INDICATORS (PER INDICATOR)</b>			
21W	2040-0710	2040-0711	2040-0710
<b>REQUIRED RESISTOR WHEN CHANGING TO KELLERMANN INDICATORS (PER SIDE)</b>			
10W	2040-0710	2040-0710	2040-0710

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS


WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**Kellermann**  
high quality products made in germany**LOAD-INDEPENDENT INDICATOR RELAY**

- Ideal for use with LED or halogen indicators
- In addition to regulating the indicating frequency, this relay offers the advantage of cancelling the function of the unused indicator
- Optimally suited for motorcycles with one or two indicator lights and as a replacement for two- or three-poled original relays
- Includes all necessary mounting hardware



PART #	DESCRIPTION
<b>2040-0709</b>	Load-independent indicator relay


**Kellermann**  
high quality products made in germany**R1 LOAD-INDEPENDENT FLASHER RELAY**

- Simple installation infeed to the turn indicator switch
- Connection to flasher dashboard light also possible
- Restricts the accompanying flashing of non-activated turn indicators
- Flashes independently of load at a steady 75 pulses per minute
- Dimensions: 21 mm L x 11 mm W x 6 mm H (0,82" x 0,43" x 0,23")



- Suitable for turn indicator switches and motorcycles with 6- and 12-volt electrical systems
- Sold each

PART #	DESCRIPTION
<b>2020-0625</b>	R1 Flasher relay

**Kellermann**  
high quality products made in germany**FLASHER RELAYS**

- Suitable for vehicles with 12V indicator application
- Higher wattage than stock equipment

PART #	DESCRIPTION
<b>2020-1748</b>	Flasher relays

**DAYTONA****HANDLEBAR SWITCH RELAY EZ**

- Input current: Up to 12V/20A
- Input line fuse protected
- Dimensions: 75 mm x 30 mm x 20 mm (2,95" x 1" x 0,80")
- Each function is short-circuit protected
- Cables for each function: Headlight HI/LOW, horn, start, indicator left, indicator right, hazard and 4 extra option connections and functions



PART #	DESCRIPTION
<b>0616-0441</b>	Handlebar switch relay EZ

All part numbers in **BLUE** are new for 2026.

**HeineBikes**  
CUSTOM PARTS



2030-2075



2030-2070



2050-1510



2030-2072



2030-2073



2030-2069



**GERMAN  
PARTS  
CERTIFICATE**

### SLIP-INN LICENSE PLATE MOUNTS

- The new SLIP-INN opening allows easy mounting of the license plate without screws or glue
- Bright LED tag lighting in slim, high-quality aluminum housing available in black anodized or chrome finishes
- Contains TEILEGUTACHTEN / German Parts Certificate

PART #	COUNTRY	SIZE	COLOR
<b>2030-1513</b>	Austria	210 mm x 170 mm	Chrome
<b>2030-1512</b>	Austria	210 mm x 170 mm	Black
<b>2030-2075</b>	Belgium	210 mm x 140 mm	Black
<b>2030-2070</b>	France	210 mm x 130 mm	Black
<b>2030-1511</b>	Germany	180 mm x 200 mm	Chrome
<b>2030-1510</b>	Germany	180 mm x 200 mm	Black
<b>2030-2072</b>	Italy	177 mm x 177 mm	Black

PART #	COUNTRY	SIZE	COLOR
<b>2030-2073</b>	Netherlands	210 mm x 140 mm	Black
<b>2030-2069</b>	Spain	220 mm x 160 mm	Black
<b>2030-2074</b>	Sweden	170 mm x 150 mm	Black
<b>2030-1515</b>	Switzerland	180 mm x 140 mm	Chrome
<b>2030-1514</b>	Switzerland	180 mm x 140 mm	Black
<b>2030-2071</b>	United Kingdom	229 mm x 178 mm	Black



2030-1533



### SIDE-MOUNT LICENSE PLATE HOLDERS

- Fit Indian models with 25,4 mm (1") rear axle
- SLIP-INN opening for screw-less mounting of the license plate
- Integrated LED license plate; light in slim aluminum housing
- Stable arm with guaranteed ANTI-TWIST safety
- Three different mounting options in width and invisible cable routing

PART #	COUNTRY	SIZE	COLOR
<b>FOR 15-20 SCOUT</b>			
<b>2030-1527</b>	Austria	210 mm x 170 mm	Black
<b>2030-1531</b>	Belgium	210 mm x 140 mm	Black
<b>2030-1535</b>	France	210 mm x 130 mm	Black
<b>2030-1539</b>	Italy	177 mm x 177 mm	Black

- High-quality aluminum in black anodized finish
- Come in different sizes for 8 European countries
- Include all mounting material and axle nuts
- Contains TEILEGUTACHTEN / German Parts Certificate

PART #	COUNTRY	SIZE	COLOR
<b>FOR 15-20 SCOUT (CONT)</b>			
<b>2030-1541</b>	Netherlands	210 mm x 140 mm	Black
<b>2030-1533</b>	Spain	220 mm x 160 mm	Black
<b>2030-1543</b>	Sweden	170 mm x 150 mm	Black
<b>2030-1529</b>	Switzerland	180 mm x 140 mm	Black

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS  
& FAIRINGS

SADDLEBAGS  
& LUGGAGE

SEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION,  
CLUTCH LINE  
& DRIVELINE

GASKETS  
& SEALS

ELECTRICAL

LIGHTING  
& LICENSE  
PLATES

HANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES &  
BRAKE LINES

TANKS &  
OIL FILTERS

DASHES  
& GAUGES

FRAMES &  
SUSPENSION

FENDERS

FOOTRESTS &  
FLOORBOARDS

WHEELS  
& AXLES

COVERS,  
LOCKS &  
GENERAL

AUDIO,  
COMMUNICATION  
& MOUNTS

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS


 **CULT-WERK**

**GERMAN PARTS CERTIFICATE**

### SIDE-MOUNT LICENSE PLATE HOLDERS

- Lateral license plate holder
- The shortest license plate holder on the market guarantees you a TOP look
- Made of high-quality steel, CNC-lasered and then powdercoated in black

PART #	COUNTRY	SIZE
<b>W/ MILLED SLIDE-IN FRAME</b>		
2030-2173	Austria	210 mm x 170 mm
2030-2199	Germany	180 mm x 200 mm
<b>W/O MILLED SLIDE-IN FRAME</b>		
2030-2179	Austria	210 mm x 170 mm
2030-2205	Germany	180 mm x 200 mm

- Available with or without including slide-in frame for the license plate
- Includes LED license plate light with E-mark
- Contains TEILEGUTACHTEN/German Parts Certificate

PART #	COUNTRY	SIZE
<b>W/O MILLED SLIDE-IN FRAME (CONT)</b>		
2030-2190	France	210 mm x 130 mm
2030-2213	Italy	170 mm x 170 mm
2030-2230	Netherlands	210 mm x 143 mm


**KURYAKYN**


### CUSTOM REAR TURN SIGNAL AND LICENSE PLATE MOUNT

- Durable steel construction
- Accepts any Kuryakyn by Kellermann LED turn signals or aftermarket turn signals that mount via M8 studs
- Provides convenient and secure mounting location for Kuryakyn rear signal splitter modules for Scout when utilizing 3-wire red/red or 4-wire red/red/amber custom turn signals
- If using 2-wire amber or red LED turn signals, separate purchase of PART #2050-0409 is required



- License plate mount can also be removed if using a separate side mount kit

PART #	DESCRIPTION
2020-1993	For 15-25 Scout (except Scout Bobber)

**Accutronix**
precision crafted billet products

### SIDE-MOUNT LICENSE PLATE

- Billet 6061-T6 construction
- Includes a bright LED license plate light
- Mounts horizontally or vertically
- Mounts on the left side of the swingarm in place of the oval axle adjuster plate
- Window size: 15 cm x 83 mm (6" x 3 1/4")
- Outside dimensions: 19 cm x 11,5 cm (7 1/2" x 4 1/2")
- Mounting holes: 14,5 cm x 70 mm (5 3/4" x 2 3/4")
- Available in a black finish

PART #	DESCRIPTION
2030-0905	For 15-24 Scout


**KURYAKYN**


### MOUNT CLAMPS FOR SIDE-MOUNT LICENSE PLATE HOLDERS

- Place the license plate in a sleek, side-mount position
- Plate stays visible, holders have built-in LED license plate light
- Model-specific or universal swingarm mounts cast from quality aluminum
- Required to install Kuryakyn side-mount license plate holders (sold separately)

PART #	DESCRIPTION
2030-0221	For 32 mm (1 1/4") dia. tubing
2030-1196	For 15-25 Scout (except Bobbers)

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### RUN AND BRAKE AUXILIARY LED LICENSE PLATE FRAMES

- Provide: six bright white license plate LEDs and 40 super bright flushmount dual-intensity red running brake LEDs
- Plate dimensions measure: 108 mm H x 182,38 mm W (4 1/4" x 7 3/16")

FOR 15-18 CHIEFTAIN/DARK HORSE, 18-20 CHIEFTAIN CLASSIC, 15-25 ROADMASTER, 18 ROADMASTER CLASSIC, 20-21/25 ROADMASTER ELITE, 16-25 SPRINGFIELD, 18-19 SPRINGFIELD DARK HORSE, 15-19 CHIEF DARK HORSE/VINTAGE, 21 VINTAGE

PART #	DESCRIPTION	PART #	DESCRIPTION
2030-1434	Chrome	2030-1433	Black

**DAYTONA**



### LED LICENSE PLATE LIGHT

- Black LED license plate light made of high-quality ABS plastic
- 24 mm long M4 x 0,7 thread
- Dimensions: 49 mm L x 14 mm W x 19,8 mm H (2" x 0,55" x 0,78")



PART #	DESCRIPTION
2030-2153	LED license plate light

**Kellermann**  
high quality products made in germany



### KL1 LICENSE PLATE LIGHT

- High-quality metal casing can be mounted directly to license plate
- Complete illumination of license plate with pure white light (CRI 80)
- Suitable for motorcycles with 12V electrical systems
- Available in black
- Sold each



PART #	DESCRIPTION
2030-0796	KL1 License plate light

**Kellermann**  
high quality products made in germany

### REFLECTOR

- CNC-milled
- Lightweight construction
- Multiple possibilities for positioning
- Dimensions: 100 mm L x 13 mm H (3,93" x 0,51")



PART #	DESCRIPTION
2030-1375	Reflector



### LED REPLACEMENT FOR H8 BULBS

- Replace Indian H8 bulbs
- 1700 lumens of total output (850 per bulb)
- Intense white light rated at 6000 Kelvin
- Plug-and-play installation using factory bulb housing
- Sold as pair

PART #	DESCRIPTION
2060-0627	H8 LED bulbs

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION


FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### 38 MM (1 1/2") T-BARS

- The ultimate handlebar, designed for maximum comfort
- Brilliantly show-chromed
- Accept standard 25,4 mm (1") controls
- Thread pitch: M12 x 1,25
- Mounting bolts sold separately, require 1 mm x 1,75 bolts

PART #	DESCRIPTION	HEIGHT	PULLBACK	RISER CENTER WIDTH	WIDTH
<b>FOR 15-22 SCOUT</b>					
0601-0871	Radius	18 cm (7")	18 cm (7")	124 mm (4 7/8")	85 cm (33 1/2")
0601-0872	Super Radius	20,5 cm (8")	38 cm (15")	124 mm (4 7/8")	85 cm (33 1/2")



### 32 MM (1 1/4") TWIN PEAK HANDLEBARS

- A perfect fit for your Indian Challenger
- Designed for internal wiring
- Pointed, mitered top for an aggressive look
- 32 mm (1 1/4") diameter bar looks stout installed

CHROME	DESCRIPTION	CHROME	DESCRIPTION
<b>FOR 20-25 CHALLENGER</b>			
0601-5589	25,5 cm (10") chrome	0601-5590	25,5 cm (10") black
0601-5591	30,5 cm (12") chrome	0601-5592	30,5 cm (12") black



### 32 MM (1 1/4") PRIMEAPE HANDLEBARS

- A new twist on the conventional Ape; mitered top with a traditional two-bend bottom
- Direct bolt-on; drilled for internal wiring

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>FOR 20-25 CHALLENGER</b>			
0601-5595	30,5 cm (12") chrome	0601-5596	30,5 cm (12") gloss black

All part numbers in **BLUE** are new for 2026.



### 32 MM (1 1/4") V-LINE HANDLEBAR

- Seamless DOM mild steel construction with black powdercoated finish
- 22 mm (7/8") grip and clamping area, drilled for internal wiring and notched for Throttle-By-Wire (TBW)

PART #	DESCRIPTION
<b>0601-3056</b>	For 22-24 Scout Rogue/Sixty, 20-24 Scout Bobber Twenty/Sixty 20 Scout Bobber Twenty/Sixty ABS, 20 Scout 100th Anniversary, 19-20 Scout/Sixty ABS, 18-24 Scout Bobber, 18-20 Scout Bobber ABS, 16-24 Scout Sixty, 15-24 Scout



### 32 MM (1 1/4") BRO BARS

- Made from 3 mm (0.120") wall tubing
- Dimpled and pre-drilled for internal wiring
- Dimensions: 35,5 cm tall (14"), 40,5 cm pullback (16") and 91 cm wide (36")

PART #	DESCRIPTION	RISE	PART #	DESCRIPTION	RISE
<b>FOR 18-24 CHIEFTAIN/ROADMASTER</b>					
<b>0601-4155</b>	Chrome	+10 cm (4")	<b>0601-3731</b>	Chrome	+10 cm (4")
<b>0601-4156</b>	Powdercoated black	+10 cm (4")	<b>0601-3730</b>	Powdercoated black	+10 cm (4")
<b>0601-4842</b>	Chrome	+20,5 cm (8")	<b>0601-5194</b>	Chrome	+20,5 cm (8")
<b>0601-4843</b>	Powdercoated black	+20,5 cm (8")	<b>0601-5195</b>	Powdercoated black	+20,5 cm (8")



### 32 MM (1 1/4") PRAIRIE HANDLEBAR FIT KITS

- Combine traditional beach bar styling with a more comfortable, relaxed cruising position
- Wider and lower than the stock bars on your Indian Chief Classic or Vintage, with 76,2 mm (3") more pullback for reduced reach to the handgrips and controls
- Easy to replace your stock bars by including necessary cables in the convenient Prairie Bar Fit Kit
- Available in chrome or black; cables are black in both kits

PART #	DESCRIPTION	END RISE	GRIP-TO-GRIP WIDTH	CENTER WIDTH	PULLBACK
<b>FOR 18-23 SPRINGFIELD/SPRINGFIELD DARK HORSE, CHIEF DARK HORSE/CHIEF VINTAGE, 19-23 CHIEF CLASSIC</b>					
<b>0601-5370</b>	Black	12,5 cm (5")	84 cm (33")	17 cm (6,75")	43 cm (17")

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### 32 MM (1 1/4) KLIP HANGER HANDLEBARS

- Innovative 32 mm (1 1/4") bars present the ultimate in rider personal adjustment and fit
- Allows 12,5 cm (5") of wrist adjustments
- Unique "Knuckles" allow control/grip portions of the handlebar to be adjusted in several directions; rider can tailor to his/her exact liking
- Bar sections are manufactured from DOM tubing, 'Knuckles' are machined from 6061 billet aluminum, all hardware is stainless steel

- All feature a fully knurled riser clamp area
- All are drilled/slotted for internal wiring
- All include chromed, billet aluminum, domed bar end plugs for a finished look

NOTE: PART #s 0601-5368 and 0601-5369 will fit most 99-07 H-D models if used with 08 and later FLHT-style master cylinder.

PART #	DESCRIPTION	CENTER WIDTH	UPRIGHT BAR RISE	GRIP-TO-GRIP WIDTH
<b>FOR 18-24 SPRINGFIELD DARK HORSE/CHIEF CLASSIC/DARKHORSE/VINTAGE</b>				
0601-5373	Chrome	35,5 cm (14")	33 cm (13")	86 cm (34")
0601-5372	Black	35,5 cm (14")	33 cm (13")	86 cm (34")
<b>FOR 20-24 CHALLENGER, 22-24 PURSUIT</b>				
0601-5375	Chrome	35,5 cm (14")	33 cm (13")	86 cm (34")
0601-5374	Black	35,5 cm (14")	33 cm (13")	86 cm (34")



### 25,4 MM (1") KLASSIC HANDLEBARS

- A great choice for building a bobber, and/or just creating a vintage feel
- Low-profile bars give a more forward stance and traditional flat track style

- More aggressive position than stock bars, and they position rider's wrists/arms outward when compared to stock

PART #	DESCRIPTION	END RISE	WIDTH	CENTER WIDTH	PULLBACK	DIAMETER
<b>FOR 15-24 SCOUT/SCOUT SIXTY, 18-24 SCOUT BOBBER</b>						
0601-3593	Chrome	76 mm (3")	89 cm (35")	20,5 cm (8")	20,5 cm (8")	20,5 cm (1")

All part numbers in **BLUE** are new for 2026.




### 28,6 MM (1 1/8") GT OVERSIZE LOW HANDLEBARS

- Constructed from 6061 aluminum
- Sandblasted and anodized
- Available in black or gold
- Sold each
- ABE approved

NOTE: GT Oversize Low handlebars can only use 2D.GT risers with a 28,6 mm diameter clamping area, see below.

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>FOR 19-24 FTR1200/S</b>		<b>FOR 19-24 FTR1200/S (CONT)</b>	
<b>0601-3145</b>	Black	<b>0601-3146</b>	Gold
<b>HANDLEBAR TYPE</b>	<b>A</b>	<b>B</b>	<b>C</b>
GT Oversize Low	755 mm	86 mm	94 mm
		<b>D</b>	140 mm
			<b>PULLBACK ANGLE (°)</b>
			24°



### ACMA TOP YOKE NUT

- Lightweight, 7075 aluminum construction with an anodized finish
- Easy to use pin-interlock system to prevent it from loosening
- No special tools necessary
- M28 x 1,0 mm thread
- Sold each

NOTE: ACMA nut is designed solely for use as a top yoke nut.  
Do not use it on the rear axle or swingarm axle.

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>FOR 19-24 FTR1200/S</b>		<b>FOR 19-24 FTR1200/S (CONT)</b>	
<b>0410-0273</b>	Black	<b>0410-0276</b>	Red



### 2D.GT HANDLEBAR RISER

- Revolutionary design effectively assists in finding the perfect handlebar position for your ride
- Risers provide unseen adjustability and styling through up, down, forward and backward movements
- Raises handlebars 6 mm
- Forward and backward adjustable 7 mm in each direction
- Includes adjustable speedometer holder



PART #	DESCRIPTION
<b>0602-1093</b>	For 19-24 FTR1200/S



### 50,8 MM (2") PIVOTING BAR RISER KIT

- 50,8 mm (2") fully adjustable bar riser allows you to dial in the perfect position for your build and riding style
- Designed to allow the Indian speedometer assembly to mount directly into the top side of the risers
- Comes with replacement caps to clamp the stem of the riser into the stock Indian bar clamp
- Also comes with four longer bolts to allow the speedometer assembly to securely attach to the top side of the risers
- Works with stock bars
- Machined from solid aircraft-grade 6061-T6 billet aluminum
- Black anodized finish
- Includes all mounting hardware



PART #	DESCRIPTION
<b>0602-1455</b>	For 15-25 Scout



### 50,8 MM (2") PIVOTING BAR RISERS

- Bring the stock handlebar location back toward the rider by approximately 50,8 mm (2")
- These risers are a great option for riders who want to get more upright in the seat and/or get weight off of their arms, neck, and shoulders
- Work with stock cables on the Indian Chieftain/Roadmaster
- Riser positioning will be limited by the large OEM fairing assembly
- Black anodized finish
- 50,8 mm (2") of rise
- 32 mm (1 1/4") stem
- Accept 32 mm (1 1/4") handlebar



U.S. Patent # 6,920,806.

NOTE: Will not work on 17-23 models with Ride Command.

PART #	DESCRIPTION
<b>0602-0908</b>	For 12-24 Chieftain/Roadmaster

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### MAXIMUM PERFORMANCE BRAKE LEVER

- Optimal shape and lever length for perfect control
- Features bowden cable convertible mounts; both the lever ratio and response of bowden cable clutches can be adjusted
- Precise and smooth lever adjustment
- Available in black
- Sold each
- ABE approved



PART #	DESCRIPTION
0613-1280	For 19-24 FTR1200/S



### ANTHEM PRO LEVERS

- The ultimate performance lever for V-Twin motorcycles
- Unbreakable spring-loaded hinge and folding lever design
- Adjustable from stock length to Shorty 38 mm (1.5") shorter
- Micro-Adjuster for precise custom ergonomics
- CNC machined from high-quality aluminum
- Available in black with black Micro-Adjuster
- Sold as a set

PART #	DESCRIPTION
0610-2275	For 17-24 Scout/Scout Sixty, 18-24 Scout Bobber, 20-24 Scout Bobber Sixty/Scout Bobber Twenty, 22-24 Scout Rogue/Scout Rogue Sixty



0610-2135

0610-2136



### JOURNEY LEVERS AND SETS

- Easily adjust lever to bar reach for individual riders (limited inward adjustment)
- CNC machined from high quality aluminum



FOR 22-24 PURSUIT, 20-24 CHALLENGER, 18-24 CHIEFTAIN, 18-24 ROADMASTER, 18-24 SPRINGFIELD, 18-22 CHIEF

DESCRIPTION	LEVER SET	REPL. CLUTCH LEVER	DESCRIPTION	LEVER SET	REPL. CLUTCH LEVER
Chrome	0610-2135	0613-1854	Black	0610-2136	-



### ANTHEM ADJUSTABLE LEVER SET

- Easily adjust lever to bar reach for individual riders (limited inward adjustment)
- CNC machined from high-quality aluminum

DESCRIPTION	LEVER SET
FOR 20-24 CHALLENGER, 22-24 PURSUIT, 18-24 CHIEFTAIN, 18-24 ROADMASTER, 18-24 SPRINGFIELD, 18-22 CHIEF	0610-2141

Black

0610-2141

Black



0610-2103

**KURYAKYN****PHANTOM LEVERS**

- Feature a sculpted concave design that offers maximum leverage when engaging the clutch or front brake
- Constructed from A380 aluminum
- Direct replacement for stock with easy installation
- Dished design provides leverage for any sized hands to effortlessly actuate the clutch or front brake
- Available in chrome or gloss black finish

**PART #****FOR 18-25 INDIAN (EXCEPT SCOUT/FTR)****0610-2106****DESCRIPTION**

Gloss black

**FOR 14-17 INDIAN (EXCEPT SCOUT)****0610-2103**

Chrome

**KURYAKYN****LEGACY LEVERS**

- Direct replacements for stock levers deliver clean, classic styling to match the smooth lines of the Indian Scout
- Aluminum construction with premium gloss black finish
- Clutch and brake lever placement is similar to stock
- Minimalist styling for a clean alternative to the stock levers

**PART #****0610-2098****DESCRIPTION**

For 15-16 Scout

**DRAG Specialties****FRINGED LEATHER LEVER COVERS**

- Black leather lever covers feature 30,5 cm (12") L fringe
- Fit any of the larger, cruiser-style replacement levers
- Sold in pairs

**PART #****DS-243062****DESCRIPTION**

Fringed leather lever covers

**GILLES****MASTER CYLINDER RESERVOIR COVER**

- Made of CNC-milled aluminum
- Installs quickly and easily
- Features four colored inserts (gold, silver, blue and red), which can be installed to fit individual preferences

**PART #****0602-0886****DESCRIPTION**

For 19-24 FTR1200/S



0635-2301



0635-1578

**Memphis SHADES****HAND GUARDS**

- Stylish wind protection for your hands
- Mounts are E-coated aluminum, guards are rubber-isolated
- Made of aircraft-grade Lucite® in black opaque
- Comes with black mounting
- Sold in pairs

**PART #****0635-2301****DESCRIPTION**

For 22-25 Chief/Chief Bobber

**PART #****0635-1578****DESCRIPTION**

For 15-24 Scout/Scout Sixty

**PART #****0635-1577****DESCRIPTION**

For 19-24 Scout Bobber

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS  
& FAIRINGSSADDLEBAGS  
& LUGGAGESEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION,  
CLUTCH LINE  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING  
& LICENSE  
PLATESHANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES &  
BRAKE LINESTANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES &  
SUSPENSION

FENDERS

FOOTRESTS &  
FLOORBOARDSWHEELS  
& AXLESCOVERS,  
LOCKS &  
GENERALAUDIO,  
COMMUNICATION  
& MOUNTS

### RUFFIAN LOCK-ON™ GRIPS

- Moto inspired grip designed for performance V-Twin
- Legendary Ruffian full-knurl diamond pattern
- Thin profile delivers amazing control, feedback and traction
- Proprietary medium-compound durometer improves overall comfort and durability

PART #	DESCRIPTION
<b>FOR ALL 18-24 INDIAN TOURING MODELS W/ TBW</b>	
0630-3409	Black/black
0630-3411	Black/bronze
0630-3413	Black/gunmetal
0630-3410	Black/silver

- In-molded throttle tube with integrated application specific throttle actuation
- Billet aluminum Lock-On™ style clutch-side clamp provides simple installation and removal
- Sold in pairs

PART #	DESCRIPTION
<b>FOR ALL 18-24 INDIAN TOURING MODELS W/ TBW (CONT)</b>	
0630-3414	Blue/ano blue
0630-3412	Graphite/black
0630-3415	Gum/black



### VANS V-TWIN LOCK-ON™ GRIPS

- The Vans V-Twin Lock-On Grip System feature the classic Vans® waffle sole pattern and are built to deliver an amazing riding experience
- 100% slip-free performance guaranteed
- In-molded throttle tube with integrated application specific throttle actuation
- Billet aluminum Lock-On™ style clutch side clamp eliminates the need for grip glue or safety setscrews, providing simple installation and removal

PART #	DESCRIPTION
<b>FOR ALL 18-24 INDIAN TOURING MODELS W/ TBW</b>	
0630-3048	Black
0630-3049	Black/silver
0630-3052	Brown/black

- T15 Torx® bolts provide extra secure clamping for solid, twist-free mounting
- Proprietary medium-compound durometer improves overall comfort and durability
- 130 mm overall grip length with flange
- Sold in pairs

PART #	DESCRIPTION
<b>FOR ALL 18-24 INDIAN TOURING MODELS W/ TBW (CONT)</b>	
0630-3053	Gum/black
0630-3051	Graphite/gunmetal
0630-3050	Red

All part numbers in **BLUE** are new for 2026.



### HART-LUCK SIGNATURE LOCK-ON™ GRIP SETS

- Moto-inspired grip system specifically designed for your Indian Touring bike
- Proprietary medium-compound materials provide excellent durability and comfort
- Full-waffle moto-pattern reduces vibration and provides improved grip in all conditions
- Heavily knurled base-pattern delivers solid traction and control

PART #	DESCRIPTION
<b>FOR ALL 18-24 INDIAN TOURING MODELS W/ TBW</b>	
0630-2697	Black/black
0630-2699	Black/bronze
0630-2698	Black/gunmetal



- Billet aluminum clutch-side clamp ensures 100% slip-free security (eliminates the need for setscrews)
- T15 Torx® bolts ensure extra-secure clamping for solid, twist-free mounting
- Available in a variety of grip/clamp colors

PART #	DESCRIPTION
<b>FOR ALL 18-24 INDIAN TOURING MODELS W/ TBW (CONT)</b>	
0630-2866	Black/red
0630-2867	Black/silver

### KURYAKYN®

#### GLOSS BLACK KINETIC GRIPS

- Designed to keep moving forward with the latest in styling and vibration-isolating technology
- Aluminum body and EPDM rubber to help ride with less fatigue and more control in a modern design
- Sold in pairs



PART #	DESCRIPTION
0630-1823	For 15-25 Scout



### KURYAKYN®

#### UNIVERSAL HEX GRIPS

- Contoured to fit perfectly in your hands for unbeatable comfort
- Ergonomic design features a widened diameter for thumb, index, and middle fingers, and a tapered outer profile for ring and pinky fingers to match the natural shape of your hands
- Premium, durable EPDM rubber compound will not harden, crack or wear over time and provides an ultra soft, cushiony feel for all-day vibration damping comfort
- Combination of smooth and "hex" shaped embossed rubber provides amazing grip and distinct styling

- Available with chrome or satin black aluminum collars and end caps
- Feature bar-mounted end caps that can be easily replaced with bar end mirrors or weights
- Sold in pairs

NOTE: Throttle sleeve not included.

PART #	DESCRIPTION
<b>FOR 25,4 MM (1") HANDLEBARS</b>	
0630-2364	Chrome
0630-2365	Satin black

PART #	DESCRIPTION
<b>FOR 22 MM (7/8") HANDLEBARS</b>	
0630-2367	Satin black

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### AIR CUSHIONED GRIPS


- Feature ergonomic seamless rubber grip technology
- A special core bar creates air pockets inside the grip body which dampens vibrations
- Billet aluminum end caps and collars
- Fit 25,4 mm (1") handlebars (unless noted)
- Available with chrome or black anodized finishes

- Sold in pairs
- Matching pegs sold separately

PART #	DESCRIPTION
<b>FOR 18-24 CHIEFTAIN/ROADMASTER/SPRINGFIELD/CHIEF VINTAGE</b>	
0630-2565	3-ring, chrome
0630-2566	3-ring, chrome w/ throttle boss
0630-2568	3-ring, black anodized
0630-2569	3-ring, black anodized w/ throttle boss
0630-2567	Spike, chrome
0630-2570	Spike, black anodized

PART #	DESCRIPTION
<b>FOR 14-17 CHIEFTAIN</b>	
0630-1496 <sup>1</sup>	3-ring, chrome
0630-1497 <sup>1</sup>	3-ring, chrome w/ throttle boss
0630-1502 <sup>1</sup>	3-ring, black-anodized
0630-1503 <sup>1</sup>	3-ring, black-anodized w/ throttle boss
0630-1505 <sup>1</sup>	Excalibur, black-anodized
0630-1504 <sup>1</sup>	Spike, black-anodized

<sup>1</sup> For 7/8" bars.



### GEL GRIPS

- Ergonomic grip
- Soft, gel rubber
- Tacky, rubber feel
- Vibration dampening
- Billet aluminum ends
- Sold in pairs

PART #	DESCRIPTION
<b>FOR 18-24 CHIEFTAIN/ROADMASTER/SPRINGFIELD/CHIEF VINTAGE</b>	
0630-2576	Chrome
0630-2575	Black anodized

PART #	DESCRIPTION
<b>FOR 14-17 ALL MODELS (EXCEPT SCOUT)</b>	
0630-1510	Chrome



### CUSTOM CONTOUR GRIPS

- Manufactured with Kraton® rubber
- Features a very soft serrated texture to help hang on to your bike
- Finished with 6061 billet aluminum end caps and collars
- Sold in pairs

PART #	DESCRIPTION
<b>FOR 18-24 CHIEF VINTAGE/SPRINGFIELD/CHIEFTAIN/ROADMASTER</b>	
0630-2571	Custom contour, chrome
0630-2573	Custom contour, anodized

PART #	DESCRIPTION
<b>FOR 18-24 CHIEF VINTAGE/SPRINGFIELD/CHIEFTAIN/ROADMASTER (CONT)</b>	
0630-2572	Custom contour spike, chrome
0630-2574	Custom contour spike, anodized



### MEMORY FOAM GRIPS

- The softest, most durable, chemical resistant grips on the market today
- A true vibration dampening grip
- 38,1 mm (1,5") diameter, 11,7 cm (4,6") inside length
- Chrome and black anodized aluminum ends
- Sold in pairs

PART #	DESCRIPTION
<b>FOR 18-24 CHIEF VINTAGE/SPRINGFIELD/CHIEFTAIN/ROADMASTER</b>	
0630-2578	Chrome
0630-2577	Black anodized
<b>FOR 15-24 SCOUT</b>	
0630-1905	Chrome
0630-1906	Black anodized

PART #	DESCRIPTION
<b>FOR 14-17 INDIAN (EXCEPT SCOUT)</b>	
0630-1904	Black anodized

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### DIAMONDBACK GRIPS

- Universal fitment for 22 mm (7/8") and 25,4 mm (1") handlebars
- Embossed Burly Brand logo
- Available in black
- Provides a secure and comfortable grip for improved control and stability on the road
- Bold and stylish look, perfect for making a statement on your motorcycle

#### PART #

**0630-3089**

#### DESCRIPTION

For 22 mm (7/8") handlebars

**0630-3089**


- Improves overall ride experience, providing a confident grip for any type of ride

#### PART #

**0630-3090**

#### DESCRIPTION

For 25,4 mm (1") handlebars



### AIR CUSHIONED HEATED GRIPS

- Feature billet end caps and rings with ergonomic Avon seamless rubber grip technology
- Designed with a very soft, tacky and durable material
- Fit 25,4 mm (1") handlebars (unless noted)
- Available in chrome or black anodized design with or without throttle boss

#### PART #

**FOR 14-17 CHIEFTAIN**

#### DESCRIPTION

<b>0631-0223</b>	3-ring, chrome w/ throttle boss
<b>0631-0225</b>	3-ring, black-anodized
<b>0631-0227</b>	Spike, black-anodized

#### PART #

**FOR 15-24 SCOUT**

#### DESCRIPTION

<b>0631-0215</b>	3-ring, black-anodized
<b>0631-0217</b>	Spike, black-anodized


**0631-0230**

**0631-0218**

**0631-0229**


### CUSTOM CONTOUR HEATED GRIPS

- Feature 6061 billet end caps and collars
- Designed with a very soft, tacky and durable Kraton® rubber construction

#### PART #

**FOR ALL 14-17 CHIEFTAIN W/ 22 MM (7/8") BARS**

#### DESCRIPTION

<b>0631-0230</b>	Spike, chrome
<b>0631-0229</b>	Black anodized

- Available in chrome or black anodized design
- Sold in pairs

#### PART #

**FOR 15-24 SCOUT W/ 25,4 MM (1") BARS**

#### DESCRIPTION

<b>0631-0218</b>	Chrome
------------------	--------

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### HEATED GRIP XTENSION HARNESS

- 61 cm (24") wire harness extension
- Plug-n-play



PART #	DESCRIPTION
<b>2120-0892</b>	For 14-22 Indian (except Scout/FTR1200)



### FRINGED LEATHER GRIP COVERS

- Black leather grip covers with 30,5 cm (12") L fringe for grips on 25,4 mm (1") bars
- Available for rubber-covered grips
- Sold in pairs; grips not included



PART #	DESCRIPTION
<b>DS-243060</b>	Fringed leather grip covers



### W HANDLEBAR ENDS

- "W" handlebar end weights made from CNC-machined aluminum in black anodized with dual function
- The handlebar weights can also be used as a mount for handlebar end mirrors; approx. 30 mm (1,18") and 12 mm (0,47") width
- Suitable for handlebars with an inner diameter of 14 mm (9/16") to 19 mm (5/8") and 31 mm (approx. 1 1/4") outer diameter
- Sold in pairs



PART #	DESCRIPTION
<b>0634-0597</b>	W handlebar ends



### FUSION ALLOY THROTTLE TUBE

- Durable 6061 aluminum
- Hard-anodized black finish
- Integrated PTFE sleeve delivers smooth throttle pull and return
- Geared for Indian Throttle-By-Wire housing



PART #	DESCRIPTION
<b>0632-0855</b>	For all 18-24 Chief and Touring models



### GRIP SPACERS

- Outer diameter: 50 mm (1,96")
- Inner diameter: 22 or 26 mm (0,86" or 1,02")
- Thickness: 5 mm (0,19")
- Slit for hand-cut
- Sold in pairs



PART #	DESCRIPTION
<b>0632-0880</b>	Grip spacers

All part numbers in **BLUE** are new for 2026.

# DAYTONA



## D-MIRRORS TYPE-3

- Simple and minimal design
- Aluminum bodies and stems
- Dimensions: 156 mm L x 99 mm H
- Bar-end mount includes adapter rings for direct mounting to 22,2 or 25,4 mm handlebars
- Rod mount includes M10 x 1,25 screws (left-hand and right-hand threads)
- Fits left or right side
- Sold each

PART #	DESCRIPTION	PART #	DESCRIPTION
0640-1527	Round, bar-end mount	0640-1530	Round, rod mount

0640-1527



## D-MIRRORS TYPE-4

- Simple and minimal design
- Aluminum bodies and stems
- Dimensions: 156 mm L x 99 mm H
- Bar-end mount includes adapter rings for direct mounting to 22,2 or 25,4 mm handlebars
- Rod mount includes M10 x 1,25 screws (left-hand and right-hand threads)
- Fits left or right side
- Sold each

PART #	DESCRIPTION
0640-1528	Bar-end mount, hexagon
0640-1531	Rod mount, hexagon

0640-1531



## D-MIRRORS TYPE-5

- Simple and minimal design
- Dimensions: 156 mm L x 99 mm H
- Aluminum bodies and stems
- Bar-end mount includes adapter rings for direct mounting to 22,2 or 25,4 mm handlebars
- Rod mount includes M10 x 1,25 adapter (left-hand and right-hand threads)
- Fits left or right side
- Sold each

PART #	DESCRIPTION	PART #	DESCRIPTION
0640-1529	Bar-end mount	0640-1532	Rod mount

0640-1529



## D-MIRRORS TYPE-6

- Simple and minimal design
- Mirror length and angle designed for Harley-Davidson bikes
- Dimensions: 138 mm L x 87 mm H
- Sold each



0640-1533

## SHORT AND LONG BAR-END MOUNTS

- Aluminum bodies and stems
- Inner diameter clamps measure 30mm
- Include two spacers (22,2 and 25,4 mm) for direct mounting
- Optional bar end adapters can be used
- Fits left or right side

## ROD MOUNTS

- Aluminum housing and steel stems
- Include M10 x 1,25 adapter (left-hand and right-hand threads)
- Left or right side available

PART #	DESCRIPTION	PART #	DESCRIPTION
0640-1533	Bar-end mount, short	0640-1539	Rod mount, right
0640-1534	Bar-end mount, long	0640-1540	Rod mount, left



## D-MIRRORS TYPE-7

- Simple and minimal design
- Dimensions: 138 mm L x 87 mm H
- Sold each

## SHORT AND LONG BAR-END MOUNTS

- Aluminum housings and stems
- Inner diameter clamps measure 30 mm
- Include two spacers (22,2 and 25,4 mm) for direct mounting
- Optional bar end adapters can be used
- Fits left or right side

## ROD MOUNTS

- Aluminum housings and steel stems
- Includes M10 x 1,25 adapter (left-hand and right-hand threads)
- Left or right side available

PART #	DESCRIPTION
0640-1535	Bar-end mount, short
0640-1536	Bar-end mount, long

0640-1536



WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

DAYTONA



0640-1538

**D-MIRRORS TYPE-8**

- Simple and minimal design
- Dimensions: 138 mm L x 87 mm H
- Sold each

**SHORT AND LONG BAR-END MOUNTS**


- Aluminum housings and stems
- Inner diameter clamps measure 30 mm
- Include two spacers (22,2 and 25,4 mm) for direct mounting
- Optional bar end adapters can be used
- Fits left or right side

**ROD MOUNT**

- Aluminum housings and steel stems
- Includes M10 x 1,25 adapter (left-hand and right-hand threads)
- Left or right side available

PART #	DESCRIPTION	PART #	DESCRIPTION
0640-1537	Bar-end mount, short	0640-1544	Rod mount, left
0640-1538	Bar-end mount, long	0640-1545	Rod mount, right

0640-1547

**D-MIRRORS TYPE-9**

- Simple and minimal design
- Dimensions: 113 mm L x 104 mm H
- Sold in pairs

**SHORT AND LONG BAR-END MOUNTS**

- ABS housings and aluminum stems
- Inner diameter clamps measure 30 mm
- Include two spacers (22,2 and 25,4 mm) for direct mounting
- Optional bar-end adapters can be used
- Fits left or right side

**ROD MOUNT**

- ABS housings and steel stems
- Includes three adapters for direct mounting
- Fits left or right side

PART #	DESCRIPTION	PART #	DESCRIPTION
0640-1545	Bar-end mount, short	0640-1547	Rod mount
0640-1546	Bar-end mount, long		

**D-MIRRORS TYPE-10**

- Simple and minimal design
- Mirrors measure 133 mm L x 104 mm H
- Sold in pairs

**SHORT AND LONG BAR-END MOUNTS**

- ABS housings and aluminum stems
- Inner diameter clamps measure 30 mm
- Include two spacers (22,2 and 25,4 mm) for direct mounting
- Fits left or right side

**ROD MOUNT**

- ABS housings and steel stems
- Includes three adapters (one left-hand side, two right-hand side) for direct mounting
- Fits left or right side

PART #	DESCRIPTION	PART #	DESCRIPTION
0640-1548	Short, bar-end mount	0640-1550	Rod mount
0640-1549	Long, bar-end mount		



0640-1551

**D-MIRRORS TYPE-11**

- Simple and minimal design
- ABS housings and aluminum and stems
- Mirrors measure 165 mm L x 90 mm H
- Left or right side available
- Sold each

PART #	DESCRIPTION
0640-1551	Fairing set, cowl type, left
0640-1552	Fairing set, cowl type, right
0640-1553	Stem set, left
0640-1554	Stem set, right

**D-MIRROR TYPE-12**

- Simple and minimal design
- ABS housings and aluminum stems
- Dimensions: 166 mm L x 92 mm H
- Sold each

PART #	DESCRIPTION
0640-1555	Fairing set, cowl type, left
0640-1556	Fairing set, cowl type, right
0640-1557	Stem set, left
0640-1558	Stem set, right



0640-1708

**D-MIRRORS TYPE-20**

- Simple and minimal design
- Aluminum bodies and stems; flat and thin mirror housings
- Dimensions: 132 mm L x 91 mm H
- Sold each

PART #	DESCRIPTION
0640-1708	Flat square, stem mount, left
0640-1709	Flat square, stem mount, right

All part numbers in **BLUE** are new for 2026.

# DAYTONA



## D-MIRRORS TYPE-21

- Simple and minimal design
- Aluminum bodies and stems; housing thickness measures approx. 5 mm
- Mirror measures 100 mm in diameter
- Adapter M10 x 1,25 included
- Sold each

PART #  
0640-1706  
0640-1707

0640-1706

DESCRIPTION  
Round, stem mount, left  
Round, stem mount, right



## D-MIRROR TYPE-22

- Simple and minimal design
- Aluminum bodies and stems
- Dimensions: 124 mm L x 83 mm H
- Fits left or right side
- Sold each

PART #  
0640-1709

DESCRIPTION  
D-mirror Type-22



## D-MIRROR TYPE-23

- Aluminum mirror head and mirror arm
- Inner diameter clamp measures 30 mm
- Includes two spacers (22,2 and 25,4 mm) for direct mounting
- Optional bar end adapters can be used
- Fits left or right side
- Sold each



## CAGED SERIES MIRRORS

- Lightweight multi-piece design
- CNC machined from forged aluminum
- Forged mirror stem
- Stainless steel machined pivot hardware
- Oval mirror head dimensions: 13,8 cm W x 64 mm H (5,45" x 2,5")
- Sold each
- Matches many popular lines of Ness accessories

PART #  
CHROME  
0640-1206  
0640-1208

0640-1208

PART #  
BLACK ANODIZED  
0640-1205  
0640-1207



PART #  
0640-1710

DESCRIPTION  
Hexagon, bar-end type



0640-1205



0640-1201



PART #  
BLACK ANODIZED (CONT)  
0640-1201  
0640-1203



## DOWNDRAFT MIRRORS

- Elongated, smooth flowing design
- Mirror head and stem forged from billet aluminum
- Heavy-duty stainless steel internal pivot hardware
- Medium sized mirror head blends in with the lines of the motorcycle, but shaped for great rear vision
- Laser engraved Arlen Ness logo
- Standard and metric mounting hardware included
- Dimensions: 15 cm W x 59 mm T (5,87" x 2,303")
- Sold in pairs

PART #  
0640-1522

DESCRIPTION  
Chrome

PART #  
0640-1521

DESCRIPTION  
Black anodized



0640-1522



0640-1521

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### TEARDROP MIRRORS

- A new take on the classic teardrop
- Large enough for a good field of vision, yet small enough to blend in with the lines of the motorcycle
- Combination of the smooth body lines and angled outer shape make it a perfect fit for any style
- Forged and CNC machined from billet aluminum
- Premium mirror glass
- Mirror head dimensions: 11,75 cm W x 51 mm H (4 16/25" x 2")
- Heavy-duty stainless steel internal pivot hardware

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>CHROME</b>		<b>BLUE ANODIZED</b>	
0640-1459	Left	0640-1462	Left
0640-1461	Right	0640-1467	Right
<b>BLACK ANODIZED</b>		<b>COLD ANODIZED</b>	
0640-1458	Left	0640-1463	Left
0640-1460	Right	0640-1468	Right

- Laser-engraved Arlen Ness logo
- Includes mounting hardware
- Sold each

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>ORANGE ANODIZED</b>		<b>TITANIUM ANODIZED</b>	
0640-1465	Left	0640-1466	Left
0640-1470	Right	0640-1471	Right
<b>RED ANODIZED</b>			
0640-1464	Left		
0640-1469	Right		




### MINI STOCKER MIRRORS

- Forged billet aluminum construction
- Features convex glass
- Glass dimensions: 11,5 cm W x 70 mm H (4 1/2" x 2 3/4")
- Hardware included
- Sold each

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>CHROME</b>		<b>BLUE ANODIZED</b>	
0640-1393	Left	0640-1386	Left
0640-1395	Right	0640-1389	Right
<b>BLACK POWDERCOAT</b>		<b>COLD ANODIZED</b>	
0640-1392	Left	0640-1387	Left
0640-1394	Right	0640-1390	Right

PART #	DESCRIPTION
<b>RED ANODIZED</b>	
0640-1388	Left
0640-1391	Right



### FORGED OVAL MIRRORS

- 14 cm W (5 1/2") mirror heads
- 12,5 cm (5") stems
- Hardware included
- Sold each

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>BLUE ANODIZED</b>		<b>GOLD ANODIZED</b>	
0640-1396	Left	0640-1397	Left
0640-1399	Right	0640-1400	Right
<b>RED ANODIZED</b>			
0640-1398	Left		
0640-1401	Right		

All part numbers in **BLUE** are new for 2026.



### mo.view race mirrors

- CNC-machined solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Mount above or below 22 mm or 25,4 mm handlebar end with included 12 mm W clamp
- Resistant to corrosion, oxidation and scratching; approx. 4,5 mm thick
- Dimensions: 129 mm W x 80 mm H; stem length 150 mm
- Sold each for left or right side

PART #  
**0640-1349**

**0640-1349**

DESCRIPTION  
Left

PART #  
**0640-1350**

**0640-1350**



WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

### mo.view club mirrors

- CNC-machined solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Can be mounted on left or right side; above or below 22 mm or 25,4 mm handlebar end with included 12 mm W clamp
- Mirrors are resistant to corrosion, oxidation and scratching; approx. 4,5 mm thick
- Flip mirrors allow for manipulation of the mirror at 45° intervals for navigating tight spaces
- mo.view 130 includes fixed mounting arm at 90° relation to the handlebar
- mo.view 150 and 180 include M10 threads and three different mounting screws
- Mirror body dimensions: 114 mm W x 80 mm H

PART #	DESCRIPTION
<b>0640-1828</b>	mo.view club 60 mirror
<b>0640-1829</b>	mo.view club 60 flip mirror
<b>0640-1824</b>	mo.view club 110 mirror
<b>0640-1825</b>	mo.view club 110 flip mirror

PART #	DESCRIPTION
<b>0640-1826</b>	mo.view club 110 flip mirror (for 22 mm handlebars)
<b>0640-1827</b>	mo.view club 110 flip mirror (for 25,4 mm handlebars)
<b>0640-1830</b>	mo.view club 130 mirror

PART #	DESCRIPTION
<b>0640-1822</b>	mo.view club 150 mirror
<b>0640-1823</b>	mo.view club 150 flip mirror
<b>0640-1820</b>	mo.view club 180 mirror
<b>0640-1821</b>	mo.view club 180 flip mirror

- mo.view 60 stem length: 72 mm
- mo.view 110 stem length: 110 mm
- mo.view 130 stem length: 110 mm
- mo.view 150 stem length: 150 mm
- mo.view 180 stem length: 180 mm
- Sold each

PART #  
**0640-1495**

DESCRIPTION  
mo.view blade mirror



All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS


FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

motogadget



### mo.view sport mirrors

- CNC-machined solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Can be mounted on left or right side
- Mirror is resistant to corrosion, oxidation and scratching; approx. 4,5 mm thick
- Flip mirrors allow for manipulation of the mirror at 45° intervals for navigating tight spaces
- mo.view 130 includes fixed mounting arm at 90° relation to the handlebar
- mo.view 150 and 180 include M10 threads and three different mounting screws

- Mirror body dimensions: 122 mm W x 83 mm H
- mo.view 60 stem length: 72 mm
- mo.view 110 stem length: 110 mm
- mo.view 130 stem length: 110 mm
- mo.view 150 stem length: 150 mm
- mo.view 180 stem length: 180 mm
- Sold each

PART #	DESCRIPTION
0640-1754	mo.view sport 60 mirror
0640-1753	mo.view sport 60 flip mirror
0640-1846	mo.view sport 110 flip mirror

PART #	DESCRIPTION
0640-1755	mo.view sport 130 mirror
0640-1756	mo.view sport 150 mirror
0640-1847	mo.view sport 150 flip mirror

PART #	DESCRIPTION
0640-1757	mo.view sport 180 mirror
0640-1848	mo.view sport 180 flip mirror

### mo.view spy mirror

- CNC-machined solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Mirror is resistant to corrosion, oxidation and scratching; approx. 4 mm thick
- Can be mounted left or right side; above or below 22 mm handlebar end with included 8 mm W clamp
- Dimensions: 75 mm dia.; 61 mm long stem
- Sold each

PART #	DESCRIPTION
0640-1852	mo.view spy mirror



### mo.view classic mirrors

- CNC machined from solid aluminum with stainless steel screws and glass-free mirror
- Weightless design features convex mirror with no edge or frame
- Can be mounted on left or right side
- Mirrors are resistant to corrosion, oxidation and scratching; approx. 4,5 mm thick
- Flip mirrors allow for manipulation of the mirror at 45° intervals for navigating tight spaces
- Pivot mirrors include the flip mechanism but also incorporate a slim folding clamp designed for mounting location flexibility
- mo.view 130 mirrors include fixed mounting arm at 90° relation to the handlebar

- mo.view 150 and 180 mirrors include M10 threads and three different mounting screws
- Mirror bodies measure 99 mm in dia.
- mo.view 60 stem length: 72 mm
- mo.view 110 stem length: 110 mm
- mo.view 130 stem length: 110 mm
- mo.view 150 stem length: 150 mm
- mo.view 180 stem length: 180 mm
- Sold each

PART #	DESCRIPTION
0640-1793	mo.view classic 60 mirror
0640-1794	mo.view classic 60 flip mirror
0640-1796	mo.view classic 110 mirror
0640-1797	mo.view classic 110 flip mirror

PART #	DESCRIPTION
0640-1798 <sup>1</sup>	mo.view classic 110 pivot mirror
0640-1799 <sup>2</sup>	mo.view classic 110 pivot mirror
0640-1795	mo.view classic 130 mirror
0640-1791	mo.view classic 150 mirror

PART #	DESCRIPTION
0640-1792	mo.view classic 150 flip mirror
0640-1789	mo.view classic 180 mirror
0640-1790	mo.view classic 180 flip mirror

<sup>1</sup> For 22 mm (7/8") handlebars.<sup>2</sup> For 25,4 mm (1") handlebars.

### mo.view screw kit

- Enables the mounting of all mo.view and mo.view xl mirrors (with 150 mm and 180 mm stem) to most standard mounting, to M10 x 1,5 right-hand thread, to M10 x 1,25 right-hand thread, and to M10 x 1,25 left-hand thread
- Stainless steel construction
- Sold in 4 pack

PART #	DESCRIPTION
0641-0255	mo.view screw kit

All part numbers in **BLUE** are new for 2026.


**GILLES**
**GT MIRRORS**

- High-quality handlebar mirrors combine a delicate design with maximum functionality
- Slim glass housing creates a minimalist look that integrates harmoniously into the vehicle design without being intrusive
- Anodized CNC machined mounting ensures not only a refined appearance, but also a secure attachment
- Remains firmly in place on the master cylinder mounts of the brake and clutch and does not loosen over time
- Thanks to the innovative ball joint system, the mirror glass can be adjusted seamlessly to the desired position, ensuring optimal visibility
- Folding function provides additional flexibility without compromising stability
- Made from high-strength aluminium, this mirror offers the perfect balance between stability and lightweight construction
- Matte black anodized finish enhances its sophisticated appearance while providing extra protection against external influences
- Weighing only 280 g, mirrors contribute to vehicle weight optimization

LEFT PART #	RIGHT PART #	DESCRIPTION
<b>0640-1842</b>	<b>0640-1841</b>	Moon, M8 clamping
<b>0640-1840</b>	<b>0640-1839</b>	Moon, M10 clamping



- Precision-milled groove on the main arm further reduces weight without compromising stability
- Includes adapters for many motorcycle models
- Sold each

LEFT PART #	RIGHT PART #	DESCRIPTION
<b>0640-1838</b>	<b>0640-1837</b>	Stratos, M8 clamping
<b>0640-1836</b>	<b>0640-1835</b>	Stratos, M10 clamping


**BAR-END MIRRORS**

- Experience the perfect combination of filigree design and maximum functionality
- Designed for a sleek, minimalist look, it integrates seamlessly into your motorcycle's aesthetics while ensuring optimal visibility
- Precision-machined and secure
- CNC crafted anodized mounting ensures stability on brake and clutch master cylinders
- Fully adjustable and foldable
- Innovative ball joint system allows seamless angle adjustment and a practical folding function

PART #	DESCRIPTION
<b>0640-1844</b>	Moon, M12 clamping

- Made from high-strength aluminum, lightweight with a matte black anodized finish for durability
- Weight: 280 g
- Sold each

PART #	DESCRIPTION
<b>0640-1843</b>	Stratos, M12 clamping


**HANDLEBAR END MIRRORS**

- To ensure optimal visibility of the traffic, mirror offers the flexibility of dual adjustable positions that can be continuously adjusted
- Plug-and-play design, mirrors can be easily mounted on your motorcycle and adjusted to your personal, ergonomic needs
- Features a universal clamp, the mirror is suitable for most models and offers simple and secure attachment
- Delicate look ensures that the mirror blends seamlessly into the overall design of the vehicle without being obtrusive
- Simple and space-saving installation directly on the handlebar end, for optimal visibility without impairment

BLACK PART #	BLACK/MATTE PART #	DESCRIPTION
<b>0640-1787</b>	<b>0640-1788</b>	Moon

- Offers an optimal balance between weight and strength, resulting in improved performance and longevity
- Made of high-strength aluminum, a material known for its exceptional strength, durability and lightness
- Can be used on either the left or right side
- Mirror thickness – 6 mm
- Mirror weight – 600 g
- Symmetrical
- Sold each

BLACK PART #	BLACK/MATTE PART #	DESCRIPTION
<b>0640-1785</b>	<b>0640-1786</b>	Stratos

All part numbers in **BLUE** are new for 2026.



### MINI MIRRORS WITH V2 CUT-OUT STEMS

- Constructed from billet aluminum with a stainless steel pivot that rides in a unique nylon bushing
- Mirrors never lose adjustment or rust at the pivot
- Include all necessary mounting hardware

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
<b>LEFT-HAND SIDE</b>		<b>RIGHT-HAND SIDE</b>		<b>RIGHT-HAND SIDE (CONT)</b>	
0640-1671	Chrome	0640-1674	Chrome	0640-1676	Gold
0640-1673	Gold	0640-1675	Black		

- Mini tear drophead dimensions: 11,5 cm x 7 cm (4,5" x 2,75")
- V2 cut-out stem dimensions: 14 cm x 5,8 cm (5,5" x 2,5")
- Sold each



### MICRO MIRRORS WITH V2 CUT-OUT STEMS

- Constructed from billet aluminum with a stainless steel pivot that rides in a unique nylon bushing
- Mirrors never lose adjustment or rust at the pivot
- Include all necessary mounting hardware
- Micro head dimensions: 11,5 cm x 7,6 cm (4,5" x 3")
- V2 cut-out stem dimensions: 14 cm x 5,8 cm (5,5" x 2,5")
- Sold each

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
<b>LEFT-HAND SIDE</b>		<b>LEFT-HAND SIDE (CONT)</b>		<b>RIGHT-HAND SIDE</b>	
0640-1665	Chrome	0640-1667	Gold	0640-1668	Chrome



0641-0313

0641-0315

0641-0317



0641-0334

## DAYTONA

### MIRROR PLUG BOLTS

- CNC mirror hole plug bolts
- With M10 x 1,25 thread anodized

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>17 MM X 11 MM</b>		<b>15 MM X 11 MM</b>	
0641-0313	Black left mirror plug bolt	0641-0331	Black left mirror plug bolt
0641-0314	Black right mirror plug bolt	0641-0332	Black right mirror plug bolt
0641-0315	Gunmetal left mirror plug bolt	0641-0323	Blue left mirror plug bolt
0641-0316	Gunmetal right mirror plug bolt	0641-0324	Blue right mirror plug bolt
0641-0319	Orange left mirror plug bolt	0641-0325	Gold left mirror plug bolt
0641-0320	Orange right mirror plug bolt	0641-0326	Gold right mirror plug bolt
0641-0317	Red left mirror plug bolt	0641-0327	Green left mirror plug bolt
0641-0318	Red right mirror plug bolt	0641-0328	Green right mirror plug bolt
		<b>15 MM X 11 MM (CONT)</b>	
		0641-0321	Red left mirror plug bolt
		0641-0322	Red right mirror plug bolt
		0641-0329	Silver left mirror plug bolt
		0641-0330	Silver right mirror plug bolt
		0641-0333	Titanium left mirror plug bolt
		0641-0334	Titanium right mirror plug bolt

All part numbers in **BLUE** are new for 2026.



### FEATHERLIGHT CLUTCH CABLES

- Marine-grade stainless steel inner wire that runs through a PTFE liner
- Reduced friction provides a light action, easing pressure on the hand, especially in stop/start traffic and during long rides
- PTFE lining removes the need for lubrication
- "Bird-cage" process is applied to inner wire, allowing solder to penetrate the weave of the cable and making the bond with the nipple much stronger

PART #	DESCRIPTION
0652-2584	For 14-22 Chief/Chieftain/Roadmaster/Springfield
0652-2582	For 15-23 Scout/Scout Sixty/Scout Bobber Twenty



PART #	DESCRIPTION
0652-2583	For 18-23 Scout Bobber/Scout Bobber Sixty



### XR HIGH EFFICIENCY CLUTCH CABLES

- Magnum XR clutch cables offer a great fit and excellent quality at an economical price
- Fitments for Scout, Chief and Challenger models
- Available in stock and plus lengths
- Three color choices; clear-coated stainless with chrome fittings or OE style black vinyl with either chrome or black chrome-plated fittings
- Fittings are polished and chrome or black chrome-plated
- Braided Stainless Steel Cables are coated with a non-yellowing, crystal-clear PVC outer jacket for exceptional protection against scuffing paint or chrome

- Low-effort, high-efficiency cable design for OE type fitment, construction and endurance
- All clutch cables are factory lubricated for smooth, consistent, long lasting operation



1132-1555

#### STAINLESS STEEL/CHROME

FITS MODEL	OEM #	STOCK LENGTH	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
For 20-24 Challenger	7082637, 7082863	147 cm (57 7/8")	1132-1534	1132-1535	-	-	-	-
For 14-20 Chieftain/Roadmaster/ Springfield/Chief	7082130	170,5 cm (67 1/8")	1132-1523	1132-1524	1132-1525	1132-1526	1132-1527	-
For 15-24 Scout Sixty	7082099, 7082203	170 cm (66 7/8")	1132-1529	1132-1530	1132-1531	1132-1532	1132-1533	-
For 24 Scout, 18-24 Scout Bobber/ Twenty/Sixty	7082318	165 cm (64 7/8")	1132-1528	1132-1529	1132-1530	1132-1531	1132-1532	1132-1533

#### BLACK/CHROME

FITS MODEL	OEM #	STOCK LENGTH	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
For 20-24 Challenger	7082637, 7082863	147 cm (57 7/8")	1132-1550	1132-1551	-	-	1132-1554	-
For 14-20 Chieftain/Roadmaster/ Springfield/Chief	7082130	170,5 cm (67 1/8")	1132-1539	1132-1540	-	1132-1542	1132-1543	-
For 15-24 Scout Sixty	7082099, 7082203	170 cm (66 7/8")	1132-1545	1132-1546	1132-1547	1132-1548	1132-1549	-
For 24 Scout, 18-24 Scout Bobber/ Twenty/Sixty	7082318	165 cm (64 7/8")	1132-1544	1132-1545	1132-1546	1132-1547	1132-1548	1132-1549

#### BLACK/BLACK

FITS MODEL	OEM #	STOCK LENGTH	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
For 20-24 Challenger	7082637, 7082863	147 cm (57 7/8")	-	1132-1567	1132-1568	1132-1569	1132-1570	-
For 14-20 Chieftain/Roadmaster/ Springfield/Chief	7082130	170,5 cm (67 1/8")	1132-1555	1132-1556	1132-1557	1132-1558	1132-1559	-
For 15-24 Scout Sixty	7082099, 7082203	170 cm (66 7/8")	1132-1561	-	1132-1563	1132-1564	1132-1565	-
For 24 Scout, 18-24 Scout Bobber/ Twenty/Sixty	7082318	165 cm (64 7/8")	1132-1560	1132-1561	-	1132-1563	1132-1564	1132-1565

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

0652-2037



0652-2039



## STERLING CHROMITE BLACK PEARL

### BRAIDED HIGH EFFICIENCY CLUTCH CABLES

- The Industry's highest-quality braid available in two color choices to complement your bike; Sterling Chromite® and Black Pearl braided with real black wire braid
- Braid color and weave match on all Magnum control cables and brake lines
- Coated with a non-yellowing, crystal-clear outer jacket for exceptional protection against scuffing paint or chrome

- All fittings are polished then chrome or black-chrome plated
- Low-effort, high-efficiency cable design
- All cables are factory lubricated for smooth, consistent, long lasting-operation

#### STERLING CHROMITE®

FITS MODEL	OEM #	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")
For 20-24 Challenger	7082637, 7082863	<b>1132-1513</b>	-	-	<b>1132-1516</b>	-
For 14-20 Chieftain/Roadmaster/Springfield/Chief	7082130	<b>0652-2036</b>	-	-	<b>0652-2047</b>	<b>0652-2048</b>
For 15-24 Scout Sixty	7082099, 7082203	<b>0652-2037</b>	<b>0652-2049</b>	<b>0652-2050</b>	<b>0652-2051</b>	-
For 24 Scout, 18-24 Scout Bobber/Sixty/Twenty	7082318	-	<b>0652-2037</b>	<b>0652-2049</b>	<b>0652-2050</b>	<b>0652-2051</b>

#### BLACK PEARL


FITS MODEL	OEM #	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")
For 20-24 Challenger	7082637, 7082863	<b>1132-1518</b>	<b>1132-1519</b>	<b>1132-1520</b>	<b>1132-1521</b>	<b>1132-1522</b>
For 14-20 Chieftain/Roadmaster/Springfield/Chief	7082130	<b>0652-2039</b>	<b>0652-2056</b>	<b>0652-2057</b>	<b>0652-2058</b>	<b>0652-2059</b>
For 15-24 Scout Sixty	7082099, 7082203	<b>0652-2040</b>	<b>0652-2060</b>	<b>0652-2061</b>	<b>0652-2062</b>	-
For 24 Scout, 18-24 Scout Bobber/Bobber Twenty/Bobber Sixty	7082318	-	<b>0652-2040</b>	<b>0652-2060</b>	<b>0652-2061</b>	<b>0652-2062</b>

#### Barnett



### CLUTCH CABLES

- Barnett cables are smooth-working, long-lasting and made with the finest components available, making them virtually indestructible
- Stainless steel cables with clear coating offer that custom look without the fear of damaging areas that the cables come in contact with
- Black vinyl cables are available with standard nylon-lined, PVC-coated casings



0652-2934

0652-3248

#### FITS MODEL

FITS MODEL	DESCRIPTION	STAINLESS STEEL PART #	BLACK VINYL PART #
For 14-21 Chief/Chieftain/Roadmaster/Springfield	Std.	<b>0652-2934</b>	<b>0652-2936</b>
	[+15 cm (6")]	<b>0652-2935</b>	<b>0652-1970</b>
For 20-24 Challenger/Dark Horse/Elite/Limited, 22-24 Pursuit/Dark Horse/Elite/Limited	Std.	-	<b>0652-3248</b>
For 15-22 Scout	Std.	<b>0652-1975</b>	<b>0652-1973</b>
	[+15 cm (6")]	-	<b>0652-1974</b>

#### FOOTRESTS & FLOORBOARDS



### MIDNIGHT BRAIDED HANDLEBAR CABLE KIT

- Take "cable calculation" headaches out of swapping handlebars
- Kit includes the correct length brake/clutch lines to complete a handlebar swap; electrical wire extensions not included
- Midnight kit includes stainless steel brake lines and clutch lines covered in a black smoke-tinted coating with pure black fittings throughout; lines appear graphite or carbon fiber in appearance providing that ultra-custom look and the black fittings seamlessly blend with blacked-out controls and covers on the bike



#### MIDNIGHT BRAIDED KITS AND COMPONENTS

DESCRIPTION	CABLE KIT
FOR 15-24 SCOUT/SCOUT SIXTY/BOBBER W/O ABS	
For use w/ 30,5 cm - 35,5 cm handlebars (12"-14")	<b>0662-0459</b>

All part numbers in **BLUE** are new for 2026.



1710-4117



### CUBIQ® BRAKE ROTORS

- Named after the crystal steel molecules, the Cubiq® brake rotor combines state-of-the-art technology with modern design
- Rotor shape promotes uniform brake pad wear - the same contact surface between the pad and disc every revolution generates regular wear
- Less unsprung weight (up to 40% lighter than standard round rotors) reduces gyroscopic effect and improves the maneuverability of the motorcycle
- Increased perimeter surface design generates more cooling surface around the rotor for better temperature dissipation
- Available in fixed (solid mount) or floating designs
- Sold each

**NOTE:** For maximum braking performance and rotor longevity, Galfer recommends using Galfer brake pads with Galfer rotors. See page 143 for Galfer brake pads.

DESCRIPTION	STYLE	PART #
14-24 Chieftain (all)	Front/rear, floating	<b>1710-4117</b>
15-20 Roadmaster	Front/rear, floating	<b>1710-4117</b>

DESCRIPTION	STYLE	PART #
16-20 Springfield	Front/rear, floating	<b>1710-4117</b>
14-23 Chief (all)	Front/rear, floating	<b>1710-4117</b>

### WAVE® BRAKE ROTORS

- Made from 420 high-carbon stainless Tier 1 steel
- Laser cut, never stamped
- Every rotor is individually heat-treated and double-disc parallel ground to assure perfect flatness
- Wave® design allows for lower operating temperatures in extreme use conditions
- Wave design is lighter than the stock round rotor design
- Sold each

**NOTE:** For maximum braking performance and rotor longevity, Galfer recommends using Galfer brake pads with Galfer rotors. See page 143 for Galfer brake pads.

FITS MODEL	DESCRIPTION	PART #
15-23 Roadmaster	Front/rear, floating	<b>1710-36331</b>
14-23 Chieftain (all)	Front/rear, floating	<b>1710-36331</b>
16-23 Springfield	Front/rear, floating	<b>1710-36331</b>



FITS MODEL	DESCRIPTION	PART #
14-16 Chief (all)	Front/rear, floating	<b>1710-3633</b>
15-24 Scout/Scout Sixty/Scout Bobber	Front/rear, fixed	<b>1710-4241</b>

<sup>1</sup> With Nissin calipers.



### ROUND ROTORS

- Classic look and has more braking power than the original disc
- Low working temperature and less tendency to warp
- Excellent resistance to corrosion
- Stainless steel high carbon content
- Floating discs are made from anodized or chromed high-resistance aluminum (7075 T6-6082) or stainless steel (AISI 420) carrier

DESCRIPTION	STYLE	PART #
15-20 Roadmaster	Front/rear, floating	<b>1710-4239</b>
14-24 Chieftain (all)	Front/rear, floating	<b>1710-4239</b>



DESCRIPTION	STYLE	PART #
16-20 Springfield	Front/rear, floating	<b>1710-4239</b>
11-24 Chief (all)	Front/rear, floating	<b>1710-4239</b>

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION


FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



## REPLACEMENT FLAME AND HALO ROTORS

### FLAME SERIES ROTORS

- Bolt-on performance upgrade
- Flame design ensures optimal heat dissipation and a perfect cleaning of the brake pad surface
- Durable, premium-quality stainless steel outer ring, mounted with lightweight stainless floaters
- Precision double-ground for excellent rider feedback, eliminating any pulsation at the lever
- Equal brake pad contact throughout entire rotation of disc ensures linear braking action
- CNC-machined 6082 billet aluminum, black anodized carrier is lightweight and strong
- Can be used with any type of brake pad
- Fixed design unless noted
- Sold each

### HALO SERIES ROTORS

- A new standard in aftermarket circular-round brake rotors
- Durable, premium quality stainless steel outer ring is laser-cut and precision-ground
- Carrier is crafted from CNC-machined billet aircraft aluminum, black anodized and laser marked
- Venting holes are sized and positioned exactly to ensure equal heat dispersion, even under high thermal stress, while the brake pad contact surface stays clean
- Lightweight stainless steel floaters complete the package
- Halo front floating rotors are left and right, unless noted
- Sold each

FITS MODEL	FLAME LEFT FRONT ROTOR PART #	FLAME RIGHT FRONT ROTOR PART #	FLAME REAR ROTOR PART #	HALO LEFT FRONT ROTOR PART #	HALO RIGHT FRONT ROTOR PART #	HALO REAR ROTOR PART #
14-25 Chieftain	<b>1710-1805<sup>1</sup></b>	<b>1710-1829<sup>1</sup></b>	-	-	-	-
15-25 Roadmaster	<b>1710-1805<sup>1</sup></b>	<b>1710-1829<sup>1</sup></b>	-	-	-	-
16-25 Springfield/ Dark Horse	<b>1710-1805<sup>1</sup></b>	<b>1710-1829<sup>1</sup></b>	-	-	-	-
22-25 Super Chief	<b>1710-1805<sup>1</sup></b>	<b>1710-1829<sup>1</sup></b>	-	-	-	-
21-25 Vintage	<b>1710-1805<sup>1</sup></b>	<b>1710-1829<sup>1</sup></b>	-	-	-	-
20-25 Challenger	<b>1710-4616</b>	<b>1710-4617</b>	-	<b>1710-4638</b>	<b>1710-4638</b>	-
22-25 Pursuit	-	-	-	<b>1710-4638</b>	<b>1710-4638</b>	-
23-25 Sport Chief	-	-	-	<b>1710-4638</b>	<b>1710-4638</b>	-
25 Scout 101	-	-	-	<b>1710-4638</b>	<b>1710-4638</b>	-
19-24 FTR1200/Rally/Sport	<b>1710-4616</b>	<b>1710-4617</b>	<b>1710-4615</b>	<b>1710-4638</b>	<b>1710-4638</b>	<b>1710-4639</b>

<sup>1</sup> Floating disc.



### STAINLESS STEEL FLOATING BRAKE ROTORS

- High-quality stainless steel construction with a high carbon content
- Provides strong stopping power in all conditions
- Quiet, vibration-free operation
- Anti-corrosion treatment and high temperature resistance
- Low rotor weight

- Matches OEM rotor dimensions
- Rotors install using OEM hardware
- Floating rotors feature heat-treated stainless steel center hubs
- Listed models require two front discs and one rear disc

FITS MODEL	FRONT PART #	REAR PART #	FITS MODEL	FRONT PART #	REAR PART #
11-13 Chief Blackhawk	<b>1710-3664</b>	-	18 Roadmaster Elite	<b>1710-4387</b>	<b>1710-4387</b>
15-18 Roadmaster Classic	<b>1710-4387</b>	<b>1710-4387</b>			

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

1710-4199



1710-4197


**EBC**  
 BRAKES

**PRO-LITE MD STANDARD BRAKE ROTORS WITH ABE**

- Complete bolt-on and go rotor assemblies
- Made with forged aluminum center hubs, high-friction billet steel rotor rings and sturdy riveted construction
- X-Series rotors offer a universal design for left- or right-side applications; all X-Series feature SD-System™ square-sided buttons that allow the rotor to expand inwards and outwards unrestrained for perfect rotor functionality at any speed or load and increased durability

**DESCRIPTION****PART #****FRONT**

14-23 Chieftain Dark Horse/Limited/Elite (Cast wheels/Nissin calipers)	<b>1710-41991</b>
15-23 Roadmaster/Dark Horse/Limited (Cast wheels/Nissin calipers)	<b>1710-41991</b>
16-23 Springfield	<b>1710-41991</b>
19-21 Springfield Elite	<b>1710-41991</b>
14-21 Chief Vintage (Nissin calipers)	<b>1710-41991</b>
16-21 Chief Dark Horse (Nissin calipers)	<b>1710-41991</b>
14-21 Chieftain (Cast wheels/Nissin calipers)	<b>1710-41991</b>
17-23 Scout	<b>1710-4197<sup>2</sup></b>
18-23 Scout Bobber	<b>1710-4197<sup>2</sup></b>
15-16 Scout (Cast wheels/Toso calipers)	<b>1710-4197<sup>2</sup></b>
17-22 Scout Sixty	<b>1710-4197<sup>2</sup></b>
16 Scout Sixty (Cast wheels/Toso calipers)	<b>1710-4197<sup>2</sup></b>
18-22 FTR 200/S/Race Replica/Rally	<b>1710-2825</b>

- Excellent choice when upgrading or replacing OEM brake rotors
- Sold each

NOTE: ABE approved unless noted.

**DESCRIPTION****PART #****REAR**


14-23 Chieftain Dark Horse/Limited/Elite (Cast wheels/Nissin calipers)	<b>1710-4198<sup>1</sup></b>
15-23 Roadmaster/Dark Horse/Limited (Cast wheels/Nissin calipers)	<b>1710-4198<sup>1</sup></b>
16-23 Springfield	<b>1710-4198<sup>1</sup></b>
19-21 Springfield Elite	<b>1710-4198<sup>1</sup></b>
16-21 Chief Dark Horse (Nissin calipers)	<b>1710-4198<sup>1</sup></b>
14-21 Chief Vintage (Nissin calipers)	<b>1710-4198<sup>1</sup></b>
14-21 Chieftain (Cast wheels/Nissin calipers)	<b>1710-4198<sup>1</sup></b>
17-23 Scout	<b>1710-4197<sup>2</sup></b>
18-23 Scout Bobber	<b>1710-4197<sup>2</sup></b>
15-16 Scout (Cast wheels/Toso calipers)	<b>1710-4197<sup>2</sup></b>
17-21 Scout Sixty	<b>1710-4197<sup>2</sup></b>
16 Scout Sixty (Cast wheels/Toso calipers)	<b>1710-4197<sup>2</sup></b>
19-22 FTR 200/S/Race Rep/Rally	<b>1710-4200<sup>1</sup></b>

<sup>1</sup> Not ABE approved.<sup>2</sup> X-Series rotor.
  
**ARLEN NESS**
**FACTORY STYLE REPLACEMENT BRAKE ROTORS**

- 2-piece floating brake rotors
- Made from premium stainless steel
- Inner rotor carrier coated in black finish
- 300 mm OEM diameter

**PART #****DESCRIPTION**

<b>FOR 14-24 CHIEFTAIN/ROADMASTER/SPRINGFIELD/CHALLENGER/PURSUIT/CHIEF (EXCEPT SCOUT)</b>	
<b>1710-4578</b>	Front



1710-4578



- Front brake rotor thickness: 5 mm
- Rear brake rotor thickness: 7 mm

**PART #****DESCRIPTION**

<b>FOR 14-24 CHIEFTAIN/ROADMASTER/SPRINGFIELD/CHALLENGER/PURSUIT/CHIEF (EXCEPT SCOUT) (CONT)</b>	
<b>1710-4579</b>	Rear

**PART #****DESCRIPTION**

<b>2401-1526</b>	For 20-24 Challenger
------------------	----------------------

**FLOATING BRAKE ROTOR HARDWARE KIT**

- Made from forged stainless steel
- Bolt and bushing are forged into one, giving each full floating bolt head its unique custom shape
- Each bolt is CNC machined into a custom radius shape
- Torque style fastener helps provide proper torque during rotor installation
- Includes five full floating rotor bolts and five spring washers

  
**ARLEN NESS**
All part numbers in **BLUE** are new for 2026.



See chart for details

**BRAKE PADS AND SHOES****ORGANIC BRAKE PADS**

- The world's #1 selling organic disc brake pads
- EBC Organic brake pads contain Aramid fibers; these are man-made high-performance fibers used widely for their light weight, high strength, abrasion resistance and thermal stability
- Aramid fibers have high strength-to-weight, thermal stability and abrasion resistance to provide advantages over cheaper steel fiber-based products
- Provide excellent stopping power without noise and rotor galling, even on polished rotors
- Fingertip control and strong, predictable brake response

**DOUBLE-H SINTERED METAL PADS**

- Feature the HH friction rating – the highest in the industry
- Provide maximum brake effect and last twice as long as organic pads

**SEMI-SINTERED "V" PADS**

- All-new semi-sintered construction containing 30% copper by weight within an organic matrix
- This design has the long life of a sintered pad with the great feel and are more rotor-friendly than the more aggressive sintered pads
- Can be used to replace organic or sintered metal compound pads



Organic pads

Double-H sintered pads



Semi-sintered "V" pads

**EPFA EXTREME PERFORMANCE BRAKE PADS**

- The latest in sintered metal brake pad fusion technology
- Has the highest friction rating possible – 0.6 – for strong, fade-free stopping power
- Pad blend includes molybdenum metal and tungsten additives to enhance friction performance for the life of the pad
- No lead, iron or steel additives; no more rotor outline etching or rotor stiction
- Super-fast bed-in, full friction after 10 to 15 hard stop uses
- Great heat cycle ability

FITS MODEL	ORGANIC PAD PART #	V SEMI SINTERED PART #	HH SINTERED PART #	EPFA EXTREME PART #
<b>FRONT BRAKE PADS</b>				
22-24 Chief/Bobber/Dark Horse/Super Chief	-	-	<b>FA347HH<sup>1</sup></b>	-
15-24 Roadmaster/Classic/Elite (Nissin calipers)	-	-	<b>FA347HH<sup>1</sup></b>	-
14-24 Chieftain (Cast wheels/Nissin calipers)	-	-	<b>FA347HH<sup>1</sup></b>	-
14-18 Chief Classic/Vintage (Spoke wheels/Nissin calipers)	-	-	<b>FA347HH<sup>1</sup></b>	-
16-24 Chief Dark Horse (Nissin calipers)	-	-	<b>FA347HH<sup>1</sup></b>	-
11 Chief Blackhawk (Brembo calipers)	<b>FA95<sup>1</sup></b>	<b>1721-1450<sup>1</sup></b>	<b>FA95HH<sup>1</sup></b>	<b>1721-1222</b>
11 Chief Blackhawk Dark (Brembo calipers)	<b>FA95<sup>1</sup></b>	<b>1721-1450<sup>1</sup></b>	<b>FA95HH<sup>1</sup></b>	<b>1721-1222</b>
11-13 Chief Classic (Brembo calipers)	<b>FA95<sup>1</sup></b>	<b>1721-1450<sup>1</sup></b>	<b>FA95HH<sup>1</sup></b>	<b>1721-1222</b>
09-11 Chief Standard (Brembo calipers)	<b>FA95<sup>1</sup></b>	<b>1721-1450<sup>1</sup></b>	<b>FA95HH<sup>1</sup></b>	<b>1721-1222</b>
09 Chief Deluxe (Brembo calipers)	<b>FA95<sup>1</sup></b>	<b>1721-1450<sup>1</sup></b>	<b>FA95HH<sup>1</sup></b>	<b>1721-1222</b>
09-11 Chief Roadmaster (Brembo calipers)	<b>FA95<sup>1</sup></b>	<b>1721-1450<sup>1</sup></b>	<b>FA95HH<sup>1</sup></b>	<b>1721-1222</b>
09-13 Chief Vintage (Brembo calipers)	<b>FA95<sup>1</sup></b>	<b>1721-1450<sup>1</sup></b>	<b>FA95HH<sup>1</sup></b>	<b>1721-1222</b>
13 Chief Vintage FE/LE	<b>FA95<sup>1</sup></b>	<b>1721-1450<sup>1</sup></b>	<b>FA95HH<sup>1</sup></b>	<b>1721-1222</b>
10-11 Bomber (Brembo Calipers)	<b>FA95<sup>1</sup></b>	<b>1721-1450<sup>1</sup></b>	<b>FA95HH<sup>1</sup></b>	<b>1721-1222</b>
10-13 Dark Horse (Brembo calipers)	<b>FA95<sup>1</sup></b>	<b>1721-1450<sup>1</sup></b>	<b>FA95HH<sup>1</sup></b>	<b>1721-1222</b>
16-18 Scout 1200 (Cast wheels/Toso calipers)	<b>1720-0021<sup>1</sup></b>	-	<b>FA196HH<sup>1</sup></b>	<b>1721-2842</b>
16-19 Scout 1200 (Nissin Calipers)	<b>FA209/2<sup>1</sup></b>	<b>1721-1415<sup>1</sup></b>	<b>FA209/2HH<sup>1</sup></b>	-
15-16 Scout (Cast wheels/Toso caliper)	<b>1720-0575</b>	-	-	-
18 Scout Bobber	<b>FA209/2<sup>1</sup></b>	<b>1721-1415<sup>1</sup></b>	<b>FA209/2HH<sup>1</sup></b>	-
17-24 Scout Sixty and 19-24 Bobber (Nissin Calipers)	<b>FA209/2<sup>1</sup></b>	<b>1721-1415<sup>1</sup></b>	<b>FA209/2HH<sup>1</sup></b>	-
16 Scout Sixty (Cast wheels/Toso caliper)	<b>1720-0575</b>	-	-	-
All 02-08 models	<b>FA216/3</b>	<b>1721-1416<sup>1</sup></b>	<b>1721-0139<sup>1</sup></b>	-
All 09 models	<b>FA95<sup>1</sup></b>	<b>1721-1450<sup>1</sup></b>	<b>FA95HH<sup>1</sup></b>	<b>1721-1222</b>
20-23 FTR1200/R/S	-	<b>1721-1814</b>	<b>1721-1813</b>	-
<b>REAR BRAKE PADS</b>				
22-24 Chief/Bobber/Dark Horse/Super Chief	<b>1720-0021<sup>1</sup></b>	-	<b>FA196HH<sup>1</sup></b>	-
15-24 Roadmaster/Classic/Elite (Nissin calipers)	<b>1720-0021<sup>1</sup></b>	-	<b>FA196HH<sup>1</sup></b>	-
14-24 Chieftain (Cast wheels/Nissin calipers)	<b>1720-0021<sup>1</sup></b>	-	<b>FA196HH<sup>1</sup></b>	-
14-21 Chief Classic/Vintage (Spoke wheels/Nissin calipers)	<b>1720-0021<sup>1</sup></b>	-	<b>FA196HH<sup>1</sup></b>	-
16-24 Chief Dark Horse (Nissin calipers)	<b>1720-0021<sup>1</sup></b>	-	<b>FA196HH<sup>1</sup></b>	-
16-23 Scout 1200 (Nissin Calipers)	<b>1720-0021<sup>1</sup></b>	-	<b>FA196HH<sup>1</sup></b>	-
19-24 Scout Bobber 1200	-	-	<b>1721-0651</b>	-
17-21 Scout Sixty	<b>1722-0265</b>	<b>1721-1970</b>	<b>1721-0651</b>	-
All 02-08 models	<b>FA216/3</b>	<b>1721-1416<sup>1</sup></b>	<b>1721-0139<sup>1</sup></b>	-
20-23 FTR1200/R/S	<b>FA266</b>	<b>1721-1976</b>	-	-

<sup>1</sup> ABE approved.All part numbers in **BLUE** are new for 2026.



1721-3708



1721-3707

### PREMIUM SINTERED METAL BRAKE PADS

- Premium sintered metal brake pads designed for Indian motorcycles
- More durable than the stock brake pads
- Pad backing plate features a high-tech ceramic heat shield that keeps heat away from the caliper piston and brake fluid
- No brake dust, noise or brake fade

NOTE: Not to be used with plated rotors.

BRAKE PADS	FRONT PART #	REAR PART #
DESCRIPTION		
For 20-24 Challenger/Dark Horse/Elite/LTD/STD 108"	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3707</a>
For 22-24 Pursuit/Dark Horse/Elite/LTD 108"	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3707</a>
For 14-24 Chieftain/Classic/Dark Horse/Elite/LTD/Premium	<a href="#">1721-3715<sup>1</sup></a>	<a href="#">1721-3707</a>
For 16-24 Roadmaster/Dark Horse/Elite/LTD/Premium	<a href="#">1721-3715<sup>1</sup></a>	<a href="#">1721-3707</a>
For 09-11 Roadmaster	<a href="#">1721-3712<sup>1</sup></a>	<a href="#">1721-3714</a>
For 16-24 Springfield/Dark Horse/LTD	<a href="#">1721-3715<sup>1</sup></a>	<a href="#">1721-3707</a>
For 23-24 Sport Chief 116" (Brembo front calipers)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3707</a>
For 22-24 Super Chief/LTD	<a href="#">1721-3715</a>	<a href="#">1721-3707</a>
For 22-24 Chief/Dark Horse	<a href="#">1721-3715</a>	<a href="#">1721-3707</a>
For 22-24 Chief Bobber Dark Horse	<a href="#">1721-3715</a>	<a href="#">1721-3707</a>
For 16-20 Chief Dark Horse	<a href="#">1721-3715<sup>1</sup></a>	<a href="#">1721-3707</a>
For 14-21 Chief Vintage (all)	<a href="#">1721-3715<sup>1</sup></a>	<a href="#">1721-3707</a>
For 14-20 Chief/Classic/Dark Horse	<a href="#">1721-3715<sup>1</sup></a>	<a href="#">1721-3707</a>
For 09-13 Chief Classic/Blackhawk/Dark/Dark Horse/Deluxe/Vintage	<a href="#">1721-3712<sup>1</sup></a>	<a href="#">1721-3714</a>
For 10-11 Chief Bomber	-	<a href="#">1721-3714</a>
For 25 Scout 101 (cast 5-spoke 19/16" wheels)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3711</a>
For 15-16 Scout/Sixty (Toso calipers/cast wheels)	<a href="#">1721-3709</a>	<a href="#">1721-3710</a>
For 23-24 FTR1200 Sport (cast 17/17" wheels)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3713</a>
For 23-24 FTR1200 Rally (cast 19/18" wheels)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3713</a>
For 22-23 FTR1200 Championship Edition (cast 17/17" wheels)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3713</a>
For 21-24 FTR1200 Carbon (cast 17/17" wheels)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3713</a>
For 21-24 FTR1200 (cast 17/17" wheels)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3713</a>
For 21-22 FTR1200 S (cast 17/17" wheels)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3713</a>
For 20-24 FTR1200 Rally (spoke 19/18" wheels)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3713</a>
For 20 FTR1200 Carbon LE (cast 19/18" wheels)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3713</a>
For 19-20 FTR1200 (cast 19/18" wheels)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3713</a>
For 19 FTR1200 Rally LE (spoke 19/18" wheels)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3713</a>
For 19 FTR1200S (cast 19/18" wheels)	<a href="#">1721-3708<sup>1</sup></a>	<a href="#">1721-3713</a>

<sup>1</sup> Dual disc models require 2 sets.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



Sintered metal

Organic aramid fiber

**BRAKE PADS**

- Sintered metal brake pads are the OEM-type replacement pads for most bikes
- Sintered metal brake pads are second-to-none in their stopping abilities and wear characteristics, while still providing excellent reduction in noise and dust
- Organic pads with aramid high-performance fibers are the perfect choice for polished or chromed rotors and billet steel rotors
- Both compounds of Drag Specialties brake pads are asbestos-, nickel- and lead-free

**NOTE:** If you are using aftermarket billet steel rotors, it is recommended you use our Organic pads with aramid high-performance fiber brake pads to avoid damage to them. Sintered pads are not recommended for billet steel rotors as the pad material is too aggressive for those rotors.

**FRONT BRAKE PADS**

DESCRIPTION	SINTERED METAL	ORGANIC ARAMID FIBER
15-24 Roadmaster/Dark Horse/Limited/Elite (Cast wheel/Nissin calipers)	<b>1721-1952</b>	-
20-24 Challenger	<b>1721-3373</b>	-
20-24 Challenger Dark Horse (Cast wheels/Brembo calipers)	<b>1721-3373</b>	-
22-24 Challenger Limited/Pursuit Limited (Cast wheels/Brembo calipers)	<b>1721-3373</b>	-
23-24 Challenger Elite (Cast wheels/Brembo calipers)	<b>1721-3373</b>	-
22-24 Pursuit Limited/Dark Horse/Elite	<b>1721-3373</b>	-
14-24 Chieftain/Dark Horse/Limited/Elite (Cast wheel/Nissin calipers)	<b>1721-1952</b>	-
19-23 Springfield Dark Horse	<b>1721-1952</b>	-
16-23 Springfield	<b>1721-1952</b>	-
22-23 Chief/Chief Bobber/Chief Bobber Dark Horse/Super Chief	<b>1721-1952</b>	-
22 Super Chief Limited	<b>1721-1952</b>	-
14-18 Chief Classic (Spoke wheel/Nissin calipers)	<b>1721-1952</b>	-
14-21 Chief Vintage (Spoke wheel/Nissin calipers)	<b>1721-1952</b>	-
16-23 Chief Dark Horse (Nissin calipers)	<b>1721-1952</b>	-
17-24 Scout/Scout Sixty/Scout Bobber	<b>1721-1949</b>	<b>1720-0279</b>
15-16 Scout/Scout Sixty (Cast wheel/Toso calipers)	<b>1721-3025</b>	<b>1720-0646</b>
18-23 FTR1200	<b>1721-3373</b>	-
21-22 FTR1200 R Carbon	<b>1721-3373</b>	-
19-23 FTR1200S	<b>1721-3373</b>	-
19-20 FTR1200S Race Replica	<b>1721-3373</b>	-
20-23 FTR1200 Rally	<b>1721-3373</b>	-
02-08 (all models)	<b>1721-1360</b>	<b>1720-0209</b>

**REAR BRAKE PADS**

DESCRIPTION	SINTERED METAL	ORGANIC ARAMID FIBER
15-24 Roadmaster/Dark Horse/Limited/Elite (Cast wheel/Nissin calipers)	<b>1721-1948</b>	<b>1720-0278</b>
20-24 Challenger/Dark Horse/Limited/Elite	<b>1721-1948</b>	<b>1720-0278</b>
22-24 Pursuit/Icon/Dark Horse/Limited	<b>1721-1948</b>	<b>1720-0278</b>
14-24 Chieftain/Dark Horse/Limited/Elite (Cast wheel/Nissin calipers)	<b>1721-1948</b>	<b>1720-0278</b>
22-23 Chief/Chief Bobber/Chief Bobber Dark Horse/Super Chief	<b>1721-1948</b>	<b>1720-0278</b>
14-18 Chief Classic (Spoke wheel/Nissin calipers)	<b>1721-1948</b>	<b>1720-0278</b>
16-19 Chief Dark Horse (Nissin calipers)	<b>1721-1948</b>	<b>1720-0278</b>
14-21 Chief Vintage (Spoke wheel/Nissin calipers)	<b>1721-1948</b>	<b>1720-0278</b>
22-24 Scout/Rogue/Rogue Sixty	<b>1721-3372</b>	-
17-24 Scout/Scout Sixty	<b>1721-3372</b>	-
15-16 Scout/Scout Sixty (Cast wheel/Toso calipers)	<b>1721-1948</b>	<b>1720-0278</b>
19-24 Scout Bobber/Scout Bobber Twenty	<b>1721-3372</b>	-
21-24 Scout Bobber Sixty	<b>1721-3372</b>	-
02-08 (all models)	<b>1721-1360</b>	<b>1720-0209</b>

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



1721-2343



1722-0795



1721-2943



## BRAKE PADS

### SEMI-METALLIC CARBON (1054)

- Great feel and modulation for OEM brake pad replacement
- Long-lasting brake pad and very little rotor wear
- Good in wet and/or dry conditions
- Overall a very versatile brake pad compound for almost every need
- GG Rated

### HH SINTERED (1370/1371)

- For moderately aggressive everyday or sport street riding
- Advanced ceramic composites ready to withstand higher temperatures than regular semi-metallic carbon brake pads
- HH friction-rated compounds deliver excellent feel and modulation
- Great heat recovery and easy on rotor discs
- Developed for aggressive street riding and sport touring, great choice for heavier street bike

### HH SINTERED CERAMIC (1375)

- For moderately aggressive everyday and sport street riding
- Ceramic-coated backing plate to assist with temperature management and dissipate heat
- Advanced ceramic composites ready to withstand higher temperatures than regular semi-metallic carbon brake pads
- HH friction-rated compounds deliver excellent feel and modulation
- Capable of handling almost any type of riding you throw at them
- Brake pads do not fade
- Performance street, track days, canyon riding, amateur racing

### SINTERED RACING COMPOUND (1375R)

- Designed for the quick temperature changes of Superbike racing from corner to corner
- Fast recovery from long and heavy brake applications in race conditions
- Strong, consistent feel and modulation during the race
- Easy on rotors, no excessive material build up or rotor wear
- HH rated compound with ceramic and carbon sintered fibers
- Race use only, not suitable for street or recreational use
- Tested and used by MotoGP and MotoAmerica athletes

DESCRIPTION	FRONT COMPOUND TYPE	FRONT PART #	REAR COMPOUND TYPE	REAR PART #
17-23 Roadmaster	HH Sintered Ceramic	<a href="#">1721-2343</a>	-	-
20-23 Challenger Dark Horse	HH Sintered	<a href="#">1721-2327</a>	-	-
15-17 Roadmaster	Semi-metallic Carbon	<a href="#">1721-2342</a>	-	-
	Semi-metallic Carbon	<a href="#">1721-2347</a>	-	-
17-23 Springfield	Sintered Ceramic	<a href="#">1721-2343</a>	-	-
16 Springfield	Semi-metallic Carbon	<a href="#">1721-2342</a>	-	-
	Semi-metallic Carbon	<a href="#">1721-2347</a>	-	-
14-16 Chieftain	Semi-metallic Carbon	<a href="#">1721-2347</a>	-	-
09-13 Chief	Semi-metallic Carbon	<a href="#">1721-2372</a>	Semi-metallic Carbon	<a href="#">1721-2372</a>
	HH Sintered	<a href="#">1721-3057</a>	-	-
14-23 Chief	HH Sintered Ceramic	<a href="#">1721-2343</a>	-	-
	HH Sintered	<a href="#">1721-3202</a>	-	-
	Semi-metallic Carbon	<a href="#">1721-3538</a>	-	-
15-16 Scout	HH Sintered	<a href="#">1721-2326</a>	Semi-metallic Carbon	<a href="#">1722-0795</a>
15-23 Scout/Scout Sixty/Bobber	HH Sintered	<a href="#">1721-2326</a>	-	-
	Semi-metallic Carbon	<a href="#">1721-2946</a>	-	-
18-23 Scout FTR	HH Sintered Ceramic	<a href="#">1722-0798</a>	-	-
19-23 FTR1200/R/S	HH Sintered	<a href="#">1721-2327</a>	Semi-metallic Carbon	<a href="#">1721-2959</a>
	HH Sinter Sport	<a href="#">1721-2328</a>	HH Sintered	<a href="#">1721-3053</a>
	HH Sintered Ceramic	<a href="#">1721-2943</a>	HH Sintered	<a href="#">1721-3203</a>
	HH Sintered Ceramic	<a href="#">1721-2969</a>	-	-

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



See chart for details

**DISC BRAKE PADS****STANDARD BRAKE PADS**

- Organic pad compound
- Long service life
- Suitable for use with all brake disc types
- Solid brake performance, even in wet conditions



Standard

**SV SINTERED METAL BRAKE PADS**

- For front brake use ONLY
- Completely metallic sinter pad
- Good performance
- Can be used with nearly any brake disc type
- Should only be used with bikes that were originally equipped with sintered metal brake pads
- Limited race track use; not heat resistant above 400 °C



SV

**SH SINTERED METAL BRAKE PADS**

- For rear brake use ONLY
- Completely metallic sinter pad
- Good performance
- Can be used with nearly any brake disc type
- Should only be used with bikes that were originally equipped with sintered metal brake pads
- Friction rate is matched to the SV pad



SH

**TRQ TRACK RACING QUALITY BRAKE PADS**

- Designed for maximum track performance while being street legal; enjoy a full day on the track and ride home on the same bike
- For front brake caliper use ONLY
- Higher, more stable friction coefficient for greater braking performance
- Optimized direct response characteristics
- Innovative sintering process for exceptional thermal resistance
- Low pad and disc wear

FITS MODEL	FRONT BRAKE PAD PART #	REAR BRAKE PAD PART #
Chieftan ABS 14-16	<b>1722-0462</b>	-
Roadmaster ABS 15-16	<b>1722-0565</b>	-
Chief Blackhawk 10-13	-	<b>1722-0369</b>
Chief Bomber 10-13	-	<b>1722-0369</b>
Chief Classic 10-13	-	<b>1722-0369</b>
Chief Classic ABS 14-17	<b>1722-0462</b>	-
Chief Classic ABS 18-22	<b>1722-0565</b>	-
Chief Dark Horse 10-13	-	<b>1722-0369</b>
Chief Dark Horse ABS 14-17	<b>1722-0462</b>	-

**RQ BRAKE PADS**

- Pads have an organic high-performance mix without general type approval
- Characterized by exceptionally good feedback and controllability even at high working temperatures
- In conjunction with their high friction coefficient and extremely low noise emission levels, RQ pads are ideally suited to use in motorsport, scooter racing, carting or carriage driving, indoor trials or in custom brake calipers made by different manufacturers



CRQ

**CRQ HYPER-CARBON BRAKE PADS**

- For front brake caliper use ONLY
- Carbon-based racing brake pad
- Greater durability than the SRQ pad
- Low-level pressure required, good friction rate
- Suitable for high-performance sport motorcycle use

**SRT SINTERED ROAD/TRACK PADS**

- Premium compound pad with state-of-the-art technology for high durability, performance and ideal modulation (feel)
- Completely metallic sinter pad compound
- Provide stable non-fade performance; excellent choice for track days or club racing
- Compatible with nearly all brake disc types

NOTE: ABE approved unless noted.

NOTE: All brake pad application PART #s shown are STANDARD compound pads unless noted in chart.

NOTE: Some brake pad applications are available in multiple compound types. To see if additional brake pad compound type is available for your application, check your brake pad PART # in the cross-reference charts provided.

FITS MODEL	FRONT BRAKE PAD PART #	REAR BRAKE PAD PART #
Chief Dark Horse ABS 18-22	<b>1722-0565</b>	-
Chief Deluxe 09-13	-	<b>1722-0369</b>
Chief Roadmaster 09-13	-	<b>1722-0369</b>
Chief Standard 09-13	-	<b>1722-0369</b>
Chief Vintage 09-13	-	<b>1722-0369</b>
Chief Vintage ABS 17-25	<b>1722-0565</b>	-
Scout Sixty ABS 17-25	<b>1722-0511</b>	<b>1720-0166</b>
Scout ABS 17-25	<b>1722-0511</b>	<b>1720-0166</b>
Scout Bobber ABS 18-25	<b>1722-0511</b>	<b>1720-0166</b>

All part numbers in **BLUE** are new for 2026.

dragspecialties.eu / partseurope.eu



Lucas




See chart for details

## DISC BRAKE PADS (CONT)

## TRW TO PARTS EUROPE BRAKE PAD PART # CROSS-REFERENCE

TRW PAD STYLE #	STANDARD PAD PART #	CRQ PAD PART #	SH PAD PART #	SRT PAD PART #	SV PAD PART #	TRQ PAD PART #
MCB 19	<b>1722-0369</b>		-	-	-	-
MCB 540	-	<b>1721-1026<sup>1,2</sup></b>	-	-	<b>1721-1028</b>	-
MCB 595	<b>1722-0462</b>	-	-	-	<b>1721-1053</b>	-
MCB 599	-	-	<b>1721-1057</b>	-	-	-
MCB 671	<b>1722-0511</b>	-	<b>1721-1097</b>	-	<b>1721-1098</b>	-
MCB 672	<b>1720-0166</b>	-	-	-	-	-
MCB 683	<b>1722-0522</b>	<b>1721-1111<sup>1,2</sup></b>	-	-	<b>1721-1113</b>	-
MCB 704	<b>1722-0544</b>	-	-	-	<b>1721-1124</b>	-
MCB 737	<b>1722-0565</b>	-	-	-	<b>1721-1139</b>	<b>1721-3185<sup>1</sup></b>
MCB 792	-	-	-	-	-	<b>1721-3190<sup>1</sup></b>

<sup>1</sup> Not ABE approved.<sup>2</sup> WARNING: SCR/CRQ pads are for Race/Track only; not for street use. These pads are for Race/Track use only. Any other use could result in death or serious injury.

## BRAKE PADS

- SBS brake pads feature asbestos-free brakes using patented Unified Composite Technology (UCT)
- UCT technology completely blends all brake pad materials into a balanced, unified pad
- This balance ensures no hot spots, glazing, premature fading or excessive rotor wear
- The result is powerful, fade-free braking performance, even in extreme conditions

## EXCEL SINTERED BRAKE PADS (HS/LS)

- The right choice for modern sportbikes and big touring bikes
- OE-replacement or upgrade choice when replacing sintered metal pads
- Class-leading HH friction rating was developed in racing, then tuned for street use
- Front (HS) and rear (LS) compounds for correct brake balance
- Compounds formulated for low wear and high performance
- Leading noise-reducing technology for the lowest risk of noise

FITS MODEL	EXCEL SINTERED PART #	CERAMIC ORGANIC PART #
<b>FRONT BRAKE PADS</b>		
14-25 Chief, all models (Spoke Wheel/Nissin calipers)	<b>1721-3343</b>	<b>1720-0906<sup>2</sup></b>
16-25 Chief Dark Horse (Nissin calipers)	<b>1721-3343</b>	<b>1720-0906<sup>1</sup></b>
14-25 Chieftain (Cast Wheel/Nissin calipers)	<b>1721-3343</b>	<b>1720-0906<sup>1</sup></b>
15-25 Roadmaster (Cast Wheel/Nissin calipers)	<b>1721-3343</b>	<b>1720-0906<sup>1</sup></b>
16-25 Springfield/Dark Horse	<b>1721-3343</b>	<b>1720-0906<sup>1</sup></b>
20-25 Challenger	<b>1721-1745</b>	-
	<b>1721-3723<sup>3</sup></b>	-
19-24 FTR 1200	<b>1721-1745</b>	-
	<b>1721-3723<sup>3</sup></b>	-
25 Scout 101	<b>1721-1745</b>	-
	<b>1721-3723<sup>3</sup></b>	-

## CERAMIC ORGANIC BRAKE PADS (HF)

- OE replacement pad for bikes with non-sintered pads
- Designed for general-purpose street and cruising use
- Ceramic compound gives long life to both the pads and rotors
- Excellent, consistent performance in wet and dry conditions
- NUCAP NRS-bonding secures the highest possible performance and quality

FITS MODEL	EXCEL SINTERED PART #	CERAMIC ORGANIC PART #
<b>FRONT BRAKE PADS (CONT)</b>		
17-24 Scout/Sixty/Bobber	-	<b>1720-1002</b>
15-16 Scout/Sixty	<b>1721-2306</b>	-
<b>REAR BRAKE PADS</b>		
19-24 FTR 1200	<b>1722-0712</b>	-
17-24 Scout/Sixty/Bobber	<b>1721-3322</b>	<b>1720-0942</b>
15-16 Scout/Sixty	<b>1721-2307</b>	-

<sup>1</sup> Requires two sets.<sup>2</sup> Requires two sets (except on Bobber models).<sup>3</sup> American V-Twin high performance, no dust model.All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS


WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



See chart for details



DP Sintered



SDP Sport HH+

**DP BRAKES****THE ORIGINAL SINTERED BRAKES**

- DP Brakes brake pads are designed with sintered metal compounds to give your bike high-tech performance in all conditions
- Pads have a quick break-in period so you get maximum performance fast
- DP Brakes design and materials ensure consistent hard stops and fade-free performance
- Sintered metal compounds outlast more conventional organic or aramid fiber pads

**STANDARD SINTERED METAL BRAKE PADS**

- GG friction-rated and made with DP Brakes' proven sintered metal material
- Gray-colored aluminum oxide-based ceramic material on rear of backing plate keeps heat away from caliper piston and fluid in extreme conditions for fade-free performance
- Pad compound gives equal performance in wet or dry conditions
- Ideal replacement for street and touring machines where durability is the prime requirement
- No brake fade

**FITS MODEL****STANDARD PAD PART #****SPORT HH+ PAD PART #****FRONT BRAKE PADS**For 14-23 Chieftain (Cast wheel/Nissin calipers) **1721-2560<sup>1</sup>** **SDP-922HH**For 15-24 Roadmaster (Cast wheel/Nissin calipers) **1721-2560<sup>1</sup>** **SDP-922HH**For 14-20 Chief Classic/Vintage (Spoke wheel/Nissin calipers) **1721-2560<sup>1</sup>** **SDP-922HH**For 14-23 Chief Dark Horse (Nissin calipers) **1721-2560<sup>1</sup>** **SDP-922HH**For 10-11 Bomber (Brembo Calipers) **1721-1927<sup>1</sup>** **SDP-911HH**For 02-08 All models **1721-1927<sup>1</sup>** **SDP-911HH****REAR BRAKE PADS**For 20-24 Challenger, 22-24 Pursuit **DP-118<sup>1</sup>** **1721-3575**For 22-24 Chief/Dark Horse/Bobber/Bobber Dark Horse **DP-118<sup>1</sup>** **1721-3575**For 14-24 Chieftain, 20-24 Chieftain Dark Horse/LTD **DP-118<sup>1</sup>** **1721-3575**For 22-24 Super Chief, 22-23 Super Chief LTD **DP-118<sup>1</sup>** **1721-3575**For 16-24 Springfield, 20-24 Springfield Dark Horse **DP-118<sup>1</sup>** **1721-3575**For 15-24 Roadmaster (Cast wheel/Nissin calipers) **DP-118<sup>1</sup>** **1721-3575****SPORT HH+ SUPERSPORT PADS**

- Powerful, industry-high HH+ friction rating with no mileage penalty
- High-tech ceramic heat shield eliminates brake fade
- Dust-free compound design
- Quick break-in so you get maximum braking ability fast
- For front wheel use only

**FITS MODEL****STANDARD PAD PART #****SPORT HH+ PAD PART #****REAR BRAKE PADS (CONT)**For 14-24 Chieftain (Cast wheel/Nissin calipers) **DP-118<sup>1</sup>** **1721-3575**For 09-11 Chief Roadmaster (Brembo calipers) **DP-701<sup>1</sup>** **-**For 10-13 Chief Dark Horse (Brembo calipers) **DP-701<sup>1</sup>** **-**For 11 Chief Blackhawk/Blackhawk Dark (Brembo calipers) **DP-701<sup>1</sup>** **-**For 16-20 Chief Dark Horse (Nissin calipers) **DP-118<sup>1</sup>** **1721-3575**For 10-11 Chief Bomber (Brembo calipers) **DP-701<sup>1</sup>** **-**For 09-13 Chief Classic/Standard/Deluxe/Vintage/FE/LE (Brembo calipers) **DP-701<sup>1</sup>** **-**For 14-20 Chief Classic/Vintage (Spoke wheel/Nissin calipers) **DP-118<sup>1</sup>** **1721-3575**For 18-20 Scout Bobber **1721-2729** **-**For 17-23 Scout/Scout Sixty/Scout Bobber (Nissin calipers) **1721-2729** **-**For 09 All models **DP-701<sup>1</sup>** **-**For 02-08 All models **1721-1927<sup>1</sup>** **SDP-911HH**<sup>1</sup> ABE approved.All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### XR STAINLESS DOT FRONT BRAKE LINE KITS

- XR Stainless DOT brake lines offer a great fit and excellent quality at an economical price
- Manufactured with an enhanced construction for great braking response and durability
- Two color choices: clear-coated stainless steel with chrome fittings or OE-style black coated stainless steel with black chrome-plated fittings
- Available in stock and plus lengths to fit most ABS or non-ABS Scout, Chief ABS and Challenger ABS models
- E-Z Align rotating line fittings for perfect no-kink fitments
- Fittings are highly polished and chrome or black chrome-plated
- Inner PTFE tubing braided with XR Stainless Steel reinforcement embedded in a tough Nylon outer jacket offers exceptional protection for paint or chrome
- Brazed construction eliminates leaks and alignment problems



**NOTE:** Complete kits contain brake line assemblies to connect the caliper(s) to the master cylinder.

**NOTE:** All non-ABS kits are complete kits.

**NOTE:** ABS Upper kits contain a brake line assembly to connect the ABS controller or lower brake line assembly to the master cylinder. A lower brake line assembly is not required.

#### STAINLESS W/ CHROME FITTINGS

FITS MODEL	OEM #	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")
<b>ABS UPPER BRAKE LINES</b>						
For 20-24 Chieftain/Springfield/Vintage	1913689	-	<b>1741-6177</b>	<b>1741-6178</b>	-	-
For 15-19 Chieftain/Roadmaster/Springfield/Vintage	1912040, 1912487	<b>1741-6174</b>	-	-	<b>1741-6177</b>	<b>1741-6178</b>

#### NON-ABS BRAKE LINES

For 15-24 Scout/Sixty	1912581, 1912666	-	<b>1741-6185</b>	-	-	-
For 18-24 Scout Bobber/Sixty/Twenty	1913356/1913375, 1912900	-	-	<b>1741-6185</b>	-	-

#### BLACK W/ BLACK FITTINGS

FITS MODEL	OEM #	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
<b>ABS UPPER BRAKE LINES</b>							
For 20-24 Challenger	1913248, 1913851	-	<b>1741-6202</b>	-	<b>1741-6204</b>	-	-
For 20-24 Chieftain/Springfield/Vintage	1913689	<b>1741-6198</b>	<b>1741-6199</b>	<b>1741-6200</b>	-	-	-
For 15-19 Chieftain/Roadmaster/Springfield/Vintage	1912040, 1912487	-	-	<b>1741-6198</b>	<b>1741-6199</b>	<b>1741-6200</b>	-
For 18-24 Scout/Sixty	1913334 (upper only)	<b>1741-6191</b>	-	-	-	<b>1741-6195</b>	-
For 18-24 Scout Bobber/Sixty/Twenty	1913335 (upper only)	<b>1741-6190</b>	<b>1741-6191</b>	-	-	-	<b>1741-6195</b>
<b>NON-ABS BRAKE LINES</b>							
For 15-24 Scout/Sixty	1912581, 1912666	<b>1741-6206</b>	<b>1741-6207</b>	<b>1741-6208</b>	-	<b>1741-6210</b>	-
For 18-24 Scout Bobber/Sixty/Twenty	1913356/1913375, 1912900	-	<b>1741-6206</b>	<b>1741-6207</b>	<b>1741-6208</b>	-	<b>1741-6210</b>

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS


WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



1741-5057



## STERLING CHROMITE BLACK PEARL

### BRAIDED FRONT ABS BRAKE LINES

- The industry's highest quality braid available in two color choices to complement your bike; Sterling Chromite® and Black Pearl with real black wire braid
- Available in stock and plus lengths for most ABS Chief, Challenger and Scout models
- Inner PTFE tubing braided with aramid fiber greatly reduces line expansion and provides the ultimate in high performance
- E-Z Align rotating line fittings for perfect no-kink fitments
- All fittings are polished and chrome or black chrome-plated
- Braid color and weave match on all Magnum control cables and brake lines
- Crystal-clear outer jacket offers exceptional protection against scuffing paint or chrome and will never discolor

- Brake lines are constructed with PTFE inner tubing, DuPont™ Kevlar® aramid fiber, premium Signature Magnum braids and an outer PVC jacket

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

NOTE: ABS kits contain either an upper brake line assembly to connect the ABS controller to the master cylinder or a lower brake line assembly to connect the controller to the caliper.

NOTE: ABS lower kits are optional and are not required for upper line installation.

#### STERLING CHROMITE®

FITS MODEL	OEM #	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
<b>ABS UPPER BRAKE LINES</b>							
For 20-24 Challenger	1913248, 1913851	-	<b>1741-6219</b>	<b>1741-6220</b>	<b>1741-6221</b>	<b>1741-6222</b>	-
For 20-24 Chieftain/Chieftain Elite/Roadmaster/Springfield/Vintage	1912040, 1913689	-	<b>1741-5056</b>	<b>1741-5057</b>	-	-	-
For 15-19 Chieftain/Roadmaster/Springfield/Vintage	1912040, 1912487	-	-	-	<b>1741-5056</b>	<b>1741-5057</b>	-
For 18-24 Scout/Sixty	1913334	<b>1741-6213</b>	<b>1741-6214</b>	<b>1741-6215</b>	<b>1741-6216</b>	<b>1741-6217</b>	-
For 18-24 Scout Bobber/Sixty/Twenty	1913335	<b>1741-6212</b>	<b>1741-6213</b>	<b>1741-6214</b>	<b>1741-6215</b>	<b>1741-6216</b>	<b>1741-6217</b>

#### BLACK PEARL

FITS MODEL	OEM #	STOCK	+51 MM (+2")	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
<b>ABS UPPER BRAKE LINES</b>							
For 20-24 Challenger	1913248, 1913851	-	<b>1741-6231</b>	<b>1741-6232</b>	<b>1741-6233</b>	<b>1741-6234</b>	-
For 18-24 Scout/Sixty	1913334	<b>1741-6225</b>	<b>1741-6226</b>	-	<b>1741-6228</b>	<b>1741-6229</b>	-
For 18-24 Scout Bobber/Sixty/Twenty	1913335	-	<b>1741-6225</b>	<b>1741-6226</b>	-	<b>1741-6228</b>	<b>1741-6229</b>
<b>ABS LOWER BRAKE LINE</b>							
For 18-24 Scout/Sixty, 18-24 Scout Bobber/Sixty/Twenty (lower only)	1913335, 1913334	<b>1741-6223</b>	-	-	-	-	-

## KURYAKYN®

### REAR MASTER CYLINDER COVER

- Direct replacement for the OEM reservoir cap, with the additional benefit of covering the rear master cylinder and sleeve for an ultra-clean look
- Easy, two-bolt installation
- Durable, die-cast aluminum construction
- Available in chrome finish

PART #	DESCRIPTION
<b>1731-0614</b>	For all 14-17 Indian (except Scout/FTR)



All part numbers in **BLUE** are new for 2026.



### PERFORMANCE OIL FILTERS

- K&N® delivers a premium oil filter which is built with a synthetic media specifically designed to withstand the high concentrates of synthetic racing oils
- A large filter media provides high-flow rates and outstanding oil filtration to keep your motor running clean and smooth
- Uniform pleated synthetic filter media provides high capacity and outstanding filtration
- Synthetic media allows for the higher-flow rates associated with synthetic and synthetic blended oils
- Protected by a heavy-duty canister and baseplate, with a double-rolled seal

PART #	DESCRIPTION
0712-0654	For 20-24 Challenger/Pursuit, 15-24 Chieftain/Roadmaster/Springfield/Chief/Chief Bobber/Super Chief
0712-0655	For 15-22 Scout/Sixty, 18-22 Scout Bobber/Sixty/Twenty, 22 Scout Rogue/Sixty



0712-0655

- Check-valve/anti-drain back valve prevents drain-back and dry starts (where applicable)
- Pre-lubed base gasket
- 17 mm hex nut (pre-drilled for safety wire security) allows easy-on, wrench-off removal (where applicable)



0712-0503

0712-0301



### HIFLOFILTRO® STANDARD OIL FILTERS

- The original Hiflofiltro® factory was founded in 1955 and has been manufacturing filters for the OEM motor industry since 1963
- With the experience of more than five decades, constant research and development and featuring a completely modern production facility, Hiflofiltro offers some of the best quality filters in the world
- Production monitored to ensure OEM or better quality

PART #	DESCRIPTION
0712-0503	For 14-25 Chief Classic/Dark Horse/Vintage/LE/Springfield
0712-0503	For 14-25 Chieftain
0712-0503	For 15-25 Roadmaster

- Constructed using the best materials available
- One of the broadest ranges of aftermarket coverage

PART #	DESCRIPTION
0712-0503	For 20-25 Challenger, 22-25 Pursuit
0712-0301	For 15-25 Scout/Sixty/Bobber/Rogue



0712-0479

0712-0480



### OIL FILTERS

- High-quality spin-on filter
- A dependable replacement for OEM

BLACK	CHROME	BLACK	CHROME	BLACK	CHROME
FOR 20-24 CHALLENGER, 22-24 PURSUIT		FOR 14-24 CHIEF CLASSIC/DARK HORSE/VINTAGE/VINTAGE LE/SPRINGFIELD		FOR 15-23 SCOUT/SCOUT SIXTY/SCOUT BOBBER	
0712-0479	0712-0480	0712-0479	0712-0480	0712-0479	0712-0480
FOR 15-24 ROADMASTER				FOR 19-24 FTR1200	
0712-0479	0712-0480			0712-0479	0712-0480

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**UNIVERSAL OIL COOLER**

- Fully-brazed construction, powdercoated gloss black
- Perfect for the fabricator, customizer and racer
- Same oil cooler that is used in all high-quality Jagg oil cooler systems
- Sold without mounting hardware
- Dimensions: A = Length, B = Width, C = Depth

**PART #****DESCRIPTION****DIMENSIONS**

0713-0214 10-row w/ 2 mounting tabs and 2 mounting bosses

A: 21 cm, B: 10 cm, C: 3,75 cm (A: 8,25", B: 4,00", C: 1,50")

ENGINE

**FRAME CLAMP**

- For mounting Jagg's universal oil coolers, custom oil coolers, and many other applications
- Great for mounting anything on tubular frames
- Sold each

**PART #**

0713-0236

**DESCRIPTION**

For 25,4 mm (1") dia. frame tubes

**KURYAKYN****CHROME OIL COOLER COVER**

- Mounts directly over the oil cooler
- Does not restrict airflow
- Simple to install

**PART #**

0713-0130

**DESCRIPTION**

For all 14-25 Indian (except Challenger/Scout/Scout Sixty/Scout Bobber/FTR)

**KURYAKYN****REAR OIL PANEL ACCENT**

- Quality die-cast aluminum construction with a chrome finish
- Surrounds the oil filler cap and covers the wrinkle black base of the motor
- Installs using high-strength 3M™ VHB™ adhesive

**PART #****DESCRIPTION**

1011-4536 For all 19-25 Indian (except Challenger, Scout and FTR)

All part numbers in **BLUE** are new for 2026.

# DAYTONA



## DEVA MULTI-FUNCTION GAUGE

- Speedometer, odometer, engine speed display
- Water, oil and air temperature
- Black ABS housing
- LED indicators
- 8,0 to 18,0 V
- Dimensions: 132 mm L x 58 mm W x 25 mm H



PART #	DESCRIPTION
2210-0588	DEVA multi-functioning gauge



## ASURA MULTI-FUNCTION COMPUTER

- Functions as speedometer, odometer, clock
- Dual temperature gauge, air and engine
- Oil changing time notification
- LCD indicators
- Dimensions: 120 mm L x 28,5 mm W x 40 mm H
- Waterproof



PART #	DESCRIPTION
2210-0589	Asura multi-function computer



## NANO 2 SPEEDOMETER

- Km/h and mph selectable
- White LED display for night riding
- Waterproof
- Dimensions: 60 mm L x 40 mm W x 17,5 mm H (2 3/8" x 1 9/16" x 11/16")
- 9V with PP3 battery available separately



PART #	DESCRIPTION
2210-0590	Nano 2 speedometer



## "CUBE" DIGITAL LCD SPEEDOMETER AND TACHOMETER

- Speedometer: 0 to 399 km/h or 0 to 250 mph
- Voltmeter: 8,0 to 18,0 V
- 0 to 10.000 rpm or 0 to 20.000 rpm
- Shift-up warning by blinking bar graph
- Odometer: 0 to 99.999 km (mile)
- Trip meter 1 and 2: 0 to 9.999,9 km (mile)
- Aluminum housing, black anodized
- Compact size 50 mm L x 50 mm W x 25 mm H (1,96" L x 1,96" W x 0,98" H)
- Waterproof

PART #	DESCRIPTION
2212-0894	"Cube" digital LCD speedometer and tachometer



All part numbers in **BLUE** are new for 2026.

## DAYTONA

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



## DIGITAL VELONA SPEEDOMETER

- Black LCD display with white LED back light
- Stainless steel housing
- V-shaped bracket included

PART #  
2210-0578DESCRIPTION  
Digital Velona speedometer

## VELONA-W SPEEDOMETER

- Shows speed up to 200 km/h and rpm up to 9,000
- Control lights for right and left turn signals, high beams and hazard lights
- Black with white letters and white LED back light
- Stainless steel housing (80 mm D)
- Km/h or mph selectable

PART #  
2210-0569DESCRIPTION  
Velona-W speedometer

## VELONA 80 SPEEDOMETER

- Measures speed and rpm
- LCD readout with multiple functions
- Km/h or mph selectable
- 80 mm matte black body made
- 200 max (km/h or mph depending on user selection) from stainless steel
- V-shaped bracket included

PART #  
2210-0570DESCRIPTION  
Velona 80 speedometer

2210-0572



## VELONA 60 SPEEDOMETERS

- 60 mm matte black body made from stainless steel
- Measures speeds up to 200 km/h or 200 mph depending on user selection
- Stainless steel housing
- Black scale with white LED backlight
- V-shaped bracket included

PART #

2210-0572 Black speedometer w/ turn signals

PART #

2210-0574 Black speedometer

PART #

2210-0575 Polished speedometer



## VELONA 48 MM SPEEDOMETER

- 48 mm matte black body made from stainless steel
- Km/h or mph selectable
- 200 max (km/h or mph depending on user selection)
- Three different selectable LED colors for display (white/blue/orange)

PART #  
2210-0579 Velona 48 mm speedometerAll part numbers in **BLUE** are new for 2026.

# DAYTONA



## VELONA 80 TACHOMETER

- LCD readout with multiple functions
- Simple, two-button operation
- Max rpm of 9000
- Voltmeter measures 0 to 18,0V
- 80 mm matte black body constructed from stainless steel
- V-shaped bracket included



PART #  
**2211-0190**

DESCRIPTION  
Velona 80 tachometer

**2211-0196**



**2211-0195**



**2211-0192**



## VELONA 60 TACHOMETERS

- Stepping motor-driven tachometer
- 0 to 18,0V
- White display LED color
- Shift-up warning with red LED
- 60 mm body constructed from stainless steel

PART #	DESCRIPTION
<b>2211-0196</b>	8000 rpm max, polished

PART #	DESCRIPTION
<b>2211-0195</b>	8000 rpm max, black

PART #	DESCRIPTION
<b>2211-0192</b>	9000 rpm max, black

## VELONA 48 TACHOMETER

- Three different selectable colors for LED display (white/blue/orange)
- Voltmeter range of 0 to 18,0V
- Shift-up warning with red LED
- 48 mm body constructed from stainless steel



PART #  
**2211-0199**

DESCRIPTION  
9,000 rpm max

## VELONA 48 ANALOG VOLTMETERS

- High quality analog Velona 48 voltmeter for monitoring the battery voltage of the motorcycle
- Stepper motor with precise volt display
- Voltmeter range: 8,0 to 16,0V
- Battery warning: Low voltage alert by red LED backlight when less than 12V
- Stainless steel housing
- Includes V-shaped bracket

PART #	DESCRIPTION
<b>2212-0875</b>	Clear face

PART #	DESCRIPTION
<b>2212-0876</b>	Red face



**2212-0875**



**2212-0876**

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

DAYTONA



2212-0852



2212-0855

**MICRO INDICATORS**

- Constructed of CNC-machined aluminum
- 100% waterproof
- Alpha measure 47 mm L x 14 mm W x 11,7 mm H
- Beta measure 46,8 mm L x 13,8 mm W x 11,5 mm H
- Gamma measure 47 mm L x 12 mm W x 16 mm H

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
<b>ALPHA</b>		<b>ALPHA (CONT)</b>		<b>BETA</b>		<b>GAMMA</b>	
<b>2212-0853</b>	Chrome	<b>2212-0852</b>	Black	<b>2212-0855</b>	Chrome	<b>2212-0895</b>	Black

**NANO 2 GEAR SHIFT INDICATOR**

- Selectable top gear 4/5/6/7/8
- Shift warning with bar graph
- White LED display at night
- Waterproof
- Dimensions: 60 mm L x 40 mm W x 17,5 mm H (2 3/8" x 1 9/16" x 11/16")
- 9V with PP3 battery available separately

PART #	DESCRIPTION
<b>2212-0849</b>	Nano 2 gear shift indicator

**VELONA GAUGE REMOTE**

- Operates Velona gauges remotely instead of pressing bottom buttons
- For 22,5/25,4 mm handlebars
- Can wire outside or inside handlebars
- Max current capacity of 50mA
- 12 mm wide

PART #	DESCRIPTION
<b>0616-0391</b>	Velona gauge remote



2106-0608

2106-0606

**CNC TWO-BUTTON SWITCHES FOR VELONA**

- CNC aluminum housing and button
- For 22,2 (7/8") and 25,4 mm (1") handlebars
- Max. current capacity 50mA
- Width measures 12 mm (15/32")
- Wiring outside or inside handlebar possible
- Operates Velona gauges remotely
- Can be used for other purpose if using additional relay

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>2106-0608</b>	Chrome	<b>2106-0606</b>	Black

All part numbers in **BLUE** are new for 2026.

## DAYTONA



2212-0842



2212-0843



2212-0845

## VELONA GAUGE BRACKETS

- CNC-machined aluminum (unless noted)

PART #	DESCRIPTION
2212-0842	Anti-vibration center bracket for Velona 60
2212-0841	Anti-vibration center bracket for Velona 60, 10° bend
2212-0843	Anti-vibration left offset bracket for Velona 60, 10° bend

PART #	DESCRIPTION
2212-0844	Anti-vibration, right offset bracket for Velona 60, 10° bend
2212-0845	Anti-vibration, right offset bracket for Velona 60
2212-0836	Meter bracket for Velona 60



PART #	DESCRIPTION
2212-0846	Velona 60 U-shaped bracket

## VELONA 60 U-SHAPED BRACKET

- U-shaped steel bracket easily mounts Velona 60 to a vintage headlight



PART #	DESCRIPTION
2212-0847	Oil temperature sensor extension wire

## OIL TEMPERATURE SENSOR EXTENSION WIRE

- Measures 1.200 mm (1 1/16")



PART #	DESCRIPTION
2130-0334	3,17 mm (1/8") extension wire

## AIR TEMPERATURE SENSOR

- Extension wire sold separately

PART #	DESCRIPTION
2212-0848	Air temperature sensor

PART #	DESCRIPTION
2130-0334	3,17 mm (1/8") extension wire

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS  
& FAIRINGSSADDLEBAGS  
& LUGGAGESEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION,  
CLUTCH LINE  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING  
& LICENSE  
PLATESHANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES &  
BRAKE LINESTANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES &  
SUSPENSION

FENDERS

FOOTRESTS &  
FLOORBOARDSWHEELS  
& AXLESCOVERS,  
LOCKS &  
GENERALAUDIO,  
COMMUNICATION  
& MOUNTS**DAYTONA****PROXIMITY SPEED SENSOR**

- Non-contact speed sensor
- Can generate electrical pulse signal from most vehicles
- 2.000 mm (78,75") wire length



PART #	DESCRIPTION
2210-0587	Proximity speed sensor

**DAYTONA****SPEED CONVERTERS**

- Available in a variety of styles and wire lengths

PART #	DESCRIPTION	WIRE LENGTH
2210-0581	10 mm D insert	1.280 mm (50")
2210-0582	18 mm D plug connection	1.280 mm (50")
2210-0583	15 mm D insert	1.800 mm (70,8")



PART #	DESCRIPTION	WIRE LENGTH
2210-0584	M12 female thread	1.200 mm (47,2")
2210-0586	Twin signal universal	650 mm (25,5")

**DAYTONA****RPM PULSE RECTIFIER**

- Used to correct unstable or undetectable RPM signal
- Induction wire set sold separately

PART #	DESCRIPTION
2130-0336	Pulse rectifier

PART #	DESCRIPTION
2130-0335	Induction wire set

**KURYAKYN****AZTEC STEREO ACCENTS**

- Bring life to the panel surrounding the Indian Ride Command touchscreen and controls for a completely new look
- Hassle-free installation using high-strength 3M™ VHB™ adhesive
- Durable, injection-molded ABS available in chrome



PART #	DESCRIPTION
4405-0502	For 17-25 Chieftain/Roadmaster

**KURYAKYN****AZTEC GAUGE CLUSTER ACCENTS**

- Feature a grooved and beveled design that delivers a clean, custom style to the recessed area surrounding the gauges
- Hassle-free installation using high-strength 3M™ VHB™ adhesive
- Durable, injection-molded ABS available in chrome



PART #	DESCRIPTION
2202-0288	For 17-25 Chieftain/Roadmaster

All part numbers in **BLUE** are new for 2026.



### VERTICAL RECEIVER-STYLE TRAILER HITCH

- Laser-cut from high-tensile strength steel
- The black powder-coated main hitch is virtually unseen; only the removable vertical receiver remains visible
- Hitch is hidden with tongue removed
- Tongue is removed in seconds by pulling a pin and sliding it out
- Includes mounting hardware
- Quick installation

**NOTE:** Tow ball sold separately. For information on the care, safety, maintenance, mounting, manufacturer's warranty and other information, consult the motorcycle manufacturer's and the trailer-hitch manufacturer's publication(s) and/or website(s) for complete information. Towing can negatively affect handling, cornering, stopping and stability and may void your warranty. Towing increases the likelihood of serious injury or death. If you tow a trailer, never exceed the motorcycle manufacturer's Gross Vehicle Weight.


PART #	DESCRIPTION
<b>3902-0296</b>	For all 17-25 Indian models (except Roadmaster/Elite and Scout)



### HIDDEN TRAILER HITCH

- Hitch is hidden when tongue is removed
- Bolt-on installation
- Made from high-tensile steel
- Chrome-plated tongue
- Includes mounting instructions and hardware

PART #	DESCRIPTION
<b>3902-0204</b>	For all 17-24 Indian models (except Scout/FTR)



### TRAILER ISOLATOR HARNESS

- Five-wire features left, right, brake, turn and ground wire outputs
- Four-wire features a molded flat connector with left/brake, right/brake, run and ground wire outputs

PART #	DESCRIPTION
<b>FOR 14-24 INDIAN ALL (EXCEPT SCOUT)</b>	
<b>2010-1356</b>	4-wire harness
<b>2010-1355</b>	5-wire harness

### TRAILER WIRING SUB-HARNESSES

- Six-pin Molex plug-and-play motorcycle trailer wiring sub-harness
- No splicing or soldering
- No damage to your factory wiring
- Plugs directly into your factory taillight harness

PART #	DESCRIPTION
<b>3902-0193</b>	For 14-24 Chief/Chieftain



### TRAILER ISOLATOR

- Protects factory turn signal module from being overloaded when adding a trailer
- 4-wire connection
- Plugs in between the rear fender harness and receives the signals from the lighting circuits
- Draws power from the motorcycle battery

PART #	DESCRIPTION
<b>2010-1552</b>	For 20-24 Challenger/Dark Horse/Elite/Limited

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS  
& FAIRINGSSADDLEBAGS  
& LUGGAGESEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION,  
CLUTCH LINE  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING  
& LICENSE  
PLATESHANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES &  
BRAKE LINESTANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES &  
SUSPENSION

FENDERS

FOOTRESTS &  
FLOORBOARDSWHEELS  
& AXLESCOVERS,  
LOCKS &  
GENERALAUDIO,  
COMMUNICATION  
& MOUNTS**FREEWAY BARS**

- Made from stout 32 mm (1 1/4") diameter thick-wall steel and with heavy-duty welded flanges
- Constructed for strength and long-lasting good looks
- Available in chrome or black anodized finish

**CAUTION:** Highway bars are designed for appearance only and may provide only a small amount of protection for the motorcycle. They are not intended to provide bodily protection in any circumstance.



PART #	DESCRIPTION
<b>FOR 15-24 SCOUT</b>	
0505-2113	Chrome
0505-2114	Black

**RADIATOR GUARD**

- Model-specific design fits seamlessly with the lines of the bike and provides optimal cornering clearance
- No modifications needed for mounting
- Black powdercoated finish
- Match the look and feel of the motorcycle
- 27 mm diameter
- Includes mounting hardware and instructions



PART #	DESCRIPTION
0505-2573	For 24-25 Scout



0504-0315

PART #	DESCRIPTION
<b>FOR ALL14-25 INDIAN (EXCEPT CHALLENGER/SCOUT/SCOUT SIXTY AND FTR)</b>	
0504-0315	Chrome
0504-0438	Black

All part numbers in **BLUE** are new for 2026.



### DEFLEX HEAT SHIELDS

- Redirects hot air from the engine away from your legs so you can focus on the thrill of the ride
- Aid in removing the side covers
- Engineered for both performance and style
- 3M™ VHB™ adhesive for easy installation

- Available in chrome or matte black
- Mounts to side covers
- Doesn't impede leg position
- Sold in pairs

**FOR 14-25 CHIEFTAIN, 16-25 CHIEFTAIN DARK HORSE, 17-25 CHIEFTAIN LTD, 22-24 CHIEFTAIN DARK HORSE ICON, 18-20 CHIEFTAIN CLASSIC, 15-25 ROADMASTER, 20-25 ROADMASTER DARK HORSE, 21-25 ROADMASTER LTD, 17-18 ROADMASTER CLASSIC, 18-20/24-25 ROADMASTER ELITE, 16-25 SPRINGFIELD, 18-25 SPRINGFIELD DARK HORSE, 16/18 CHIEF, 14-20 CHIEF CLASSIC/VINTAGE, 16-20 CHIEF DARK HORSE**

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>0504-0433</b>	Chrome	<b>0504-0434</b>	Black



### KURYAKYN

#### TIE-DOWN BRACKETS

- Provide a secure, easily accessible location to attach tie-down straps for transport
- Laser-cut from high-quality, durable steel
- Chrome finish
- Quick, easy installation
- Sold in pairs

PART #	DESCRIPTION
<b>3920-0436</b>	For 14-25 Chief/Classic/Dark Horse and Vintage

### GILLES

#### REAR STAND HOOK KIT BOLT SETS

- Bolt sets for rear stand lift kits

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>4101-0402</b>	Bolt set 12 x 100 mm	<b>4101-0403</b>	Bolt set 20 x 135 mm



WINDSHIELDS & FAIRINGS

SADDLEBAGS & LUGGAGE

SEATS & SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE & DRIVELINE

GASKETS & SEALS

ELECTRICAL

LIGHTING & LICENSE PLATES

HANDLEBARS, CONTROLS & MIRRORS

CABLES

BRAKES & BRAKE LINES

TANKS & OIL FILTERS

DASHES & GAUGES

FRAMES & SUSPENSION

FENDERS

FOOTRESTS & FLOORBOARDS

WHEELS & AXLES

COVERS, LOCKS & GENERAL

AUDIO, COMMUNICATION & MOUNTS

### ALL BALLS RACING

#### STEERING STEM BEARING KITS

- Designed as a drop-in replacement to upgrade OEM ball-type bearings to taper bearings (where ball-type bearings are used by the OEM)
- Designed as a replacement taper bearing seat (where taper bearings are original equipment)
- Kit comes complete with both upper and lower taper bearing cups and cones and seals (both top and bottom seals are included in most kits)
- Tapered roller bearings decrease maintenance along with less wear and longer life

PART #	DESCRIPTION
<b>0410-0192</b>	For 14-24 Challenger/Chief//Chieftain//Roadmaster/Springfield/Scout (all)
<b>0410-0474</b>	For 19-24 FTR 1200 (all)



**0410-0192**

All part numbers in **BLUE** are new for 2026.



### FORK COVER KITS

- Complete 6-piece fork cover kit in black with the lower covers made of aluminum or with bellows
- With this kit you cover the fork tubes above, between and below the fork bridges, if the original mask and the original turn signals including holders are removed
- This covers the fork tubes and the entire fork appears bulkier and completely black
- This fork cover kit can be used with the Original Equipment front fender or custom fenders
- The individual covers are attached using concealed grub screws and thus center themselves on the fork tubes; this ensures that the cover is held securely



- To ensure that the gaps between the covers and the triple clamps are exactly parallel, the covers have been provided with the same bevels as the triple clamps
- Our covers are made of high-quality aluminum and are milled on the most modern 5-axis machining centers and then powdercoated in glossy black
- Assembly is very simple, the upper and the lower cover are only pushed over the fork tube and screwed tight
- On the inside of the lower cover there is a cut-out for clearance on the fender and is therefore hardly visible

### FOR 18-25 SCOUT BOBBER

PART #	DESCRIPTION
<b>SHORT UPPER FORK COVERS</b>	
0411-0220	Unmilled fork caps and aluminum lower fork covers
0411-0221	Milled fork caps and aluminum lower fork covers
0411-0222	Milled fork caps and bellows
<b>MID UPPER FORK COVERS</b>	
0411-0216	Unmilled fork caps and aluminum lower fork covers
0411-0217	Milled fork caps and aluminum lower fork covers

PART #	DESCRIPTION
<b>MID UPPER FORK COVERS (CONT)</b>	
0411-0218	Milled fork caps and bellows
0411-0219	Unmilled fork caps and bellows
0411-0223	Unmilled fork caps and bellows
<b>LONG UPPER FORK COVERS</b>	
0411-0213	Milled fork caps and aluminum lower fork covers
0411-0214	Milled fork caps and bellows
0411-0215	Unmilled fork caps and bellows

0411-0233



0411-0235



### UPPER FORK COVERS

- High-quality milled aluminum
- Powder-coated in gloss black
- Inner cut-out for fender clearance
- Simple assembly; the pieces are pushed over the fork tube and screwed tight
- Sold in pairs

PART #	DESCRIPTION
<b>FOR 18-25 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY</b>	
0411-0235	Short
0411-0234	Mid

PART #	DESCRIPTION
<b>FOR 18-25 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY (CONT)</b>	
0411-0233	Long



### LOWER FORK COVERS

- High-quality milled aluminum
- Powder-coated in gloss black
- Inner cut-out for fender clearance
- Simple assembly; the pieces are pushed over the fork tube and screwed tight

### FORK CAPS

- Cover the fork tubes above the fork bridge and are securely fastened with a concealed set screw
- Made of high-quality aluminum and are milled on the most modern 5-axis machining centers and then powdercoated in glossy black
- Sold in pairs

PART #	DESCRIPTION
<b>FOR 18-25 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY</b>	
0404-0651	Black

PART #	DESCRIPTION
<b>For 18-25 Scout Bobber/Bobber Sixty/Bobber Twenty</b>	



PART #	DESCRIPTION
<b>FOR 18-25 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY (CONT)</b>	
0404-0654	Black w/machined logo

All part numbers in **BLUE** are new for 2026.



### FRONT FORK SPRING KITS

- Shorter braking distance
- Better balance in the bike, more comfortable riding, even with passenger
- Easy cornering
- Improved tire life

PART #	DESCRIPTION
0405-1100	15-23 Chieftain/Roadmaster (models w/ air-supported shock)
0405-1285	21-23 Challenger (including Dark Horse/Limited)
0405-1286	16-23 Springfield
0405-1284	14-21 Chief Vintage/Classic/Dark Horse
0405-0515	15-17 Scout

- More grip in dry and wet weather
- More confidence; it makes your ride more comfortable and/or faster
- Overall sense of confidence in the bike
- Include front fork oil

PART #	DESCRIPTION
0405-1104	18-23 Scout
0405-1059	18-22 Scout Bobber
0405-1281	20-22 Scout Bobber Sixty
0405-1282	22-23 Scout Bobber (includes Twenty/Rogue)
0405-1283	18-23 Scout Sixty



### FRONT FORK SPRING

- Progressive springs offer a soft initial spring rate for a plush ride
- Progressively wound design provides increased resistance to bottoming as spring compresses
- Improve handling while retaining OEM geometry
- Sold in pairs



PART #	DESCRIPTION
0405-0528	For all 15-23 Scout models



### FORK LOWERING KITS

- Give Cruiser bike front ends that custom lowered look by lowering the forks
- Your choice of 25 mm (1") or 51 mm (2") lowering height is available at time of installation
- To maintain proper balanced geometry, it is recommended lowering the rear of the bike the same amount as the front (Progressive Suspension Series shocks available for lowering the rear); see page 161
- Installing a lowering kit will decrease initial ground clearance; motorcycle will be lower to the ground, and care should be taken to avoid bottoming, especially over bumps or in turns



PART #	DESCRIPTION
0416-0095	For 15-23 Scout, 16-23 Scout Sixty, 16-23 Scout Sixty ABS, 21-23 Scout Bobber Sixty



### FORK BUSHING KITS

- PTFE-coated bushings are dyno-tested to 500,000 strokes with less wear than OEM
- Kit includes two slider bushings and two leg bushings
- Kit includes all copper washers and O-rings
- Kit includes two fork seal snap rings

PART #	DESCRIPTION
0407-0684	For 22-24 Chief, 14-18 Chief Classic, 16-19 Chief Dark Horse, 14-21 Chief Vintage, 14-24 Chieftain/Classic/Dark Horse/Elite/Limited, 15-24 Roadmaster/Elite, 16-24 Springfield/Dark Horse



PART #	DESCRIPTION
0407-0855	For 15-24 Scout, 18-20 Scout Bobber, 16-24 Scout Sixty
0407-0856	For 19-24 FTR 1200/R/Rally/Rally LE/S

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**STX 36 BLACKLINE SHOCKS**

- 36 mm (1,417") piston diameter
- Multiple spring rates available
- Hard-anodized, CNC machined components
- High-pressure nitrogen gas charged
- Low-friction shaft and seal head design
- Fully serviceable
- Sold in pairs

PART #	TYPE	FEATURES	LENGTH	RATE N/MM	STROKE
<b>FOR 15-22 SCOUT, 16-23 SCOUT SIXTY</b>					
1310-2550	Monotube	Adjustable preload	293 mm (11,5")	41	46 mm
1310-2491	Piggyback reservoir	Adjustable preload, rebound, compression, length	293 mm (+6 mm/-4 mm) (11,5") (+0,25"/- 0,15")	41	44 mm

**444 SERIES**

- Features the Frequency Sensing Technology (FST) which allows the shocks to sense the frequency of a bump and automatically adjust damping for superior ride quality
- Deflective disc valving
- Adjust spring pre-load by hand, no special tool needed
- Includes a progressive-rate spring and is high-pressure gas charged for consistent performance
- Standard or heavy-duty spring rate with a black or chrome finish
- Contains TEILEGUTACHTEN/German Parts Certificate
- Sold in pairs

NOTE: A shock which is slightly longer than stock may alter the head angle slightly and provide somewhat quicker steering.

NOTE: A shock which is slightly shorter than stock may slightly alter the head angle and provide somewhat slower steering.

**FOR 15-24 SCOUT, 20-24 SCOUT SIXTY, 18-25 SCOUT BOBBER**

DESCRIPTION	279 MM (11")	292 MM (11,5")	305 MM (12")
<b>STANDARD</b>			
Chrome	-	1310-1584	-
Black	1310-1576	1310-1578	1310-1580

DESCRIPTION	279 MM (11")	292 MM (11,5")	305 MM (12")
<b>HEAVY-DUTY</b>			
Black	1310-1577	-	1310-1581

NOTE: Heavy-duty applications are recommended for bikes that are operated at or near the manufacturer's maximum load rating over 50% of the time.

NOTE: Before purchasing or attempting to install shocks that are different than the OEM length, confirm that your wheel travel can be altered without causing clearance issues such as swingarm/axle to exhaust contact as well as chain/belt guard or tire contact.

**REAR SHOCK SPRING**

- Progressive rear spring is designed to smoothly transfer engine power to the road while controlling your bike, ensuring more stability and will significantly reduce tire wear
- Shorter braking distance
- Better balance in the bike, more comfortable riding, even with passenger
- Easy cornering
- More grip in dry and wet weather

PART #	DESCRIPTION
1312-1114	18-21 Scout Bobber



- More confidence, it makes you feel more comfortable and/or faster
- Overall sense of confidence in the bike
- Available in black

PART #	DESCRIPTION
1312-1115	22-23 Scout Bobber (including Twenty/Rogue)

**REAR SUSPENSION LOWERING KIT**

- Replace the stock suspension arms
- Give your bike the low look without losing suspension travel
- Kit includes everything needed for a complete installation
- Lowers bike approximately 38 mm (1,5")

PART #	DESCRIPTION
1304-0899	For 14-25 Chieftain



All part numbers in **BLUE** are new for 2026.



### TIRE HUGGER SERIES FRONT FENDERS

- Hug your 16"-19" or 21" wheels
- Pre-drilled and E-coated for factory precision
- Add style and show off those rims
- Stamped from 14-gauge steel for torsional rigidity and strength
- Fender comes with mounting hardware and chrome spacers

PART #	DESCRIPTION
<b>FOR 22-25 CHIEF/BOBBER/BOBBER DARK HORSE/DARK HORSE, 22-24 CHIEF DARK HORSE ICON/BOBBER DARK HORSE ICON, 22-25 SUPER CHIEF/LIMITED, 23-24 LIMITED ICON</b>	
<b>16"/17"/18"/19" FRONT WHEEL (19" WHEEL W/ 130/60R19 TIRE)</b>	
<b>1402-0437</b>	Henry
<b>1402-0436</b>	Wrapper
<b>FOR 20-25 CHALLENGER, 22-25 PURSUIT</b>	
<b>16"/17"/18"/19" FRONT WHEEL</b>	
<b>1402-0415</b>	Slicer
<b>1402-0416</b>	Wrapper



PART #	DESCRIPTION
<b>FOR 14-20 CHIEF CLASSIC VINTAGE, 15-23 CHIEF DARK HORSE, 14-23 CHIEFTAIN, 15-23 ROADMASTER, 16-20 SPRINGFIELD</b>	
<b>16"/17"/18"/19" FRONT WHEEL</b>	
<b>1402-0391</b>	Slicer
<b>1402-0389</b>	Wrapper
<b>21" FRONT WHEEL</b>	
<b>1402-0388</b>	Wrapper



### FRONT FENDERS

- All fenders come predrilled and E-coated and are stamped, not spun, for the ultimate smooth, long-lasting fender
- Steel fenders are thick enough to add rigidity to the front end by acting like a fork brace, but can still be cut or shaped enough for an even more Kustom appearance
- 16", 17", 18" and 19" fenders for Indian Scout models
- Benchmark is a more slammed, lower profile look
- Outrider is a tire-hugging style
- All are direct bolt-on replacement front fenders that use stock mounting hardware

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
<b>16"/17"/18"/19" FRONT WHEEL</b>		<b>16"/17"/18"/19" FRONT WHEEL (CONT)</b>		<b>16"/17"/18"/19" FRONT WHEEL (CONT)</b>	
<b>1402-0364</b>	Benchmark	<b>1402-0362</b>	Klassic	<b>1402-0363</b>	Outrider



### FRONT FENDERS

- Fender comes pre-drilled and E-coated and is stamped, not spun, for the ultimate smooth, long-lasting fender
- Steel fender is thick enough to add rigidity to the front end by acting as a fork brace
- Can still be cut or shaped enough for an even more Kustom appearance; you decide

• Direct bolt-on replacement front fender that uses stock mounting hardware

• Gives the Klassic full-fender look that still shows off the wheel

PART #	DESCRIPTION	PART #	DESCRIPTION
<b>1402-0382</b>	16"/17"/18"/19"	<b>1402-0383</b>	21"

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS  
& FAIRINGSSADDLEBAGS  
& LUGGAGESEATS &  
SISY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION,  
CLUTCH LINE  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING  
& LICENSE  
PLATESHANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES &  
BRAKE LINESTANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES &  
SUSPENSION

FENDERS

FOOTRESTS &  
FLOORBOARDSWHEELS  
& AXLESCOVERS,  
LOCKS &  
GENERALAUDIO,  
COMMUNICATION  
& MOUNTS**OLD SCHOOL FRONT FENDERS**

- Shorter, narrower and clears the view of the front wheel
- Provides a clean and cool look
- A 100% custom-fit ABS plastic part, so it offers 100% fitting accuracy
- No adjustment work necessary
- All bores and millings are milled on the most modern 5-axis CNC machining centers, so that the fender only has to be exchanged for the original
- Available in gloss black
- Contains TEILEGUTACHTEN/German Parts Certificate



PART #	DESCRIPTION
1402-0424	For 15-25 Scout/Scout Bobber

**OUTRIDER REAR FENDER**

- Direct bolt-on replacement fender offers an instant bobber style, using stock mounting locations and hardware
- Complete with bolt-in taillight/license plate mount (included)
- Stamped from 14-gauge steel using precision, deep-draw stamping technology that ensures a consistently smooth and flawless finish that minimizes bodywork
- 13-step E-coated process prevents rust and corrosion, from manufacture to paint booth and beyond, as it continues to resist rust after paint
- Precision, laser-cut technology ensures accurate fitment
- Works with stock 150/80-16 rear and up to a 180 rear tire



PART #	DESCRIPTION
1402-0365	For 15-24 Scout

1402-0427



PART #	DESCRIPTION
FOR 18-25 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY	Gloss black; clean
1402-0426	Gloss black; clean
1402-0428	Raw paintable; clean
FOR 18-25 SCOUT BOBBER/BOBBER SIXTY/BOBBER TWENTY (CONT)	
1402-0427	Gloss black; w/ brake light and indicators
1402-0429	Raw paintable; w/ brake light and indicators

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### RCT10GT REARSETS

- CNC-machined for reduced weight
- Adjustable footpeg positioning for comfort or sport riding
- Adjustable toe pieces on brake and gear lever
- Includes carbon heel guards and fixed footpegs
- Standard or GP shifting possible
- Hard anodized black/silver finish



PART #  
1623-0533


DESCRIPTION  
For 19-24 FTR1200/S

### KURYAKYN



PART #  
1623-0497

DESCRIPTION  
For 15-25 Scout



### ISO® DRIVER AND PASSENGER FLOORBOARDS WITH SPLINED ADAPTER MOUNTS

- Kits include our chromed ISO®-Boards with full-length rubber inserts and a cast bracket to connect with Kuryakyn's splined adapter mounts (sold separately)
- Floorboards measure approximately 23 cm long (9 1/8")
- Passenger peg-only bracket positions the floorboards 25 mm (1") higher than the stock footpeg height
- Sold in pairs

NOTE: Require Kuryakyn bike-specific splined adapters for installation (sold separately; see page 171).

PART #	DESCRIPTION
1621-0088	Driver floorboards

PART #	DESCRIPTION
1621-0144	Passenger floorboards



### Accutronix

precision crafted billet products

### DRIVER FLOORBOARDS

- Machined from 6061-T6 billet aluminum
- Extended Drilled Instigator front floorboards are extended 64 mm (2 1/2") in the front and rear and are 19 mm (3/4") wider than stock floorboards
- Extended Drilled Vintage front floorboards are extended 64 mm (2 1/2") in front and 19 mm (3/4") wider and 25 mm (1") longer in the rear
- Feature multi-directional slip-resistant black pyramid-top rubber inserts
- Available in a black finish
- Sold in pairs

PART #	DESCRIPTION
FOR 14-24 CHIEFTAIN/ROADMASTER/CHIEF CLASSIC/CHIEF VINTAGE 1621-1034	Extended drilled Instigator, full knurled

PART #	DESCRIPTION
FOR 14-24 CHIEFTAIN/ROADMASTER/CHIEF CLASSIC/CHIEF VINTAGE (CONT) 1621-0888	Extended drilled Vintage, rubber heel

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

**RYDECULTURE™ CHARLES CHAPA FLOORBOARD INSERTS**

- Vibrational damping EPDM textured rubber floorboard inserts give maximum comfort and style to your bike
- Feature signature RydeCulture™ logo
- Brushed stainless steel accents
- Install easily and securely with built-in rubber grommets
- Sold in pairs



EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

**FLOORBOARD MOUNTING KIT**

- Replaces the stock forward control pegs with a more comfortable option
- Allows the rider to adjust their feet for comfort and preferred riding position
- Uses the stock mounting locations and is easy to install
- Utilizes OEM Indian floorboards



PART #	DESCRIPTION
1621-0734	For 15-24 Scout/Scout Sixty

All part numbers in **BLUE** are new for 2026.



### PASSENGER BOARD MOUNTS

- Accepts the stock Indian passenger boards, or any aftermarket passenger boards designed to fit the stock mount
- Relocates passenger board location to a more comfortable, ergonomically friendly position
- Durable aluminum construction with gloss black finish that blends in with its surroundings
- Allows installation of Kuryakyn Adjustable Passenger Pegs on Indian Roadmaster and Springfield models; also compatible with Chief, Chieftain and Challenger models to convert passenger peg mounts to passenger board mounts



### DRIVER FLOORBOARD SPREADERS

- Manufactured from billet aluminum with black finish
- Floorboard spreaders measure 31.8 mm (1 1/4")
- Easy installation
- Kit includes necessary hardware for easy installation
- Sold in pairs

NOTE: Roadmaster models require some trimming on lower fairing.

PART #	DESCRIPTION
1621-1027	For 15-25 Roadmaster and Springfield



### AIRTRAX FOOTPEGS

- Aggressive yet comfortable rubber design
- Repeating pattern rubber offers excellent foot traction and vibration reduction
- Forged inner structure offers maximum strength
- CNC-machined billet end caps with laser-engraved logo
- Sold in pairs

PART #	DESCRIPTION
<b>FOR 14-24 CHIEFTAIN/ROADMASTER/SPRINGFIELD/CHIEF CLASSIC/DARKHORSE/VINTAGE (PASSENGER PEGS ONLY)</b>	
1620-1993	Chrome



PART #	DESCRIPTION
<b>FOR 15-24 SCOUT/SIXTY, 18-24 SCOUT BOBBER (DRIVER OR PASSENGER PEGS)</b>	
1620-1992	Chrome
1620-1994	Brass



1620-2000



1620-1962



1620-1963



1620-1959



1620-1958

### MX FOOTPEGS

- CNC machined from billet aluminum
- Lightweight, cut-through design with integrated rubber inserts for excellent foot traction
- Each peg features CNC machined cuts on the top and side of the peg body for style that can be seen at every angle

- Rubber inserts offer foot traction and protect the finish of the peg (inserts are replaceable)
- Footpegs and mounts sold in pairs
- Required footpeg mounts are splined for adjustability (sold separately)

PART #	DESCRIPTION
<b>FOOTPEGS</b>	
1620-1961	Chrome
1620-2000	Black anodized
1620-1960	Blue anodized
1620-1962	Gold anodized
1620-1963	Red anodized

PART #	DESCRIPTION
<b>SPLINED FOOTPEG MOUNTS</b>	
1620-1959	For 14-24 Chieftain/Springfield/Chief Classic/Darkhorse/Vintage, 20-24 Challenger (passenger pegs only)
1620-1958	For 15-24 Scout/Sixty, 18-24 Scout Bobber (driver or passenger pegs)

All part numbers in **BLUE** are new for 2026.



1620-0157

**ISO®-PEGS**

- Give you a custom look and dampen vibration
- Hollow-core neoprene inserts are long-lasting
- Small peg dimensions: 32 mm in diameter x 11,5 cm long (1 1/4" x 4 5/8")
- Large peg dimensions: 38 mm in diameter x 12,4 cm (long (1 1/2" x 4 7/8")
- Sold in pairs

NOTE: Require the use of Kuryakyn tapered footpeg adapters; Kuryakyn PART #KUR8835.

PART #	DESCRIPTION	PART #	DESCRIPTION
1620-0157	Small ISO®-Pegs w/o adapters	1620-0158	Large ISO-Pegs w/o mounts



1620-1867



1620-1868

**PHANTOM FOOTPEGS**

- Constructed from quality A380 aluminum
- Durable EPDM rubber pads provide traction, vibration dampening, and will not harden, crack or wear over time
- Peg angle adjustability to dial in your preferred placement
- Available in chrome or gloss black
- Sold in pairs

NOTE: Require the use of Kuryakyn splined footpeg adapters, see page 171.

PART #	DESCRIPTION	PART #	DESCRIPTION
1620-1867	Chrome	1620-1868	Gloss black

**SWINGWING PEGS**

- A convenient alternative to forward controls
- Our clever cruise pegs feature a fold-forward design
- Secondary fold-out peg extends 76 mm (3") forward and locks into place for added legroom and comfort
- Sold in pairs

NOTE: Require the use of Kuryakyn splined footpeg adapters; see page 171.

PART #	DESCRIPTION
1620-0423	SwingWing pegs w/o adapters

**HEX SHIFT PEG**

- Hex Pegs are a perfect blend of form and function
- Heavy-duty aluminum housings showcase an angular design with smooth beveled edges that provide depth
- Premium EPDM rubber inserts feature the same geometric pattern to deliver traction, style, and vibration-dampening comfort
- A380 aluminum housings
- Durable EPDM rubber inserts will not harden, crack or wear over time
- Styled to match the complete line of Kuryakyn Hex accessories
- Splined adapters allow precise peg angle adjustability to dial in preferred placement
- Chrome finish
- Sold each

PART #	DESCRIPTION
1603-0346	For 20-25 Challenger, 14-25 Chieftain/Roadmaster/Dark Horse/Chief Classic/Vintage (shift peg only) and 15-25 Scout (shift and brake peg)

All part numbers in **BLUE** are new for 2026.

# KURYAKYN



1620-1876



## DILLINGER FOOTPEGS

- Multi-piece construction with contrasting finishes and a unique pass-through design for an aggressive look and feel
- Cast from high-quality aluminum with steel splined adapters
- Multi-piece housing blends textured and smooth surface finishes for a killer look
- Raised features on the top surface provide traction
- Pegs without splined adapters require model-specific adapters, sold separately
- Splined adapters allow precise peg angle adjustability to dial in preferred placement
- Sold in pairs

NOTE: Require the use of Kuryakyn splined footpeg adapters, see page 171.

PART #	DESCRIPTION
1620-1876	Footpegs w/ male-mount ends
1620-1874	Footpegs w/o male mount ends

## THRESHER FOOTPEGS

- Sleek and subtly aggressive with a unique shark tooth-inspired knurled rubber surface that delivers sharp style, excellent grip, and all-day vibration-dampening comfort
- Streamlined aluminum housings combined with soft EPDM rubber and sturdy steel adapters
- Available with or without adapters for a wide range of fitment using model-specific splined adapters (sold separately)
- Sold in pairs

PART #	DESCRIPTION
1620-1787	Thresher footpegs

## RIOT FOOTPEGS

- Industrial MX-style pegs
- Durable cast-aluminum construction
- Serrated, toothed footpeg top surface provides non-slip traction during aggressive riding
- Dimensions: 11,5 cm L x 42 mm W x 33 mm thick (4,6" x 1,64" x 1,29")
- Sold in pairs

NOTE: Require Kuryakyn model-specific adapters (sold separately, see page 171).



PART #	DESCRIPTION
1620-1706	Riot footpegs

## HEAVY INDUSTRY SHIFT AND BRAKE PEG

- Direct replacement for stock with rugged style and durable construction
- Cast from quality aluminum with premium EPDM rubber
- Coordinated style with the complete line of Kuryakyn Heavy Industry accessories
- Available in chrome or satin black
- Sold each



1603-0329



1603-0330

FOR 20-21 CHALLENGER, 14-23 CHIEFTAIN/ROADMASTER/DARK HORSE/CHIEF CLASSIC/VINTAGE (SHIFT PEG ONLY)  
AND 15-23 SCOUT (SHIFT AND BRAKE PEG)

PART #	DESCRIPTION	PART #	DESCRIPTION
1603-0329	Chrome	1603-0330	Satin black

## SATIN BLACK SPEAR BRAKE PEDAL

- Quality die-cast aluminum construction with a form-fitted proprietary EPDM premium rubber compound
- Quick installation using the stock hardware
- Measures 11,5 cm W x 76 mm T (4,5" x 3")

PART #	DESCRIPTION
1610-0503	For all 14-21 Indian (except 20-21 Chieftain, 19-21 Chieftain Dark Horse, 20-21 Chieftain Elite, 20-21 Springfield Dark Horse, 20-21 Roadmaster Dark Horse, Challenger, Scout and FTR)



All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



1620-2519



1620-2520

**RYDECULTURE™ FOOTRESTS**

- Hits the sweet spot between a footpeg and a floorboard for maximum comfort and a clean style
- Features signature RydeCulture™ logo
- Easy bolt on installation

PART #	DESCRIPTION
1620-2519	Chrome

- Footrests dimensions: 4 1/2" W x 3 1/8" H
- Fits 1/2" clevis mount
- Sold in pairs

PART #	DESCRIPTION
1620-2520	Black



1620-2218

1620-2219

**ENGINE GUARD TOE RESTS**

- Discreet toe rests that mount directly to the engine guard
- Add a secure spot for your toes while your heel sits on the floorboard, letting you stretch safely and comfortably
- Designed for an elegant profile with a rubber edge that prevents slipping
- Mount to any 32 mm (1 1/4") round engine guard
- Sold in pairs

PART #	DESCRIPTION
1620-2218	Chrome

PART #	DESCRIPTION
1620-2219	Black



1624-0399

1624-0400

**DRIVER HIGHWAY PEG MOUNT KITS**

- Durable, all-steel mounting plates that securely bolt to the underside of stock floorboards
- Works with Ciro® 1/2" male mount style pegs, footrests and floorboards (sold separately)

PART #	DESCRIPTION
FOR 14-24 INDIAN TOURING W/ OEM FLOORBOARDS	Chrome

- Fully adjustable components for maximum comfort
- Kit includes a set of mounting plates, Ciro splined clevises with ratcheting springs and all mounting hardware
- Work with or without engine guards and lower fairings

PART #	DESCRIPTION
FOR 14-24 INDIAN TOURING W/ OEM FLOORBOARDS (CONT)	

Black

All part numbers in **BLUE** are new for 2026.



### RYDECULTURE™ CHARLES CHAPA ADJUSTABLE PASSENGER COMFORT PEG MOUNT KITS

- Allows for more movement and adjustability than stock pegs
- Allows for alternative foot positions for a more comfortable ride
- Fully adjustable
- High strength steel construction
- Bolts directly to the frame of the motorcycle with no modification

- Includes all required hardware
- Mounts work with any RydeCulture™ or Ciro® passenger pegs or footrests (sold separately)

1620-2518



**FOR 23-24 PURSUIT ELITE, 22-24 PURSUIT LTD/DARK HORSE W/ OR W/O PREMIUM PACKAGE, 14-24 CHIEFTAIN, 22-24 CHIEFTAIN DARK HORSE ICON, 17-19/21-24 CHIEFTAIN LTD/ELITE, 20 CHIEFTAIN CLASSIC, 16-24 CHIEFTAIN DARK HORSE, 23-24 ROADMASTER LTD/DARK HORSE, 15-23 ROADMASTER, 17-18 ROADMASTER CLASSIC, 18/20 ROADMASTER ELITE, 16-24 SPRINGFIELD, 18-20 SPRINGFIELD DARK HORSE 14-18 CHIEF CLASSIC/VINTAGE, 16/18 CHIEF, 17-19 CHIEF DARK HORSE**

PART #	DESCRIPTION	PART #	DESCRIPTION
1620-2517	Chrome	1620-2518	Black

### PASSENGER PEG ADAPTERS

- Allows you to mount any Ciro® passenger footpeg, footrest or floorboard to your motorcycle
- Stainless steel construction
- Easy installation; uses OEM mounting hardware
- Sold in pairs

**FOR 14-24 CHIEFTAIN, 16-24 CHIEFTAIN DARK HORSE, 17-18/21-23 CHIEFTAIN ELITE, 17-19/21-24 CHIEFTAIN LTD, 22-23 CHIEFTAIN DARK HORSE ICON, 15-24 ROADMASTER, 21-24 ROADMASTER LTD, 20-24 ROADMASTER DARK HORSE, 18/20/24 ROADMASTER ELITE, 17-18 ROADMASTER CLASSIC, 16-23 SPRINGFIELD, 18-24 SPRINGFIELD DARK HORSE, 16/18 CHIEF, 14-18 CHIEF CLASSIC/VINTAGE, 17-19/22-24 CHIEF DARK HORSE, 23-24 SPORT CHIEF**

PART #	DESCRIPTION	PART #	DESCRIPTION
1620-2515	Chrome	1620-2516	Black

**KURYAKYN**

### PASSENGER PEG MOUNTS

- Allows installation of Kuryakyn adjustable passenger pegs on Chief, Chieftain and Dark Horse models
- Can reuse stock passenger pegs on any Kuryakyn pegs using splined adapters, sold separately
- Accepts any aftermarket footpegs designed for the passenger peg mount
- Relocates passenger peg location to a more comfortable, ergonomic position
- Durable aluminum construction with a gloss black finish
- Adjustable passenger pegs, PART #s 1620-1315 and 1620-1725 sold separately
- Sold in pairs



PART #	DESCRIPTION
1622-0555	For all 14-25 Indian (except Scout and FTR)



### SPLINED ADAPTER MOUNTS

- Provide slip-free mounting of Kuryakyn ISO®-Boards™ and other Kuryakyn footpeg and foot control accessories that require splined peg adapter mounts
- Sold in pairs

PART #	DESCRIPTION
1620-1801	For 15-25 Scout (front only)

All part numbers in **BLUE** are new for 2026.



WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



0210-0394



0210-0395



0210-0399



0210-0338



0210-0333



0210-0407



0210-0403

### FORGED BILLET RIMS

- All rims are CNC machined from radial forged 6061-T6 aluminum for maximum road durability and strength-to-weight ratio
- Features a rolled rim lip for the custom look and detailed CNC machine work from the center of the hub to the edge of the rim
- Each rim can be used on both front and/or rear of the motorcycle when correct hub kit is installed
- Rims accept Arlen Ness hub kits (sold separately), which allows full wheels to be assembled in minutes with basic tools

NOTE: Rims do not include hubs. Hubs are purchased separately.

NOTE: Front rims require an Arlen Ness front hub; sold separately from Arlen Ness.

DESCRIPTION	DRIFT CHROME	DRIFT BLACK	KICKBACK BLACK	PROCROSS CHROME	PROCROSS BLACK/MACHINED	PROCROSS BLACK	SPEED-5 BLACK
<b>FRONT RIMS</b>							
19" x 3.25"	-	-	-	-	-	-	0210-0404
21" x 3.50"	0210-0396	0210-0395	-	-	0210-0333	0210-0407	0210-0405
<b>FRONT/REAR RIMS</b>							
18" x 5.50"	0210-0394	0210-0393	0210-0399	0210-0338	0210-0332	0210-0406	0210-0403

**SAFETY WARNING:** WHEN SELECTING CUSTOM WHEELS, THE TIRES USED FOR YOUR APPLICATION MUST HAVE A LOAD INDEX AND SPEED RATING EQUAL TO OR GREATER THAN THE TIRES FITTED AS ORIGINAL EQUIPMENT. CONSULT MANUFACTURER'S PUBLICATION(S) AND/OR WEBSITE(S) FOR COMPLETE TIRE INFORMATION.

All part numbers in **BLUE** are new for 2026.



## FORGED BILLET RIMS (CONT)

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



0210-0351



0210-0344



0210-0378



0210-0355



0210-0379



0210-0380



0210-0376



0210-0357

DESCRIPTION	7 VALVE CHROME	7 VALVE BLACK	Y-SPOKE CHROME	Y-SPOKE BLACK	Y-SPOKE BLUE	Y-SPOKE GOLD	Y-SPOKE RED	Y-SPOKE TITANIUM
<b>FRONT RIMS</b>								
19" x 3.25"	-	-	0210-0378	0210-0377	0210-0379	0210-0380	0210-0381	-
21" x 3.50"	0210-0351	0210-0345	0210-0372	0210-0356	0210-0374	0210-0360	0210-0376	-
<b>FRONT/REAR RIMS</b>								
18" x 5.50"	-	0210-0344	0210-0371	0210-0355	0210-0373	0210-0359	0210-0375	0210-0357

**SAFETY WARNING:** WHEN SELECTING CUSTOM WHEELS, THE TIRES USED FOR YOUR APPLICATION MUST HAVE A LOAD INDEX AND SPEED RATING EQUAL TO OR GREATER THAN THE TIRES FITTED AS ORIGINAL EQUIPMENT. CONSULT MANUFACTURER'S PUBLICATION(S) AND/OR WEBSITE(S) FOR COMPLETE TIRE INFORMATION.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### REAR CARTRIDGE HUBS KITS

- These billet aluminum hub kits are designed for Arlen Ness forged billet rims
- Cartridge hub design features wheel bearings pre-set in one hub for optimum radial and lateral runout accuracy
- Lightweight coped design provides form and function
- Each hub kit includes everything you need for Indian Bagger applications with TPMS or without TPMS; regardless of your wheel diameter

- Hub kits mount to your Arlen Ness forged rims in minutes with basic tools offering excellent flexibility for stock or custom applications, and allowing all sizes to be available for most applications
- Available in chrome or black anodized finish, each hub kit includes everything needed for simple installation

NOTE: Hubs listed accept factory or aftermarket 5-bolt hub mounted rotors (3,25" bolt circle).

DESCRIPTION	CHROME	BLACK
For 14-24 Chieftain/Road Master/Springfield/Chief/Classic/Dark Horse/Vintage w/ TPMS	0213-0827	0213-0826



### WHEEL BEARING AND SEAL KIT

- Exact OEM replacement bearing and seal kits bring back the steering and braking control lost due to worn or rusted wheel bearings
- Each kit includes necessary bearings and seals to completely rebuild each hub
- Double-sealed ball bearings keep moisture and contamination from entering bearing
- Seals ensure proper fitment
- For front applications



PART #	DESCRIPTION
0215-0316	For 19-24 FTR 1200



### FRONT WHEEL BEARING AND SEAL KIT

- High-speed bearings are manufactured to ABEC 3 precision levels
- Triple-lip rubber seals keep the grease in and the water and dirt out
- Chevron SRI 2 grease contains rust and oxidation inhibitors (-29 to 177 °C (-20 to 350 °F))
- Double-lip type TC seals with stainless steel garter springs



FRONT WHEEL BEARING KIT	FITS MODEL
0215-0092	For 14-24 Chief Classic/Chief Vintage/Chieftain, 15-24 Roadmaster, 16-24 Springfield, 22 Super Chief, 15-24 Scout/Scout Sixty
0215-1028	For 14-20 Chief Classic/Vintage, 14-20 Chieftain, 15-20 Roadmaster, 16-20 Springfield



### FRONT AXLE COVER

- Powdercoated axle covers made out of CNC-machined aluminium
- Sold in pairs

PART #	DESCRIPTION
0214-2165	For 18-24 Scout Bobber/Bobber Sixty/Bobber Twenty

All part numbers in **BLUE** are new for 2026.



WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS




### DEFENDER EXTREME ROUTE 1 HALF COVER

- Innovative UltraMax™ durable polyester material
- Highest UV protection in the industry
- 100% waterproof with electronically-taped seams
- Soft windshield liner protects against scratching
- Elastic hem and sewn-in elastic bungee straps make for snug fit
- Packed in integrated carry bag small enough to fit any storage compartment
- Sized to fit all touring motorcycles and adventure bikes with hard bags

PART #	DESCRIPTION
<b>4001-0226</b>	Defender Extreme Route 1 half-cover



### DEFENDER® EXTREME MOTORCYCLE COVERS

- Innovative UltraMax™ durable polyester material
- Highest UV-rated cover in the industry
- 100% waterproof, including electronically-taped seams
- Reflective strip along sides and back for increased visibility
- Integrated heat-resistant panels for exhaust pipe protection
- Exclusive Perma-Venting® system allows air circulation
- Soft windshield liner protects against scratching
- Snug elastic hem and quick-release belly strap secures cover to bike
- Packed in multi-use compression bag for compact storage
- Grommets at front wheel for cable lock (not included)
- Sizes to fit every model

PART #	SIZE	PART #	SIZE	PART #	SIZE	PART #	SIZE
<b>4001-0185</b>	Medium	<b>4001-0186</b>	Large	<b>4001-0187</b>	X-large	<b>4001-01881</b>	XX-large

<sup>1</sup> Includes antenna grommet kit.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS


**GEN 1 DRINK HOLDERS**

- Holds most cans, bottles or cups secure with a contoured rubber net
- Infinite adjustment with a Ciro® ball-mount design
- Rubber-lined ring keeps your can or bottle from vibrating
- Soft rubber net won't scratch if it comes in contact with paint
- Dimensions: 3 1/4" x 4 1/8"
- Reducer ring PART #0636-0551 allows you to hold smaller diameter or narrower drinks in holder (sold separately)

PART #	DESCRIPTION
<b>0636-0021</b>	W/ 22 mm (7/8") and 25.4 mm (1") handlebar mount, chrome
<b>0636-0023</b>	W/ 32 mm (1 1/4") handlebar mount, chrome



PART #	DESCRIPTION
<b>0636-0551</b>	Reducer ring

**0636-0415****0636-0552****DRINK HOLDER ACCESSORIES**

- Passenger Drink Holder Mount PART #0636-0415 allows for quick removal of Ciro® Drink and Big Ass® Drink Holders and works on left or right side (sold separately)
- Reducer ring allows you to put taller/narrower drinks in Ciro standard or Big Ass Drink Holdersholder

NOTE: Passenger Drink Mount Holder fits 14-24 Indian models with Indian Touring trunk (except low profile trunk).

PART #	DESCRIPTION
<b>0636-0415</b>	Passenger mount, black finish

PART #	DESCRIPTION
<b>0636-0552</b>	Reducer ring

**12" FLAGPOLE WITH FLAG AND FINIAL**

- Flagpole mounts to any 1/2" tubular rack or rail; does not fold down
- O-rings keep the flag in place
- Includes heavy-duty polyester 6" x 9" American flag
- Available with acorn

PART #	DESCRIPTION
<b>0521-1581</b>	W/ acorn finial

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



9904-1652



### FLARE WINDSHIELD DEMO DISPLAY KITS

- Eye-catching display for Flare Windshields
- Includes flyers and windshields listed
- Contact your Drag rep for details

#### INDIAN DEMO KITS

- (1) 10" FLARE black - demo 2312-0263
- (1) 12" FLARE dark smoke - demo 2312-0260
- (1) 14" FLARE tint - demo 2312-0480
- Packet of dealer support items

PART #	DESCRIPTION
9904-1653	For 20-23 Challenger

#### CHALLENGER DEMO KITS

- (1) 8" FLARE dark smoke - demo 2312-0506
- (1) 11" FLARE dark smoke - demo 2312-0836
- Packet of dealer support items

PART #	DESCRIPTION
9904-1652	For 14-23 Chieftain, 15-23 Roadmaster



9905-0242



9905-0243



#### LOGO FLOOR MATS

- Perfect for any motorcycle shop, garage or man cave
- Three different sizes to fit any space
- Durable nylon build works both inside and outside
- Non-slip rubber backing

PART #	SIZE	PART #	SIZE	PART #	SIZE
9905-0242	24" W x 36" L	9905-0243	31.5" W x 78.5" L	9905-0244	48" W x 72" L



#### SW-MOTECH STICKER

- Perfect for personalizing any bike or luggage

PART #	DESCRIPTION
4320-2482	Reflective Bull (130 mm x 97 mm)

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS


WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



0521-1802



0521-1770



0521-1578

**DYNAMAT SOUND CONTROL FAIRING KITS**

- High-efficiency sound-dampening material
- Achieve tighter bass and clearer music with your stock stereo
- Stops fairing vibration and directs music out towards the rider
- No measuring, no cutting, easy to install; peel and stick
- Custom cut per motorcycle, resulting in no waste and no guesswork

PART #	DESCRIPTION
0521-1802	For 20-23 Challenger, 22 Pursuit
0521-1770	For 19-25 Chieftain Limited/Chieftain Dark Horse

PART #	DESCRIPTION
0521-1578	For 14-18 Chieftain/Roadmaster, 17-18 Chieftain Dark Horse



4401-0271

**HIGH CALIBER FLEXIBLE ANTENNAS**

- Bullet-style antenna is a sleek, sturdy upgrade over long whip-style antennas
- AM/FM/WB reception is equivalent to OEM antenna
- Flexible rubber base prevents antenna from breaking
- No need to worry about bike cover
- Comes in 8" length



4401-0270



PART #	DESCRIPTION
4401-0214	For 14-23 Chieftain/Roadmaster

**SHOW CHROME®****SHORT SPIRAL ANTENNA**

- Great replacement for the long, stock OEM whip style antennas
- Easy-to-install, direct replacement
- Features grommet that remains in place and completes the installation process
- Includes a removable M6-1,0 threaded screw to mount on any model
- 19 cm (7 1/2") tall

All part numbers in **BLUE** are new for 2026.



0636-0311



0636-0312



0636-0341



0636-0342



0636-0651



0636-0652



0636-0636



0636-0637



0636-0702



0636-0703



0636-0299



0636-0297



0636-0296



0636-0298



0636-0295



0636-0294



0636-0291



0636-0292



0636-0293



0636-0295



0636-0288



0636-0290



0636-0416



0636-0418



0636-0417



0636-0419



0636-0630



0636-0688



0636-0632



0636-0631



0636-0633



0636-0694

### SPC+ PHONE CASES

- Securely mounts to any SP Connect™ holder in just one second
- Thanks to a 40% thinner design, the SPC+ model is fully MagSafe®-compatible
- Ready for inductive charging and magnetic attachment

PART #	DESCRIPTION
0636-0311	Case for Google® Pixel 6
0636-0312	Case for Google Pixel 6 Pro
0636-0341	Case for Google Pixel 7
0636-0342	Case for Google Pixel 7 Pro
0636-0651	Case for Google Pixel 8
0636-0652	Case for Google Pixel 8 Pro
0636-0636	Case for Google Pixel 9/Pro
0636-0637	Case for Google Pixel 9 Pro XL
0636-0702	Case for Google Pixel 10/Pro
0636-0703	Case for Google Pixel 10 Pro XL
0636-0299	Case for iPhone SE/6/6S/7/8

PART #	DESCRIPTION
0636-0297	Case for iPhone 11/XR
0636-0296	Case for iPhone 11 Pro/XS/X
0636-0298	Case for iPhone 11 Pro Max/XS Max
0636-0295	Case for iPhone 12/12 Pro
0636-0294	Case for iPhone 12 Pro Max/13 Pro Max
0636-0291	Case for iPhone 12 Mini/13 Mini
0636-0292	Case for iPhone 13/14
0636-0293	Case for iPhone 13 Pro
0636-0289	Case for iPhone 14 Plus
0636-0288	Case for iPhone 14 Pro

PART #	DESCRIPTION
0636-0290	Case for iPhone 14 Pro Max
0636-0416	Case for iPhone 15
0636-0418	Case for iPhone 15 Plus
0636-0417	Case for iPhone 15 Pro
0636-0419	Case for iPhone 15 Pro Max
0636-0630	Case for iPhone 16
0636-0688	Case for iPhone 16e
0636-0632	Case for iPhone 16 Plus
0636-0631	Case for iPhone 16 Pro
0636-0633	Case for iPhone 16 Pro Max
0636-0694	Case for iPhone 17

SPC+ PHONE CASES continued on next page.

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



## SPC+ PHONE CASES (CONT)

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



PART #	DESCRIPTION
<a href="#">0636-0696</a>	Case for iPhone 17 Air
<a href="#">0636-0695</a>	Case for iPhone 17 Pro
<a href="#">0636-0697</a>	Case for iPhone 17 Pro Max
<a href="#">0636-0525</a>	Case for Samsung® Galaxy A54
<a href="#">0636-0634</a>	Case for Samsung Galaxy A55
<a href="#">0636-0309</a>	Case for Samsung Galaxy S20
<a href="#">0636-0310</a>	Case for Samsung Galaxy S20 FE
<a href="#">0636-0307</a>	Case for Samsung Galaxy S20 Plus
<a href="#">0636-0308</a>	Case for Samsung Galaxy S20 Ultra
<a href="#">0636-0303</a>	Case for Samsung Galaxy S21
<a href="#">0636-0306</a>	Case for Samsung Galaxy S21 FE

PART #	DESCRIPTION
<a href="#">0636-0304</a>	Case for Samsung Galaxy S21 Plus
<a href="#">0636-0305</a>	Case for Samsung Galaxy S21 Ultra
<a href="#">0636-0300</a>	Case for Samsung Galaxy S22
<a href="#">0636-0301</a>	Case for Samsung Galaxy S22 Plus
<a href="#">0636-0302</a>	Case for Samsung Galaxy S22 Ultra
<a href="#">0636-0338</a>	Case for Samsung Galaxy S23
<a href="#">0636-0524</a>	Case for Samsung Galaxy S23 FE
<a href="#">0636-0339</a>	Case for Samsung Galaxy S23 Plus
<a href="#">0636-0340</a>	Case for Samsung Galaxy S23 Ultra
<a href="#">0636-0521</a>	Case for Samsung Galaxy S24
<a href="#">0636-0635</a>	Case for Samsung Galaxy S24 FE

PART #	DESCRIPTION
<a href="#">0636-0522</a>	Case for Samsung Galaxy S24 Plus
<a href="#">0636-0523</a>	Case for Samsung Galaxy S24 Ultra
<a href="#">0636-0676</a>	Case for Samsung Galaxy S25
<a href="#">0636-0691</a>	Case for Samsung Galaxy S25 Edge
<a href="#">0636-0677</a>	Case for Samsung Galaxy S25 Plus
<a href="#">0636-0678</a>	Case for Samsung Galaxy S25 Ultra
<a href="#">0636-0315</a>	Universal phone case, L
<a href="#">0636-0565</a>	Universal phone case, XL
<a href="#">0636-0403</a>	Xiaomi® 13
<a href="#">0636-0402</a>	Xiaomi 13 Pro

All part numbers in **BLUE** are new for 2026.



0636-0666



0636-0471



0636-0475



0636-0476



0636-0473



0636-0472



0636-0474



0636-0467



0636-0469



0636-0468



0636-0470



0636-0638



0636-0689



0636-0640



0636-0639



0636-0641



0636-0698



0636-0700



0636-0699



0636-0701



0636-0477



0636-0478



0636-0479



0636-0480



0636-0481



0636-0482



0636-0681



0636-0690



0636-0682



0636-0683

## XTREME DEVICE CASES

### XTREME TABLET CASE

- Two-piece protection for 100% enclosure of your iPad
- Secure mounting
- Mag-Align Adapter included
- Waterproof (IP68)
- Military drop test-certified (MIL-STD 810)
- Durable camera lens protection
- Full touchscreen functionality

### PART # DESCRIPTION

#### XTREME TABLET CASE

0636-0666 iPad 6/7 Mini

#### XTREME PHONE CASES

0636-0471 iPhone 13/14

0636-0475 iPhone 13 Pro

0636-0476 iPhone 13 Pro Max

0636-0473 iPhone 14 Plus

0636-0472 iPhone 14 Pro

0636-0474 iPhone 14 Pro Max

0636-0467 iPhone 15

0636-0469 iPhone 15 Plus

0636-0468 iPhone 15 Pro

### PART #

#### XTREME PHONE CASES (CONT)

0636-0470 iPhone 15 Pro Max

0636-0638 iPhone 16

0636-0689 iPhone 16e

0636-0640 iPhone 16 Plus

0636-0639 iPhone 16 Pro

0636-0641 iPhone 16 Pro Max

0636-0698 iPhone 17

0636-0700 iPhone 17 Air

0636-0699 iPhone 17 Pro

0636-0701 iPhone 17 Pro Max

0636-0477 Samsung® Galaxy S23

### SPC+ XTREME PHONE CASES

- Rugged and waterproof cases
- 360° protection for your phone or digital device in any terrain
- Integrated locking mechanism and magnets for easy attachment
- Magsafe®-compatible for quick and convenient charging on the go
- Full touchscreen usability (works with a glass screen protector)
- Additional camera lens protection

### PART #

#### XTREME PHONE CASES (CONT)

0636-0478 Samsung Galaxy S23 Plus

0636-0479 Samsung Galaxy S23 Ultra

0636-0480 Samsung Galaxy S24

0636-0481 Samsung Galaxy S24 Plus

0636-0482 Samsung Galaxy S24 Ultra

0636-0681 Samsung Galaxy S25

0636-0690 Samsung Galaxy S25 Edge

0636-0682 Samsung Galaxy S25 Plus

0636-0683 Samsung Galaxy S25 Ultra

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS



### GLASS SCREEN PROTECTORS

- Tempered glass cover protects your phone from scratches, stains and heat
- 0.5 mm thin
- Compatible with SP Connect™ Phone Cases
- Includes 1 glass screen protector, 1 microfiber cloth, 1 alcohol prep pad and 1 dust removal sticker

PART #	DESCRIPTION
0636-0381	iPhone SE/8/7
0636-0669	iPhone 11 Pro Max/11 XS Max
0636-0378	iPhone 12/12 Pro
0636-0377	iPhone 12 Mini
0636-0379	iPhone 12 Pro Max
0636-0373	iPhone 13/14
0636-0376	iPhone 13 Mini

PART #	DESCRIPTION
0636-0375	iPhone 13 Pro/14 Pro/15/16
0636-0374	iPhone 13 Pro Max/14 Pro Max/14 Plus
0636-0422	iPhone 15 Pro
0636-0380	iPhone 15 Pro Max/15 Plus
0636-0649	iPhone 16 Plus
0636-0648	iPhone 16 Pro
0636-0650	iPhone 16 Pro Max

PART #	DESCRIPTION
0636-0531	Samsung® Galaxy S23
0636-0532	Samsung Galaxy A54/S23 FE/S23 Plus
0636-0533	Samsung Galaxy S23 Ultra
0636-0528	Samsung Galaxy S24/S25
0636-0529	Samsung Galaxy S24/S25 Plus
0636-0530	Samsung Galaxy S24 Ultra
0636-0685	Samsung Galaxy S25 Ultra



0636-0249



0636-0250



0636-0343



0636-0344



0636-0463



0636-0464

### WEATHER COVERS

- Protects your smartphone from weather, mud and dust
- Touchscreen remains fully functional

PART #	DESCRIPTION
0636-0249	Google® Pixel 6
0636-0250	Google Pixel 6 Pro
0636-0343	Google Pixel 7

- Provides shock resistance for your smartphone

PART #	DESCRIPTION
0636-0344	Google Pixel 7 Pro
0636-0463	Google Pixel 8
0636-0464	Google Pixel 8 Pro

All part numbers in **BLUE** are new for 2026.



## WEATHER COVERS (CONT)



0636-0645



0636-0646



0636-0238



0636-0239



0636-0240



0636-0244



0636-0243



0636-0245



0636-0420



0636-0421



0636-0642



0636-0643



0636-0527



0636-0246



0636-0247



0636-0248



0636-0526



0636-0644



0636-0251



0636-0252



0636-0253



0636-0684



0636-0667



0636-0668

PART #	DESCRIPTION
0636-0645	Google Pixel 9/Pro
0636-0646	Google Pixel 9 Pro XL
0636-0238	iPhone SE/8/7/6S/6
0636-0239	iPhone 11 Pro/XS/X
0636-0240	iPhone 11 Pro Max/XS Max
0636-0244	iPhone 12/13/14/15/16/12 Pro/13 Pro/14 Pro
0636-0243	iPhone 12 Mini/13 Mini
0636-0245	iPhone 12 Pro Max/13 Pro Max/14 Plus/14 Pro Max/15 Plus/16 Plus
0636-0420	iPhone 15 Pro
0636-0421	iPhone 15 Pro Max
0636-0642	iPhone 16 Pro
0636-0643	iPhone 16 Pro Max

PART #	DESCRIPTION
0636-0527	Samsung® Galaxy A54/S23 FE/S24 Plus/S25 Plus
0636-0246	Samsung Galaxy S21
0636-0247	Samsung Galaxy S21 Plus
0636-0248	Samsung Galaxy S21 Ultra
0636-0526	Samsung Galaxy S24/S25
0636-0644	Samsung Galaxy 24 FE
0636-0251	Samsung Galaxy S22/S23
0636-0252	Samsung Galaxy S22/S23 Plus
0636-0253	Samsung Galaxy S22/S23/S24 Ultra
0636-0684	Samsung S25 Ultra
0636-0667	Xiaomi® 13
0636-0668	Xiaomi 13 Pro

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS





0636-0414



0636-0412



0636-0413

### MOTO BUNDLES

- SP Connect™ Moto Bundles make it simple to securely mount and protect your smartphone on your motorcycle, ATV, golf cart, bicycle and much more
- Universal Clamp SPC+ provides easy and secure "twist-to-lock" mounting on SP Connect mounts and fits almost all smartphone models
- Moto Mount LT mounts your mobile phone quickly and securely, has interchangeable heads for SPC/SPC+, has a durable lightweight construction, made from fiberglass-reinforced polyamide, has super stable 360° adjustment in 6° steps and is for standard and oversized handlebars

PART #	DESCRIPTION
0636-0414	Moto Bundle LT Universal Case SPC+
0636-0412	Moto Bundle LT Universal Clamp SPC+

- Universal Interface SPC+ makes any phone case and other devices SPC+ compatible
- Universal Interface SPC+ simply snaps on and mounts device securely
- Universal Interface SPC+ includes a secure, flat and sturdy adhesive pad and 3M™ adhesive film for flexible use
- Universal Phone Case L SPC+ fits all mobile phone models up to approx. 6.4" x 3.14", has secure mounting on all SPC+ holder heads, protects against rain, sweat, mud and dust and has good touchscreen operability and camera window

PART #	DESCRIPTION
0636-0413	Moto Bundle LT Universal Interface SPC+



0636-0621



0636-0620



0636-0622



### MOTO MOUNT 3DS 1 1/2"

- Includes Moto Mount 3D 1 1/2" in chrome or black, 1 diameter adapter for 1.25" to 1.5" conversion and 1 Allen key
- Unlimited positioning with a 360° adjustment option
- CNC machined from aircraft grade aluminum
- Vibration reduction
- Mobile phone can be fixed in portrait or landscape format

PART #	DESCRIPTION
0636-0621	Moto mount 3D 1,5" chrome

PART #	DESCRIPTION
0636-0620	Moto mount 3D 1,5" black

### MOTO MOUNT 3D

- Includes Moto Mount 3D in black, 2 mounting rods measuring 3,14" and 1,57", 4 spacing adapters measuring 1,125", 1,063", 1" and 0,875", 1 conical adapter 2°, 1 conical adapter 3,5°, 2 Allen keys

PART #	DESCRIPTION
0636-0622	Moto mount 3D black



0636-0267



0636-0272

PART #	DESCRIPTION
0636-0272	Black

### MOTO MOUNT PRO

- Attaches your smartphone to your motorbike with an SP Connect™ Phone Case or other SP Connect-compatible device
- CNC milled from aircraft-grade aluminum with stainless steel hardware
- Fits standard and oversized handlebars: 7/8", 1", 1 1/8", 1 1/2"
- 360° rotation

PART #	DESCRIPTION
0636-0267	Chrome



PART #	DESCRIPTION
0636-0692	Spacer rings for Moto Mount Pro and Moto Mount 3D

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**SP**  
 CONNECT™
**MOTO MOUNT LT**

- Attaches your smartphone to your motorbike with an SP Connect™ Phone Case or other SP Connect-compatible device
- Durable, lightweight construction; made from fiberglass-reinforced polyamide
- Super-stable 360° adjustment in 6° steps
- Fits standard and oversized handlebars: 7/8", 1", 1 1/8", 1 1/2"

**PART #**  
 0636-0401

**DESCRIPTION**  
 Moto mount LT
**MOTO STEM MOUNT PRO**

- Mount for super sport motorbikes (stub handlebars)
- CNC machined from aircraft grade aluminum
- Angle-adjustable for individual vertical and horizontal positioning
- Vibration damping
- Navigation and apps directly in the field of vision
- Fits 12 to 30 mm stems

**PART #**  
 0636-0485

**DESCRIPTION**  
 Moto stem mount pro
**MOTO STEM MOUNT**

- Mount for super sport motorbikes (stub handlebars)
- CNC machined from aircraft grade aluminum
- Vibration damping
- Navigation and apps directly in field of vision
- Dimensions: 1,33" W x 2,32" H x 2,99" D

**PART #**  
 0636-0276

**DESCRIPTION**  
 Moto stem mount
**BAR CLAMP MOUNT PRO**

- Securely mounts your smartphone to your motorcycle
- Swiveling/rotating head allows for easy positioning
- CNC machined from aircraft-grade aluminum with a black finish
- Portrait/landscape orientation option
- Stainless steel hardware

**PART #**  
 0636-0282

**DESCRIPTION**  
 Chrome

**PART #**  
 0636-0279

**DESCRIPTION**  
 Black
**PERCH MOUNT PRO**

- Optimal solution for hard-to-reach handlebars
- Pivoting and rotating heads
- CNC made from aircraft-grade aluminum
- Mobile phone can be fixed in portrait or landscape format
- Dimensions: 1,33" x 3,03" x 1,57"

**PART #**  
 0636-0278

**DESCRIPTION**  
 Chrome

**PART #**  
 0636-0277

**DESCRIPTION**  
 Black
All part numbers in **BLUE** are new for 2026.

dragspecialties.eu / partseurope.eu



#### GPS CRADLE MOUNT

- Mount your smartphone while on the go and use your navigation apps with ease
- Compatible with Garmin® AMPS hole pattern 38 mm x 30 mm
- Shock-absorbing head
- Adjustable positioning angle
- Mounting in portrait and landscape format
- CNC machined from aircraft-grade aluminum

PART #	DESCRIPTION
0636-0548	GPS cradle mount



#### BRAKE MOUNT PRO

- Securely mounts your smartphone to your motorcycle with the SP Connect™ Phone Case or Universal Interface
- Glass fiber reinforced polyamide
- Easily attaches to most brake fluid reservoirs (Fits brake fluid reservoir with M4 x 16/18 screws)
- Portrait/landscape orientation option
- 360° rotation
- Stainless steel hardware

PART #	DESCRIPTION
0636-0281	Brake mount pro



#### LARGE BRAKE MOUNT PRO

- Mounts to the lid of the brake fluid reservoir 20" to 32"
- Wide range of adjustment possibilities
- Mobile phone can be fixed in portrait or landscape format

PART #	DESCRIPTION
0636-0423	Large brake mount pro



#### MIRROR MOUNT PRO

- Swiveling/rotating head for easy alignment
- Partly made from CNC-milled aluminum
- Portrait/landscape orientation option
- Dimensions: 1,22" W x 2,37" H x 2,16" D
- Adjustable diameter: 0,62", 0,55", 0,47" or 0,39"

PART #	DESCRIPTION
0636-0280	Mirror mount pro

#### MIRROR MOUNT

- Mirror mount for mobile phone
- Super stable 360° adjustment in 6° steps
- Mobile phone can be fixed in portrait or landscape format
- Dimensions: 1,3" W x 1,25" H x 1,25" D
- Fits most motorcycle mirrors 0,39 to 0,63"

PART #	DESCRIPTION
0636-0270	Mirror mount



#### DIAMETER ADAPTERS

- Secure attachment to mirror or crossbar
- Suitable for Mirror Mount PART #0636-0270 and Mirror Mount Pro PART #0636-0280
- For diameters of approx. 0,39", 0,47" and 0,55"
- Set of three with different sizes

PART #	DESCRIPTION
0636-0563	Diameter adapters

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS  
& FAIRINGSSADDLEBAGS  
& LUGGAGESEATS &  
SISSY BARS

EXHAUST

FUEL/AIR  
SYSTEMS

ENGINE

TRANSMISSION,  
CLUTCH LINE  
& DRIVELINEGASKETS  
& SEALS

ELECTRICAL

LIGHTING  
& LICENSE  
PLATESHANDLEBARS,  
CONTROLS  
& MIRRORS

CABLES

BRAKES &  
BRAKE LINESTANKS &  
OIL FILTERSDASHES  
& GAUGESFRAMES &  
SUSPENSION

FENDERS

FOOTRESTS &  
FLOORBOARDSWHEELS  
& AXLESCOVERS,  
LOCKS &  
GENERALAUDIO,  
COMMUNICATION  
& MOUNTSSP  
CONNECT

### MAG-ALIGN ADHESIVE MOUNT PRO

- Practical adhesive mount for your car, scooter or boat
- Flexible alignment thanks to ball head and extension arm
- Mag-Align head
- 3M™ adhesive guarantees reliable hold
- Navigation and apps are directly in the field of vision
- Includes 1,96" extension arm


PART #	DESCRIPTION
<a href="#">0636-0670</a>	Mag-Align adhesive mount pro



0636-0672



0636-0673



0636-0674

### MAG-ALIGN HEADS

- Easy to upgrade on your current mount
- Guarantee quick, precise and reliable device mounting every time – even in tough conditions
- Mag-Align Head A is a replacement for the following mounts: Moto Mount (Pro, LT, 3D), Moto Stem Mount (Pro), Bar Clamp Mount Pro, Clutch Mount Pro, Mirror Mount Pro, GPS Cradle Mount, Handlebar Mount Pro (MTB), Stem Mount Pro, Roll Cage Mount 3D
- Mag-Align Head B is a replacement for the following Ball Mounts: Office Stand, Suction Mount
- Mag-Align Head C is a replacement for Ball Mounts: Micro Bike Mount, Mirror Mount, Universal Bike Mount, Brake Mount or Ball Head Mount Pro

PART #	DESCRIPTION	PART #	DESCRIPTION	PART #	DESCRIPTION
<a href="#">0636-0672</a>	Mag-Align Head A	<a href="#">0636-0673</a>	Mag-Align Head B	<a href="#">0636-0674</a>	Mag-Align Head C



### MAG-ALIGN ADAPTER

- Mag-Align Adapter to easily move from one mount to the next
- Easy to upgrade on your current mount
- Guarantees quick, precise, and reliable device mounting every time – even in tough conditions

PART #	DESCRIPTION
<a href="#">0636-0675</a>	Mag-Align adapter

### SPC+ UNIVERSAL ADHESIVE KIT

- Attach your smartphone quickly and securely to almost any smooth, flat and non-porous surface
- Use in combination with the SPC+ Phone Case
- Flexible adhesive mounts for many applications
- Can be used as a spare part if required
- Easy to stick on surfaces
- Includes five practical adhesive mounts, which stick to the surface thanks to the strong 3M™ VHB™ adhesive

PART #	DESCRIPTION
<a href="#">0636-0320</a>	SPC+ universal adhesive kit



### SPC+ SUCTION MOUNT

- Magnetic attachment of the SPC+ Phone Case
- 360° positioning
- Vibration-free
- Includes fast inductive charging function with 15W of power

PART #	DESCRIPTION
<a href="#">0636-0327</a>	SPC+ suction mount

All part numbers in **BLUE** are new for 2026.



### SPC+ MAGNETIC RING MOUNT

- With this magnetic cell phone finger holder, your device is more secure in your hand
- Can also be used as a stand or for handling your cell phone
- Diameter measures 1,41"
- Sold each

PART #  
0636-0465

DESCRIPTION  
SPC+ magnetic ring mount

### SPC+ RING MOUNT

- This practical cell phone finger holder can be attached to your SPC+ Phone Case in just a second, giving you a more secure grip on your device
- Lightweight and flat design
- Also suitable as a stand or for hanging up your smartphone

PART #  
0636-0324

DESCRIPTION  
SPC+ ring mount



### SPC+ UNIVERSAL MOUNT

- Universal phone mount with hook-and-loop fastener (two hook-and-loop lengths)
- For bicycles, motorbikes, golf carts, baby carriages and more
- Mounting and alignment without tools

PART #  
0636-0328

DESCRIPTION  
SPC+ universal mount



### SPC+ BALL HEAD MOUNT

- Attaches your SPC+ Phone Case to any RAM® mount on your bike
- Diameter measures approx. 25 mm
- GoPro®-compatible

PART #  
0636-0345

DESCRIPTION  
SPC+ ball head mount



0636-0313



2130-0366



0636-0325



0636-0326

### SPC+ PHONE MOUNTS

#### UNIVERSAL INTERFACE ADHESIVE SPC+ MOUNT

- Secure, flat and sturdy adhesive pad
- For bicycles, motorbikes, cars, golf carts and more
- SP Connect™ 3M™ adhesive film for flexible use
- Compatible with all SPC+ mounts

#### UNIVERSAL INTERFACE ADHESIVE SPC+ MOUNT MINI

- Secure, flat and sturdy adhesive pad
- For drone remotes, speakers and more
- 3M™ adhesive film
- Compatible with all SPC+ mounts

PART #  
0636-0313  
0636-0366

DESCRIPTION  
Universal interface SPC+ phone mount  
Universal interface SPC+ phone mount mini

### SPC+ VENT PHONE MOUNTS

- Provides quick and secure magnetic mounting of your SPC+ Phone Case on the car air vent
- With the SPC+ vent phone mount, your navigation is always in view and you can use the hands-free function of your smartphone while driving
- Flexible and compact design
- Charging vent mount allows for easy inductive charging in the car

PART #  
0636-0325  
0636-0326

DESCRIPTION  
Black  
Black, charging

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

SP<sup>TM</sup> CONNECT

PART #  
0636-0558

DESCRIPTION  
SPC+ Moto Pro chrome head



#### SPC+ MOTO LT HEAD

- SPC+ Head for SP Connect™ Phone Cases
- Smartphone mounting on mounts with SPC head
- Light and flat design
- Easy to attach
- Strong hold

PART #  
0636-0557

DESCRIPTION  
SPC+ Moto LT head



0636-0322

0636-0486

0636-0321

#### REPLACEMENT SPC+ MOTO PRO HEAD

- Light and flat design
- Easy to attach; strong hold
- Fits Moto Pro mount PART #s 0636-0272 and 0636-0267

PART #  
0636-0331

DESCRIPTION  
Replacement SPC+ Moto Pro head

- Offers additional protection for sensitive smartphone parts
- CNC machined from aircraft grade aluminum
- Diameter measures 60 mm

PART #  
0636-0321

DESCRIPTION  
Black



#### SPC+ ANTI-VIBRATION MODULES

- Reduces up to 60% of persistent engine vibrations thanks to the specially developed elastomer inlay
- Simply replace the compatible mounting head with the SPC+ Anti-Vibration Module and mount your smartphone directly to the vibration dampening module with a 90° clockwise rotation

PART #  
0636-0322

DESCRIPTION  
Chrome

PART #  
0636-0486

DESCRIPTION  
Chrome with inductive charging

PART #  
0636-0321

DESCRIPTION  
Black

#### SPROCKET ADAPTER

- The Sprocket Adapter makes it easy to use the SP Connect™ Anti-Vibration Module on many other mounts
- Retrofit existing brackets
- Includes sprocket adapter and one screw

PART #  
0636-0564

DESCRIPTION  
Sprocket adapter

#### SPC+ ADAPTER

- SPC+ Adapter for SPC+ Phone Cases
- Smartphone mounting on mounts with SPC head
- Lightweight and low profile design
- Easy to mount, strong hold

PART #  
0636-0554

DESCRIPTION  
SPC+ adapter

All part numbers in **BLUE** are new for 2026.



### SPC+ CHARGING MODULES

- This inductive charger lets you charge your phone wirelessly in combination with the SPC+ Phone Case
- Mounts on all SPC+ bracket heads
- Versatile applications (motorbike, E-Bike, powerbank)
- 100% weatherproof
- USB cable included
- Dimensions: 2" L x 0,47" W x 7,8" H

PART #	DESCRIPTION
<b>2130-0356</b>	SPC+ charging module



### SPC+ CHARGING ANTI-VIBRATION MODULE

- Innovative vibration dampener and weatherproof inductive charger for the SPC+ Phone Case
- Provides up to 60% reduction in vibration
- CNC machined from aircraft grade aluminum
- Diameter measures approx. 2"

PART #	DESCRIPTION
<b>0636-0323</b>	SPC+ charging anti-vibration module



### WIRELESS POWER BANK

- With the compact SP Connect™ wireless power bank, you can charge your smartphone's battery quickly and conveniently wirelessly when you're on the go
- With an output of 10W and a capacity of 5,000mA, it can be stowed in any pocket thanks to its handy design
- Connect your SPC+ phone case and smartphone simply with the twist-to-lock mechanism with the wireless power bank and the energy is already flowing without a charging cable
- When the power bank is empty, it can quickly be recharged via USB

PART #	DESCRIPTION
<b>2130-0359</b>	Wireless power bank



### SPC+ CHARGING STAND

- Phone holder for desk or home use
- Secure magnetic attachment of the SPC+ Phone Case
- Fast inductive charging with 15W of power
- MagSafe®-compatible accessories
- Includes USB cable

PART #	DESCRIPTION
<b>2130-0357</b>	SPC+ charging stand



### WIRELESS CHARGING PAD

- Thanks to built-in magnets, your SPC+ Phone Case automatically moves to the correct charging position on this MagSafe®-compatible wireless charger
- With its practical foldable stand, the inductive charger also supports charging at an angle
- Fast wireless charging with 15W of power
- Includes USB cable

PART #	DESCRIPTION
<b>2130-0358</b>	Wireless charging pad

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

SP<sup>TM</sup>  
CONNECT

### UNIVERSAL CHARGING PHONE CLAMP

- Waterproof, adjustable universal mount for most smartphone models
- Fast, inductive charging with 15W of power
- Durable and 100% waterproof
- Includes waterproof USB cable

PART #	DESCRIPTION
0636-0318	Universal charging phone clamp



### HARDWIRE CABLE FOR SPC+

- Weatherproof cable for wiring to the motorcycle battery to power your inductive charger
- Simply wire the free ends of the cable to the motorcycle battery and connect the USB-C connector to the charging module
- Equipped with an integrated voltage converter (12V to 5V/2A)
- Cable length measures 59"
- Sold each

PART #	DESCRIPTION
2130-0355	Hardwire cable for SPC+



### SMALL PHONE CASE LANYARD

- A compact, elastic leash and safety tag to keep your phone safe in any situation
- Flexible cord
- Adjustable clip
- Carabiner for quick attachment
- Secure safety tag
- Dimensions: Approx. 7,4" to 13,77" (w/o carabiner)

PART #	DESCRIPTION
0636-0359	Small phone case lanyard

### WALL CHARGER 30W

- Features two USB ports (USB-A and USB-C) that allow you to charge multiple devices at the same time
- Equipped with an intelligent IC chip that automatically detects the charging needs of your devices and delivers optimal power to ensure fast and efficient charging

PART #	DESCRIPTION
2130-0376	Wall charger 30W



### ARM BAND

- Multifunctional mobile phone holder for upper arm
- Comfortable to wear against the skin and over clothing
- Two included anti-pinch strap attachments made of light, breathable and stretchable neoprene
- Anti-slip coating inside for jogging, training and daily use
- Hand washable, fully breathable, weatherproof
- Includes one arm band, one adjustable S/M strap and one adjustable L/XL strap

PART #	DESCRIPTION
9201-0090	Arm band



### SPC+ CLIP MOUNT

- Practical, lightweight mobile phone clip mount for the SPC+ Phone Case
- Securely attaches to belts, bags and backpacks
- Bracket with functional clamping mechanism
- Optimum protection for your device on the go
- Weatherproof
- Includes SPC+ clip mount and SPC+ tool

PART #	DESCRIPTION
0636-0623	SPC+ clip mount

All part numbers in **BLUE** are new for 2026.



### SPC+ CREATOR KIT

- Get the full photo and video capabilities of your smartphone with the Creator Kit, a versatile mix of phone mounts and adapters
- Can be used with 1/4"-20 & GoPro® mounts
- Robust and secure
- Suitable for SP Connect™ MicroRails
- 360° adjustment (6° increments)
- Includes (1) tripod adapter, (1) "Actioncam" clip, (1) swivel adapter, (1) MicroRail adapter and (1) creator mount

PART #	DESCRIPTION
0636-0619	SPC+ creator kit



### SPC+ TRIPOD GRIP

- Take static photos and dynamic video clips from exciting perspectives
- Attach your phone or GoPro® action camera to the tripod head with a simple 90° clockwise rotation
- Equipped with a 360° ball head
- Lightweight and pocket-sized
- Magnetic tripod legs
- Includes SPC+ Tripod Grip, quick screw, SPC+ swivel adapter and SPC+ creator mount

PART #	DESCRIPTION
0636-0624	SPC+ tripod grip

All part numbers in **BLUE** are new for 2026.



### TRIPOD POLE

- Practical mobile phone tripod that fits in any pocket
- Create great photos and dynamic videos from exciting perspectives
- Compatible with SPC and SPC+ Phone Cases
- Magnetic tripod legs
- Telescopic pole and 360° rotating ball head
- Secure hold thanks to lightning fast 90° locking
- Height measures approx. 18,5" when pole is fully extended

PART #	DESCRIPTION
0636-0625	Tripod pole

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSEY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**PHONE/GPS CASES WITH MOUNTS**

- Padded, splash-proof device pouch holds your smartphone or GPS in place
- Circumferential zipper for easy opening
- Durable case shell with reinforced base plate
- Touchscreen operation window
- Foam rubber inserts and hook-and-loop straps for custom positioning of the smartphone/GPS
- Rubber lining keeps out moisture
- Opening for power cables
- Stable EVA construction
- Removable inner padding
- PART # 0636-0307 includes T-Lock holder on the back for quick, easy quarter-turn attachment to appropriate holders/mounts
- PART # 3512-0306 is universal kit, includes 25 mm ball (1") can be mounted on M6 or M8 threads, mirror thread holders or round handlebars up to 28 mm (1") in diameter

PART #	DESCRIPTION
3512-0307	Phone case w/ T-Lock mount
3512-0306	Phone case w/ ball/socket mount clamp kit

**T-LOCK SMARTPHONE HOLDERS**

- For quick mounting of smartphones
- Smartphone holder is placed on the matching T-Lock holder and secured with a quarter turn clockwise
- Use PART #0636-0404 for mounting on socket arms in the cockpit or PART #3502-0597 for mounting on MOLLE attachments (sold separately)
- Silicone straps allow flexible and secure mounting of smartphones
- Small smartphone holder maximum outer dimensions: 150 mm x 75 mm x 10 mm; minimum outer dimensions: 130 mm x 70 mm x 6 mm
- Large smartphone holder maximum outer dimensions: 165 mm x 80 mm x 12 mm; minimum outer dimensions: 144 mm x 71 mm x 7 mm

PART #	DESCRIPTION
0636-0407	Small smartphone case
0636-0408	Large smartphone case

**T-LOCK HOLDER FOR SOCKET ARM**

- Various accessory bags such as the Navi Case, Phone Case or the Smartphone Drybag can be attached to the handlebar quickly and securely
- Bottom side of the accessory bags is equipped with a matching counterpart for the T-Lock holder
- Bags are attached to the holder and secured by a clockwise quarter rotation
- By means of the ball-and-socket joint, the T-Lock holder can be secured to a compatible socket arm and individually aligned on motorcycle's handlebar
- Includes one T-Lock holder, one ball joint with mounting plate and mounting instructions
- T-Lock smartphone cases sold separately

NOTE: Accessory bags with a MOLLE system on the bottom can also be attached to the T-Lock holder for socket arm. This requires the T-Lock holder with Molle adapter PART #3502-0597 (sold separately).

PART #	DESCRIPTION
0636-0404	T-Lock holder for socket arm

**UNIVERSAL COPRO® CAMERA KIT**

- Highly adaptable universal mount kit that offers a variety of installation options
- Compatible with GoPro® HD Hero/Hero2/Hero3
- Fits almost all motorcycle models
- Durable mounting clamps
- Can be mounted on the handlebars, frame, crash bar and top clamp
- Includes 25,4 mm (1") ball, M8 ball adapter, RAM® socket arm, RAM ball adapter and mounting plate for mirror thread

PART #	DESCRIPTION
0603-0956	Universal GoPro® camera kit

All part numbers in **BLUE** are new for 2026.



### UNIVERSAL GPS MOUNT KITS

- Allows for safe position of a GPS device or smartphone in the motorcycle cockpit
- Provides various mounting options
- Includes a Navi Pro Case (unless noted) to protect device from wind and weather
- Swiveling socket arm allows precise positioning to keep instruments and the road in view
- Comes with all material required for mounting

PART #	DESCRIPTION
<b>0603-0957</b>	Mounting kit with Navi Pro S case



PART #	DESCRIPTION
<b>0636-0406</b>	T-Lock mount kit with large smartphone case



### UNIVERSAL GPS MOUNT KIT BALL

- Handlebar mounting is recommended
- Fits M8 and M6 threads

PART #	DESCRIPTION
<b>0603-0850</b>	Universal GPS mount kit ball



PART #	DESCRIPTION
<b>0636-0405</b>	T-Lock ball clamp for head tube



PART #	DESCRIPTION
<b>0603-1053</b>	Pivoting RAM® extension

All part numbers in **BLUE** are new for 2026.



## GEN 2 ACCESSORY MIRROR MOUNT

- Can be installed on left or right sides
- 360° swivel in two directions
- For left or right mirror stem nut with  $\frac{3}{8}$ " or 9.5 mm stem size
- Fully adjustable and compatible with both Ciro® Gen 1 and Gen 2 ball mount accessories (sold separately)

**PART #**  
**0636-0710**



**DESCRIPTION**  
Black mirror mount for 14-25 Indian Touring models on clutch side only



**0636-0334**



## GEN 1 ACCESSORY PERCH MOUNT

- Helps keep Ciro® Gen 1 device holders, cup/drink holders, cameras and more close at hand
- Allow phone or drink holder to be offset 2" from the hand controls (drink and phone holders sold separately)
- Can be used on right or left side;  $1\frac{1}{16}$ " to  $1\frac{1}{16}$ " fully adjustable mounting system

**PART #**  
**0636-0334** **DESCRIPTION**  
Chrome offset perch mount

**2401-1619** **DESCRIPTION**  
Screw kit for perch mount; chrome

- Comes in chrome finish
- U.S. Design Patent # D832,694.
- NOTE: Fits brake side on Indian Scout models only.
- NOTE: Pursuit models require additional hardware Ciro® Perch Mount extended spacer and bolt kit.

**PART #**  
**2401-1620** **DESCRIPTION**  
Screw kit for perch mount; black



## UNIVERSAL iO PHONE MOUNT

- Secure devices within any vehicle with a flat mounting surface (stick-on or bolt-on options)
- Universal kit is perfect not only for UTVs but also boats, tractors, semis, hot rods and more
- Attach razor-thin iOadapt™ stainless steel adapter to your device and connect to the powerful iOcore™ magnetic carrier
- No special case needed; device is held in place by the strong iOcore magnet, and can be adjusted to preferred angle
- Included in box: one Semisphere mount, adhesive patch, two iOadapt steel discs and one magnetic black iOcore



- Adhesive requires 72 hours for proper cure time
- Purchase additional iOadapt discs to use multiple devices on same mount

NOTE: Not for use with phones that have inductive charging.

NOTE: Not for use with Samsung® Galaxy™ S4 phones.

**PART #**  
**0636-0192** **DESCRIPTION**  
Universal iO phone mount

All part numbers in **BLUE** are new for 2026.



0636-0348



0636-0347



0636-0050



## KLOCK WERKS iOMPORTS® DEVICE MOUNTS

- Easy-to-install motorcycle model-specific mounts that incorporate the iOmports® system
- Ultra-strong 5,4 kg (12 lbs) magnetic interface and mount retention lip secures devices in the most severe off-road environments
- Attach razor-thin iOadapt™ stainless steel adapter to your device and connect to the powerful iOcore™ magnetic carrier
- No special case needed; device is held in place by the strong iOcore magnet and can be adjusted to preferred angle
- Purchase additional iOadapt discs to use multiple devices on same mount

PART #	COLOR
<b>FOR 20-24 CHALLENGER, 22-24 PURSUIT</b>	
<b>AMBIDEXTROUS MOUNTS</b>	
0636-0349	Chrome, left and right side
0636-0348	Black, left and right side
<b>PERCH MOUNTS</b>	
0636-0347	Chrome, left side
0636-0346	Black, left side
<b>FOR 14-24 CHALLENGER/DARK HORSE/CLASSIC/CHIEFTAIN/ROADMASTER/SPRINGFIELD/VINTAGE/CHIEF W/ STOCK CONTROLS</b>	
<b>AMBIDEXTROUS MOUNTS</b>	
0636-0186	Chrome, left and right side
0636-0185	Black, left and right side
<b>PERCH MOUNTS</b>	
0636-0050	Black, left side

- Nomad™ and Nomad XL™ strap assemblies onto any bars 13 mm to 76 mm (0,5" to 3") in diameter (universal mount)
- Mount kit includes a Nomad or Nomad XL mount and two iOadapt adapters
- Can be remounted onto other vehicles or for other uses

NOTE: Not for use with phones that have inductive charging.  
NOTE: Not for use with Samsung® Galaxy™ S4 phones.

PART #	COLOR
<b>FOR 15-24 SCOUT/SCOUT SIXTY, 18-24 SCOUT BOBBER</b>	
<b>AMBIDEXTROUS MOUNTS</b>	
0636-0188	Chrome, left and right side
0636-0187	Black, left and right side
<b>FOR 15-24 SCOUT, 16-24 SCOUT SIXTY, 18-24 SCOUT BOBBER</b>	
<b>PERCH MOUNTS</b>	
0636-0100	Chrome, left side
0636-0098	Chrome, right side
0636-0101	Black, left side



Magnetic iOcore

PART #	DESCRIPTION
<b>OPTIONAL MAGNETIC iOcore™</b>	
0636-0038	Black iOcore™
0636-0039	Blue iOcore
<b>REPLACEMENT COMPONENTS (EA.)</b>	
0636-0045	iOadapt™ disc

All part numbers in **BLUE** are new for 2026.

WINDSHIELDS &amp; FAIRINGS

SADDLEBAGS &amp; LUGGAGE

SEATS &amp; SISSY BARS

EXHAUST

FUEL/AIR SYSTEMS

ENGINE

TRANSMISSION, CLUTCH LINE &amp; DRIVELINE

GASKETS &amp; SEALS

ELECTRICAL

LIGHTING &amp; LICENSE PLATES

HANDLEBARS, CONTROLS &amp; MIRRORS

CABLES

BRAKES &amp; BRAKE LINES

TANKS &amp; OIL FILTERS

DASHES &amp; GAUGES

FRAMES &amp; SUSPENSION

FENDERS

FOOTRESTS &amp; FLOORBOARDS

WHEELS &amp; AXLES

COVERS, LOCKS &amp; GENERAL

AUDIO, COMMUNICATION &amp; MOUNTS

**SW-MOTECH®****LEGEND GEAR SMARTPHONE BAG**

- Appealing vintage design
- Suitable for smartphone displays up to 5,5"
- Touchscreen-compatible window
- Includes pocket for bills and credit cards
- Can be attached to Legend Gear tail bags, saddlebags, side bags and tank bags
- Military-grade fastening system
- Available in black



PART #  
**3502-0758**

DESCRIPTION  
LA11 smartphone bag

**NELSON-RIGG**  
COVERS · LUGGAGE · RAINWEAR**UltraMAX™****ROUTE 1 MAGNETIC PHONE HOLDER**

- Innovative UltraMax™ durable polyester material
- Highest UV protection in industry
- Sized to fit all current plus-size phones
- Attaches to metal tanks with strong magnets
- Can be adjusted to different positions for sun glare and optimal viewing
- Reverse coil zippers help keep out dust and dirt
- Clear top is touchscreen device-friendly
- Protective base material prevents slipping or marking
- Inner sleeves to hold credit cards, license and/or small documents
- Dimensions: 16,5 cm L x 89 mm W x 38 mm D (6,5" x 3,5" x 1,25")



PART #  
**3502-0334**

DESCRIPTION  
Route 1 magnetic phone holder

**OJ®****OJ HOLDER AND HOLDER PLUS**

- Double fixing system attaches to handlebar by means of a clip and to mirror by means of a comfortable and articulated arm
- Attachment versatility allows the user to choose how best to use holder in order to improve driving experience
- Waterproof double-slider zip
- Foam inserts for a better fit in case
- OJ Holder dimensions: 10 cm x 16 cm x 3 cm; touch window dimensions: 6 cm x 13,4 cm
- OJ Holder Plus dimensions: 11 cm x 18 cm x 3 cm; touch window dimensions: 7 cm x 15 cm



**3512-0293**



**3512-0294**

DESCRIPTION  
OJ Holder Plus

PART #  
**3512-0293**

DESCRIPTION  
OJ Holder

PART #  
**3512-0294**

**SHOW CHROME®****MAGNETIC TANK POUCH**

- Convenient magnetic phone and GPS tank pouch for steel tanks
- Generous 20,5 cm x 11,5 cm (8" x 4 1/2") size easily accommodates most cell phones or GPS units in a clear-faced pocket
- Six ultra-strong magnets securely hold pocket in place and the felt backing protects against scratching

PART #  
**3502-0311**

DESCRIPTION  
Magnetic tank pouch



All part numbers in **BLUE** are new for 2026.

## INDIAN REFERENCE GUIDE

QUICK  
REFERENCE  
GUIDE

MODEL	YEAR	BATTERY	SPARK PLUG (NCK)	SPARK PLUG (CHAMPION)	CHAIN/BELT	SPROCKET FRONT	SPROCKET REAR	FRONT TIRE SIZE LOAD INDEX	FRONT TIRE SIZE LOAD INDEX
<b>INDIAN</b>									
FTR1200 /S/Sport/Carbon	2022-2024	YTX14H-BS	MR7F	RG4PHP	-	17T	45T	120/70R17 58W	180/55R17 73W
FTR1200 Rally	2019-2024	YTX14H-BS	MR7F	RG4PHP	525 x 120	17T	49T	120/70R19 60V	150/70R18 70V
Scout	2015-2024	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130-90B16 67H	150/80B16 67H
Scout Sixty	2016-2024	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130/90-16 72H	150/80-16 71H
Scout Bobber	2018-2024	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130/90-16 73H	150/80-16 71H
Scout Bobber Sixty	2020-2024	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130/90-16 73H	150/80-16 71H
Scout Bobber Twenty	2020-2024	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130/90-16 73H	150/80-16 71H
Scout Rogue/Rogue Sixty	2022-2024	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130/60B19 61H	150/80B16 77H
Scout 100th Anniversary	2020	YTX14AH-BS	MR7F	RG4PHP	22 mm x 141T	28T	66T	130/90-16 73H	150/80-16 71H
Chief Dark Horse	2016-2020	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/65B16 81H
Chief	2018	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/65B16 81H
Chief Classic	2014-2018	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/65B16 81H
Chief Vintage	2014-2018,2020	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/65B16 81H
Vintage	2020-2021	YTX20HL	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/65B16 81H
Springfield Dark Horse	2018-2021	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/60B19 61H	180/60R16 80H
Springfield	2016-2021	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/60R16 80H
Chieftain	2014-2024	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/60B19 61H	180/60R16 80H
Chieftain Dark Horse	2016-2024	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/60B19 61H	180/60R16 80H
Chieftain Classic	2018-2020	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/60R16 80H
Chieftain Limited	2017-2024	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/60B19 61H	180/60R16 80H
Chieftain Elite	2017-2018, 2020-2024	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/60B19 61H	180/60R16 80H
Roadmaster Classic	2017-2018	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/60R16 80H
Roadmaster	2015-2024	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/60R16 80H
Roadmaster Elite	2018-2020	YTX20HL-BS	DCPR8E	RA4HC	24 mm x 152T	30T	66T	130/90B16 73H	180/60R16 80H
Challenger	2020-2024	YTX20HL	-	-	24 mm x 152T	29T	69T	130/90B16 66H	180/60R16 80H
Challenger Dark Horse	2020-2024	YTX20HL	-	-	24 mm x 152T	29T	69T	130/90B16 66H	180/60R16 80H
Challenger Limited	2020-2024	YTX20HL	-	-	24 mm x 152T	29T	69T	130/90B16 66H	180/60R16 80H
Challenger Elite	2022-2024	YTX20HL	-	-	24 mm x 152T	29T	69T	130/60B19 61H	180/60R16 80H
Chief	2022-2024	YTX20HL	DCPR8E	-	22 mm x 146T	30T	66T	130/60B19 61H	180/65B16 81H
Sport Chief	2022-2024	YTX20HL	DCPR8E	-	22 mm x 146T	30T	66T	130/90B19 61H	180/65B16 81H
Super Chief	2022-2024	YTX20HL	DCPR8E	-	22 mm x 146T	30T	66T	130/90B16	180/65B16
Chief Bobber	2022-2023	YTX20HL	DCPR8E	-	22 mm x 146T	30T	66T	130/90B16	180/65B16
Chief Bobber Dark Horse	2022-2024	YTX20HL	DCPR8E	-	22 mm x 146T	30T	66T	130/90B16	180/65b16
Roadmaster Dark Horse	2021-2024	YTX20HL	DCPR8E	-	24 mm x 152T	30T	66T	130/90B16	180/60R16
Roadmaster Limited	2021-2024	YTX20HL	DCPR8E	-	24 mm x 152T	30T	66T	130/90B16	180/60R16

### INDIAN® MOTORCYCLE MODEL DESIGNATIONS ARE UTILIZED IN THIS CATALOG FOR REFERENCE PURPOSES ONLY:

**FTR 1200, FTR 1200S, FTR 1200 Sport, FTR 1200 Rally, FTR 1200 Carbon, FTR 1200 Carbon R, FTRX 100% Carbon, FTR Super Hooligan, Scout, Scout Sixty, Scout Bobber, Scout Bobber Twenty, Scout Bobber Sixty, 101 Scout, Scout Classic, Scout Rogue, Scout Rogue Sixty, Sport Scout, Super Scout, Chief, Sport Chief, Super Chief, Sport Chief RT, Super Chief Limited, Chief Bobber, Chief Bobber Dark Horse, Chief Dark Horse, Chief Vintage, Indian Springfield Dark Horse, Indian Springfield, Chieftain, Chieftain Classic, Chieftain Dark Horse, Chieftain Limited, Chieftain Elite, Chieftain Powerplus, Pursuit Limited, Pursuit Dark Horse, Pursuit Elite, Roadmaster, Roadmaster Dark Horse, Roadmaster Elite, Roadmaster Limited, Roadmaster Powerplus, Super Chief, Super Chief Limited, Challenger, Challenger Dark Horse, Challenger Limited, Challenger Elite, Vintage, Vintage Dark Horse, Chieftain Dark Horse**

## ECE TYPE APPROVED

This logo symbolizes that the article conforms to applicable UN ECE regulations. Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.



## PPE (Personal Protective Equipment)

This logo indicates the article's conformity with the Essential Health and Safety Requirements of Regulation (EU) 2016/425.



## EU TYPE APPROVED

This logo symbolizes that the article conforms to applicable EU Regulation (generally for newer products). Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.



## ECE R22.06

This logo symbolizes that a helmet, helmet visor/shield or other helmet accessory has been tested and certified to ECE R22.06 regulation.

## ECE R22.06

## ABE

This logo symbolizes the article has been approved by KBA (German Federal Motor Transport Authority) for specific vehicle application.



## TEILEGUTACHTEN (German Parts Certificate)

This logo symbolizes that the article contains a TEILEGUTACHTEN (German Parts Certificate) to ensure the legal part installation. Issued by a German inspection body.



## SOLD SECURE

The logo symbolizes that the lock is tested and approved according to Sold Secure (UK's testing and certification house for security products) standards for theft prevention.



## ECE R90 TYPE APPROVED

This logo symbolizes that the article conforms to applicable UN ECE R90 regulations. Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.



## EC TYPE APPROVED

This logo symbolizes that the article conforms to applicable EU EC directives. Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.



## PPE

This logo indicates the article's conformity with the Essential Health and Safety Requirements of Regulation (EU) 2016/425. (Non-motorcycle articles, e.g. Watercraft articles)



## ART

The ART quality mark symbolizes that the lock is independently tested according to the standard for two-wheeler theft prevention. (MBT-04) and certified by the ART Foundation. The locks are rated according to a 5 stars category designation system based on the use of a lock (bicycle, E-bike, scooter, motorcycle, other). The more stars a lock has, the higher its preventative value and the better it protects against theft.



## CLASSE S.R.A.

The logo symbolizes that the anti-theft device is tested and approved according to the SRA (SÉCURITÉ et RÉPARATION AUTOMOBILES France) rules for theft prevention. The classification in the "SRA classes" includes electronic protection systems (engine cut-off, alarm, etc.) and mechanical protection systems (U-locks, chains and disc locks).



# ELECTRICAL WIRING

## WIRE GAUGE CONVERTER

GAUGE	MM <sup>2</sup>	MM Ø
22	0,33	0,65
20	0,5	0,8
18	0,8	1,0
16	1,0	1,3
14	2,0	1,7
12	3,0	2,1

GAUGE	MM <sup>2</sup>	MM Ø
10	5,0	2,6
8	8,0	3,3
6	13,0	4,1
4	19,0	5,2
2	32,0	6,5
0	52,0	8,3



## WIRE GAUGE SELECTOR

It's important to match up wire diameter and current properly. To choose the right gauge wire, you will need to know how much Wattage (or Amperage) you will draw and what the length of the cable will be.

**NOTE: The chart below is based on a 12V system. To find the appropriate wire for 6V systems, the Amp and Watt numbers should be divided in half.**

AMP	WATT	91 CM (3 FT)	152 CM (5 FT)	213 CM (7 FT)	305 CM (10 FT)	457 CM (15 FT)
5A	30W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG
6A	36W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG
7A	42W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG
8A	48W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG
10A	60W	18 AWG	18 AWG	18 AWG	18 AWG	16 AWG
11A	66W	18 AWG	18 AWG	18 AWG	18 AWG	16 AWG
12A	72W	18 AWG	18 AWG	18 AWG	18 AWG	16 AWG
15A	90W	18 AWG	18 AWG	18 AWG	18 AWG	14 AWG
18A	108W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG

AMP	WATT	91 CM (3 FT)	152 CM (5 FT)	213 CM (7 FT)	305 CM (10 FT)	457 CM (15 FT)
20A	120W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG
22A	132W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG
24A	144W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG
30A	180W	18 AWG	16 AWG	16 AWG	14 AWG	10 AWG
40A	240W	18 AWG	16 AWG	14 AWG	12 AWG	10 AWG
50A	300W	16 AWG	14 AWG	12 AWG	12 AWG	10 AWG
100A	600W	12 AWG	12 AWG	10 AWG	10 AWG	6 AWG
150A	900W	10 AWG	10 AWG	8 AWG	8 AWG	4 AWG
200A	1200W	10 AWG	8 AWG	8 AWG	6 AWG	4 AWG

## METRIC AND U.S.A. STANDARD CONVERSIONS

### METRIC TO U.S.A.

METRIC	U.S.A.
<b>VOLUME</b>	
Milliliter (ml)	0,0338 fluid ounce (fl oz)
Milliliter (ml)	0,001057 quart
Milliliter (ml)	0,06102 cubic inch
Liter (L)	0,264 gallon (gal)
Liter (L)	61,02 cubic inch
Liter (L)	0,0353 cubic feet
<b>LENGTH</b>	
Millimeter (mm)	0,039 inch (in)
Centimeter (cm)	0,393 inch (in)
Centimeter (cm)	0,0328 feet (ft)
Meter (m)	3,28 feet (ft)
Kilometer (km)	0,62 mile (mi)
<b>WEIGHTS</b>	
Gram (g)	0,035 ounce net weight (oz net wt)
Kilogram (kg)	2,2 pounds (lbs)
<b>PRESSURE</b>	
Bar	14,5 psi
<b>TEMPERATURE</b>	
Degrees Celsius (°C)	Degrees Fahrenheit (-32 °F) x 5/9
<b>POWER</b>	
Kilowatt (kw)	1,34 horsepower (hp)
<b>SPEED</b>	
Kilometers per hour (km/h)	0,62 miles per hour (mph)
<b>TORQUE</b>	
Newton meters (Nm)	8,85 inch force-pounds (in lbs)
Newton meters (Nm)	0,738 foot force-pounds (ft lbs)
<b>ENGINE CAPACITY</b>	
Cubic centimeters (cc) (cm <sup>3</sup> )	0,06102 (ci)
<b>FUEL CONSUMPTION</b>	
Kilometers per liter (km/l)	2,35 miles per gallon (mpg)
Liters per kilometer (l/km)	0,425 gallons per mile (gpm)

### U.S.A. TO METRIC

U.S.A.	METRIC
<b>VOLUME</b>	
Fluid ounce (fl oz)	29,57 milliliter (ml)
Quart	946,4 milliliter (ml)
Cubic inch	16,39 milliliter (ml)
Gallon (gal)	3,785 liter (L)
Cubic inch	0,01639 liter (L)
Cubic feet	28,3169 liter (L)
<b>LENGTH</b>	
Inch (in)	25,4 millimeters (mm)
Inch (in)	2,54 centimeters (cm)
Foot (ft)	30,5 centimeters (cm)
Foot (ft)	0,305 meter (m)
Mile (mi)	1,609 kilometer (km)
<b>WEIGHTS</b>	
Ounce net weight (oz net wt)	28,35 grams (g)
Pound (lb)	0,45 kilograms (kg)
<b>PRESSURE</b>	
PSI	0,0689 Bar
<b>TEMPERATURE</b>	
Degrees Fahrenheit (°F)	Degrees Celsius (°C x 1,8) + 32
<b>POWER</b>	
Horsepower (hp)	0,7457 kilowatt (kw)
<b>SPEED</b>	
Miles per hour (mph)	1,6093 kilometers per hour (km/h)
<b>TORQUE</b>	
Inch force-pounds (in lbs)	0,113 newton meters (Nm)
Foot force-pounds (ft lbs)	1,356 newton meters (Nm)
<b>ENGINE CAPACITY</b>	
Cubic Inch Displacements (CID)	16,39 cubic centimeters (cc) (cm <sup>3</sup> )
<b>FUEL CONSUMPTION</b>	
Miles per gallon (mpg)	0,425 kilometers per liter (km/l)
Gallons per mile (gpm)	2,35 liters per kilometer (l/km)

## FORMULAS

### DISPLACEMENT

Bore x bore x stroke x 1,5708 = Displacement in Cubic Inches  
 Bore x bore x stroke x 25,744019 = Displacement in Cubic Centimeters  
**Example:** A stock 96" Twin Cam has a bore of 3,750" and a stroke of 4,375".  
**Formula:**  $3,750" \times 3,750" \times 4,375" \times 1,5708 = 96,64$  cubic inch  
 $3,750" \times 3,750" \times 4,375" \times 25,744019 = 1583,86$ cc



### COMPRESSION RATIO

Ratio = Cylinder displacement plus combustion chamber volume divided by combustion chamber volume.  
**Example:** A 96" cubic inch Twin Cam has 794cc per cylinder. Combustion chamber volume is approximately 86cc.  
**Formula:**  $794 : 86 = 880 : 86 = 10,2:1$  Compression Ratio (CR)  
**Note:** When calculating compression ratio, do not forget to include gasket thickness, valve pockets and ringlands in the piston. CC-ing the heads, filling them with fluid after heads have been installed, will give you accurate numbers.



### HEAD/BASE GASKET VOLUME

Bore x bore x 12,87 x compressed gasket thickness =  
 Gasket volume in cubic centimeters  
**Example:** A head gasket has a thickness of 0,045"; bore is 3,750".  
**Formula:**  $3,750" \times 3,750" \times 12,87 \times 0,045" = 8,144$ cc

### AREA OF CIRCLE

The radius is the diameter of a circle divided in half.  
 Radius x radius x 3,1416 = Area of a circle  
**Example:** A stock 96" Twin Cam has a bore of 3,750".  
**Formula:**  $1,875" \times 1,875" \times 3,1416 = 11,05$  Inch<sup>2</sup>  
 $47,63 \text{ mm} \times 47,63 \text{ mm} \times 3,1416 = 7127,09 \text{ mm}^2 (71,271 \text{ cm}^2)$




### ELECTRICAL: AMPERAGE, WATT AND VOLTS

Understanding electrical current is important to prevent a meltdown within the electrical wiring of a motorcycle. It is useful to calculate what fuse you will need for a certain application.  
 Watt divided by Volt = Amp  
 Amp multiplied by Volt = Watt  
 Watt divided by Amp = Volt

## - THE 3-STEP BELT FORMULA -

How to find the correct belt



### Formula

**A** = number of tooth transmission pulley  
**B** = number of tooth rear wheel pulley  
**C** = center to center distance between both pulleys

### THE 3-STEP BELT FORMULA

$$\text{Step 1) } \frac{(C \times 2)}{13,8} = D$$

$$\text{Step 2) } \frac{A + B}{2} = E$$

$$\text{Step 3) } D + E = \text{Number of teeth}$$

### Example


Transmission pulley has 32 tooth  
 Rear wheel pulley has 66 tooth  
 Center to center distance is 584 mm

$$\text{Step 1) } \frac{584 \times 2}{13,8} = 1168 \text{ (belt pitch)}$$

$$\text{Step 2) } \frac{32 + 66}{2} = 49$$

$$\text{Step 3) } 84,6 + 49 = 133,6 \text{ teeth}$$

This means you must use a 133 tooth belt, because 137 tooth is not manufactured



# From Our Garage To Yours

We are the #1 resource for V-Twin products. We support our dealers, suppliers and fans at races, rallies, special events and showcases.

## DEALER POLICIES

Please visit: [www.partseurope.eu](http://www.partseurope.eu)

## CATALOGUE CONTENTS

We believe the contents and specifications of this catalogue are correct. We assume no liability for errors in listings, specifications, part numbers, prices or model applications. We reserve the right to change specifications, product descriptions, product quality, pricing and application at any time without further notice and without further obligation. The reproduction of any material from this catalogue is forbidden without our written approval.

iPad®, iPhone®, iPhoto®, iPod®, iPod classic®, iPod nano®, iPod shuffle®, iPod touch®, MacBook®, MacBook Air® and PowerBook® are registered trademarks of Apple Inc.

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. Supplex® and Cordura® are registered trademarks

of Invista North America S.A.R.L. D30® is a registered trademark of Design Blue Limited. YKK® Vislon® and AquaGuard® are registered trademarks of YKK Corporation.

All model designations and applications used herein are determined by the manufacturer as USA and/or European specific. Contact the individual manufacturer for additional international model information.

## WARRANTIES AND GUARANTEES

We do not guarantee the items sold by us or warrant the merchantability or fitness of purpose. Manufacturers supply their own warranties and guarantees and most of them do not permit a wholesaler or distributor to make any adjustment, replace any part or accept for return or exchange any defective or unsatisfactory item. Please follow the guarantee instructions when provided by the manufacturer. Any damages arising from the design or manufacturing of any item are the sole responsibility of the manufacturer.



**Parts Europe GmbH**  
Conrad-Röntgen-Strasse 2  
54332 Wasserliesch/Trier, Germany

Sales: ..... +49 6501 9695-2000  
Fax: ..... +49 6501 9695-2650  
Reception: .... +49 6501 9695-0

[info@partseurope.eu](mailto:info@partseurope.eu)

A DIVISION OF LEMANS CORPORATION  
PO Box 5222, Janesville, WI 53547-5222 • 608-758-1111

COPYRIGHT 2025 • LeMans Corporation • ALL RIGHTS RESERVED

These materials may not be copied or reproduced in any manner without written permission of LeMans Corporation.

# PARTS & ACCESSORIES FOR INDIAN MOTORCYCLES 2026

Indian® is a registered trademark of Indian Motorcycle International, LLC

OUR CATALOGUES  
COVER HARLEY, INDIAN,  
SCOOTER, ATV, WATERCRAFT,  
AND MUCH MORE!  
BROWSE THEM ALL HERE



9901-3650