

2022

WATERCRAFT

PARTS EUROPE®



Table Of Contents

Apparel 4-12
Audio/Video & Mounts 13-25
Accessories 26-38
Body & Hull 39-49
Handlebars & Hand Controls 50-58
Propulsion, Driveline & Handling 59-77
Engine 78-99
Fuel/Air Systems 100-117

Enjoy Every Wave

The 2022 Parts Europe Watercraft catalog is a showcase of the latest and best products to keep your PWC looking sharp and running smoothly.

Featuring new and exciting products from apparel to engine from the top brands in the industry.

Use this along with the rest of the 2022 Parts Europe catalogs to keep your customer happy and ready to enjoy the year.

We are adding new products constantly during the year. Visit partseurope.eu to check out the latest parts, accessories and apparel.

Parts Europe – We support dealers, their customers and the sport.

All model designations and applications designated herein are determined by the manufacturer as USA and/or European-specific. Contact the individual manufacturer for additional international model information.

PARTS EUROPE®

WE SUPPORT THE SPORT®

Electrical 118-151
Lubes 152-158
Transport & Trailer 159-172
Tools 173-191
Merchandising 192-193
Index 194-201

⚠WARNING **IMPROPERLY FITTING PRODUCTS COULD CONTRIBUTE TO SERIOUS INJURY OR DEATH.**

SAFETY WARNING: Riding watercraft is a dangerous activity. When riding, always wear a helmet, eye protection, appropriate clothing and the appropriate type of Personal Flotation Device. There is no assurance that serious injury or death can be avoided even if you wear the product shown in this catalog and take all precautions to avoid every risk. Please ensure that your products fit properly. Improperly fitting products can impair your ability to control your watercraft.



APPAREL

PARTS EUROPE

SLIPPERY

A
Shown
without jacket





B



Back view



C
Shown
without
jacket



BREAKER JOHN AND JACKET WETSUITS

- Designed for active riders
- Breaker John and Jacket combo offers performance and mobility while providing a lightweight layer of protection between the rider and the watercraft
- This versatile suit allows the rider to take control of the elements by utilizing the pieces individually or together for maximum warmth and coverage
- Material is 2 mm neoprene with flat-stitched seams for ultimate comfort
- 1,5 mm Tatex at knee for abrasion resistance; 1,5 mm Airprene calf allows water to drain
- Hook-and-loop shoulder closure on suit; keep-key pocket
- Front-zip jacket

SIZE	(A) BLACK/CHARCOAL	(B) CHARCOAL/RED	(C) BLACK/AQUA
S	3201-0276	3201-0282	3201-0288
M	3201-0277	3201-0283	3201-0289
L	3201-0278	3201-0284	3201-0290
XL	3201-0279	3201-0285	3201-0291
2X	3201-0280	3201-0286	3201-0292
3X	3201-0281	3201-0287	3201-0293

MEN'S SIZE GUIDE

MEASUREMENT	S	M	L	XL	2X	3X
Height	168 cm - 175 cm (5' 6" - 5' 9")	173 cm - 180 cm (5' 8" - 5' 11")	178 cm - 185 cm (5' 10" - 6' 1")	180 cm - 191 cm (5' 11" - 6' 3")	185 cm - 193 cm (6'1" - 6' 4")	188 cm - 196 cm (6' 2" - 6'5")
Chest	89 cm - 94 cm (35" - 37")	94 cm - 99 cm (37" - 39")	99 cm - 104 cm (39" - 41")	104 cm - 109 cm (41" - 43")	109 cm - 114 cm (43" - 45")	114 cm - 119 cm (45" - 47")
Weight	54 kg - 63 kg (120 lb - 140 lb)	63 kg - 77 kg (140 lb - 170 lb)	77 kg - 86 kg (170 lb - 190 lb)	81 kg - 95 kg (180 lb - 210 lb)	90 kg - 102 kg (200 lb - 225 lb)	97 kg - 108 kg (215 lb - 240 lb)

BOLD MAGENTA part numbers are new for 2022

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING

SLIPPERY





Back view

MEN'S BREAKER SPRING SUIT

- Perfect for those times when a full suit is too much, but shorts aren't enough
- 2 mm neoprene construction for supreme fit and flexibility
- Flat-stitched seams for ultimate comfort
- Rear 3/4 zip closure for added lower-back flex and ease of entry

SIZE	BLACK/CHARCOAL
S	3210-0087
M	3210-0088
L	3210-0089
XL	3210-0090
2X	3210-0091
3X	3210-0092

MEN'S SIZE GUIDE

MEASUREMENT	S	M	L	XL	2X	3X
Height	168 cm - 175 cm (5'6" - 5'9")	173 cm - 180 cm (5'8" - 5'11")	178 cm - 185 cm (5'10" - 6'1")	180 cm - 191 cm (5'11" - 6'3")	185 cm - 193 cm (6'1" - 6'4")	188 cm - 196 cm (6'2" - 6'5")
Chest	89 cm - 94 cm (35" - 37")	94 cm - 99 cm (37" - 39")	99 cm - 104 cm (39" - 41")	104 cm - 109 cm (41" - 43")	109 cm - 114 cm (43" - 45")	114 cm - 119 cm (45" - 47")
Weight	54 kg - 63 kg (120 lb - 140 lb)	63 kg - 77 kg (140 lb - 170 lb)	77 kg - 86 kg (170 lb - 190 lb)	81 kg - 95 kg (180 lb - 210 lb)	90 kg - 102 kg (200 lb - 225 lb)	98 kg - 109 kg (215 lb - 240 lb)





Back view

TOUR COAT

- The ideal addition for cold days on the water
- Oversized cut allows coat to be worn over PFD (personal flotation device)
- 2 mm neoprene construction
- Heavy-duty, two-way front zip
- Flat-stitched seams
- Two front zip pockets with mesh drainage ports
- Removable hood

SIZE	BLACK	SIZE	BLACK
S/M	3270-0049	L/XL	3270-0050

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING

BOLD MAGENTA part numbers are new for 2022

SLIPPERY

A





Back view

B



C



SURGE NEO VESTS

- Two 38,1 mm (1,5") adjustable belts with buckle closure
- Hidden back belts
- Heavy-duty zipper
- D-ring for clip-style lanyards
- Includes a safety whistle
- Tested and certified according to Standard EN ISO 12402-5 and 12402-6

SIZE	(A) BLACK/CHARCOAL	(B) CHARCOAL/RED	(C) LIME/BLACK
XS	3240-0883	3240-0890	3240-0793
S	3240-0884	3240-0891	-
M	3240-0885	3240-0892	-
L	3240-0886	3240-0893	-

SIZE	(A) BLACK/CHARCOAL	(B) CHARCOAL/RED	(C) LIME/BLACK
XL	3240-0887	3240-0894	-
2X	-	3240-0895	-
3X	3240-0889	3240-0896	-

SIZE GUIDE

MEASUREMENT	XS	S	M	L	XL	2X	3X
Chest	71 cm - 81 cm (28" - 32")	81 cm - 91 cm (32" - 36")	91 cm - 102 cm (36" - 40")	102 cm - 112 cm (40" - 44")	112 cm - 122 cm (44" - 48")	122 cm - 132 cm (48" - 52")	132 cm - 142 cm (52" - 56")

BOLD MAGENTA part numbers are new for 2022

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING

SLIPPERY

A



B



HYDRO NYLON VESTS

- D-ring for clip-style lanyards
- Features four 38 mm (1,5") belts with heavy-duty buckles for support
- Lightweight, nylon construction
- Hinged chest panel for better fit
- Tested and certified according to Standard EN ISO 12402-5 and EN ISO 12402-6

SIZE	(A) YELLOW/BLACK	(B) RED/AQUA
S/M	3240-0784	3240-0815

SIZE	(A) YELLOW/BLACK	(B) RED/AQUA
L/XL	3240-0785	3240-0816

SIZE	(A) YELLOW/BLACK	(B) RED/AQUA
2X/3X	3240-0807	3240-0817

SIZE GUIDE

MEASUREMENT	S/M	L/XL	2X/3X
Chest	81 cm - 102 cm (32" - 40")	102 cm - 127 cm (40" - 50")	127 cm - 152 cm (50" - 60")



IMPULSE VEST

- D-ring for clip-style lanyards
- Three 25 mm (1") belts with heavy-duty buckles for support
- Lightweight foam and nylon construction
- Includes a safety whistle
- Tested and certified according to Standard EN ISO 12402-5 and EN ISO 12402-6

SIZE	YELLOW/BLACK
Universal (chest size 76 cm - 132 cm (30"-52"))	3240-0781

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING

BOLD MAGENTA part numbers are new for 2022

SLIPPERY



Back view



WOMEN'S SURGE NEO VESTS

- Front-zip entry with two 38,1 mm (1,5") belts for added strength; V-back for custom fit
- Neoprene construction for maximum comfort
- Includes safety whistle
- Tested and certified according to Standard EN ISO 12402-5 and EN ISO 12402-6

SIZE	BLACK/MINT	SIZE	BLACK/MINT	SIZE	BLACK/MINT	SIZE	BLACK/MINT
XS	3241-0135	S	3241-0136	M	3241-0137	L	3241-0138

WOMEN'S SIZE GUIDE

MEASUREMENT	XS	S	M	L
Chest	71 cm - 81 cm (28"-32")	81 cm - 91 cm (32"-36")	91 cm - 102 cm (36"-40")	102 cm - 112 cm (40"-44")



HYDRO YOUTH VEST

- Fits riders 22,7 kg - 40,8 kg (50-90 lb) with chest measurements of 66 cm - 73,5 cm (26"-29")
- Three-belt closure system
- D-ring for clip-style lanyards
- Includes a safety whistle
- Tested and certified according to Standard EN ISO 12402-5 and EN ISO 12402-6

DESCRIPTION	BLACK/YELLOW
Hydro Youth	3242-0061



PET VEST

- Three adjustable belts with buckle closure
- Carry handle at top
- D-ring for leash connection
- Fluorescent color for high visibility

SIZE	YELLOW/GREEN	SIZE	YELLOW/GREEN
M	3240-0846	L	3240-0847

VEST SIZE	WEIGHT	NECK	CHEST	WAIST
M	13,6 kg-27,2 kg (30 lb-60 lb)	38 cm-48,5 cm (15"-19")	66 cm-81 cm (26"-32")	56 cm-81 cm (22"- 28")
L	27,2 kg-36,3 kg (60 lb-80 lb)	45,5 cm-56 cm (18"-22")	76 cm-97 cm (30"-38")	66 cm-81 cm (26"-32")

BOLD MAGENTA part numbers are new for 2022

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING

SLIPPERY



FLEX LITE GLOVES

- Hook-and-loop wrist closure
- Four-way stretch mesh
- Sublimated fade-free graphics
- Perforated palm
- Anti-slip gel print on palm and fingertips
- Reinforced thumb overlay

SIZE	(A) AQUA/BLACK	(B) BLACK/CHARCOAL	(C) BLACK	(D) RED/CHARCOAL	(E) OLIVE/BLACK
XS	3260-0450	3260-0456	3260-0462	3260-0468	3260-0474
S	3260-0451	3260-0457	3260-0463	3260-0469	3260-0475
M	3260-0452	3260-0458	3260-0464	3260-0470	3260-0476
L	3260-0453	3260-0459	3260-0465	3260-0471	3260-0477
XL	3260-0454	3260-0460	3260-0466	3260-0472	3260-0478
2X	3260-0455	3260-0461	3260-0467	3260-0473	3260-0479



CIRCUIT GLOVES

- Perforated palm
- TPR hook-and-loop closure
- Anti-slip gel print on palm and fingertips; integrated neoprene finger padding for added coverage
- Innospan backhand for ultimate flexibility
- Flat-stitch seams for comfort

SIZE	(F) RED/CHARCOAL	(G) BLACK/AQUA	(H) OLIVE/BLACK	(I) BLACK/CHARCOAL
S	3260-0427	3260-0433	3260-0439	3260-0445
M	3260-0428	3260-0434	3260-0440	3260-0446
L	3260-0429	3260-0435	3260-0441	3260-0447
XL	3260-0430	3260-0436	3260-0442	3260-0448
2X	3260-0431	3260-0437	3260-0443	3260-0449

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING

BOLD MAGENTA part numbers are new for 2022

SLIPPERY



LIQUID RACE BOOTS

- Internal heel and athletic sole structure provide stability
- Airmesh and perforated chassis for ventilation and drainage
- Removable inner 1,5 mm neoprene booty
- Pull-tabs and laces for easy and fast on/off
- Anti-abrasion, highly durable heel and toe

SIZE	BLACK
7	3261-0183
8	3261-0184

SIZE	BLACK
9	3261-0185
10	3261-0186

SIZE	BLACK
11	3261-0187
12	3261-0188



AMP BOOTS

- 2 mm neoprene construction
- Flat-stitched seams for added comfort
- Heel cup for support
- Molded rubber sole
- Rear zip and locking drawcord provide a secure fit

SIZE	BLACK
7	3261-0196
8	3261-0197

SIZE	BLACK
9	3261-0198
10	3261-0199

SIZE	BLACK
11	3261-0200
12	3261-0201



AMP SHOES

- 2 mm neoprene construction
- Flat-stitched seams for added comfort
- Heel cup for support
- Molded rubber sole
- Barrel-lock draw-cord closure for a secure fit

SIZE	BLACK
6	3261-0189
7	3261-0190
8	3261-0191
9	3261-0192

SIZE	BLACK
10	3261-0193
11	3261-0194
12	3261-0195

BOLD MAGENTA part numbers are new for 2022

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING



MEN'S T-SHIRTS AND TANK TOP

- 100% cotton construction
- Features vibrant screen-printed graphics
- Transfer-style neck labels for maximum comfort

MEN'S T-SHIRTS

SIZE	(A) BLACK	(B) HEATHER GRAY
S	3030-20681	3030-20686
M	3030-20682	3030-20687
L	3030-20683	3030-20688
XL	3030-20684	3030-20689
2X	3030-20685	3030-20690

MEN'S TANK

SIZE	(C) BLACK
S	3030-20676
M	3030-20677
L	3030-20678
XL	3030-20679
2X	3030-20680



ADULT GLIDE BOARDSHORTS

- 100% polyester for durability
- Four-way stretch
- Pocket drain eyelets
- Draw-string closure at waist
- Cargo pocket with key keeper
- Available in men's even sizes 28-44

SIZE	GRAY/AQUA
28	3230-0241
30	3230-0242
32	3230-0243

SIZE	GRAY/AQUA
34	3230-0244
36	3230-0245
38	3230-0246

SIZE	GRAY/AQUA
40	3230-0247
42	3230-0248
44	3230-0249

SEE PAGE 4 FOR AN IMPORTANT SAFETY WARNING

BOLD MAGENTA part numbers are new for 2022



AUDIO/VIDEO & MOUNTS ACCESSORIES

PARTS EUROPE

RAM MOUNTS



STEP 1 STEP 2 STEP 3

RAM MOUNTING SYSTEMS

- Offer the most complete selection of mounting solutions designed specifically for motorcycles, ATV/UTVs, snowmobiles and personal watercraft
- RAM's rubber ball and socket design is ideally suited for these high-vibration applications
- In addition, the ball and socket design allows the user to adjust their mounted device to the perfect viewing angle quickly and easily
- RAM will give you the ability to help you mount your cell phone, GoPro® camera, GPS device and much more

THREE STEPS TO CONFIGURING YOUR MOUNT:
STEP 1: PICK A BASE
STEP 2: PICK AN ARM
STEP 3: PICK A CRADLE

RAM HANDLEBAR RAIL MOUNT WITH U-BOLT BASE AND UNIVERSAL X-GRIP® FOR LARGE PHONE/PHABLET CRADLE

- Consists of a zinc-coated U-bolt base, double-socket arm and universal spring-loaded X-Grip® IV cradle for large phones and phablets
- Package includes hardware that will accommodate rails from 13 mm to 32 mm (0,50" to 1,25") in diameter
- Base comes with black cover caps to place over exposed ends of the U-bolt
- Included composite rail adapter narrows the rail to a minimum width of 13 mm (0,5")
- Mount is designed with a RAM B-sized 25,4 mm (1") diameter rubber ball and socket system that features adjustment points at both ends of the double socket arm; allows for almost infinite adjustment and perfect viewing angles
- Spring-loaded X-Grip IV cradle expands and contracts, allowing for a perfect custom fit of phone or phablet
- X-Grip also includes a device tether recommended for outdoor applications
- Cradle is compatible with handheld devices that will fit the following dimensions: minimum width of 44 mm (1,75") with a minimum height of 14 cm (5,5"); maximum width of 11,5 cm (4,5") with a minimum height of 83 mm (3,25"); depth of 22 mm (0,875")
- U-Bolt dimensions: 13 mm to 32 mm (0,50" to 1,25")

NOTE: It is important to verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size.



DESCRIPTION	PART #
Handlebar rail mount with U-bolt base and X-Grip® cradle	0636-0122

RAM SMALL TOUGH-CLAW™ BASE WITH LONG DOUBLE SOCKET ARM AND UNIVERSAL X-GRIP® LARGE PHONE/PHABLET CRADLE

- High-strength composite, powdercoated marine-grade aluminum and marine-grade stainless steel construction
- Consists of a Tough-Claw™ rail clamp base, long-length double-socket arm and universal spring loaded RAM® X-Grip® cradle for large phones and phablets
- Spring-loaded holder expands and contracts for perfect fit on your device; rubber-coated tips will hold device firm and stable
- Mount is designed with a B-sized 25,4 mm (1") diameter rubber ball and socket system that features adjustment points at both ends of the double-socket arm; allows for almost infinite adjustment and perfect viewing angles
- X-Grip also includes a device tether recommended for outdoor applications
- Clamping range on rail/tube surfaces is 16 mm to 38 mm (0,625" to 1,5"); clamping range on flat surface is 0,0 mm to 28,6 mm (0" to 1,14")
- Cradle is compatible with handheld devices that will fit the following dimensions: minimum width of 44 mm (1,75") with a minimum height of 140 mm (5,5"); maximum width of 114 mm (4,5") with a minimum height of 83 mm (3,25"); depth of 22 mm (0,875")

NOTE: It is important to verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size.



DESCRIPTION	PART #
44 mm - 114 mm W (1,75"-4,5"), 83 mm - 140 mm H (3,25"-5,5"), 22 mm D (0,875")	0636-0130

BOLD MAGENTA part numbers are new for 2022

RAM MOUNTS



0603-0571



0603-0686



X-GRIP® IV LARGE PHONE/PHABLET AND TABLET CRADLE

- High-strength composite and stainless steel construction
- Spring-loaded holder expands and contracts for perfect fit
- Features a clean and clever four-leg design that sports great holding power
- Rubber coated tips will hold device firm and stable
- Compatible and interchangeable with a wide range of popular RAM Mounting products
- 25,4 mm (1") rubber ball
- Phone/Phablet cradle dimensions: minimum width, 44 mm (1,75") and maximum width, 11,5 cm (4,5")

NOTE: Verify dimensions of your handheld device with case/sleeve/skin when determining overall size.

DESCRIPTION	PART #
Ram X-Grip® Large	0603-0571
ACCESSORIES	
4-pk. replacement post caps for all X-Grip® cradles	0603-0645
X-Grip phablet replacement tether	0603-0686



RAM X-GRIP® TETHER FOR 17 CM - 20 CM (7"- 8") TABLET MOUNTS

- Constructed of high-strength elastomeric material
- Fits around X-Grip® holders for easy device insertion
- Provides secure placement of device in open applications

DESCRIPTION	PART #
X-Grip® tether for 17 cm - 20 cm (7"- 8") tablet mounts	0603-0904



0603-0826



0603-0830

RAM QUICK-GRIP™ UNIVERSAL PHONE HOLDERS WITH BALL

- High-strength composite
- Capable of holding smartphones, GPS, Bluetooth® speakers and other electronic devices
- Spring-loaded mechanism and adjustable side keepers allow for a secure grip

DESCRIPTION	PART #
Quick-Grip™ phone holder w/ ball (w/ retail header card)	0603-0826
Quick-Grip phone holder w/ ball (comes in a poly bag)	0603-0829

- PART #s 0603-0826 and 0603-0829 cradle clamping dimensions: 12 cm - 14,5 cm H, 5,6 cm - 8,3 cm W and 1,8 cm D (4,75" - 5,75" H, 2,19" - 3,25" W and 0,72" D)
- PART #0603-0830 cradle clamping dimensions: 14,5 cm - 21 cm H, 6,5 cm - 9,2 cm W and 1,8 cm D (5,75" - 8,25" H, 2,625" - 3,625" W and 0,72" D)

DESCRIPTION	PART #
Quick-Grip XL phone holder w/ ball	0603-0830

BOLD MAGENTA part numbers are new for 2022

RAM MOUNTS

RAM QUICK-GRIP™ PHONE MOUNTS WITH HANDLEBAR U-BOLT BASE

- High-strength composite and powdercoated marine-grade aluminum
- B-size 25,4 mm (1") rubber ball
- Provides a secure fit for a variety of smartphones, GPS units, Bluetooth® speakers and other electronics
- Includes a short RAM double-socket arm and zinc-coated handlebar U-bolt base
- Accommodates rails from 0,5" to 1,25" in diameter
- PART #0636-0157 cradle clamping dimensions: 12 cm - 14,5 cm H, 5,6 cm - 8,3 cm W and 1,8 cm D (4,75" - 5,75" H, 2,19" - 3,25" W and 0,72" D)
- PART #0636-0158 cradle clamping dimensions: 14,5 cm - 21 cm H, 6,5 cm - 9,2 cm W and 1,8 cm D (5,75" - 8,25" H, 2,625" - 3,625" W and 0,72" D)

0636-0157



0636-0158



DESCRIPTION	PART #
Quick-Grip™ phone mount w/ handlebar U-bolt base	0636-0157

DESCRIPTION	PART #
Quick-Grip XL phone mount w/ handlebar U-bolt base	0636-0158

0603-0614



0603-0615



0603-0616



X-GRIP® KITS

- High-strength composite, stainless steel construction and powdercoated marine-grade aluminum
- Includes a 25,4 mm (1") diameter rubber ball and socket system with adjustment points at both ends of the socket arm; this, with a twist of the arm knob, allows you to move the X-Grip® mount to optimum viewing position
- Spring-loaded holder expands and contracts for perfect fit of device
- Rubber-coated tips will hold device firm and stable
- The mounting hardware for brake/clutch reservoirs include both standard and metric mounting bolts
- Kit includes U-bolts that fit bars 12,7 mm (0,5") to 32 mm (1,25") in diameter

DESCRIPTION	PART #
Combination brake/clutch reservoir U-bolt mount	0603-0614
Handlebar rail mount with zinc-coated U-bolt base	0603-0615
Forks stem mount with short double-socket arm	0603-0616

0603-0685



- Socket technology allows for multiple adjustment angles and articulation of device
- Includes all necessary mounting hardware
- Compatible with devices (with or without case) that measure 47,5 mm (1,875") minimum width, 83 mm (3,25") maximum width and 22 mm (0,875") depth

NOTE: Verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size.

DESCRIPTION	PART #
ACCESSORIES	
4-pk. replacement post caps for all X-Grip® cradles	0603-0645
X-Grip replacement tether	0603-0685

RAM UNIVERSAL X-GRIP® CELL PHONE CRADLE WITH 25,4 MM (1") BALL

- High-strength composite and rustproof marine-grade stainless steel construction
- Spring-loaded holder expands and contracts for perfect fit on your device
- Rubber-coated tips will hold device firm and stable
- Includes 25,4 mm (1") ball; mount adapter is not required
- Versatility of holder allows for attachment to many RAM arms
- Compatible with handheld devices that will fit holder dimensions: minimum width of 48 mm (1,875"), maximum width of 83 mm (3,25") and a depth of 22 mm (0,875")
- It is important to verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size
- Contents not included
- X-Grip includes a device tether, recommended for outdoor applications

DESCRIPTION	PART #
X-Grip® cradle	0603-0478
4-pk. post caps; black	0603-0645
4-pk. post caps; blue	0603-0930

0603-0478



0603-0645



0603-0685



DESCRIPTION	PART #
4-pk. post caps; red	0603-0931
X-Grip replacement tether	0603-0685

BOLD MAGENTA part numbers are new for 2022



0636-0119



0636-0126



RAM TOUGH-CLAW™ MOUNTS WITH UNIVERSAL X-GRIP® PHONE CRADLE

- Features a small Tough-Claw™ mounting base and universal X-Grip® cradle
- Mount rotates 360°
- Included spring-loaded, X-Grip cradle has a clean and clever four-leg design that provides great holding power without hiding your phone; X-Grip cradle expands and contracts, allowing for a perfect custom fit
- X-Grip also includes a device tether recommended for outdoor applications
- Regular version (PART #0636-0119) cradle is compatible with handheld devices that will fit the following dimensions: minimum width of 47 mm (1,875") with a minimum height of 10,8 cm (4,25"); maximum width of 82,5 mm (3,25") with a minimum height of 57 mm (2,25"); depth of 22 mm (0,875")
- Large version (PART #0636-0126) cradle is compatible with handheld devices that will fit the following dimensions: minimum width of 44 mm (1,75") with a minimum height of 14 cm (5,5"); maximum width of 11,43 cm (4,5") with a minimum height of 82,55 mm (3,25"); depth of 22 mm (0,875")
- Both versions feature a clamping range of 15,8 mm (0,625") to 38 mm (1,5") on rail/tube surfaces and a clamping range of 0 to 28 mm (0" to 1,14") on flat surfaces

NOTE: It is important to verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size.

DESCRIPTION	PART #
Regular size	0636-0119

DESCRIPTION	PART #
Large size	0636-0126



RAM CLUTCH/BRAKE MOUNT WITH X-GRIP® HOLDER

- Features hardware for mounting to either brake or clutch reservoirs, rails that are 13 mm to 32 mm (0,5" to 1,25") in diameter, double-socket arm and universal X-Grip® large phone/phablet holder
- Mount features a 25,4 mm (1") rubber ball and socket mounting system with adjustment points at both ends of the socket arm
- The mounting hardware for brake/clutch reservoirs includes both standard and metric mounting bolts
- Included spring-loaded, X-Grip cradle has a clean and clever four-leg design that provides great holding power without hiding your phone; X-Grip cradle expands and contracts, allowing for a perfect custom fit
- X-Grip also includes a device tether recommended for outdoor applications
- Cradle is compatible with handheld devices that will fit the following dimensions: minimum width of 44 mm (1,75") with a minimum height of 14 cm (5,5"); maximum width of 11,5 cm (4,5") with a minimum height of 83 mm (3,25") ; depth of 22 mm (0,875")

NOTE: It is important to verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size.

DESCRIPTION	PART #
Clutch/brake mount with X-Grip® holder	0636-0123



RAM TORQUE™ HANDLEBAR AND RAIL MOUNTING BASE FOR PHONES

- Features a B-sized 25,4 mm (1") rubber ball mounting base that accommodates handlebars 19 mm - 25,4 mm ($^3/_4$" - 1") in diameter paired with the dynamic X-Grip® for phones
- Sizing inserts included to provide a snug fit and offer additional protection for the rail
- Low-profile mount utilizes nylon-insert locknuts to secure personal electronics and small accessories to prevent loosening in high-vibration environments
- Included spring-loaded, X-Grip cradle has a clean and clever four-leg design that provides great holding power without hiding your phone; X-Grip cradle expands and contracts, allowing for a perfect custom fit
- X-Grip also includes a device tether recommended for outdoor applications
- Cradle is compatible with handheld devices that will fit the following dimensions: minimum width of 48 mm (1,875") with a minimum height of 11 cm (4,25"); maximum width of 83 mm (3,25") with a minimum height of 57 mm (2,25"); depth of 22 mm (0,875")

NOTE: It is important to verify the dimensions of your handheld device with a case/sleeve/skin when determining the overall size.

DESCRIPTION	PART #
Torque™ handlebar and rail mounting base for phones	0636-0118

BOLD MAGENTA part numbers are new for 2022



RAM TOUGH-CHARGE™ WATERPROOF WIRELESS CHARGING HOLDERS

- Powdercoated, marine-grade aluminum construction with stainless steel components and high-strength composite
- Designed with spring-loaded X-Grip® technology; features an 'X' design that expands and contracts to secure nearly any phone while taking advantage of Qi wireless phone charging
- Four arms feature rubber-coated caps that hold devices firmly in place
- Includes a 25,4 mm (1") B-size rubber ball with a diamond base, perfect for attaching any B-size RAM double-socket arms
- Connected Type-A male pigtail connector features an in-line switch that allows you to turn off the wireless charging module when not in use
- Compatible with handheld devices that will fit the following dimensions: minimum width of 60 mm (2,375") and maximum width of 82,5 mm (3,25"), maximum depth of 22 mm (0,875")
- PART #s 0636-0173 and 0636-0174 include charging holder without mounting
- PART #s 0636-0175 and 0636-0176 include a double-socket arm and mount; see chart below for specific mounts included
- Safety device tether included that is recommended for outdoor applications

DESCRIPTION	PART #
Wireless charging holder	0636-0173
Wireless charging holder w/ hardwire charger	0636-0174

DESCRIPTION	PART #
Wireless charging holder w/ U-bolt handlebar mount and hardwire charger	0636-0175
Wireless charging holder w/ RAM Twist-Lock™ suction cup	0636-0176



RAM QUICK-GRIP™ WATERPROOF WIRELESS CHARGING HOLDERS

- Powdercoated, marine-grade aluminum construction with stainless steel components and high-strength composite
- Universal, water-resistant wireless charging cradle features spring-loaded, RAM Quick-Grip™ design and 10W maximum output
- Includes a 25,4 mm (1") B-size rubber ball with a diamond base, perfect for attaching any B-size RAM double-socket arms
- Connected Type-A male pigtail connector features an in-line switch that allows you to turn off the wireless charging module when not in use
- Compatible with handheld devices that will fit the following dimensions: minimum height of 14,3 cm (5,625"), maximum height of 16,8 cm (6,625"), maximum width of 8 cm (3,125") and maximum depth of 1,7 cm (0,7")
- PART #s 0636-0169 and 0636-0170 include charging holder without mounting
- PART #s 0636-0171 and 0636-0172 include a double-socket arm and mount; see chart below for specific mounts included
- Safety device tether included that is recommended for outdoor applications

DESCRIPTION	PART #
Wireless charging holder	0636-0169
Wireless charging holder w/ hardwire charger	0636-0170

DESCRIPTION	PART #
Wireless charging holder w/ U-bolt handlebar mount and hardwire charger	0636-0171
Wireless charging holder w/ RAM Twist-Lock™ suction cup	0636-0172

BOLD MAGENTA part numbers are new for 2022

RAM MOUNTS



RAM LEVEL CUP™ XL WITH SMALL TOUGH-CLAW™

- High-strength composite drink holder designed for bigger insulated cups, plastic water bottles or even a steel coffee cup
- Keeps your drink upright, regardless of conditions
- Oversized opening cradles tops of large drink holders and adjustable bottom piece moves up and down to accommodate taller drink holders; rubber feet flex to fit various sized drink holders
- Kit includes a Level Cup™ XL with integrated Tough-Claw™; Tough-Claw allows for toolless removal and adjustments on any rail/tube or flat surface
- Clamping range on rail/tube surfaces is 16 mm to 38 mm (0,625" to 1,5"); clamping range on flat surface is 0 mm to 29 mm (0" to 1,14")
- Fits cans, cups, water bottles, etc., with a width range of 67 mm to 89 mm (2,6"-3,5") and a height range of 95 mm to 28 cm (3,75"-11")
- Comes with RAM can koozie

DESCRIPTION	PART #
RAM Level Cup™ XL with small Tough-Claw™	0636-0127



RAM® LEVEL CUP™ XL

- Designed for bigger insulated cups, plastic water bottles or even vacuum-insulated bottles
- Can hold the biggest gulps with an oversized opening cradle and an adjustable bottom piece that can move up and down for taller cups
- Rubber feet flex for a snug fit, keeping beverages steady
- Fits cups up to 89 mm (3,5") wide and 28 cm (11") tall
- Adjustable bottom can adapt to fit any cup or bottle
- Durable and fluid self-leveling action keeps drinks upright
- Flexible grips adapt to the bottom of the cup to keep it secure

DESCRIPTION	PART #
U-Bolt/Perch mount XL cup holder kit	0636-0115
Ball mount w/ XL cup holder	0636-0114



RAM HANDLEBAR RAIL MOUNT WITH U-BOLT BASE, LEVEL CUP™ DRINK HOLDER AND KOOZIE

- High-strength composite and powdercoated, marine-grade aluminum mount with drink holder designed with two pivot points to keep your drink upright, regardless of conditions
- Kit includes a zinc-coated U-bolt base, double socket arm and RAM Level Cup™ Self-Leveling Drink Holder with koozie; base includes black cover caps to be placed over exposed ends of U-bolt
- Integrated eyelet and hook provide an optional tethering function to help secure any small or open container
- U-bolt accommodates rails from 13 mm-32 mm (0,5" to 1,25") in diameter
- Fits cans, cups, mugs, etc., ranging from 64 mm-89 mm (2,5" to 3,5") diameter
- 25,4 mm (1") rubber "B" ball size

DESCRIPTION	PART #
Handlebar rail mount with U-bolt base, Level Cup™ drink holder	0636-0129



RAM TOUGH-CLAW™ MOUNT WITH LEVEL CUP™ DRINK HOLDER

- High-strength composite and stainless steel mount with drink holder designed with two pivot points to keep your drink upright, regardless of conditions
- Kit includes small Tough-Claw™ base and RAM Level Cup™ Self-Leveling Drink Holder; Tough-Claw allows for toolless removal and adjustments on any rail/tube or flat surface
- Mount rotates 360°
- Integrated eyelet and hook provide an optional tethering function to help secure any small or open container
- Clamping range on rail/tube surfaces is 16 mm to 38 mm (0,625" to 1,5"); clamping range on flat surface is 0,0 mm to 28,6 mm (0" to 1,14")
- Fits cans, cups, mugs, etc. ranging from 64 mm to 89 mm (2,5" to 3,5") diameter
- 25,4 mm (1") rubber "B" ball size
- Comes with RAM can koozie

DESCRIPTION	PART #
RAM Tough-Claw™ mount w/ Level Cup™ drink holder	0636-0128



RAM SELF-LEVELING CUP HOLDER AND COZY WITH 25,4 MM (1") BALL

- Includes a 25,4 mm (1") rubber ball for easy mounting to any arm
- Easy installation and positions to keep your favorite beverage within reach
- Comes with a RAM can insulator

DESCRIPTION	PART #
Self-leveling cup holder	0603-0476

BOLD MAGENTA part numbers are new for 2022

RAM MOUNTS



RAM ROD® FISHING ROD DOUBLE BALL MOUNT

- Unique design offers quick removal of the rod when a fish is caught
- Features a securing flip-over bail for rod security
- High-strength composite, powdercoated marine-grade aluminum
- Two RAM C-size 38 mm (1,5") rubber balls
- Ideally suited for kayaks or traditional fishing vessels
- Kit includes 38 mm (1,5") ball with a 63,5 mm (2,5") diameter mounting base

DESCRIPTION	PART #
Ram Rod® fishing double ball mount	0603-0820



RAM TOUGH-TUBE™ ROD HOLDER WITH BULKHEAD/FLAT SURFACE BASE

- High-strength composite
- Ratchet system allows for multiple articulation points
- Lanyard tie points for extra security
- Custom designed for heavy chop environments
- Mount virtually anywhere on heavily-rigged kayaks without hinderance
- Inner diameter: 48 mm (1,9")
- Inner tube length: 25 cm (10") (from bottom to top of lip)
- Post spline length: 76 mm (3")
- Compatible with all RAM and third-party post spline bases
- Compatible with spinning reels and level wind reels

DESCRIPTION	PART #
Tough-Tube™ rod holder	0603-0819



RAM MOUNT BASE WITH U-BOLT AND UTV STRAP BASE

- Powdercoated marine-grade aluminum
- Consists of a 25,4 mm (1") diameter rubber ball connected at right angles to a base that contains a flexible metal strap
- The strap base tightening screw is encased in a compact housing for a clean, safe finish
- Strap is long enough to wrap around handlebar posts, measuring 40 mm - 80 mm (1,57"-3,15")
- U-bolt dimensions accommodate rails from 12,7 mm - 25 mm (0,5"-1") in diameter

DESCRIPTION	PART #
RAM Mount base with U-bolt and UTV strap base	4402-0295



0603-0456



0603-0458



0603-0459



0603-0460



0603-0461



0603-0462

RAM MOUNT UNIVERSAL BASES

- Marine-grade aluminum with a black powdercoat finish
- 25,4 mm (1") rubber ball
- Mirror post base fits any open mirror mount hole on motorcycles with relocated mirrors
- Mounting hardware included

DESCRIPTION	PART #
Handlebar clamp M8	0603-0456
Handlebar U-bolt/brake/clutch perch mount 13-32 mm (0,5-1,25") diameter	0603-0458[1]
U-bolt 13-32 mm (0,5-1,25") diameter	0603-0459
9 mm hole	0603-0460
11 mm hole	0603-0461

DESCRIPTION	PART #
Adhesive	0603-0462[2]
3/8"-16 post	0603-0463
Tough-Ball™ mirror base for Harley Davidson	0603-0501
V-clamp 25,4 mm - 51 mm (1"-2") diameter	4402-0294

[1] Includes two 1/4"-20 x 2" screws and two 6 mm x 55 mm screws for American and metric thread applications.

[2] High-strength composite.

BOLD MAGENTA part numbers are new for 2022

TOUGH-CLAW™ WITH 25,4 MM (1") DIAMETER RUBBER BALL

- The perfect mounting base for quick and easy toolless installation and removal on round, square, odd-shaped rails and bars
- High-strength glass-filled nylon construction with corrosion-resistant stainless steel hardware
- Rubber pads provide stable, even gripping and protection of mounting surface
- PART #0636-0011 can be clamped on rails from 16 mm (0,625") to 38 mm (1,5") outer diameter
- PART #0636-0012 can be clamped on rails from 25,4 mm (1") to 57 mm (2,25") outer diameter
- Ideal for mounting tablets, action cameras, smartphones and much more in a wide variety of applications
- Perfectly suited for mounting on the handlebars, racks and roll cages

0636-0011



0636-0012



DESCRIPTION	PART #
11 cm H x 30 mm W (4,25" x 1,18")	0636-0011

DESCRIPTION	PART #
15 cm H x 57 mm W (6" x 2,25")	0636-0012

RAM MEDIUM TOUGH-CLAW™ WITH 25,4 MM (1") DIAMETER RUBBER BALL



- High-strength glass-filled nylon construction with corrosion-resistant stainless steel hardware
- Rubber pads provide stable, even gripping and protection of mounting surface
- Clamp jaw is configured for round, flat and odd shapes
- Quick installation and removal of Tough-Claw™
- 25,4 mm (1") rubber ball size
- Clamping range 25,4 mm to 48 mm (1" to 1,875")

DESCRIPTION	PART #
Medium Tough-Claw™ with 25,4 mm (1") rubber ball	0636-0143

0636-0059



0636-0061



RAM MOUNT TORQUE™ HANDLEBAR/RAIL BASES WITH 25,4 MM (1") BALL

- Low-profile mounts are the perfect way to secure your personal electronics and small accessories in any high-vibration environment
- Bases utilize nylon-insert locknuts to prevent loosening from vibration
- Includes sizing inserts to provide a snug fit and rail protection

DESCRIPTION	PART #
Mini rail base for 9,5 mm-16 mm ($^3/_8$"-$^5/_8$") dia. rails	0636-0059
Handlebar/rail base for 19 mm-25,4 mm ($^3/_4$"-1") dia. rails	0636-0060
Handlebar/rail base for 28,6 mm-38 mm ($1^1/_8$"-$1^1/_2$") dia. rails	0636-0061

RAM MOUNT MOTORCYCLE BRAKE/CLUTCH RESERVOIR COVER BASES WITH 25,4 MM (1") BALL CENTERED

- Fits cleanly over your existing reservoir cover with the 25,4 mm (1") ball centered
- Made of die-cast aluminum with an over-molded rubber ball
- Easy installation
- Each kit includes black oxide SM420 screws (M4 x 20 mm hex drive stainless steel machine screw), black oxide SM430 screws (M4 x 30 mm hex drive stainless steel machine screw) and black oxide SM435 screws (M4 x 35 mm hex stainless steel machine screw)
- Powdercoated marine-grade aluminum

0603-0464



0603-0465



DESCRIPTION	PART #
Rectangle	0603-0464

DESCRIPTION	PART #
Diamond	0603-0465

RAM MOUNT MOTORCYCLE FORK STEM BASE WITH 25,4 MM (1") BALL

- Cleanest way to mount small electronics on your motorcycle
- Slide the assembly into the hole of the stem and tighten the machine screw to create a tight fit
- Designed to fit into the cylindrical bore wall of fork stems and will work with stems that measure from 13-28 mm (0,5"-1,10")
- Powdercoated marine-grade aluminum

NOTE: Certain motorcycles require adding electrical tape to the area of the plug that has the largest diameter until it fits snugly in the stem.



DESCRIPTION	PART #
Motorcycle stem base w/ 25,4 mm (1") ball	0603-0457

BOLD MAGENTA part numbers are new for 2022

RAM® MOUNTS



DOUBLE-SOCKET ARM WITH SWIVEL

- High-strength composite
- Consists of double 25,4 mm (1") diameter open-ball sockets with a 360° rotation point at the center and a connecting swivel joint that rotates forward and back 180°
- The rubber ball and socket at either end and a central pivot point provide adjustability
- The RAM ball sockets maximize ball coverage for optimal fit
- 12,5 cm (5") overall length

DESCRIPTION	PART #
Double-socket arm with swivel	0603-0470



RAM MOUNT MOTORCYCLE BRAKE/CLUTCH RESERVOIR BASE WITH 25,4 MM (1") BALLS

- Mounts electronic devices to your handlebar clutch/brake clamp
- Holds two 25,4 mm (1") diameter mounting balls
- Ball that is connected between hole centers is removable
- Includes 40 mm x 6 mm stainless steel hardware

NOTE: To see if this base will mount to your motorcycle, check hole spacing of base against your clutch/brake reservoir. The holes' centers have a minimum width of 23,88 mm (0,94") and a maximum of 40,13 mm (1,58").

DESCRIPTION	PART #
Motorcycle brake/clutch reservoir base w/ 25,4 mm (1") balls	0636-0058



RAM SPINE CLIP HOLDER WITH 24,5 MM (1") BALL FOR GARMIN® HANDHELD DEVICES

- Easily clips into the integrated spine connection on a wide variety of Garmin® devices
- 25,4 mm (1") rubber ball
- B-size diamond base adapter and hardware allow connection to any RAM B-size mounting base

DESCRIPTION	PART #
Garmin® spine clip holder with 25,4 mm (1") ball	0603-0821



RAM MOUNT TOUGH-BALL™ BASE

- Features 25,4 mm (1") diameter rubber ball connected to a $^1/_4$"-20 x 0,25" male threaded post
- Male thread matches most standard camera and camcorder female threads found on the bottom of the camera

DESCRIPTION	PART #
RAM Tough-Ball™ base	0636-0065

0603-0468



RAM DOUBLE-SOCKET ARMS

- Marine-grade aluminum with a black powdercoated finish
- Fit 25,4 mm (1") rubber ball, bases and adapters

DESCRIPTION	PART #
Short 51 mm (2")	0603-0467
Medium 76 mm (3")	0603-0468
Long 13,5 cm (5,2")	0603-0469



RAM MOTORCYCLE BRAKE/ CLUTCH RESERVOIR BASE WITH 25,4 MM (1") BALL

- Powdercoated, marine-grade aluminum
- 25,4 mm (1") rubber B-size ball
- Connects to handlebar clutch/ brake on left or right side
- Base fits control clamps on motorcycle with 40 mm x 6 mm stainless steel hardware, provided in kit
- Hole centers on base have a minimum width of 24 mm (0,94") and a maximum of 41 mm (1,58")

DESCRIPTION	PART #
Brake/clutch reservoir w/ 25,4 mm (1") ball	0636-0142



BALL ACCESSORY BASE ADAPTER FOR B-SIZE SOCKET ARM

- The ideal accessory if you are looking to mount more than one device but cannot locate multiple mounting points on your motorcycle or vehicle
- Connects another device to existing RAM Mount
- Includes 25,4 mm (1") ball connecting to a $^1/_4$"-20 threaded stud with a length of 40,5 mm (1,6")
- Threads on this ball replace the bolt in any B-size socket arm, and the ball connects to middle of socket arm on the opposite side of the tightening knob

NOTE: Socket arm assembly not included.

DESCRIPTION	PART #
Ball accessory base adapter for B-size socket arm	0636-0062

0636-0063



RAM MOUNT MALE-THREAD BASE WITH 25,4 MM (1") BALL

- Powdercoated marine-grade aluminum and rubber construction
- Choice of M10 x 1,25 pitch or M10 x 1,50 pitch thread; both with 25,4 mm (1") B-size rubber ball
- PART #0636-0063 features M10 1,25 pitch male thread connected to a 25,4 mm (1") rubber ball; the diameter of the round flange is 14,5 mm and the thread length is 10,15 mm
- PART #0636-0064 features M10 x 1,5 pitch male thread connected to a 25,4 mm (1") rubber ball; the diameter of the round flange is 14,3 mm and the thread length is 10,5 mm

DESCRIPTION	PART #
M10 x 1,25 base	0636-0063

DESCRIPTION	PART #
M10 x 1,50 base	0636-0064

BOLD MAGENTA part numbers are new for 2022

RAM MOUNTS



GOPRO® CAMERA ADAPTER

- High-strength composite construction
- Consists of a 25,4 mm (1") diameter rubber ball, connected to a custom GoPro® adapter
- Rubber ball design dampens shock and vibration, helping to extend the life of your camera
- Multiple articulation and adjustment points for perfect viewing angles
- Attaches directly to the underside of the camera, replacing the factory mounting bracket
- Compatible with GoPro cameras including HD HERO, HD HERO2, HD HERO3 and HD HERO 960
- Mounts to many RAM double-socket arms and mounts (sold separately)

NOTE: Camera not included.

DESCRIPTION	PART #
GoPro® camera adapter	0603-0475



RAM UNIVERSAL CAMERA AND CAMCORDER ADAPTER

- Consists of a 25,4 mm (1") diameter rubber ball, connected to a round base with 1/4"-20 camera thread
- The round base provides extra support and stability for cameras that rest on top of it
- The male 1/4"-20 threaded steel stud will connect to any standard female thread found on camcorders and digital cameras
- Compatible cameras include Contour GPS, Contour HD, Gobandit GPS-HD, GoPro® HD Helmet Hero, GoPro HD Motorsports Hero, GoPro HD Surf Hero, GoPro Helmet Hero Wide, GoPro Motorsports Hero, GoPro Motorsports Hero Wide, GoPro RC Hero, GoPro Surf Hero and GoPro Wide Hero

DESCRIPTION	PART #
Universal camera and camcorder adapter	0603-0473

0603-0932



RAM TOUGH-MAG™ MAGNETIC BASES

- Industrial-strength N35-grade magnets
- Rubber coated to protect metal attachment surface
- Features 1/4"-20 threaded post
- 66 mm base accommodates 25,4 mm (1") B-size balls
- 88 mm base accommodates 25,4 mm (1") B-size and 38 mm (1,5") C-size balls

DESCRIPTION	PART #
66 mm	0603-0932
88 mm	0603-0933



25,4 MM (1") BALL MOUNT SUCTION CUP BASE

- Made from high-strength composite and powdercoated marine-grade aluminum
- 83 mm (3 1/4") twist-locking suction cup base for an extra-strong hold
- 25,4 mm (1") rubber ball mount
- Connects to a large variety of RAM Mount and other cradles

NOTE: For best results, use suction cup on glass or other non-porous plastic surfaces.

DESCRIPTION	PART #
25,4 mm (1") ball mount suction cup base	2350-0230

0603-0471



0603-0472



RAM MOUNT ADAPTERS

- Marine-grade aluminum with a black powdercoat finish
- 25,4 mm (1") rubber ball
- Predrilled holes in bases allow mounting to a variety of arms and cradles

DESCRIPTION	PART #
Ball w/ adapter AMPS hole	0603-0471
Ball w/ adapter diamond-shaped	0603-0472



RAM TRACK BALL™ WITH T-BOLT ATTACHMENT

- B-size, 25,4 mm (1") rubber ball molded to a high-strength composite base
- Rubber friction washer and a stainless steel T-bolt for sliding into virtually any track system
- Insert or slide the Track Ball™ into your track and twist the ball clockwise to tighten in place; twist counterclockwise to loosen

DESCRIPTION	PART #
RAM Track Ball™ w/ T-bolt attachment	0603-0828

BOLD MAGENTA part numbers are new for 2022

RAM MOUNTS



RAM TOUGH-TRACK™ TOP-LOADING COMPOSITE 76 MM (3") TRACK

- High-strength composite
- Can be drilled to any flat surface
- Designed to use with #10 screws for easy installation, hardware not included
- Works with a wide variety of RAM track bases to attach cameras, fishing rods, phones, etc.
- Track thickness 8,9 mm (0,35"), inside track length 76 mm (3")

DESCRIPTION	PART #
121 mm L x 44,5 mm W (4.75" x 1.75")	0603-0827



RAM TOUGH-BALL™ WITH 6 MM THREADED STUD

- 25,4 mm (1") diameter rubber ball connected to a M6-1 x 6 mm male threaded post
- High-strength composite and steel
- B size 25,4 mm (1") rubber ball

DESCRIPTION	PART #
Tough-Ball™ with 6 mm threaded stud	0636-0151



RAM DOUBLE 25,4 MM (1") BALL ADAPTER

- Marine-grade aluminum with a 25,4 mm (1") rubber ball on each end
- Allows the connection of two 25,4 mm (1") socket arms
- When measured from ball center to ball center, the arm length is 44 mm (1,75")
- Ideal if your mount arm is too short

DESCRIPTION	PART #
RAM double 25,4 mm (1") ball adapter	0603-0496



RAM PIN-LOCK™ SECURITY KNOB FOR B-SIZE SOCKET ARMS

- High-strength composite
- Consists of a 1/4"-20 female threaded security knob and key knob
- Replaces all knobs on 25,4 mm (1") diameter B-size arms and mounts

DESCRIPTION	PART #
Pin-Lock™ security knob for B-size socket arms	0603-0825



RAM LOCKING KNOB

- Replaces the existing knob on the socket arm
- Locks the arm firmly in place and gives added security

DESCRIPTION	PART #
RAM locking knob	0603-0495



RAM UNIVERSAL FINGER-GRIP™ CRADLE

- This mount is designed to hold cell phones (check measurements below for dimensions) and electronic devices
- High-strength composite
- Comes with three sets of four flexible rubber-coated fingers placed along the sides to grip your device
- The fingers open by squeezing the ends of the holder
- The bottom of the holder includes a back plate that adds support to the device being held by the mount
- Can also be used with several other phone accessories including Samsung and LG
- The spine plate contains the universal AMPS and 38,1 mm x 50,8 mm (1,5" x 2") hole patterns
- Height dimensions: minimum with top and bottom plates is 133 mm (5,25") and maximum with top and bottom plates is 152 mm (6,0")
- The top and bottom plates can be removed for larger devices
- Spine plate dimensions: 76,2 mm W x 76,2 mm H (3" x 3")
- Using short-arm side clamps: maximum depth is 19,1 mm (0,75"), minimum width is 31,8 mm (1,25") and maximum width is 76,2 mm (3,0")
- Using medium-arm side clamps: maximum depth is 31,8 mm (1,25"), minimum width is 38,1 mm (1,5") and maximum width is 88,9 mm (3,5")
- Using long-arm side clamps: maximum depth is 40,6 mm (1,6"), minimum width is 57,2 mm (2,25") and maximum width is 88,9 mm (3,5")

NOTE: Does not come with ball mount adapter; use PART #0603-0472 to mount to RAM double-socket arm.

DESCRIPTION	PART #
Universal Finger-Grip™ cradle	0603-0477

BOLD MAGENTA part numbers are new for 2022


0603-0488


0603-0491




0603-0494


0603-0565


0603-0567


0603-0568


0603-0569


0603-0570

RAM UNIVERSAL CRADLES FOR GPS

- High-strength composite construction
- Includes a set of two nuts and bolts to connect to any of the RAM-compatible mounts
- Electronic device not included

NOTE: Does not come with ball mount adapter; use PART #0603-0472 to mount to RAM double-socket arm.

DESCRIPTION	PART #
GARMIN	
Astro 220/GPS 60/GPSMAP 60/60C/60CSx/60Cx	0603-0488
Astro 320/GPSMAP 62/62s/62sc/62st/62stc	0603-0491
nüvi® 50/50LM	0603-0494
Oregon™ 200/300/400c/400i/400t/550/550t	0603-0565
Montana® 600/650/650t	0603-0567
eTrex Legend® 10/20/30	0603-0568

DESCRIPTION	PART #
GARMIN (CONT)	
nüvi 2595LMT	0603-0569
zumo® 400/450/500/550/660	0603-0570[1]
TOM TOM	
Rider 2/Urban Rider	0603-0570[1]

[1] Includes 25,4 mm (1") diameter rubber ball.


0603-0563


0603-0484

RAM SEALED-ENCLOSURE AQUA BOX®

- High-strength composite construction
- Large size includes AQUA Box® case, safety lanyard, belt clip button, belt clip and cradle (attaches to RAM ball-and-socket mounts)
- Medium size includes AQUA Box case and cradle only
- Floats to prevent accidental loss if dropped in water
- Features a storage area that provides buoyancy and is perfectly sized for a driver's license or credit card
- Weather-resistant/splashproof
- Unique design allows access to all side buttons on the phone while it is in the case
- Replaceable PVC vinyl screen offers a clear view of the screen, allowing easy operation of the touchscreen while in the case
- Easy to pocket or carry
- Text, take photos/video and make/take calls, all while protecting your phone
- Contents not included

NOTE: Does not come with ball mount adapter; use PART #0603-0471 to mount to RAM double-socket arm.

DESCRIPTION	PART #
Medium AQUA Box®; 125 mm H x 59 mm W x 8,9 mm D (4,9" H x 2,33" x 0,35" D)	0603-0563
Large AQUA Box; 136 mm H x 71 mm W x 14 mm D (5,38" H x 2,8" W x 0,55" D)	0603-0484

BOLD MAGENTA part numbers are new for 2022

AIRHEAD



AIRHEAD® MACH 2®

- Budget-minded two-rider cockpit towable
- Cockpit tubes are recommended for timid and young riders
- Inflated floors provide a comfortable seat
- Four deluxe handles with neoprene knuckle guards provide a secure and comfortable grip
- The heavy-gauge PVC bladder and durable double-stitched nylon cover ensure years of service
- Equipped with a Speed Safety Valve for easy inflating and deflating
- Measures 175 cm x 175 cm (69" x 69")

DESCRIPTION	PART #
Mach 2® towable	4808-0032



AIRHEAD® TURBO BLAST®

- Two-rider tube that rips across the wake
- 229 cm x 142 cm (90" x 56") (deflated) double-open top with four deluxe handles and neoprene knuckle guards
- 30-gauge virgin PVC bladder
- Airhead Multi-Valve for quick inflation/deflation
- 840-denier nylon cover with two self-draining floor vents and heavy-duty Kwik-Connect tow hook-up

DESCRIPTION	PART #
Towable turbo blast	4808-0028



AIRHEAD® BLAST®

- Four neoprene knuckle guards and deluxe nylon-covered handles provide a sure and comfortable grip
- The heavy-duty virgin PVC bladder has electronically welded seams and a Boston valve for quick inflating and deflating
- Has a double-stitched nylon cover, reinforced internal tow harness and a self-draining floor vent
- Eye-catching graphics on this one rider 137 cm (54") (deflated) round towable

DESCRIPTION	PART #
Airhead® Blast® towable	4808-0031

BOLD MAGENTA part numbers are new for 2022

AIRHEAD



AIRHEAD® G-FORCE®

- A wild ride for up to three thrill-seekers
- Defy centrifugal force with G-Force's topside stabilizer fins
- Six deluxe nylon-wrapped handles with neoprene knuckle guards provide a sure and comfortable grip
- Has a tough 30-gauge virgin PVC bladder, fully covered with a 840-denier double-stitched nylon cover
- Measures 198 cm x 191 cm (78" x 75") (deflated) and is equipped with a heavy-duty Kwik-Connect for easy and secure hook-ups
- A Speed Safety Valve provides the ultimate in inflation and deflation convenience

DESCRIPTION	PART #
Airhead® G-force® Towable	4808-0030



AIRHEAD® SLICE®

- 147 cm (58") diameter (deflated) low-profile towable tube
- Features topside neoprene panel, nylon-wrapped handles and neoprene knuckle guards
- The 30-gauge virgin PVC bladder is fully encased in a double-stitched nylon cover with reinforced tow harness
- Includes a Kwik-Connect for easy hook-ups and a Boston valve for easy inflating and deflating
- Tapered design is only 152 mm (6") high at the back; designed for one or two riders

DESCRIPTION	PART #
Slice® towable	4808-0033



TOWABLE DOLPHIN

- Large enough to hold two riders
- Foam padded seats
- Kwik-connect tow point
- Speed safety valve for quick inflation and deflation

DESCRIPTION	PART #
Towable dolphin	4808-0041



TOWABLE OTTER

- Room for one adult or two young riders
- Foam padded seats
- Kwik-connect tow point
- Speed safety valve for quick inflation and deflation

DESCRIPTION	PART #
Towable otter	4808-0042

BOLD MAGENTA part numbers are new for 2022

AIRHEAD



RECHARGEABLE POOL FLOAT PUMP

- 12V pump requires no cord once fully charged
- Provides 15 minutes of continuous inflation or deflation on a full charge
- Peak air pressure of 0,64 psi at a volume of 260 liters a minute; draws 11,3 amps/75 watts
- Includes a 120V AV charger that plugs into cigarette lighters and three nozzle adapters

DESCRIPTION	PART #
Rechargeable air pump	4808-0043



AIRHEAD® 12V AIR PUMP

- High-volume 12-volt portable air pump inflates and deflates towables, boats, pools, mattresses and beach toys quickly, outperforming most pumps on the market
- Universal valve fittings fit many popular valves including Boston valves and stem valves
- For added convenience, the accessory power plug is equipped with a 305 cm (10') long power cord
- Volume is 380 liters/minute; maximum pressure is 0,71 psi; draws 11,8 amps/145 watts
- We recommend "topping off" large towables inflated with this pump with a few strokes of Airhead's Double Action Hand Pump, PART #4808-0023

DESCRIPTION	PART #
12V Air pump	4808-0022



AIRHEAD® HAND AIR PUMP

- This double-action pump inflates and deflates towables, kayaks, boats, airbeds and other inflatables
- Delivers a continuous stream of air on both the up and the down strokes
- Simply turn the release valve counter-clockwise and you're pumping air only on the down-stroke; a great option when inflatable is almost full and there is back pressure
- Four universal valves are included to fit Boston valves and stem valves
- Accordion-style hose stretches to 152 cm (5') long and interlocks to the pump so it doesn't fall off while you're pumping
- Volume is 2 liters/stroke
- Very effective for "topping off" large towables in the boat, since peak pressure is an impressive 14 psi

DESCRIPTION	PART #
Hand air pump	4808-0023



HI VOLUME BELLOWS FOOT PUMP

- Simple foot pump operation
- Powerful, maximum air pressure of 2 psi and displacement of 0,5 liters of air per pump
- For completely filling inflatables or topping off for maximum pressure
- Collapsible for easy storage
- Includes reinforced hose and four nozzle attachments

DESCRIPTION	PART #
Foot pump bellows	4808-0044

BOLD MAGENTA part numbers are new for 2022

AIRHEAD

4808-0047



4808-0048



REFLECTIVE SAFETY TOW ROPE

- Bright colors and a reflective material strand allow for easy visibility
- 18,3 m (60') length
- EVA foam core for improved buoyancy
- Minimal stretch
- UV resistant
- PART #4808-0047 features a tensile strength of 1043 kg (2300 lb) for up to two riders
- PART #4808-0048 features a tensile strength of 1859 kg (4100 lb) for up to four riders

DESCRIPTION	PART #
Two rider tow rope	4808-0047
Four rider tow rope	4808-0048

4808-0045



4808-0046



TOW ROPES

- Two and four person tow ropes
- 18,3 m (60') foot length
- Includes a plastic caddy for storage
- PART #4808-0045 has a break strength of 1043 kg (2300 lb)
- PART #4808-0046 has a break strength of 1859 kg (4100 lb)

DESCRIPTION	PART #
Two rider tow-rope	4808-0045
Four rider tow-rope	4808-0046

4808-0025



4808-0026



AIRHEAD® BLING TUBE ROPES

- Bling ropes sparkle in the sun and glow in the twilight
- Shiny and reflective material braided with polypropylene
- 18,3 m (60') length
- PART #4808-0025 has 1043 kg (2300 lb) tensile strength
- PART #4808-0026 has 1859 kg (4100 lb) tensile strength

DESCRIPTION	PART #
2-rider tube rope	4808-0025

DESCRIPTION	PART #
4-rider tube rope	4808-0026



AIRHEAD® FOUR-RIDER TUBE TOW ROPE

- Heavy-duty 16-strand tow rope measures 14mm x 18,3 m ($^{9}/_{16}$" x 60') and is rated at 1859 kg (4100 lb) tensile strength
- Engineered to pull big three- and four-rider tubes
- Features a Rasta color scheme with a 152 mm (6") loop at each end
- Includes a rope keeper for tangle-free storage

DESCRIPTION	PART #
4 rider tube tow rope	4808-0017



AIRHEAD® TWO-RIDER TUBE TOW ROPE

- This $^{3}/_{8}$" 16-strand braided tow is rated at 2,375 lb. tensile strength
- 6" loop spliced at each end
- Rope Keeper is included for tangle-free storage
- Designed for one- and two-rider tubes

DESCRIPTION	PART #
2-rider tow rope	4808-0021

BOLD MAGENTA part numbers are new for 2022



Allanils

TUBE ROPE

- Designed for use with recreational inner tubes
- Includes buoy to prevent rope from entangling prop
- 18,3 m (60') of rope means plenty of clearance away from watercraft

DESCRIPTION	PART #
Tube rope	A-1920



Allanils

DELUXE 4,6 M (15') TOW ROPE

- Useful in any towing situation
- Long enough to keep towee safely behind tower
- Rated for loads up to 611,5 kg (1,350 lb.)
- Comes with two snap hooks and a buoy

DESCRIPTION	PART #
Deluxe 4,6 m (15') tow rope	A-2383



AIRHEAD

PWC TOW STRAP WITH MESH BAG

- Stows handily; perfect to have around in emergencies
- Yellow floating strap measures 4,6 m (15') with a 125,5 cm (10") loop at each end, and includes a detachable heavy-duty carabiner
- Comes with a mesh bag with drawstring and cord lock
- 680 kg (1500 lb) tensile strength

DESCRIPTION	PART #
Tow strap with mesh bag	TS-15



POWERTYE "American Tie-Downs"

TOW STRAP WITH POUCH

- 25 mm x 38 cm (1" x 15") webbing with loops at each end to secure bike when towing
- Comes in zippered pouch with hook-and-loop on back side to secure pouch to bike or other areas

DESCRIPTION	PART #
Tow strap w/ pouch	3920-0368



SLIPPERY

BUMPER

- Keeps your PWC from getting scratched and gouged by docks, rafts, lifts, etc.

DESCRIPTION	PART #
Bumper	4850-0081



AIRHEAD

HULL HUGR™ PWC FENDER

- Docking your PWC has never been easier or safer with the introduction of the Hull Hugr™ PWC Fender
- Engineered specifically for PWCs
- Hinges in the center of your PWC to better protect the body from docks designed for bigger boats
- Easily hooks under the rub rail with a molded acetyl hook integrated into the back of the fender
- Two fenders per PWC are recommended

DESCRIPTION	PART #
Hull Hugr fender	4850-0014



AIRHEAD

PWC BUMPERS

- Keep your PWC from getting scratched and gouged by docks, rafts, lifts, etc.
- 76 mm x 45,5 cm (3" x 18") bumpers have nylon covers and attach to PWCs with two large suction cups
- Two bumpers per package

DESCRIPTION	PART #
PWC bumpers	SB-4

BOLD MAGENTA part numbers are new for 2022





AIRHEAD

122 CM (4') BUNGEE DOCK LINE

- Far more sensible than regular rope
- Stretches and re-tightens to keep craft tight against the dock bumper even when the water's wavy
- Two foam floats keep line from sinking and protect boat's finish
- Ends have loops with slides for quick, easy docking
- Works on craft weighing up to 1859 kg (4100 lb); 952 kg (2100 lb) tensile strength
- Available in black/blue/red color combination

DESCRIPTION	PART #
Bungee dock line	AHDL-4

AIRHEAD

PWC DOCK LINES

- These hot purple/yellow/red dock lines are incredibly versatile and functional
- A giant snap hook is spliced to one end with a 25,5 cm (10") loop on the other end
- Full length is 213 cm (7')
- Sold in clamshell packs of two

DESCRIPTION	PART #
Dock lines	PWCD-2









Atlantis

DOCKING LINE

- Solid-braid, multi-filament polypropylene rope looks great and has many uses: towing, docking, launching, beaching, anchoring and more
- Floats; stays pliable when wet
- Loop sewn into one end; 366 cm (12') in length
- Resists oil, gas, chemicals, bleaching and dry rot

COLOR	PART #
Black	A-1941

COLOR	PART #
Blue	A-1944

COLOR	PART #
Red	A-1938

COLOR	PART #
Yellow	A-1936





AIRHEAD

51 CM (20") DIAMETER BUOYS

- Durable inflatable buoys are perfect for marking anchors, moorings, hazards and swimming areas or for setting up a PWC or sailboat race course
- Deflate quickly and easily for space-efficient storage

COLOR	PART #
Red	B-20R

COLOR	PART #
Yellow	B-20Y



AIRHEAD

TELESCOPING PADDLE

- This rugged telescopic aluminum paddle extends to 114 cm (45"), yet stows at only 51 cm (20")
- The high-impact, floating plastic paddle is curved for efficient paddling and bright orange for signaling
- Unscrews for stowing
- Durable nylon storage case included

DESCRIPTION	PART #
Telescoping paddle	P-2

BOLD MAGENTA part numbers are new for 2022



AIRHEAD

TUBE KEEPER TIE-DOWNS

- Save passenger space by securing towables to the boat stern
- Attach tie-down straps to the towable and secure the giant 83 mm (3 1/4") suction cups to the boat or loop the stretch cords around a cleat or rail
- Straps are adjustable and easily tighten for a secure hold

DESCRIPTION	PART #
Tube keeper	4850-0018



AIRHEAD

GIANT SNAP HOOK

- Acetyl snap hook that won't scratch surfaces like other metal hooks
- Accepts ropes up to 13 mm (1/2") diameter and opens extra wide to 10mm (3/8")

DESCRIPTION	PART #
Giant snap hook	4850-0017



AIRHEAD

STIK-A-FLAG™ SKIER DOWN FLAG

- Be seen with this brightly colored nylon warning flag
- 83 mm (3 1/4") suction cups mounts flag on windshields or bodies
- Square flag mounted on 61 cm (24") pole; required in AZ, CA, CO, ID, MO, NE, NM, OR, TX and UT

DESCRIPTION	PART #
Stik-a-flag	SAF-1



SLIPPERY

ANCHOR BAG

- Just fill with rocks and sand for all anchoring needs
- Fits easily into any storage compartment

DESCRIPTION	PART #
Anchor bag	4850-0077

4850-0001



4850-0002



4850-0003



PARTS UNLIMITED

PWC ANCHOR BAGS

- 305 cm (10') of 10 mm (3/8") polypropylene rope
- Heavy-duty galvanized snap hook
- Constructed of heavy-duty waterproof nylon material
- Brass grommet drain hole on bottom for easy drainage
- 76,2 mm x 127 mm (3" x 5") color-matched rope float
- Fill with sand, rocks or any other weighty substance (up to 24,9 kg (55 lb)), and you're ready to anchor your craft
- Great for jet skis, inflatable boats, canoes and other small watercraft
- Available in blue, red or yellow

COLOR	PART #
Blue	4850-0001

COLOR	PART #
Red	4850-0002

COLOR	PART #
Yellow	4850-0003

PARTS UNLIMITED

LARGE ANCHOR BAG

- 4,6 m (15') of 10 mm (3/8") polypropylene rope
- Heavy-duty galvanized snap hook
- Constructed of heavy-duty waterproof nylon material
- Bottom handle straps for ease of dumping
- 76,2 mm x 127 mm (3" x 5") color-matched rope float
- Designed for three- and four-passenger PWCs and mini jet boats
- Just fill with sand, rocks or any other weighty substance (up to 34 kg (75 lb)), and you're ready to anchor your boat
- Available in blue only



DESCRIPTION	PART #
Jet boat anchor bag	4850-0004

BOLD MAGENTA part numbers are new for 2022



AIRHEAD

GRAPNEL PWC ANCHOR SYSTEM

- A 1,6 kg (3,5 lb) anchor that's in a class by itself
- Holds in virtually all bottom conditions including mud, sand, gravel and rock
- Designed for PWCs, inflatable rafts, canoes, float tubes and small boats
- Features a thick vinyl coating to protect finishes and a durable padded nylon storage case to dampen noise while stowed
- Folding anchor stows in most PWC storage compartments or almost any storage canister
- Includes 7,6 m (25') feet of rope, a buoy and a giant snap hook

DESCRIPTION	PART #
Anchor system	A-2



AIRHEAD

SAND ANCHOR BAG WITH BUOY

- Perfect for calm, shallow water
- Fill the durable, vinyl/polyester tri-laminate bag with up to 35 lb of rocks, sand or gravel
- 183 cm (6') rope attaches to bag at one end and clips to PWC on the other with finish-friendly nylon snap hook
- Buoy on rope marks anchor location and floats rope while PWC is being used

DESCRIPTION	PART #
Sandbag anchor	A-1

Atlantis

ANCHORS WITH BAGS

- Two sizes to choose from
- Both anchors have flukes that dig in to keep watercraft in place
- 1,1 kg (2 1/2-lb) anchor for PWCs includes 4,6 m (15') polypropylene rope, float, snap hook and storage bag
- 2,9 kg (6 1/2-lb) anchor for jet boats includes 122 cm (4') of vinyl-coated chain, 22,8 m (75') of polypropylene rope and storage bag

A-2382



A2388



DESCRIPTION	PART #
1,1 kg (2 1/2-lb) PWC anchor	A-2382

DESCRIPTION	PART #
2,9 kg (6 1/2-lb) jet boat anchor	A2388

Atlantis

ANCHOR STAKE

- Galvanized steel anchor stake spirals into ground
- Includes 4,6 m (15') polypropylene rope, float and two plastic snap hooks
- Not for use in sandy soils



DESCRIPTION	PART #
Anchor stake	A2384

Atlantis

DELUXE PWC SAND STAKE KIT

- The perfect anchor for the beach – just screw it into the sand and it will not pull out
- Includes cushioned nylon travel bag



DESCRIPTION	PART #
Deluxe sand stake kit	3920-0019

Atlantis

MUSHROOM ANCHOR SYSTEM

- Anchoring up has never been easier
- 3,6 kg (8-lb) mushroom-shaped anchor works well on river and sandy bottoms
- No jagged edges to cut feet
- Includes buoy, snap hook and 14,6 m (15') of rope



DESCRIPTION	PART #
Mushroom anchor system	A-2380



Atlantis

ANCHOR BAG

- Just fill with rocks and sand for all anchoring needs
- Fits easily into any storage compartment
- Rope, float and hook included

DESCRIPTION	PART #
Anchor bag	A-2381

BOLD MAGENTA part numbers are new for 2022

0640-1002



0640-1003



SPORT UNIVERSAL WING MIRRORS

- Designed to bring durability and style to your watercraft
- The most durable mirrors in their class
- Sized at 89 mm x 137 mm (3,5" x 5,375") and 20,5 cm (8") total in length
- Offers a dramatically wide rear view through sturdy convex safety glass
- Constructed from non-corrosive materials and undergo salt-spray testing
- Quickly mount to the right or left side of your watercraft and also tuck neatly beneath canvas covers
- Holds adjustment even in the biggest waves
- Available with black or white paintable housing

COLOR	PART #
Black	0640-1002

COLOR	PART #
White	0640-1003



DELUXE HANDLEBAR MIRROR

- Universal design will fit left or right side
- Fits into end of most hollow 22 mm handlebars ($^{7}/_{8}$")
- Sold each

DESCRIPTION	PART #
Handlebar mirror	M32



HANDLEBAR-MOUNT MIRROR

- Quick-and-easy installation on most handlebars with an adjustable hook-and-loop closure strap
- Fully adjustable
- Black anodized construction
- Sold each

DESCRIPTION	PART #
Handlebar-mount mirror	AM1000



M16RB





M16WRB



PWC SPORT II MIRRORS

- The most rugged, durable and dependable mirror available
- Sporty styling is a complement to any PWC
- Universal 89 mm x 159 mm (3,5" x 6,25") convex safety glass side mount fits right and left sides
- Holds adjustment even in the toughest waves, wake and roost
- Noncorrosive materials have been rigorously salt-spray tested
- Mounting system included
- Sold each

COLOR	PART #
Black	M16RB
White	M16WRB



HANDLEBAR-MOUNT MIRROR

- Adjustable hook-and-loop strap for quick, easy mounting and removal
- Can be used on either side of handlebars; will not interfere with hand movement
- Vibration-free convex safety lens for big, clear rear view
- Made of noncorrosive materials; salt-spray tested

DESCRIPTION	PART #
Handlebar-mount mirror	M26



RIDER HOLD-TIGHT™

- Common-sense design allows passenger to hold onto the driver when riding a motorcycle, snowmobile, ATV or personal watercraft
- Designed to be worn directly over clothing, life vest or snowmobile suit
- Dual-position rider handles provide quick and easy handholds
- Ultra-comfortable neoprene handhold tubes remain soft in cold weather
- Constructed of heavy-duty nylon webbing, 500-denier cloth and quick-release buckles

DESCRIPTION	PART #
Rider Hold-Tight™	81070

BOLD MAGENTA part numbers are new for 2022



MOOSE RACING

ADV1 ULTRA LIGHT BAG

- Waterproof bags
- Polyester with PU coating
- Seals are sealed with seam tape
- Heavy-duty ITW quick-release buckles
- Roll-down top design creates waterproof seal
- Includes drawstring carrying/storage bag
- Available in a 25 liter size

DESCRIPTION	PART #
25 liter ADV1 Ultra Light Bag	3530-0010



SLIPPERY

STORAGE POUCH

- Great for the beach, jet-ski, boating or any outdoor water activity
- Adjustable neck cord
- Zip-lock and hook-and-loop closures

DESCRIPTION	PART #
Storage pouch	3270-0051

DRY PAK

DRY PAK STORAGE BAGS



3512-0095



3512-0094

- Easy way to keep your gear clean and dry
- Simply roll the top down three to five folds and snap the buckle
- Buckle can also be used as a handle
- Scent lock makes this perfect for hunting
- Available in three sizes in either blue tri-laminate material or clear, nylon-reinforced vinyl

SIZE	COLOR	PART #
24 cm x 40,5 cm (9,5" x 16")	Clear	3512-0095
29 cm x 48,5 cm (11,5" x 19")	Clear	3512-0096
32 cm x 71 cm (12,5" x 28")	Blue	3512-0094
32 cm x 71 cm (12,5" x 28")	Clear	3512-0097

DRY PAK

DRY PAK CASE FOR GPS/PDA/ SMARTPHONE



- Protect your GPS, PDA and smartphone from water and dirt while still being able to use all your touchscreen functions
- Talk while your device is protected with only a 3% volume loss
- Clear TPU front, blue TPU back, padded and lined to keep your PDS/GPS dry
- Features an adjustable neck lanyard and anodized aluminum spring hook and includes a white sealing clip for high visibility
- 15 cm L x 12,5 cm W (6" x 5")
- Maximum circumference: 23 cm (9")

NOTE: Contents not included.

DESCRIPTION	PART #
Dry pack case	3550-0182

Allanils

WATERPROOF UTILITY POUCHES



A-4120

- Handy pouches safely hold and protect your essentials – wallet, licenses, registration, maps, money and more
- Made from clear, heavyweight vinyl with self-sealing hook-and-loop flap closure
- Security cord makes for easy carrying

SIZE	PART #
12,5 cm W x 18 cm H (5" x 7")	A-4120
18 cm W x 25,5 cm H (7" x 10")	A-4121
26,5 cm W x 36 cm H (10 1/2" x 14")	A-4122



POWERTYE "American Tie-Downs"

ADJUSTABLE CARGO NET



- Premium net is constructed with smaller 51 mm x 51 mm (2" x 2") mesh (compared to 76 mm x 76 mm (3" x 3") standard mesh) to secure cargo and help eliminate fall through
- ABS plastic hooks are adjustable, durable and designed to reduce scratching
- Sub-hooks for quick tightening adjustments
- 4,4 mm bungee thickness
- Available in black

DESCRIPTION	PART #
91 cm x 61 cm (36" x 24")	3920-0369

AIRHEAD

WATERPROOF FIRST AID KIT

- Bright red kit comes with hook-and-loop mount that easily attaches to your PWC
- Contents stay clean and dry
- Heavy-duty nylon bag is specially coated and comes with a waterproof zipper
- Includes a variety of bandages and gauze pads, antiseptic towelettes, adhesive tape, Povidone-Iodine Betadine, triple antibiotic, sunscreen, tweezers, acetaminophen, latex gloves, sting relief pad, single-edge razor blade and first aid instructions

DESCRIPTION	PART #
First aid kit	FAK-2

BOLD MAGENTA part numbers are new for 2022



3850-0562



3850-0563



3850-0564



3850-0565



3850-0566

AIRHEAD

AQUA TOWELS

- Ultra-absorbent towels made from PVA fabric
- Absorbs water quicker than ordinary towels and dries fast
- Good for drying equipment or people
- Available in four colors

COLOR	PART #
Teal	3850-0562
Rose	3850-0563

COLOR	PART #
Yellow	3850-0564
Blue	3850-0565

ASSORTED TRAY

- Includes three of each color
- Sold to dealer as 12-pack, sold to consumer as each

COLOR	PART #
12pc Assorted colors	3850-0566



SLIPPERY

LANYARD

- Comfortable floating lanyard attaches to wrist

DESCRIPTION	PART #
Lanyard	4850-0078



WSM PERFORMANCE PARTS

KILL SWITCH LANYARD FOR SEA-DOO SPARK 14-17, SPARK HO 15-17

- Replaces OEM #278002843

NOTE: Must be programmed to your jet ski before use.

DESCRIPTION	PART #
Kill switch lanyard	4850-0062

A-2137



A-7481



A-8158



A-2128



Atlantis

FLOATING WRIST LANYARDS

- Clip apart so they can be used as wrist or vest lanyard
- Made of polyurethane cord that floats
- Come with one-hand easy-glide slider
- Available in a variety of colors

FITS MODEL	BLACK/BLACK	BLUE/BLACK	RED/BLACK	YELLOW/BLACK
Kawasaki	A-2137	A-2127	A-2148	A-2128
Polaris	A-2137	A-2127	A-2148	A-2128
Sea-Doo (non-DESS)	A-7467	A-7481	-	A-7473
Tigershark	A-2137	A-2127	A-2148	A-2128
Wet Jet	A-2137	A-2127	A-2148	A-2128
Yamaha	A-8147	A-8139	A-8158	-

A-3200X



A-3201X



A3205



A-3202X



Atlantis

MULTI-END FLOATING LANYARDS

- Now there is a way to ride all non-DESS watercraft without changing lanyards

COLOR	PART #
Black	A-3200X

COLOR	PART #
Red	A-3201X

COLOR	PART #
Silver	A3205

COLOR	PART #
Yellow	A-3202X

BOLD MAGENTA part numbers are new for 2022















LANYARDS

- Atlantis easy-glide slider can be attached to jacket or wrist
- Top-quality replacement lanyards for most models without DESS
- Very affordable alternative to OEM lanyards

FITS MODEL	BLACK	BLUE	GREEN	PURPLE	RED	SILVER	YELLOW
Kawasaki	A-2109	A-2107	A2101	A2106	A2103	A2096	A2104
Polaris	A-2109	A-2107	A2101	A2106	A2103	A2096	A2104
Tigershark	A-2109	A-2107	A2101	A2106	A2103	A2096	A2104
Wet Jet	A-2109	A-2107	A2101	A2106	A2103	A2096	A2104
Sea-Doo	A-7459	A-7457	A7451	A7456	-	-	A7454
Yamaha	A-8130	A-8129	-	-	-	A-8134	A8126









LANYARDS

FOR SEA-DOO DESS SECURITY SYSTEM

- Designed with security and durability in mind
- For use with Sea-Doo DESS security system and can only be programmed by Sea-Doo dealers
- Lanyard is polyurethane reinforced with nylon cord
- Very affordable alternative to OEM lanyards (not for GTI or XP 96)

COLOR	PART #	COLOR	PART #	COLOR	PART #	COLOR	PART #
Silver	A7445-DES	Black	A7459-DES	Red	A7453-DES	Yellow	A7447-DES



PRO FLOATING LANYARDS WITH WHISTLE

- Pro Floating Lanyards are designed for safety, security and durability
- Marine whistle clips on or off
- Won't come off wrist – even when racing
- Wrist strap is made from marine-grade webbing with quick hook-and-loop fastener
- Lanyard is polyurethane reinforced with nylon cord
- High-quality key ends work with designated brands of watercraft

FITS MODEL	COLOR	PART #
KAWASAKI/WET JET/POLARIS/TIGERSHARK		
All	Black	A2109-PFW
SEA-DOO		
All non-DESS models	Black	A7459-PFW
YAMAHA		
All	Black	A8130-PFW



PRO FLOATING WRIST STRAP

- Lets you attach any clip lanyard to an Atlantis Pro Floating Wrist Strap
- Added security and convenience that most riders look for
- Available in black

DESCRIPTION	PART #
Pro floating wrist strap	A2070

BOLD MAGENTA part numbers are new for 2022





AIRHEAD

ULTIMATE PWC LANYARD

- This lanyard has it all
- Contains three different keys to fit all PWC brands: Sea-Doo (non-DESS), Yamaha, Kawasaki, Polaris, Tigershark and Wet Jet
- Super-comfortable floating wristband, floating vest lanyard and high-pitch pea-less whistle
- A swivel snap hook keeps the cord from tangling
- Available in purple/yellow, red/black or blue/silver



COLOR	PART #
Purple/yellow	UL-1

COLOR	PART #
Red/black	UL-2

COLOR	PART #
Blue/silver	4850-0015

SLIPPERY

WHISTLE

- Gets the attention of others whether you need help or just want to be noticed



DESCRIPTION	PART #
Whistle	4850-0080

AIRHEAD

WHISTLES

- High-pitch pea-less whistle is the perfect choice for a signal device
- Clip it to a life jacket or lanyard
- Can also be used as a floating key chain





COLOR	PART #
Purple/yellow	4850-0011

COLOR	PART #
Red/black	4850-0012









Atlantis

WHISTLES

- For the rider who needs help or just wants to be noticed
- Available with a neck cord or a quick-disconnect clip for jacket or wrist lanyard

COLOR	WHISTLE W/ NECK CORD	WHISTLE W/ CLIP
Black	A2700	A2700-C
Gray	A2709	A2709-C

COLOR	WHISTLE W/ NECK CORD	WHISTLE W/ CLIP
Red	A2701	A2701-C
Yellow	A2706	A2706-C



SLIPPERY

KEY FLOAT

- Keeps your keys from sinking

DESCRIPTION	PART #
Key float	4850-0079







Atlantis

KEY FLOATS

- Keep keys where they're needed – above the water
- Quick-snap included for easy, versatile attachment

COLOR	PART #
Red	A-1951

COLOR	PART #
Blue	A-1952

COLOR	PART #
Yellow	A-1953

BOLD MAGENTA part numbers are new for 2022



BODY & HULL

HANDLEBARS & HAND CONTROLS

PARTS EUROPE



BLOWSION

MAT KIT

FOR YAMAHA SUPER JET

- Includes diamond groove black molded side mats, dash and bottom mat with integrated footwell ears and Blowsion B-Star logo
- Bottom under pad foam included with detailed instructions

DESCRIPTION	PART #
Mat kit	4850-0061



1621-0312



1621-0313



1621-0342

HT HYDRO-TURF

RIDE MATS

- Thick, high-density foam
- Grooved for superior traction
- Fade resistant
- Extremely durable
- Available in black
- 3M™ self-adhesive backing; no glue required

FITS MODEL	PART #
HONDA	
R-12/12-X	1621-0312
KAWASAKI	
Ultra 250/LX 07-19/Ultra 310 LX 14-19	1621-0317
Ultra 260 LX 09	1621-0317
JS300/440/550	1621-0313
JS550SX	1621-0315
JF650X2	1621-0314
JS650SX	1621-0321
JS750SX/SXi	1621-0323
JS750SS/Xi/XiR	1621-0322
800 SX-R	1621-0324
SX-R 17-19	1621-0910
STS900 01-02	1621-0319
STX900 99-00	1621-0319
STX900 01-07	1621-0320
STX1100 97-99	1621-0319
STX1100DI 00-02	1621-0320
1200STX-R 04-05	1621-0320
KAWASAKI (CONT)	
STX-12F 03-07	1621-0320
STX-15F 04-19	1621-0320
ZXi	1621-0316
POLARIS	
SLT/SLTX/X45	1621-0342

FITS MODEL	PART #
SEA-DOO/BOMBARDIER	
GS/GSi/GSX 96-00	1621-0336
GSX 96-97	1621-0336
GTI 97-00	1621-0333
GTI 01-05	1621-0334
GTI 130 11-18	1621-0662
GTS 130/Wake 155 12-19	1621-0662
GTI LTD 155, SE 130/155 12-19	1621-0662
GTX 155/215 12-14	1621-0663
GTR 215 12-16	1621-0662
GTR-X230 17-19	1621-0666
GTS 01	1621-0334
RXP pre-06	1621-0340[2]
RXP X	1621-0341
RXT-X/Wake Pro 215 10-11	1621-0663
RXT 230/GTX/GTX Ltd./ Wake Pro 230 18-19	1621-0913
RXP-X 260 12-16/RXP-X300 12-19	1621-0666
RXT-X 260/RXT 260 12-15	1621-0663
RXT-X 300 18-19	1621-0914
SP Family 94-99	1621-0335
Spark 14-19 (2-seater)	1621-0660
Spark 14-19 (3-seater)	1621-0661
XP 93-96	1621-0335
XP 97-04	1621-0337



1621-0336

FITS MODEL	PART #
SEA-DOO/BOMBARDIER (CONT)	
GTX 96-02	1621-0333
GTX 03-08	1621-0338
GTX 4-TEC 02-05, GTX DI 02	1621-0338
RXT 1500 08-09	1621-0338

[2] Black/metallic red.

BOLD MAGENTA part numbers are new for 2022



1621-0332

RIDE MATS (CONT)

FITS MODEL	PART #
YAMAHA	
FX/FX HO 02-08	1621-0332
FX SHO/Cruiser 12-16	1621-0664
FX HO/SVHO Cruiser 12-19	1621-0664
GP800R 01-05	1621-0331
GP/GP1200R 90-99	1621-0330
GP1200/1300R 00-02	1621-0331
Super Jet 90-95	HT75-B[1]

FITS MODEL	PART #
YAMAHA (CONT)	
Super Jet 96-19	HT751-B[1]
VXS/VXR/VX SPT/VX CR/VX DLX 10-14	1621-0665
EX/ EX Sport/EX Deluxe 17-19/EXR 19	1621-0912
V1/SPT 15-16	1621-0665
WaveBlaster	1621-0325
WaveRaider	1621-0327
XL700/760 98-04	1621-0328

FITS MODEL	PART #
YAMAHA (CONT)	
XL800/XLT800	1621-0329
XL1200 98	1621-0328
XL1200 LTD 99-04	1621-0329
XLT1200	1621-0329
VX/VXR/VXS 15-19/GP1800 17-19	1621-0911

[1] Glue required. Does not have 3M™ backing.















RIDE MAT MATERIAL

- Single sheet of Hydro-Turf material measures 94 cm x 147 cm (37″ x 58″)
- Available with self-adhesive 3M™ backing or without

DESCRIPTION	PART #
GLUE REQUIRED	
Cut groove, black	1621-0092
Diamond groove, black	1621-0093
Diamond groove, gray	1621-0399
Diamond groove, dark gray	1621-0400
Diamond groove, black/white	1621-0401
Diamond groove, gray/black	1621-0402
Diamond groove, blue/black	1621-0403

DESCRIPTION	PART #
SELF-ADHESIVE 3M™ BACKING (NO GLUE REQUIRED)	
Cut groove, black	1621-0343
Diamond groove, black	1621-0344
Diamond groove, light gray	1621-0345
Diamond groove, dark gray	1621-0346
Diamond groove, black/white	1621-0404
Diamond groove, gray/black	1621-0405

BOLD MAGENTA part numbers are new for 2022



BLOWSION

RAIL CAPS

FOR KAWASAKI SXR

- Get rid of those extremely slippery factory rubber black rails and go composite
- Available in gel coat white with detailed instructions
- Ready to mount and go
- Sold in pairs

DESCRIPTION	PART #
Rail caps	0521-1302

0521-1300



0521-1301



BLOWSION

SIDE MOLDING

- Made out of injection-molded flexible urethane
- Attaches to your watercraft with its own adhesive
- PART #0521-1300 is excellent for most sit down PWC as well as all years Kawasaki SXR and Yamaha SuperJet
- PART #0521-1301 is excellent for most sit down PWC and all Kawasaki SXR 800 riders wanting the maximum coverage for the wide SXR bond rail
- Available in black

DESCRIPTION	PART #
34,9 mm ($1^3/_8$") height	0521-1300
38,1 mm ($1^1/_2$") height	0521-1301

TS-01



HT HYDRO-TURF

SPLASH GUARDS

- Helps provide a drier ride and better visibility
- Comes complete with stainless steel hardware and installation instructions
- Your choice of 104 cm W (41") or 152 cm W (60") guard
- 152 cm (60") guard is molded from high-density EVA foam

1621-0407

1621-0408



HT HYDRO-TURF

KICKTAILS

- Add a kicktail to your watercraft with this 25 mm (1") or 51 mm (2") wedge
- If installed under the traction mats, some models of watercraft may require an extended mat
- 25 mm (1") wedge measures 43 cm L x 14 cm W x 25 mm D (17" L x 5,5" W x 1" D); 51 mm (2") wedge measures 43 cm L x 14 cm W x 51 mm D (17" L x 5,5" W x 2" D)

DESCRIPTION	PART #
25 mm (1") wedge	1621-0407
51 mm (2") wedge	1621-0408

1621-0409



HT HYDRO-TURF

SIDE LIFTER WEDGES

- Extra-thick blocks of Hydro-Turf™ foam help provide secure footing in rough conditions
- Come in black
- Sold in pairs

DESCRIPTION	PART #
64 mm W x 61 cm L (2,5" W x 24" L)	TS44-B
51 mm W x 33 cm L (2" W x 13" L)	1621-0409

1421-0001



DESCRIPTION	PART #
104 cm (41")	TS-01
152 cm (60")	1421-0001

BOLD MAGENTA part numbers are new for 2022





HEAVY-DUTY POLE SHOCK PADS

- Thick foam prevents pole handle bangs and dings
- Sold in pairs

FITS MODEL	PART #
KAWASAKI	
JS440/550	0521-0395
SX 750	0521-0394
SXR 800	0521-0394
YAMAHA	
Super Jet	0521-0396



HOOD HOOKS

FOR KAWASAKI SXR 03-16

- Billet aluminum hooks won't tweak or budge in even the most extreme conditions
- Bulletproof billet hood hooks allow for the ultimate abuse of 03 and newer SXR on the race course, river or in big surf
- Sold as a pair, complete with stainless fasteners

DESCRIPTION	PART #
Hood hooks	0521-1298



HOOD/STORAGE AND FRONT COMPARTMENT LATCHES

FOR SEA-DOO

FITS MODEL	PART #
HOOD/STORAGE COMPARTMENT LATCH	
Most Sea-Doo models (except Jet Boats)	011-800
FRONT COMPARTMENT LATCH	
RX, RD-DI, GTI, GTI-LE, GTX, RXP, RXT 02-09	0521-0172



HOOD SEAL GASKET

FOR KAWASAKI JS300/440/500

- Quality replacement foam hood seal gasket ensures a tight fit for rough rides

DESCRIPTION	PART #
Hood seal gasket	TS-56



REPLACEMENT HOOD SEAL GASKET

- Heavy-duty replacement hood seal
- Includes 3M™ self adhesive backing for easy installation
- Fits all years Yamaha Super Jet, Yamaha FX-1, all years Polaris Octane, Yamaha Wave Blaster and most aftermarket hulls

DESCRIPTION	PART #
Repl. hood seal gasket	0521-1047



HOOD STRAP

FOR 800 SXR/750 SX/650 SX/ SUPERJET/FX1 AND ALL JS MODELS

- Strap runs the length of the hood under the handlepole
- High-impact plastic quick-release latch included
- Adjustable to fit all models of stand-up PWC; kit is not meant as replacement for the factory latches but rather as support for an otherwise weak piece of engineering
- Hood strap shares the burden of keeping the hood on, along with the factory latches, during aerial and underwater maneuvers
- Routed front to back to offer the most aesthetically pleasing and functional hood seal support without major modification to watercraft
- Designed for all stand-up FX1, SuperJet, KAWI SXR 800, 750 SX, 650 SX and all JS models
- All mounting hardware and detailed instructions included

DESCRIPTION	PART #
Hood strap	4850-0035

BOLD MAGENTA part numbers are new for 2022



CHBKG300



BLK350EC



BLU350EC



RED350EC



WHI350EC

WATERCRAFT I.D. KITS

- 76 mm (3") H letter and number kits coordinate with your watercraft graphics for a killer look
- Each kit contains 146 decals: four sets of A-Z, four sets of 0-9 and two Hardline Products decals

NOTE: Gradation styles are listed with fill color first, outline color second.



BLK400EC

SERIES 300

DESCRIPTION	PART #
CHROME GRADATION	
Chrome/black	CHBKG300

SERIES 400

DESCRIPTION	PART #
SOLID	
Black	BLK400EC

SERIES 350

DESCRIPTION	PART #
SOLID	
Black	BLK350EC
Blue	BLU350EC
Red	RED350EC
White	WHI350EC



SLIPPERY

STICKER PACK

- Multi-color decals on a 21,5 cm x 33 cm (8,5" x13") sheet

DESCRIPTION	PART #
Sticker pack	4320-2453



4320-2454



4320-2456





DIE-CUT STICKERS

- Made of high-quality, fade-resistant vinyl material
- Conform to curved surfaces for a great look on helmets, boats and towing vehicles
- 15,24 cm (6") die-cut decal sold in a 2-pack; 56 cm (22") die-cut decal sold individually

DESCRIPTION	PART #
22"	4320-2454
6"	4320-2456



STICKER ON!

- Sticker On! lets you position your stickers properly without risk of misplacement – just spray on before attaching decals, slide them into the perfect position and work any bubbles out before the stickers adhere
- Environmentally friendly and available in a 59 ml (2 US fl oz.) pump-spray recyclable bottle

DESCRIPTION	PART #
Sticker On!	964X



STICKER OFF!

- No more razor blades, no more scraping
- Sticker Off! removes stickers and sticker residue quickly and cleanly
- Environmentally friendly and available in a 59 ml (2 US fl oz.) bottle

DESCRIPTION	PART #
Sticker Off!	965



GLUE BRUSH

- The easiest way to put the glue where it's supposed to go
- 51 mm (2") brush makes application of ride mats and grips with contact cement a snap

DESCRIPTION	PART #
Glue brush	BR02

BOLD MAGENTA part numbers are new for 2022



LOW PRO BILLET FUEL CAP

FOR ALL YAMAHA WATERCRAFT

- Low-profile smooth design allows for outside fueling, yet will not get in the way during aerial or freestyle moves around the front of the watercraft

DESCRIPTION	PART #
Low Pro fuel cap	0703-0544



BILLET FUEL CAP

FOR KAWASAKI

- Billet aluminum fuel cap fits all Kawasaki SXR 800, 440, 550 and 650 models, all Kawasaki stand ups and most sit downs

NOTE: 750 SX and SXI Pro require fuel door fitting.

DESCRIPTION	PART #
Fuel cap	0703-0543

BOW EYES

- Replacement bow eyes look great and are functional as well
- Extended Long John Silver bow eyes feature one full inch of thread area and work great for any custom install
- Available in black or clear anodized



4850-0023



4850-0024



4850-0025



4850-0026

DESCRIPTION	PART #
Black, Long John Silver	4850-0023
Clear, Long John Silver	4850-0024

DESCRIPTION	PART #
Black	4850-0025
Clear	4850-0026



ROTARY THREE-POSITION WATERPROOF BILGE SWITCH

FOR YAMAHA SUPERJET 96-12 (ALL)

- Corrosion resistant and has withstood the most abuse Blowsion can give it
- Dash or engine compartment mounted, one of the most popular and easiest to install bilge switches available

DESCRIPTION	PART #
Rotary three-position bilge switch	4802-0006



4850-0027



4850-0030

BILLET BYPASS FITTINGS

- Replacement fittings look great and are functional as well
- Available in black or clear anodized

DESCRIPTION	PART #
90°, black	4850-0027
90°, clear	4850-0028
45°, black	4850-0029
45°, clear	4850-0030



4850-0032



4850-0033

BILLET BILGE FITTINGS

- Replacement fittings look great and are functional as well
- Available in black or clear anodized

DESCRIPTION	PART #
Straight, black	4850-0031
Straight, clear	4850-0032
45°, black	4850-0033
45°, clear	4850-0034

4802-0016



BILGE HOSES

- Allows intake and discharge for electric bilge pumps, hand pumps and live well aerators
- Made of single-layer, corrugated polyethylene that resists oils, acids and seawater
- Features a clamping cuff for every foot and comes in 6 ft. lengths
- Available in white

NOTE: Hose is not designed for below waterline thru-hull connections.

DESCRIPTION	PART #
19 mm x 182,8 cm (3/4" x 6')	4802-0016
28,5 mm x 182,8 cm (1 1/8" x 6')	4802-0017

BOLD MAGENTA part numbers are new for 2022



PARTS UNLIMITED

AUTOMATIC 500 GPH BILGE PUMP

- Can be activated automatically to start/stop draining water when water reaches the high/low set point
- Provides the manual wire and could be switched into manual draining water if necessary
- 3 amp draw @ 12V or 3,5 amp draw @ 13,6V and 19 mm (3/4") discharge outlet; measures 105,5 mm W X 110 mm H

DESCRIPTION	PART #
Automatic 500 GPH bilge pump	4802-0035



PARTS UNLIMITED

NON-AUTOMATIC 500 GPH BILGE PUMP

- Manufactured with a stainless motor shaft which leads to high efficiency, capacity, quality of water-cooled motor and low power consumption
- 3 amp draw @ 12V or 3,5 amp draw @ 13,6V and 19 mm (3/4") discharge outlet; measures 105,5 mm W X 110 mm H

DESCRIPTION	PART #
Non-automatic 500 GPH bilge pump	4802-0034

rule
a xylem brand

NEXT GENERATION AUTOMATIC 500 GPH BILGE PUMP

- Design features an optimized impeller to provide greater flow
- Automatically removes water from engine compartment; cycles every 20 seconds to check for water
- Built-in thermal cut-off (TCO) provides added protection for the pump and vessel
- Backflow protection reduces the amount of water left in the bilge to keep it cleaner
- Hidden air vents in the pump body prevent air locking in the plumbing installations and help with the check valve
- Threaded discharge for easier installation and maintenance
- Check valve included
- 12V (1,9 amp draw) and unmatched in pumping power and longevity
- 19,1 mm (3/4") discharge outlet
- Measures 102 mm T x 60,3 mm W (4" x 2 3/8")



DESCRIPTION	PART #
500 gph pump	4802-0029

4802-0027



rule
a xylem brand

NEXT GENERATION NON-AUTO BILGE PUMPS

- Pump design has higher flow rates due to optimized impeller designs for greater water flow
- Built-in thermal cutoff (TCO) provides added protection for the pump and vessel
- Backflow prevention reduces the amount of water left over in the bilge to keep it cleaner, longer
- Hidden air vents in the pump body help prevent air locking in the plumbing installation and helps with the check valve
- Threaded discharge for easier installation and maintenance
- Check valve included with all pumps
- 500 gph pump has 1,6 amp draw @ 12V and 19,1 mm (3/4") discharge outlet; measures 99 mm T x 63,5 mm W (3,9" x 2,5")
- 800 gph pump has 3,4 amp draw @ 12V and 19,1 mm (3/4") discharge outlet; measures 111,8 mm T x 73,6 mm W (4,4" x 2,9")
- 1100 gph pump has 3,7 amp draw @ 12V and 25,4 mm (1") discharge outlet; measures 111,8 mm T x 73,6 mm W (4,4" x 2,9")

DESCRIPTION	PART #
500 gph pump	4802-0028[1]
800 gph pump	4802-0027

4802-0030



DESCRIPTION	PART #
1100 gph pump	4802-0030

[1] Not for use with Jetinetics bilge pump bracket.

BOLD MAGENTA part numbers are new for 2022

4802-0025



4802-0026



BILGE PUMP MOUNTS

FOR YAMAHA SUPERJET 94-20

- Bracket locates the pump within millimeters from the base of the hull
- Easy, built-in installation; no messy adhesives
- All hardware included

NOTE: 90-93 Superjets with smaller bearing housing will work with slight modification of bracket.

DESCRIPTION	PART #
Single mount	4802-0025

DESCRIPTION	PART #
Dual mount	4802-0026

4802-0019





4802-0032



4802-0021



4802-0020

VACATE VALVES

- Simple installation drain valve alternatives for the OEM drain plugs in models listed
- Machined from 6061 aluminum and clear anodized for corrosion protection
- Vacate Valves operate on the same principle as the Blowsion One Way valves, using the forward motion of the watercraft and gravity to allow ingested water to simply vacate the hull in one direction only
- Direct threaded replacements for the flimsy OEM plastic drain plugs, the Vacate Valve also simplifies interior flushing of the engine compartment
- Fits any model, by brand, that has a screw-in drain plug

FITS MODEL	PART #
KAWASAKI	
All except listed below	4802-0019
800 SX-R 03-11, 900 STX/STX 99-06 ,1100 STX/STX D.I. 99-03, 1200 STX-R 03-05, STX-12F 03-07, Ultra 130 01-03, Ultra 150 99-05, STX-15F 04-15, Ultra 250X 07-08, Ultra LX 07-15, Ultra 260X/LX 09-10, Ultra 300 X/LX/R 10-15, SXR 17	4802-0032

FITS MODEL	PART #
SEA-DOO	
All models through 09	4802-0021
All models 10-17	4802-0033
YAMAHA	
All	4802-0020

4802-0001



DUCKBILL DRAIN KITS

- Simple way to keep your bilge empty as you drive
- Universal kit fits Yamaha FX and VX models and comes complete with all hardware to convert new Sea-Doo and Polaris models
- Kawasaki and Yamaha systems are even easier – just unscrew existing drain plug and screw the duckbill drain plug into place
- Replacement rubber duckbills available separately

DESCRIPTION	PART #
Universal duckbill system	A-7025
Kawasaki 800/1200 SXR duckbill system	4802-0001
Yamaha duckbill system	A-8025
Repl. rubber duckbill	A-2019

A-2385



A-2266





FLOATING DRAIN PLUG

FOR POLARIS AND SEA-DOO

- Constructed of space-age plastics
- Just twist or flip to tighten
- Oil- and fuel-resistant

FITS MODEL	BLACK	WHITE
Sea-Doo and Polaris pre-95	A-2385	-
Sea-Doo and Polaris 95-02	A-2265	A-2266

BOLD MAGENTA part numbers are new for 2022

Allanis

A5200



A2625



A-2627



3801-0018



3801-0265



A7001



A7003



3801-0267



3801-0266



FLUSH KITS

- Allow easy flushing of cooling system to keep it at peak efficiency
- Clean system of debris and contaminants including saltwater, sand and sediment
- Kits designed for specific applications
- Quick-snap release feature available for most models
- Replacement adapter hoses with quick-snap ends available separately

3801-0268



A8589



FITS MODEL	PART #
HONDA	
All except F15X or 15GPScape 08-10	A5200
F15X or 15GPScape 08-10	3801-0149
KAWASAKI	
All 89-91	A2520
All 99-04	A2625[1]
All 92-06 except ZXi, STX and Ultra	A2521
STX 95-04 (all)	A2522
STX 95-06 (all)	A-2627[1]
Ultra 150 99-06	A2520
Ultra 150 99-06	A2625[1]
ZXi 95-04 (all)	A2522
ZXi 95-06 (all)	A-2627[1]
4-stroke models including Ultra 250/260 03-10 (all)	3801-0018[1]
Ultra 300X, Ultra 300LX, 300 Series 11-12	3801-0228
JS440, JS550, 550SX (all)	3801-0264
650SX/X2 (all)	3801-0265

FITS MODEL	PART #
POLARIS	
All 94-04 except w/ FICHT system and 4-strokes	A6000
All 01-04 w/ DI and FICHT system	A6001
SEA-DOO	
All 92-98 w/ factory T-fitting	A7001
All 96-10 models w/ rear drain pipe and reverse gear	A7006
All 96-10 models w/ rear drain pipe and reverse gear	A7004[1]
All 95-06 models w/ rear drain pipe and no reverse gear	A7003[1]
All 95-97 dual engines	3801-0228
Spark (all)	3801-0267[2]
Sportster/Challenger Jet Boats 96-97	A7004[1]
GT (all)	3801-0264[2]
GTX 94-95, SPI 95, SPX 95	3801-0224

FITS MODEL	PART #
SEA-DOO (CONT)	
SP 89-97, GT 90-91, XP 91-96, GTS 92-00, SPX 93-94, SPX 96-99, GTI 96, GTX 92-94 (580 engine), SPI 93-94, SPI 96	3801-0225
SP 89-97, GT 90-91, XP 91-96, GTS 92-00, SPX 93-94, SPX 96-99, GTI 96, GTX 92-94 (580 engine), SPI 93-94, SPI 96	3801-0266[3]
YAMAHA	
Wave Raider (all)	3801-0268
All w/ non-factory repl. hose 87-98	A8588
All w/ non-factory repl. hose 87-98	A8589[1]
All w/ factory repl. hose 95-10	A8582
REPLACEMENT PARTS	
Adapter hose w/ male quick-snap end	A-2690

[1] Deluxe Flush Kit with quick-release snap.
[2] Can be used as a universal flush kit for all models with $^3/_8$" water line.
[3] Comes with a T-fitting, which allows you to connect your hose directly to the ski.

3801-0226



3801-0227



BACK FLUSH KITS

- All metal construction
- Easy-to-use
- Just push into aftermarket water bypass
- No tools, clamps or extra hoses necessary
- Back flushes entire cooling system instead of forcing salt and sand into cooling jackets

DESCRIPTION	PART #
Single	3801-0226

DESCRIPTION	PART #
Dual	3801-0227

BOLD MAGENTA part numbers are new for 2022



SEW61-BGR



0821-2537



SEW782-BW



SEW791-BG

SEAT COVERS

- Add a new look or get the perfect replacement for covers damaged or faded by the surf and sun
- Made with vinyl
- Does not include seat base or foam

FITS MODEL	COLOR	PART #
KAWASAKI		
Ultra 130 DI/150 (seat and handlebar pad)	Black/gray/red	SEW61-BGR
SEA-DOO		
SP Family 94-99	Black/light gray/white	SEW83-PW
Spark two-seater 14-20	Black/white	0821-2537
XP 93-96	Black/light gray/white	SEW83-PW
XP 97-04	Black/gray/yellow	SEW84-BGY

FITS MODEL	COLOR	PART #
YAMAHA		
XL700/760 98-04	Black/white	SEW782-BW
GP800R 01-02	Black/white/deep blue	SEW791-BG
GP800R 03-04	Black/silver	0821-0714
XL1200 98	Black/white	SEW782-BW
GP1200R 00-02	Black/white/deep blue	SEW791-BG
GP1300R 03-08	Black/silver	0821-0714



SEAT LOCK

FOR YAMAHA 701/760/800/1100/1200/VX 97-00

- OEM replacement seat lock

DESCRIPTION	PART #
Seat lock	0521-0621



SHOCK COVER

FOR SEA-DOO 720 HX 95-97

- Replaces OEM #291-000-121

DESCRIPTION	PART #
HX shock covers	4850-0053

BOLD MAGENTA part numbers are new for 2022

0601-2100



0601-2101



SLIPPERY

STANDUP HANDLEBARS

- High-grade, aluminum construction is extremely durable and forgiving at the same time
- Available in 0° or 4° options that are great for recreational, freestyle and closed-course use
- 70 cm (27,5") width is greater than stock handlebars for better leverage and control
- Features knurled ends for extra grip adhesion
- Includes crossbar pad

DESCRIPTION	COLOR	PART #
0°	Silver	0601-2100
0°	Black	0601-2101

DESCRIPTION	COLOR	PART #
4°	Black	0601-2103

0601-1449



0601-1452



BLOWSION

SKI KOMMAND BARS

0° AND 4° BEND WITH CROSSBAR

- Manufactured from 6063-T832 aluminum; developed using feedback and testing from racers, freestylers and freeriders
- Designed with special tolerances to fit the popular ODI grips
- 0° or 4° bends; all include crossbar pad
- Available in black or clear anodized versions

DESCRIPTION	PART #
0° BEND	
Clear	0601-1449
Black	0601-1450

DESCRIPTION	PART #
4° BEND	
Clear	0601-1451
Black	0601-1452



BLOWSION

KOMMAND SKI HANDLEBAR

PHAT V BAR RISER

- Manufactured from 6063-T832 aluminum; developed using feedback and testing from racers, freestylers and freeriders
- Must be used in conjunction with Blowsion Sealed Bearing System and Phat Clamp
- Blowsion Phat Riser allows a complete custom range of handlebar mount angles
- Black anodized, 65 cm (25,5") wide, 52,5 mm rise

DESCRIPTION	PART #
Kommand ski handlebar	0601-1448

BOLD MAGENTA part numbers are new for 2022



KOMMAND SKI HANDLEBAR

PHAT BAR STRAIGHT

- Manufactured from 6063-T832 aluminum; developed using feedback and testing from racers, freestylers and freeriders
- Must be used in conjunction with Blowsion Sealed Bearing System and Phat Clamp
- Black anodized, 65 cm (25,5") wide, flat rise

DESCRIPTION	PART #
Kommand ski handlebar	0601-1453

4807-0039



4807-0041



KOMMAND BILLET STEERING SYSTEMS

W/O TURNPLATE OR SHORT VERSION

- Billet aluminum steering systems
- Stainless steel turnplate shaft rides in two O-ring sealed bearings
- Includes special machined Blowsion Krok Kollar stainless lock nut with setscrew
- Steering head and bearing housing are carbon anodized for corrosion protection
- Fits stock or aftermarket handlepoles on all years Yamaha SJ and Fx1, Kawasaki 750 and SXR 800 Conversion Pole conversions, Polaris Octane and Hydrospace
- Works with Blowsion short and standard length Kawasaki and Yamaha billet turnplates
- Short version for Yamaha features a 25,4 mm (1") shorter design that allows rider to have a more aggressive forward riding position without the cost of a new shorter handlepole

DESCRIPTION	PART #
Universal w/o turnplate	4807-0039

DESCRIPTION	PART #
Yamaha, short	4807-0041





UNIVERSAL OVP (OVER-THE-PIVOT) STEERING SYSTEM

FOR OEM YAMAHA AND AFTERMARKET HANDLEPOLES (RRP/UMI/AC)

- CNC-machined billet aluminum construction
- Works with Fat Straight, Fat Riser or 4° Fat Bars ONLY
- Upper and lower thrust bearings for a smooth, precise feel
- Built-in zerk fitting for ease of lubrication
- Entirely sealed system with three O-rings to prevent bearing corrosion (salt water approved)
- Locking nut eliminates steering from slackening, allowing rider-specific preferred tension on the handlebars
- Improved steering response and precision
- Unlimited variable steering ratio positioning
- Universal steering arm positions for Yamaha applications
- Single center pivot bolt for easy installation and access

Note: If you are installing the OEM Yamaha pole, you will need to make extensive modifications to your OEM chin pad mount and mounting location in order to clear the handlebars. The chin pad must be relocated further forward on the OEM mounting pole.

DESCRIPTION	PART #
Universal OVP (Over-The-Pivot) steering system	4807-0071

PHAT CLAMP

- Constructed of 6061 aluminum and carbon gray anodized
- Ultra trick clamp allows rider to move even further forward in the tray; clamp fits 28,6 mm ($1^{1}/_{8}$") bars
- Developed in conjunction with Blowsion Professional Freeriders Ross Champion and Pierre Maixent

DESCRIPTION	PART #
Phat clamp	0603-0302

BOLD MAGENTA part numbers are new for 2022



KOMMAND SHORTENED TURNPLATE

- Experience the benefit of having a shortened handlepole without completely changing the existing handlepole
- Can be combined with an OEM or aftermarket handlepole to create the perfect rider setup
- Designed to be used in conjunction with the Kommand handlebar steering system (not included), this turnplate features a removable steering arm, allowing you to adjust the turnplate between Yamaha and Kawasaki applications
- Also fits UMI and most other aftermarket brand steering systems on the market

NOTE: Does not fit on stock Kawasaki handlepole or OEM Yamaha steering system.

FITS MODEL	PART #
KAWASAKI	
800 SX-R (all)	4807-0045
750SX/SXi/SXi Pro (all)	4807-0045
POLARIS	
Octane (all)	4807-0045
YAMAHA	
SuperJet 96-12	4807-0045

STEERING SYSTEM REBUILD KIT

- Includes roller bearing, thrust washers, thrust bearing and large and small O-rings
- Fits app Blowsion, UMI Racing and most other manufacturer's systems on the market

DESCRIPTION	PART #
Steering system rebuild kit	4807-0060



HANDLEPOLE BOLT

FOR POLARIS OCTANE (ALL), YAMAHA SUPER JET, FX1 96-12

- Made from hardened 7072 billet aluminum
- Weighs only 90 grams, 1/3 the weight of the OEM bolt
- Features engraved B-Star head
- Heat-treated and hard anodized for extra corrosion resistance
- Stainless steel mounting hardware included

DESCRIPTION	PART #
Handlepole bolt	4807-0070



HANDLEPOLE PIVOT BOLT BUSHINGS

- Manufactured by Blowsion; replaces OEM pivot bolt bushings

DESCRIPTION	PART #
For Kawasaki SXi (all)	4807-0052
For Yamaha OEM and UMI aluminum handlepoles	4807-0053



HANDLEPOLE SPRINGS

- The most common mod for standup riders everywhere
- Reduces the weight of handlepole to the rider in minutes

DESCRIPTION	PART #
Kawasaki SX-R 750/800 (all)	4850-0022
Yamaha, SJ 96-10	4850-0020
Yamaha, SJ pre-96	4850-0021



TRIM HOSE PROTECTOR

FOR SEA-DOO

- Fits the following models

FITS MODEL	PART #
580/720 SP 96-97	4809-0104
580 SPI 96	4809-0104
720 GS/GSI 97	4809-0104
720/800 SPX 96-99	4809-0104
720/800/951 XP (all)	4809-0104
800 GSX/GSX RFI 96-00	4809-0104
951 RX 00-03 (all)	4809-0104
1500 RXP Supercharged 04	4809-0104
1500 RXP/RXT 05-10	4809-0104

BOLD MAGENTA part numbers are new for 2022



HANDLEPOLE MOUNT REINFORCING PLATE

- Works with OEM and aftermarket Yamaha, Polaris and Blowsion design pole brackets to disperse the load from aerial and ocean moves
- Made of solid laser-cut 5 mm thick stainless steel; this is the best damage control accessory we can recommend for those riders who shred the big stuff
- Installs on underside of pole mount area using current hardware; helps prevents existing cracks from spreading

FITS MODEL	PART #
POLARIS	
Octane (all)	4807-0044
YAMAHA	
SuperJet 96-12 (all)	4807-0044



HANDLEPOLE EXTENSION LIMITING ROPE

- Designed to stop pole from extending approximately 50,8 mm - 76,2 mm (2-3") from total max extension
- Prevents the forward motion of the pole and rider's body from destroying expensive handlepoles, pole brackets, hulls and more
- A spring-back retention cord attaches to the bottom of the pole spring area and will also pull the pole back down if rider becomes separated from ski in surf or large lake waves
- All stainless mounting hardware and instructions included
- Fits all stand-up Yamaha FX1, all years Yamaha Super Jet, Polaris Octane, Kawasaki SXR 800, 750 SX, and 650 SX

DESCRIPTION	PART #
Handlepole extension limiting rope	4807-0043



0632-0488 | 0632-0489 | 0632-0706 | 0632-0707 | 0632-0708 | 0632-0709

BILLET THROTTLE LEVERS

- Machined with the stand-up rider's comfort at the forefront
- Straight pull finger throttles are ergonomically designed for premium fit and feel, whether riders are on the waves or on the buoys
- Lever angle is situated to reduce hand and arm fatigue
- Delrin bushings eliminate the play common in OEM throttles and provide smooth throttle pull

DESCRIPTION	PART #
BILLET THROTTLES	
Black anodized	0632-0488
Clear anodized	0632-0489
Blue	0632-0706
Green	0632-0707
Orange	0632-0708
Red	0632-0709



0632-0490 | 0632-0491 | 0632-0492

- All-stainless hardware at the hinge point eliminates corrosion and play 100%
- No C-clips used
- Fits most models; however, some may require an adapter as listed

DESCRIPTION	PART #
ADAPTERS	
Kawasaki 96-14	0632-0490[1]
Kawasaki 76-85, Yamaha (all)	0632-0491[2]
Sea-Doo (all)	0632-0492

[1] 8 mm.
[2] 6 mm.

SLIPPERY

BILLET FINGER THROTTLES

- Designed to clear grip to allow closer mounting to bar grips and hands
- Precision CNC-machined from billet aluminum stock
- Contours around index finger
- Three cable throw positions
- Nylon cable support roller
- Nylon bushing and thrust washers

0632-0615



- Available in polished or black finish
- Works as replacement on Polaris runabouts

COLOR	PART #	COLOR	PART #
Black	0632-0614	Silver	0632-0615

BOLD MAGENTA part numbers are new for 2022

MOOSE UTILITY DIVISION

LOCK-ON GRIP SYSTEM

- No more using glue, paint thinner or safety wire to keep your grips from twisting or slipping
- Moose Utility Division Lock-On grips provide slip-free performance right out of the box
- Revolutionary system survives the most severe weather
- Installation and removal is easy and will not destroy your grips
- Grips slide effortlessly on and off your bars and are locked into place with a few turns of a wrench
- Includes removable end plugs for added protection against "grip blowout"
- Compatible with the ODI Lock-On grip system
- Fit 22 mm (7/8") bars; 120 mm in length

U.S. Patent Numbers: 6,035,742; 6,263,759



DESCRIPTION	PART #
Lock-On grip system	0630-0979



0630-0395



0630-0396



0630-0397





0630-0398





0630-0423

MOOSE RACING

STEALTH GRIPS

- One compound, one pattern, one price in MX (twist throttle) and ATV (thumb throttle) styles
- Special compound feels soft, but wears like a harder compound
- Half-waffle pattern with high-traction chevrons
- Safety wire grooves don't interfere with grip comfort
- Extra-thick end cap for increased strength
- Fit 22 mm (7/8") bars; 115 mm in length
- Small flanges for thumb/trigger throttles
- Available in black, gray, red, blue or orange

COLOR	PART #	COLOR	PART #	COLOR	PART #	COLOR	PART #	COLOR	PART #
Black	0630-0395	Gray	0630-0396	Red	0630-0397	Blue	0630-0398	Orange	0630-0423

MOOSE UTILITY DIVISION

FOAM ATV GRIPS

- Soft closed-cell foam grips
- Fit 22 mm (7/8") bars with thumb throttles
- 12,5 cm L (5")
- Sold in pairs; available in black
- End caps included



DESCRIPTION	PART #
Foam ATV grips	0630-0699

BOLD MAGENTA part numbers are new for 2022


0630-0901


0630-0902

ROGUE PWC LOCK-ON GRIPS

- Perfect for those who prefer a larger grip
- Large raised pads and a knurled surface texture offer improved traction and help to form deep grooves that channel water away from your hands
- Lock-On technology provides easy installation and 100% slip-free performance
- Available with no flange or with 3/4 flange
- Snap Cap™ end plugs included
- Sold in pairs; for use with trigger/thumb throttles

DESCRIPTION	PART #
No flange (130 mm L)	0630-0901

DESCRIPTION	PART #
3/4 flange (120 mm L)	0630-0902


0630-0908

X-TREME PWC LOCK-ON GRIPS

- Ultimate traction and control under any conditions
- Designed to provide a more consistent gripping surface under even the most inclement conditions
- Aggressive diamond pattern tapers for a more ergonomic feel
- Added diamond plate pads offer additional traction and padding across the length of the grip
- Extra-tacky surface for more control
- 130 mm length; 3/4 flange
- Snap Cap™ end plugs included
- Sold in pairs; for use with trigger/thumb throttles

COLOR	PART #
Black	0630-0907
Graphite	0630-0908


0630-0903


0630-0906


0630-0909


0630-0910

RUFFIAN PWC LOCK-ON GRIPS

- Designed for optimal control in wet conditions
- Narrow diamond surface pattern provides an excellent gripping system and the Lock-On design offers 100% slip-free performance
- Include silver lock-jaw clamps; Snap Cap™ end plugs included
- Available with no flange or with 3/4 flange
- Sold in pairs; for use with trigger/thumb throttles

DESCRIPTION	PART #
No flange (130 mm L)	0630-0903

DESCRIPTION	PART #
3/4 flange (120 mm L)	0630-0906

RUFFIAN MX WATERCRAFT LOCK-ON GRIPS

- Ruffian MX grips feature narrow diamondized pattern with an added MX-style half-waffle pattern for additional traction
- 130 mm length; no flange
- Snap Cap™ end plugs included
- Sold in pairs; for use with trigger/thumb throttles

COLOR	PART #
Black	0630-0909

COLOR	PART #
Red	0630-0910


0630-2583


0630-2584

CUSTOM VANS LOCK-ON GRIPS

- Feature the classic Vans waffle sole pattern and ODI's proprietary grip compound
- Absorb shock and provide exceptional control in all conditions
- Lock-On design means your grips will never twist or shift
- Available in 130 mm L

COLOR	PART #
Black	0630-2582
Bright red	0630-2583

COLOR	PART #
Gum rubber	0630-2584



CROSS TRAINER LOCK-ON GRIPS

- Soft, comfortable rib pattern interlaced with a thicker criss-cross pattern for a soft feel while maintaining a small diameter
- Criss-cross pattern provides traction across the grip
- Larger ribbed pad can be placed on either side for extra shock absorption where you need it most
- Lock-On design offers 100% slip-free performance
- Snap Cap™ end plugs included
- 130 mm length
- Sold in pairs; for use with trigger/thumb throttles

DESCRIPTION	PART #
Cross trainer lock-on grips	0630-0900

BOLD MAGENTA part numbers are new for 2022



0630-0124



0630-0125



0630-0126





0630-0127





0630-0128





0630-0129



0630-2054

PROGRIP

MODEL 964 EVO GRIPS

- Constructed of soft, tear-resistant materials with a firm, rubber-compound inner layer
- For 22 mm (7/8") handlebars with thumb/trigger throttles
- 120 mm L

COLOR	PART #
Blue/black	0630-0124
Red/black	0630-0125
Green/black	0630-0126

COLOR	PART #
Yellow/black	0630-0127
Gray/black	0630-0128
Orange/black	0630-0129

COLOR	PART #
Black/black	0630-2054

PROGRIP

727 GRIPS

- Firm on the inside, gel on the outside; everything you want in a grip
- For 22 mm (7/8") bars with thumb/trigger throttles
- 125 mm L



COLOR	PART #
Black	PG-727BK

PROGRIP

MODEL 699 GRIPS

- Single density; medium SH 35 hardness
- ID: 22 mm-25 mm; 125 mm length
- Have open ends
- Sold in pairs



COLOR	PART #
Black	0630-2211



0630-0920

odi

LOCK JAW CLAMPS

- Customize your ODI Lock-On grips with anodized Lock Jaw clamps
- Precision-machined aluminum
- Use as replacement parts or as color-matched add-on
- Include clamps, hardware and Snap Cap™ end plugs
- Sold in set of four
- Not for use with twist throttles

COLOR	PART #
Black	0630-0920
Red	0630-0923



0634-0304



0634-0305



0634-0306



0634-0307

odi

ALUMINUM END PLUGS

- Add a little color to your ride and protect your grips and handlebars
- Available in black, blue, red or silver anodized finishes; the aluminum plugs are held into the bars with an expanding double-wedge design
- Fit handlebars with inside diameters of 14 mm-19 mm
- Sold in pairs

COLOR	PART #
Black	0634-0304
Blue	0634-0305

COLOR	PART #
Red	0634-0306
Silver	0634-0307

BOLD MAGENTA part numbers are new for 2022



HEAVY-DUTY STEERING CABLE

FOR YAMAHA SUPERJET (ALL)

- Heavy-duty steering cable incorporates Blue Max control cable construction
- Superior control cable material is born of marine and aviation engineering design, with extreme low friction and minimal loss of motion
- Cable is oversized in length and excellent for complicated cable routing in the tight corners of the OEM and aftermarket hull engine compartments
- Features a true 102 mm (4") minimum bend radius; each cable is pre-lubed for life with a binder wired PTFE core conduit
- Blue Max outer jacket is resistant to abrasions, salt water, gasoline, diesel and hard chemicals
- Cable includes Blowsion machined stainless conduit caps and threaded push-pull rods
- Burly stainless steering cable ends and hardware complete the connection features
- Riders can dial in their skis with the correct ratio and length cable for improved handling (when used in conjunction with an aftermarket aluminum handlepole)

DESCRIPTION	PART #
Steering cable	4807-0051

Throttle cable



Trim cable



REPLACEMENT CONTROL CABLES

- All stainless steel fittings
- Cables feature inner vinyl linings
- Built to exact OEM specifications

THROTTLE CABLES

FITS MODEL	PART #
KAWASAKI	
750SX 92-95	0650-0897
750SXi 95-96	0650-0147
750SXi Pro 98-02	0650-0895
POLARIS	
SL 650 92-95	0650-0898
Freedom 700 02-03	0650-0899
Virage 700 02-03	0650-0899
SL 750 93-95	0650-0898
Virage I 780 02-03	0650-0899
SEA-DOO	
Explorer 650 94-96	0650-1045
GTX 650 94-96	0650-1045
GS/GSI 720 97	0650-1044
GS/GTI 98-01	0650-0825
GTS 720 01	0650-0825
SPX 720 96-97	0650-0537
GSX 800 98	0650-1041
GSX RFI 800 99	0650-1042
GTI LE RFI 800 03-05	0650-1042

FITS MODEL	PART #
SEA-DOO (CONT)	
GTI RFI 800 04	0650-1042
GTX RFI 800 99-02	0650-1042
SPX/XP 800 95, 98-99	0650-0537
GTX LTD 951 98	0650-1041
GTX DI 951 00-03	0650-1043
RX DI 951	0650-1043
YAMAHA	
500 WaveJammer 87-90	0650-0826
500 WaveRunner 89-90	002-055
650 SuperJet 90-95	002-055
650 WaveRunner 90-92	002-055
650 WaveRunner III 90-96	002-055
650 WaveRunner LX 93	002-055
650 WaveRunner VXR 91-95	002-055
701 FX1 94-95	002-055
701 SuperJet 94-95	002-055
701 WaveBlaster 93-95	002-055
701 WaveRaider/Deluxe 95	0650-0148
701 WaveRaider 96-97	002-055

FITS MODEL	PART #
YAMAHA (CONT)	
701 WaveRunner III 97	002-055
701 WaveRunner III GP 94-95	002-055
701 WaveRunner Pro VXR 93-94	002-055
701 WaveRunner Super Jet 96-07	0650-0901
701 WaveRunner XL 99-04	0650-0900
701 WaveVenture 95-96	0650-0148
800 WaveRunner GP 98-00	0650-0827
800 WaveRunner XL 00-01	0650-0827
800 WaveRunner XLT 02-04	0650-0827
1100 WaveRaider 95-96	0650-0148
1100 WaveVenture 96-97	0650-0148
1200 WaveRunner GP 97-99	0650-1122
1200 WaveRunner GP 01-02	0650-1121
1200 WaveRunner XL 98	0650-1122
1200 WaveRunner XL 99-01	0650-1121
1200 WaveRunner XLT 02-05	0650-1121
1300 WaveRunner GP 03-08	0650-1123

TRIM CABLES

FITS MODEL	PART #
YAMAHA	
WaveRunner GP 650 97	4807-0032
WaveRunner GP 760 97-00	4807-0032
WaveRunner GP 800 98-00	4807-0032
WaveRunner GP 800R 01-05	4807-0033

FITS MODEL	PART #
YAMAHA (CONT)	
FX 05-06	4807-0067
FX140 02-04	4807-0067
FX Cruiser 03-07, Cruiser HO 04-07, FX HO 04-07	4807-0067

FITS MODEL	PART #
YAMAHA (CONT)	
WaveRunner GP 1200 97-99	4807-0032
WaveRunner GP 1200/R 00-02	4807-0033
WaveRunner SUV 1200 99-04	4807-0033
WaveRunner GP 1300R 03-07	4807-0033

REPLACEMENT CONTROL CABLES continued on next page.

BOLD MAGENTA part numbers are new for 2022

REPLACEMENT CONTROL CABLES (CONT)



REVERSE CABLES

FITS MODEL	PART #
KAWASAKI	
900 STS 01-02	4807-0026
900 STX 99-03	4807-0026
1100 STX 97-99	4807-0026
1100 STX DI 00-03	4807-0026
1200 STX-F 03	4807-0026
1500 Ultra 250X/260X/LX 07-09	4807-0064
SEA-DOO	
720 GTI 97-98	4807-0029
720 GTI 99	4807-0030
720 GTI 01-05	4807-0065
720 GTS 01	4807-0065
720 HX 95-97	4807-0065
800 GTI LE RFI 03-05, GTI RFI 04-05	4807-0065
800 GTX 96-97	4807-0029

FITS MODEL	PART #
SEA-DOO (CONT)	
800 GTX RFI 98-02	4807-0030
950 GTX DI 02-03	4807-0066
1500 GTI 06-07	4807-0065
1500 GTI/SE 130 08-10	4807-0065
1500 GTI Renthal 06-07, Renthal 130 08-10	4807-0065
1500 GTI SE 06-07	4807-0065
1500 GTI SE 155 08-10, Wake 155 09-10	4807-0065
1500 GTS Pro 11	4807-0065
1500 RXP Super Charged 215 09	4807-0065
1500 RXP X 255 09-11	4807-0065
1500 GTI Wake 155 08	4807-0066
1500 GTX 02-07	4807-0066
1500 GTX 155 08-09	4807-0066

FITS MODEL	PART #
SEA-DOO (CONT)	
1500 GTX LTD Super Charged 185 03-04, Super Charged 215 05-08	4807-0066
1500 GTX Super Charged 185 03-06, Super Charged 215 08-09	4807-0066
1500 GTX Wake 03-07, Wake Pro 215 09	4807-0066
1500 GTX Wake Super Charged 215 07-08	4807-0066
1500 RXT Super Charged 215 05-09	4807-0066
1500 RXT X 255 08-09	4807-0066
YAMAHA	
WaveRunner III 650 90, 93, 96	4807-0034
WaveRunner III 701 94-95	4807-0034
WaveRunner XL/XLT 800 00-04	4807-0035
WaveVenture 1100 96-97	4807-0036
WaveRunner XL/XLT 1200 99-05	4807-0035

STEERING CABLES

FITS MODEL	PART #
KAWASAKI	
JS300/SX 86-88	002-069
JS400 76-79	002-069
JS440/SX 77-92	002-069
JS550/SX 82-95	002-069
JS650/SX 87-90	002-074
750SX 92-95	4807-0001
750SXI 95-97	4807-0001
750SXI Pro 98-02	4807-0001
750ZXI 95-97	4807-0005
800SX-R 03-11	4807-0062
900STS 01-02	4807-0004
900STX 99-02	4807-0004
900STX 03-06	4807-0019
900ZXI 95-97	4807-0005
1100STX/D.I. 97-02	4807-0004
1100STX D.I. 03	4807-0019
1100 Ultra 130 01-04	4807-0042
1200STX-12F 03-06	4807-0019
1200STX-R 02-03	4807-0004
1200STX-R 04-05	4807-0019
1200 Ultra 150 99-05	4807-0042
1500STX-15F 04-06	4807-0019
1500 Ultra 250X/ 260X/LX 07-09	4807-0063

FITS MODEL	PART #
SEA-DOO	
580 GT 90-91	4807-0020
580 GTS 92	4807-0020
580 GTS 93	4807-0020
580 GTS 95-96	4807-0006
580 GTX 92-93	4807-0020
580 SP 89-91, 93	4807-0007
580 SPi 93	4807-0007
580 SPX 93	4807-0007
580 SP/SPi 94-96	002-048-01
650 GTX 95	4807-0006
650 SPX 94-95	002-048-01
650 XP/XPI 94	002-048-01
720 GS 97-01	4807-0006
720 GSI 97	4807-0006
720 GTI 96	4807-0006
720 GTI 01-04	4807-0015
720 GTI LE 02-04	4807-0015
720 GTS 97-00	4807-0006
720 GTS 01	4807-0015
720 SP/SPX 96-97	002-048-01
800 GSX 96-97	4807-0006
800 GSX RFI 00	4807-0022
800 GTi RFI 04	4807-0015

FITS MODEL	PART #
SEA-DOO (CONT)	
800 GTi LE RFI 03-04	4807-0015
800 GTX RFI 99-00	4807-0017
800 SPX 98-99	002-048-01
951 GSX LTD 98	4807-0006
951 GTX 99-00	4807-0027
951 GTX 01-02	4807-0015
951 GTX DI 00	4807-0017
951 GTX LTD 98	4807-0021
951 GTX LTD 99	4807-0027
951 RX 00	4807-0022
951 RX 01-02	4807-0014
951 RX DI 00	4807-0022
951 RX DI 01-03	4807-0014
951 XP 98-99	4807-0016
1500 GTX 4-TEC/SC/ Wakeboard 03-04	4807-0018
1500 RXP/RXP-X 04-08	4807-0028
YAMAHA	
WaveRunner 500 87-93	002-051
SuperJet 650 90-95	4807-0003
WaveRunner 650 90-92	002-051
WaveRunner 650 LX 93	002-051
WaveRunner 650 III 90-96	002-049
WaveRaider 701 95-97	4807-0024

FITS MODEL	PART #
YAMAHA (CONT)	
SuperJet 701 94-95	4807-0003
SuperJet 701 96-04	4807-0012
WaveBlaster 701 93-96	4807-0009
WaveVenture 701 95-96	4807-0011
WaveRunner 701 III 97	002-049
WaveRunner XL 701 99-01	4807-0038
WaveRaider 760 96	4807-0024
WaveRunner GP 760 99-00	4807-0025
WaveRunner XL 760 97-98	4807-0025
WaveRunner XL 760 99	4807-0038
WaveRunner GP 98-00	4807-0025
WaveRunner GP 800 01-03	4807-0023
WaveRunner XLT 800 02-04	4807-0031
WaveRaider 1100 95-96	4807-0010
WaveRunner GP 1200 97-99	4807-0037
WaveRunner GP 1200R 00-02	4807-0023
WaveRunner XL 1200 98	4807-0038
WaveRunner XLT 1200 02-05	4807-0031

ACCEL

HIGH-TEMPERATURE SLEEVING KITS

- Protects against abrasion and resists oil, gasoline and most chemicals
- Heat range of -40 °C to 94+ °C (-40 °F to 200+ °F)
- UV light resistant
- Easy to cut with scissors and is easy to clean with soap and water
- Kits include 305 cm (10') of 6,4 mm ($^1/_4$") sleeving, 305 cm (10') of 9,5 mm ($^3/_8$") sleeving, 152 cm (5') of 12,5 mm ($^1/_2$") sleeving and heat-shrink termination tubing

2120-0080



2120-0081



2120-0082



DESCRIPTION	PART #
Black	2120-0080

DESCRIPTION	PART #
Red	2120-0081

DESCRIPTION	PART #
Blue	2120-0082

BOLD MAGENTA part numbers are new for 2022



PROPULSION, DRIVELINE & HANDLING

ENGINE

SOLAS®

Concord



X-Prop



Dynafly



Twin



Super Camber



IMPELLERS

- Constructed of ultra high-strength, corrosion-resistant stainless steel
- Exclusive hub-end water seal keeps the nasty stuff out of precious parts
- Mirror-smooth finish and polished hub resists cavitation
- Impeller pitch is determined by casting, not bending

CONCORD: THE POWER TORQUE SERIES

- This unique impeller enhances all-range maneuverability with no slippage in water hookup
- Variable pitch offers both low-speed torque and all-out high speed in one impeller

X-PROP: HIGH SPEED AND ULTIMATE PERFORMANCE

- X-prop series impellers produce the most powerful propulsion in the water from an advanced design that incorporates a high-compression hub and cambered blades

DYNAFLY: MAXIMUM ACCELERATION

- Blade geometry designed specifically for high compression ratio jet-pump systems
- Improve acceleration and top end while eliminating performance holes
- Lower pitch angle is recommended for stock motors; higher pitch angle is recommended for modified motors; lower pitch angle can also be used with modified motors if improved acceleration is desired

TWIN: STATE-OF-THE-ART DESIGN

- Specially for select Sea-Doo RXP, RXT and GTX models and Yamaha SHO, SHO FRZ and FZS models, the Twin series features the latest advances in high-performance impeller design

SUPER CAMBER

- Grunt and speed from one impeller
- The blade has a variable pitch, designed to give both strong low-end thrust and unmatched top-end performance
- Race, tow waterskiers and carry multiple passengers with ease
- A- and B-series offer a cost-effective solution and features both low-speed torque and all-out high speed in one impeller
- I-, J-, K- and S-series feature a proven impeller design with increased blade surface and smaller hub for more power and volumetric flow, making them the best all-around impellers on the market

SUPER CAMBER NOTATION: In the application chart, Super Camber impellers are listed in the format "Super Camber (x/y/z)." This denotes the Solas series for the Stock, Limited and Modified impellers respectively. "Super Camber (I/J/K)," for example, means that the Stock impeller listed is "I" series, the Limited is "J" series, and the Modified is "K" series.

NOTE: Choose impeller based on level of engine modification: Stock, Limited or Modified. See appropriate columns in chart.

NOTE: Lower pitch impellers recommended for high altitude, pulling or freestyle applications.

BOLD MAGENTA part numbers are new for 2022

SOLAS® IMPELLERS (CONT)

APPLICATIONS

FITS MODEL	PUMP DIAMETER	SERIES	STOCK ENGINES PART #	STOCK ENGINES PITCH	LIMITED ENGINES PART #	LIMITED ENGINES PITCH	MODIFIED ENGINES PART #	MODIFIED ENGINES PITCH
HONDA								
1235								
R-12X 04-07, F-12X/F-12X GPScape 02-07	155 mm	Concord	HA-CD-1729	17/29	HA-CD-1729	17/29	-	-
KAWASAKI								
750								
SXi/SXi Pro 95-02	140 mm	Concord	KE-CD-915	9/15	KE-CD-1116	11/16	KE-CD-1116	11/16
STS 95-01, Xi Sport 93-00, ZXi 95-97, Xi 93-97	140 mm	Concord	KE-CD-1116	11/16	-	-	-	-
SS 92-97	140 mm	Concord	KE-CD-915	9/15	KE-CD-1116	11/16	KE-CD-1116	11/16
SXi 95-96	140 mm	Concord	KE-CD-1116	11/16	-	-	-	-
SX 92-96, ST 93-95, STX 98, XiR 94	140 mm	Concord	KE-CD-1116	11/16	-	-	-	-
800								
SX-R 03-11	140 mm	Dynafly	4809-0037	13/22	4809-0038	14/23	4809-0039	15/24
900								
STX 01-06	148 mm	Concord	4809-0052	11/17	KG-CD-1218	12/18	KG-CD-1319	13/19
STX/STS/ZXi 96-00	140 mm	X-Prop	KF-SC-X	16/23	-	-	-	-
1100								
STX 97-98, STX DI 01-03, ZXi 96-03	148 mm	Concord	4809-0052	11/17	KG-CD-1319	13/19	4809-0053	14/20
		Dynafly	4809-0034	12/24	-	13/25	-	-
1200								
STX-R 02-06	148 mm	Concord	4809-0054	15/21	4809-0054	15/21	-	-
Ultra 150 99-06	Tapered	Dynafly	KH-DF-1620	16/20	KH-DF-1620	16/20	-	-
1500								
STX-15F 04-20	148 mm	Concord	4809-0316	14/21	-	-	4809-0054	15/21
SX-R 17-21	148 mm	Concord	4809-0305	15/20	-	-	4809-0306	12/16
Ultra 250X 07-08	155 mm	Concord	4809-0170	15/23	4809-0170	15/23	4809-0171	16/24
		Concord	4809-0139	16/21	4809-0171	16/24	-	-
Ultra 260X/LX 08-10	155 mm	Concord	4809-0170	15/23	4809-0170	15/23	4809-0171	16/24
		Concord	-	-	4809-0171	16/24	-	-
Ultra 300X/300LX 11-14	160 mm	Concord	4809-0193	14/21	4809-0193	14/21	4809-0194	15/22
		Concord	-	-	4809-0194	15/22	-	-
Ultra LX 07-21	155 mm	Concord	4809-0138	10/16	4809-0138	10/16	-	-
Ultra 310X/310X SE/310LX/310R 14-21	160 mm	Concord	4809-0193	14/21	4809-0193	14/21	4809-0194	15/22
			-		4809-0194	15/22	-	-
POLARIS								
650								
SL/STD 94-95	148 mm	Concord	PA-CD-1218	12/18	PA-CD-1218	12/18	-	-
700								
Freedom/Virage 02-04, SL/SL DLX/Hurricane 96-97, SLH 98-01, SLT/SLTH 96-99	148 mm	Concord	PA-CD-1218	12/18	PA-CD-1218	2/18	-	-
750								
MSX 110 03-04	148 mm	Concord	PA-CD-1218	12/18	PA-CD-1218	12/18	PA-CD-1218	12/18
SL 750/SLT 94-95	148 mm	Concord	PA-CD-1218	12/18	PA-CD-1218	12/18	-	-
776								
Virage I 02-04	148 mm	Concord	PA-CD-1218	12/18	-	-	-	-
785								
SLX/SLX Pro 785/SL780/SLT 780 96-01	148 mm	Concord	PA-CD-1218	12/18	-	-	-	-
1050								
SL/SLX/SLXH/SLTX 97-98	148 mm	Concord	-	-	PA-CD-1521	15/21	PA-CD-1521	15/21
SLX 00-01	148 mm	Concord	PA-CD-1521	15/21	-		-	
1192								
MSX 140 03-04	148 mm	Concord	PA-CD-1521	15/21	PA-CD-1521	15/21	-	-
Pro 1200 00-02, Virage TX/TXi 00-02	148 mm	Concord	PA-CD-1521	15/21	-	-	-	-
SEA-DOO								
720								
GTI/GTI LE/GTI RFI 01-05, GTS 01-02	155,5 mm	Concord	ST-CD-1016	10/16	ST-CD-1016	10/16	-	-
GS/GSI 97-01, GTI/GTS 96-00, XP/SPX 95-97	140 mm	Concord	SD-CD-1422	14/22	SD-CD-1523	15/23	-	-
		X-Prop	SD-SC-X	16/23	SD-SC-X	16/23	SD-SC-X0	16.5/23.5
782								
3D/3D Base 05-07	155,5 mm	Concord	ST-CD-1016	10/16	ST-CD-1016	10/16	-	-
GSX RFI/GTX RFI 99-00	155,5 mm	Concord	SF-CD-1523	15/23	-	-	-	-
XP/SPX/GSX 96-98	140 mm	Concord	SD-CD-1523	15/23	-	-	-	-
		X-Prop	SD-SC-X0	16.5/23.5	SD-SC-X0	16.5/23.5	-	-
GTX/GTX PRO 96-98	140 mm	Concord	SD-CD-1422	14/22	SD-CD-1523	15/23	-	-
		X-Prop	SD-SC-X0	16.5/23.5	SD-SC-X0	16.5/23.5	-	-
GTI/GTI LE/GTI RFI 01-05, GTS 01-02	155,5 mm	Concord	ST-CD-1016	10/16	ST-CD-1016	10/16	-	-
900								
Spark Ace 900/HO 14-21	140 mm	Concord	-	-	4809-0299	12/14	-	-
		Concord	4809-0244	12/17	4809-0244	12/17	4809-0245	13/18
900 GTI/GTS 17-21	150 mm	Concord	4809-0318	10/16	-		-	

IMPELLERS continued on next page.

BOLD MAGENTA part numbers are new for 2022

SOLAS® IMPELLERS (CONT)

APPLICATIONS (CONT)

FITS MODEL	PUMP DIAMETER	SERIES	STOCK ENGINES PART #	STOCK ENGINES PITCH	LIMITED ENGINES PART #	LIMITED ENGINES PITCH	MODIFIED ENGINES PART #	MODIFIED ENGINES PITCH
SEA-DOO (CONT)								
951								
RXX 01-02	148 mm	Concord	4809-0054	15/21	-	-	-	-
XP/XP DI 00-04, RX/RX DI 00-03	155,5 mm	Concord	ST-CD-1520	15/20	-	-	-	-
		Dynafly	ST-DF-1319	13/19	ST-DF-1319	13/19-	-	
GTX/GTX DI 00-03	155,5 mm	Concord	ST-CD-1520	15/20	ST-CD-1520	15/20	-	-
		Dynafly	ST-DF-1319	13/19	ST-DF-1319	13/19	-	-
GSX Ltd./GTX Ltd./XP Ltd. 98-99	155,5 mm	Concord	ST-CD-1520	15/20	ST-CD-1520	15/20	-	-
		X-Prop	ST-SC-XO	14.5/17.5	ST-SC-XO	14.5-17.5	-	-
LRV/LRV DI 99-03	155,5 mm	Concord	-	-	-	-	ST-CD-1520	15/20
		X-Prop	ST-SC-XO	14.5/17.5	ST-SC-XO	14.5/17.5	-	-
1500/1600								
RXP-X 260 12-15	159 mm	Concord	4809-0159	15/21	4809-0159	15/21	-	-
		Twin	4809-0256	15/21	4809-0256	15/21	4809-0256	15/21
RXT IS 260/RXT-X 260/RXT 260/ RXT-X aS260 09-21	159 mm	Concord	4809-0159	15/21	4809-0159	15/21	-	-
		Twin	4809-0256	15/21	4809-0256	15/21	4809-0256	15/21
GTX LTD IS 255/GTX LTD IS 260 09-21	159 mm	Concord	4809-0159	15/21	4809-0159	15/21	-	-
		Twin	4809-0256	15/21	4809-0256	15/21	4809-0256	15/21
RXP-X 255 09-12	159 mm	Concord	4809-0159	15/21	4809-0159	15/21	-	-
		Twin	4809-0256	15/21	4809-0256	15/21	4809-0256	15/21
RXP 215HP 09-10	159 mm	Concord	4809-0157	14/19	4809-0157	14/19	4809-0158	15/20
GTX/GTX LTD. 215HP 09-15, RXT 215HP 09-10, Wake Pro 215HP 09-16	159 mm	Concord	4809-0156	13/18	4809-0157	14/19	4809-0158	15/20
			-		-		4809-0159	16/21
RXP-X 08	159 mm	Concord	4809-0060	15/21	4809-0060	15/21	-	-
RXT-X 08	159 mm	Concord	4809-0047	14/19	4809-0047	14/19	-	-
RXP 215HP 04-08	159,8 mm	Concord	4809-0047	14/19	4809-0047	14/19	4809-0158	15/20
RXT 215HP 05-08	159,8 mm	Concord	4809-0046	13/18	4809-0047	14/19	4809-0158	15/20
Wake Supercharged 215HP 07-10	159 mm	Concord	4809-0046	13/18	4809-0047	14/19	-	-
GTR (215HP) 12-16	159 mm	Concord	4809-0157	14/19	4809-0157	14/19	4809-0158	15/20
GTX LTD 215HP 05	159 mm	Concord	4809-0046	13/18	4809-0047	14/19	-	-
RXT IS 260/RXT-X 260 09-10	159 mm	Concord	4809-0159	15/21	4809-0159	15/21	-	-
GTX LTD IS 260	159 mm	Concord	4809-0159	15/21	4809-0159	15/21	-	-
GTX 4-Tec Ltd Supercharged 185HP 03-04	155,5 mm	Concord	4809-0040	12/20	4809-0041	13/21	-	-
GTX 4-Tec Supercharged 185HP 03-06	155,5 mm	Concord	4809-0040	12/20	4809-0040	12/20	-	-
		Concord	-	-	4809-0327	12/20	-	
GTS SE 155/RXP 155HP 07-09,	155,5 mm	Concord	SR-CD-1119	11/19	4809-0040	12/20	4809-0040	12/20
GTX/GTX 4-Tec/GTX Wake 155HP 02-04,	155,5 mm	Concord	4809-0326[1]	11/19	-	-	-	-
GTS/GTS Pro 130 11		Concord	-	-	4809-0327	12/20	4809-0327	12/20
GTI LTD/ GTI SE 08, GTI/GTI SE 130/GTI SE/ GTI STD/GTI 4-TEC SE/GTI 4-TEC STD/	155,5 mm	Concord	4809-0103	10/18	SR-CD-1119	11/19	SR-CD-1119	11/19
GTI 4-TEC RENTAL/GTI 130/GTI Rental 130	155,5 mm	Concord	4809-0325[1]	10/18	4809-0326[1]	11/19	4809-0326[1]	11/19
RXP-X 300, RXT-X 300, GTX Limited 300 16-21	161 mm	Concord	4809-0313	11/16	-	-	-	-
		Concord	4809-0298	13/16	4809-0309	13/16	-	-
		Twin	4809-0304	13/16	-	-	-	-
		Concord	4809-0308	13/18	-	-	-	-
		Concord	-	-	-	-	4809-0310	14/19
TIGERSHARK								
1100								
TS 1100R/LI 99	148 mm	Concord	-	-	-	-	PA-CD-1521	15/21
YAMAHA								
650								
SuperJet 90-93	144 mm	Super Camber (I/-/K)	-	-	-	-	YB-SC-K	15/19
701								
Wave Raider 700/Wave Deluxe/ Venture 94-97	144 mm	Concord	YB-CD-1317	13/17	YB-CD-1317	13/17	YB-CD-1418	14/18
		Concord	-	-	YB-CD-1418	14/18	-	-
		Super Camber (-/K/K)	-	-	YB-SC-K	15/19	YB-SC-K	15/19
Wave Blaster/Wave Runner GP700/ Pro VXR 93-97	144 mm	Concord	YB-CD-1317	13/17	YB-CD-1317	13/17	YB-CD-1418	14/18
		Super Camber (I/-/K)	-	-	-	-	YB-SC-K	15/19
SuperJet 94-07	144 mm	Concord	YB-CD-1317	13/17	YB-CD-1317	13/17	YB-CD-1418	14/18
		Super Camber (I/-/K)	-	-	-	-	YB-SC-K	15/19
SuperJet 08-16	144 mm	Concord	4809-0196	12/18	4809-0197	13/19	4809-0197	13/19
760								
Wave Runner GP760 97-00	144 mm	Concord	YB-CD-1317	13/17	YB-CD-1418	14/18	-	-
		Super Camber (I/-/K)	-	-	-	-	YB-SC-K	15/19
Wave Runner XL760/ Wave Venture 760 98-99, Wave Blaster II 96-97		X-Prop	YD-SC-X	13/16	YD-SC-X	13/16	-	-

[1] No seals included. Re-use original seal.

BOLD MAGENTA part numbers are new for 2022

SOLAS® IMPELLERS (CONT)

APPLICATIONS (CONT)

FITS MODEL	PUMP DIAMETER	SERIES	STOCK ENGINES PART #	STOCK ENGINES PITCH	LIMITED ENGINES PART #	LIMITED ENGINES PITCH	MODIFIED ENGINES PART #	MODIFIED ENGINES PITCH
YAMAHA (CONT)								
800								
Wave Runner GP800R 01-05, Wave Runner XL800 02-04	155 mm	Concord	YF-CD-1114	11/14	YF-CD-1114	11/14	-	-
Wave Runner GP800 98-00	144 mm	Concord	YB-CD-1418	14/18	-	-	-	-
		Super Camber (-/-/K)	-	-	-	-	YB-SC-K	15/19
Wave Runner XL800 98-99	144 mm	Concord	YB-CD-1317	13/17	YB-CD-1418	14/18	-	-
		Super Camber (I/-/K)	-	-	-	-	YB-SC-K	15/19
998								
FX-140/FX Cruiser 03-08	155 mm	Concord	YF-CD-1218	12/18	YF-CD-1319	13/19	YF-CD-1319	13/19
1049								
EX/EX Deluxe/Sport 17-20	144 mm	Concord	4809-0303	12/20	-	-	4809-0302	12/17
VX Limited/Cruiser/Deluxe/ V1/V1 Sport 16-20	155 mm	Dynafly	4809-0301	9/13	-	-	-	-
1052								
FX High Output 04-08, FX Cruiser High Output 04-08	155 mm	Dynafly	4809-0057	14/20	4809-0057	14/20	-	-
VX/VX Sport/VX Deluxe/VX Crusier 05-15	155 mm	Concord	4809-0058	18/22	4809-0058	18/22	-	-
1100								
Wave Raider 1100/	155 mm	Concord	YD-CD-1218	12/18	YD-CD-1218	12/18	YD-CD-1319	13/19
Wave Venture 1100 95-97		X-Prop	YD-SC-X	13/16	YD-SC-X	13/16	-	-
1200								
Wave Runner XLT 1200 99-05	155 mm	Concord	YF-CD-1218	12/18	YF-CD-1319	13/19	-	-
Wave Runner GP 1200R 00-02	155 mm	Concord	YF-CD-1319	13/19	YF-CD-1319	13/19	-	-
Wave Runner SUV1200 99-04	155 mm	Concord	YF-CD-1218	12/18	YF-CD-1218	12/18	-	-
Wave Runner XL1200 98-99	155 mm	Concord	YD-CD-1319	13/19	YD-CD-1319	13/19	YD-CD-1319	13/19
Wave Runner GP 1200 97-99, Wave Runner GP 1200R 99	155 mm	Concord	YD-CD-1319	13/19	YD-CD-1319	13/19	-	-
1300								
Wave Runner GP1300R 05-08	155 mm	Dynafly	4809-0057	14/20	4809-0057	14/20	-	-
Wave Runner GP1300R 03-04	155 mm	Concord	YF-CD-1319	13/19	YF-CD-1319	13/19	-	-
1812								
FZR/FZS 14-19,	160 mm	Twin	4809-0312	12/18	-	-	-	-
FX SVHO/FX Cruiser SVHO 14-19		Concord	-	-	4809-0300	13/18	-	-
		Concord	4809-0246	13/20	4809-0246	13/20	-	-
FX SVHO/FX Cruiser SVHO 14-21	160 mm	Concord	4809-0246	13/20	4809-0246	13/20	-	-
FX HO/FX Cruiser HO 09-21, VXR/VXS 11-20	155 mm	Concord	4809-0191	13/19	4809-0168	13/22	4809-0168	13/22
FX High Output 09-16	155 mm	Dynafly	4809-0140	14/21	4809-0140	14/21	-	-
SHO/SHO FZR/FZS 08	155 mm	Twin	4809-0192	14/23	-	-	-	-
SHO/SHO FZR/FZS 08-13	155 mm	Dynafly	4809-0140	14/21	4809-0140	14/21	-	-
		Concord	4809-0191	13/19	-	-	-	-
		Concord	4809-0168	13/22	4809-0168	13/22	-	-
FZR SHO/FZS SHO 08-13	155 mm	Twin	4809-0192	14/23	4809-0192	14/23	4809-0192	14/23
SEA-DOO JETBOATS								
720 (SINGLE ENGINE)								
Explorer 97, Sportster 95-98	140 mm	X-Prop	SD-SC-X	16/23	-	-	-	-
720 (DUAL ENGINES)								
Challenger 98-01, Speedster 1800, Speedster 96-97, Speedster SK 99, Sportster LT 02	140 mm	X-Prop	SD-SC-X	16/23	-	-	-	-
780 (SINGLE ENGINE)								
Challenger 95-97	140 mm	X-Prop	SD-SC-X0	16.5/23.5	-	-	-	-
780 (DUAL ENGINES)								
Challenger 1800 97-99	140 mm	X-Prop	SD-SC-X0	16.5/23.5	-	-	-	-
		Concord	SD-CD-1523	15/23	-		-	
Speedster 98-99	140 mm	Concord	SF-CD-1523	15/23	-	-	-	-
951								
Sportster LE DI 00-05	155,5 mm	Concord	ST-CD-1520	15/20	-	-	-	-

IMPELLERS continued on next page.

BOLD MAGENTA part numbers are new for 2022

SOLAS® IMPELLERS (CONT)

APPLICATIONS (CONT)

FITS MODEL	PUMP DIAMETER	SERIES	STOCK ENGINES PART #	STOCK ENGINES PITCH	LIMITED ENGINES PART #	LIMITED ENGINES PITCH	MODIFIED ENGINES PART #	MODIFIED ENGINES PITCH
SEA-DOO JETBOATS (CONT)								
1500								
180 Challenger/SE (215HP) 07-15, 205 Utopia/SE (2x215HP) 07-15, 230 Challenger/SE (2x215HP) 07-15, 230 Wake (2x215HP) 07-15, Speedster 150 (215HP) 07-15, Speedster 200 (2x215HP) 07-15, Speedster Wake (2x215HP) 06-15	159 mm	Concord	4809-0047	14/19	-	-	-	-
230 Challenger/SE (2x155HP) 07-16, 230 Wake (2x155HP) 07-15, Islandia SE (2x155HP) 07-15, Speedster 150 (155HP) 07-15, Speedster 200 (2x155HP) 04-15,	155,5 mm	Concord	SR-CD-1119	11/19	-	-	-	-
Sportster 4-Tec (155HP) 04-05	155,5 mm	Concord	4809-0326[1]	11/19	-	-	-	-
YAMAHA JETBOATS								
998 (DUAL ENGINES)								
SX 230/SR 230/AR 230 04-05	155 mm	Concord	YF-CD-1218	12/18	-	-	-	-
1052 (DUAL ENGINES)								
SX210/AR210/SR210 06-16	155 mm	Dynafly	4809-0057	14/20	-	-	-	-
SX230/AR230/SR230 06	155 mm	Concord	YF-CD-1319	13/19	-	-	-	-
SX230 HO/AR230 HO/ SR230 HO 05-16	155 mm	Dynafly	4809-0057	14/20	-	-	-	-
1200 (DUAL ENGINES)								
AR210 04-05, LS2000/LX2000 99-02,	155 mm	Concord	YD-CD-1218	12/18	-	-	-	-
LX210 03-05		X-Prop	YD-SC-X	13/16	-	-	-	-
Exciter 270 98-00	155 mm	X-Prop	YD-SC-X	13/16	-	-	-	-
XR1800 00-01	155 mm	Concord	YF-CD-1319	13/19	-	-	-	-

[1] No seals included. Re-use original seal.

IMPELLER PART # CROSS-REFERENCE CHART

SOLAS #	PARTS UNLIMITED #	SERIES
HA-CD-17/29	HA-CD-1729	Concord
KE-CD-11/16	KE-CD-1116	Concord
KE-CD-915	KE-CD-915	Concord
KF-SC-X-16/23	KF-SC-X	X-prop
KG-CD-11/17	4809-0052	Concord
KG-CD-12/18	KG-CD-1218	Concord
KG-CD-13/19	KG-CD-1319	Concord
KG-CD-14/20	4809-0053	Concord
KG-CD 14/21	4809-0316	Concord
KG-CD-15/21	4809-0054	Concord
KG-DF-12/24	4809-0034	DynaFly
KGX-CD-12/16	4809-0306	Concord
KGX-CD-15/20	4809-0305	Concord
KH-DF 16/20	KH-DF-1620	DynaFly
KP-DF-13/22	4809-0037	DynaFly
KP-DF-14/23	4809-0038	DynaFly
KP-DF-15/24	4809-0039	DynaFly
KR-CD-14/21	4809-0193	Concord
KR-CD-15/22	4809-0194	Concord
KX-CD-10/16	4809-0138	Concord
KX-CD-15/23	4809-0170	Concord
KX-CD-16/21	4809-0139	Concord
KX-CD-16/24	4809-0171	Concord
PA-CD-12/18	PA-CD-1218	Concord
PA-CD-15/21	PA-CD-1521	Concord
SD-CD 14/22	SD-CD-1422	Concord
SD-CD 15/23	SD-CD-1523	Concord
SD-SC-X-16/23	SD-SC-X	X-prop
SD-SC-X0-16.5/23.5	SD-SC-X0	X-prop
SF-CD 15/23	SF-CD-1523	Concord
SG-CD-10/16	4809-0318	Concord
SK-CD-12/17	4809-0244	Concord
SK-CD-12/14	4809-0299	Concord
SK-CD-13/18	4809-0245	Concord
SR-CD-10/18	4809-0103	Concord
SR-CD-10/18A	4809-0325	Concord
SR-CD-11/19	SR-CD-1119	Concord
SR-CD-11/19A	4809-0326	Concord
SR-CD-12/20	4809-0040	Concord
SR-CD-12/20A	4809-0327	Concord
SR-CD-13/21	4809-0041	Concord

SOLAS #	PARTS UNLIMITED #	SERIES
SRX-CD-13/18	4809-0046	Concord
SRX-CD-14/19	4809-0047	Concord
SRX-CD-15/21	4809-0060	Concord
SRZ-CD-13A/18A	4809-0156	Concord
SRZ-CD-14/19A	4809-0157	Concord
SRZ-CD-15/20A	4809-0158	Concord
SRZ-CD-15/21A	4809-0159	Concord
SRZ-TP-15/21A	4809-0256	Twin
ST-CD 10/16	ST-CD-1016	Concord
ST-CD-15/20	ST-CD-1520	Concord
ST-DF-13/19	ST-DF-1319	DynaFly
ST-SC-XO-14.5-17.5	ST-SC-XO	X-prop
SX4-CD-11/16	4809-0313	Concord
SX4-CD-13/16	4809-0298	Concord
SX4-TP-13/16	4809-0304	Twin
SXX-CD-13/16	4809-0309	Concord
SXX-CD-13/18	4809-0308	Concord
SXX-CD-14/19	4809-0310	Concord
YB-CD-13/17	YB-CD-1317	Concord
YB-CD-14/18	YB-CD-1418	Concord
YB-SC-K-15/19	YB-SC-K	Super Camber (K)
YD-CD-12/18	YD-CD-1218	Concord
YD-CD-13/19	YD-CD-1319	Concord
YD-SC-X-13/16	YD-SC-X	X-prop
YF-CD-11/14	YF-CD-1114	Concord
YF-CD-12/18	YF-CD-1218	Concord
YF-CD-13/19	YF-CD-1319	Concord
YG-DF-9/13	4809-0301	DynaFly
YG-DF-14/20	4809-0057	DynaFly
YH-CD-18/22	4809-0058	Concord
YJ-CD-12/17	4809-0302	Concord
YJ-CD-12/20	4809-0303	Concord
YQ-CD-12/18	4809-0196	Concord
YQ-CD-13/19	4809-0197	Concord
YS-CD-13/19	4809-0191	Concord
YS-CD-13/22	4809-0168	Concord
YS-DF-14/21	4809-0140	DynaFly
YS-TP-14/23	4809-0192	Twin
YV-CD-13/18	4809-0300	Concord
YV-CD-13/20	4809-0246	Concord
YV-TP-12/18	4809-0312	Twin

BOLD MAGENTA part numbers are new for 2022

SOLAS

BILLET IMPELLER SEAL/NOSE CONES

FOR SOLAS IMPELLERS

- Unique shape is hydrodynamically designed to keep water flowing next to cone and into impeller blade, reducing cavitation
- CNC-machined to precise specifications, then anodized for corrosion resistance
- Double O-ring inside keeps cone firmly in place; indented pry spots for easy removal
- Strongly recommended for high-power applications, such as the Yamaha WaveRunner GP1200R
- Please see the Solas impellers X-reference chart for series confirmation of impeller, if necessary



SLA009



4809-0061

DESCRIPTION	PART #
For Kawasaki KA, KF and KG series impellers	SLA009
For Yamaha YH, YF and YG series impellers	SLA009

DESCRIPTION	PART #
For Sea-Doo SRX series impellers	4809-0061

IMPELLER SEAL/NOSE CONES

- Genuine Solas replacement impeller seals
- To order the correct seal, look in the IMPELLER SERIES column in the chart below and find the first two letters of the PART # of the Solas impeller on which seal is to be mounted
- Please see the Solas impellers X-reference chart for series confirmation of impeller, if necessary
- Made of rubber



SL009



SL007

IMPELLER SERIES	SEAL/NOSE CONE
KAWASAKI	
KA	SL001[1]
KA	SL009[2]
KD	SL001[1]
KD	SL009[2]
KE	SL001[1]
KE	SL009[2]
KF	SL009[3]
KG	SL009[3]

IMPELLER SERIES	SEAL/NOSE CONE
KAWASAKI (CONT)	
KH	SL007
KP	SL009[3]
SEA-DOO	
SD	SL007[2]
SF	SL007
SP	SL007
ST	SL007

IMPELLER SERIES	SEAL/NOSE CONE
TIGERSHARK	
TB	SL009[3]
TC	SL009[3]
YAMAHA	
YC	SL009[3]
YD	SL009[3]
YE	SL009[3]
YF	SL009[3]
YF/YX	4809-0323

IMPELLER SERIES	SEAL/NOSE CONE
YAMAHA (CONT)	
YG	4809-0323
YH	4809-0323
YJ	4809-0323

[1] Short: 15,9 mm (5/8") L.
[2] Long: 28,6 mm (1 1/8") L.
[3] PART #SLA009 recommended for high-power applications.

WR-001



WR-004



WR-005



WR-006



WR-007H



4809-0042



3850-0409



3850-0413



PWC IMPELLER INSTALLATION TOOLS

- Make installing an impeller a snap
- To find the proper installation tool for your impeller, match the tool application to the impeller series
- Please see the Solas impellers X-reference chart for series confirmation of impeller, if necessary

DESCRIPTION	APPLICATION	PART #
Impeller tool	HA, KA, KD, KE, KF, KG, KH, KP, SD, SF, SK, ST, YH, YJ	WR-001
Impeller tool	YA	WR-003
Impeller tool	YB, YD (fits YD series Super Camber impellers I, J, K and X)	WR-004
Driveshaft holder	YB, YD (fits YD series Super Camber impellers I, J, K and X)	WR-004H
Impeller tool	KC	WR-005

DESCRIPTION	APPLICATION	PART #
Impeller tool	PA, PB, PF, PL, TA, TB	WR-006
Impeller tool	YF, YG, YD Concord, YQ	WR-007
Driveshaft holder	YF, YG, YQ Concord	WR-007H
Impeller tool	SR	4809-0042
Impeller tool	SRB, SRX, SRZ, SX/SX-4	3850-0040
Impeller tool	YV/YS impeller series	3850-0409
Impeller tool	SX/SRZ/Twin (TP) and Fly series	3850-0413

BOLD MAGENTA part numbers are new for 2022













PWC IMPELLER TOOLS

FITS MODEL	DESCRIPTION	PART #
HONDA		
AquaTrax	Splined impeller holding tool	SS-23
KAWASAKI		
Most 650/750 SC, SX, TS, X-2, Ultra 250/260/300/310 (all)	Splined impeller holding tool	SS-23
SEA-DOO		
Most models	Splined impeller holding tool	SS-23
GTX/GTX SC 1500 4-TEC and Speedster 150 Jet boat models	Multi-purpose impeller tool	3802-0013
RXP/RXT 1500 and WakePro 215	Multi-purpose impeller tool	3802-0014
YAMAHA		
Wave Runner 3, 3GP, VXR, Pro VXR, Super Jet, Wave Blaster, Wave Blaster 2, 701/760/1100 Wave Raider, 701/760/1100 Wave Venture, GP760, GP1200, Wave Runner XL760/XL1200	Splined 18 mm hex impeller removal tool	SS-32
1200 (w/ largest impeller shaft), AR230 Jet Boats	Splined 20 mm hex impeller holding tool	SS-56
SHO, HO, FZR, FZS 1812 (all)	Splined 20 mm female prop tool	3802-0036



SOLAS®
STATOR (RACE PUMP)
FOR SEA-DOO SPARK 900 14-21

- 140/75 mm race pump delivers increased acceleration and top speed
- Reduces cavitation
- Designed for high-performance applications
- Computer-designed 140/75 mm 12-vane stator section is much more efficient than the stock pump
- High-grade stainless steel construction for superior strength and corrosion resistance
- Uses the OEM bearings, seals and driveshaft

DESCRIPTION	PART #
Stator (race pump)	4809-0289

4809-0198



4809-0320



SOLAS®
JET PUMPS
FOR KAWASAKI

- All feature trim system
- Impeller not included (Solas KP series Dynafly recommended)

FITS MODEL	DESCRIPTION	PART #
800 SX-R 03-11	12-vane pump measuring 140 mm in diameter with a 74 mm hub size (HSV, impeller shaft, bearing, oil seal, nozzle, steering nozzle, trim ring)	4809-0198
900 STX 03-06/ 1100 STX 97-98/ 1100 STX-Di 01-03/ 1100 ZXi 96-03/ 1200 STX-R 02-06/ STX-12F 03-09/ STX-15F 04-20/ 1498 SX-R 17-21	12-vane pump measuring 148 mm in diameter with a 74 mm hub size (housing and stator/does not include nozzle set)	4809-0320
1498 SX-R 17-21	12-vane pump measuring 148 mm in diameter with a 74 mm hub size (housing, stator, impeller shaft, bearing, oil seal, cone, nozzle, steering nozzle and trim ring)	4809-0319

4809-0258



4809-0199



SOLAS®
STAINLESS STEEL 12-VANE PUMP STATORS
FOR YAMAHA

- Constructed of stainless steel and 6061-T6 billet aluminum, unlike the stock pumps, which are made from weaker cast aluminum, plastic and brass
- These performance pumps are a direct replacement for the inefficient OEM aluminum 6-vane stator section
- 144 mm stator requires the use of a large hub Magnum impeller PART #4809-0196 (12/18 pitch) or PART #4809-0197 (13/19 pitch); sold separately
- 148 mm stator is an upgrade intended for freestyle riders; requires use of YRS Series Concord impeller
- Use OEM Yamaha bearings and seals
- Include 12-vane stainless pump, pump cone and dual cowling with brass fittings

DESCRIPTION	PART #
700	
Superjet 08-21 (148 mm upgraded 12-vane pump stator)	4809-0258
Superjet 08-21 (144 mm 12-vane pump stator)	4809-0199[1]

[1] Spacer not required.



SOLAS®
JET PUMP
FOR SEA-DOO RXP-X 08-15, RXT IS/X 260 09-19, GTX LTD IS 260 09-21

- 14-vane stainless steel stator section and wear ring
- Suggested impeller: SRZ Concorder (159 mm dia. 83 mm hub)
- Includes matching 14-vane reduction nozzle
- Provides increased acceleration and top speed above the limits of the original pump efficiency
- Fits most iControl models

DESCRIPTION	PART #
Jet pump	4809-0255

BOLD MAGENTA part numbers are new for 2022

4809-0257



SOLAS

JET PUMP HOUSINGS

FOR YAMAHA

- Constructed of high-quality stainless steel

FITS MODEL	DIAMETER	PART #
700		
SuperJet 94-07	144 mm	4809-0252
SuperJet 08-21	148 mm	4809-0257[1]
Wave Raider 700/Wave Deluxe/Venture 94-97	144 mm	4809-0252
Wave Blaster/Wave Runner GP700/Pro VXR 93-97	144 mm	4809-0252
Wave Runner XL700	155 mm	4809-0254
760		
Wave Runner XL760/Wave Venture 760 98-99	155 mm	4809-0254
Wave Blaster 96-97	155 mm	4809-0254
800		
Wave Runner GP800R 01-05	155 mm	4809-0253
Wave Runner XL800 00-04	155 mm	4809-0253
998		
FX-140/FX Cruiser 03-08	155 mm	4809-0253
1052		
FX High Output/FX CRUISER High Output 04-08	155 mm	4809-0253
1100		
Wave Raider 1100/Wave Venture 1100 95-97	155 mm	4809-0254

FITS MODEL	DIAMETER	PART #
1200		
Wave Runner GP1200 97-99/Wave Runner GP1200R 99	155 mm	4809-0254
Wave Runner GP1200R 00-02	155 mm	4809-0253
Wave Runner SUV1200 99-03	155 mm	4809-0253
Wave Runner XL1200 98-99	155 mm	4809-0253
1300		
Wave Runner GP1300R 03-08	155 mm	4809-0253
Wave Runner XLT 1200 99-05	155 mm	4809-0253
1812		
VXR/VXS 11-20	155 mm	4809-0253
FX HO/FX CRUSIER HO 09-21	155 mm	4809-0253
FX SHO/FX Cruiser SHO 08-21	155 mm	4809-0253
FZR SHO/FZS SHO 08-21	155 mm	4809-0253
FX SVHO/FX Cruiser SVHO/FZR/FZS 14-21	160 mm	4809-0250[2]
FX SHO/FX Cruiser SHO, FZR SHO/FZS SHO 08-21	160 mm	4809-0250[2]

[1] 148 mm upgrade kit for modified engines.
[2] For 160 mm impeller only.

4807-0047



4807-0049



WSM PERFORMANCE PARTS

TRIM ROD/STEERING CABLE BALL JOINTS

- Replace OEM ball joint

FITS MODEL	OEM #	PART #
STEERING CABLE BALL JOINT		
Sea-Doo 99-11 (all)	277000775	4807-0047[1]
Sea-Doo 92-01 (all)	277000153/277000037	4807-0049[2]
Sea-Doo 97-03 (all)	277000646	4807-0050[3]

FITS MODEL	OEM #	PART #
TRIM ROD BALL JOINT		
Sea-Doo 951 GSX models 98-99	277000918	4807-0048
Sea-Doo 951 XP models 98-02	277000918	4807-0048

[1] Fits the rear of all steering cables 1/4"-28 UNF threads (later/larger).
[2] Fits the rear of all steering cables OEM #10-32 UNF threads (early/smaller).
[3] Front small thread.

4809-0221



4809-0222



BLOWSION

FREESTYLE PUMP CONES

- Designed with the freestyler in mind
- Freestyle pump cone allows the engine to rev faster for the big tricks
- The small size lets a large volume of water move through the pump with less restriction than with the stock tailcone
- Provides more low-end thrust for bigger air
- Works great with a bored-out stock nozzle to help provide even more low end
- Detailed instructions and all mounting hardware included

FITS MODEL	PART #
KAWASAKI	
SXR 800, SXi, SXi Pro (all)	4809-0221

FITS MODEL	PART #
YAMAHA	
Super Jet (all)	4809-0222

BOLD MAGENTA part numbers are new for 2022

A: PTO Boot
B: Seal Carrier Ring
C: Ring Carbone
D: Bellows
E & F: Repair Kit
G: Carriers





CLUTCH FLYWHEEL (PTO) RUBBER BOOT

FOR SEA-DOO

- Replaces OEM #272-00-001

DESCRIPTION	(A) PART #
Clutch flywheel (PTO) rubber boot	003-100



4809-0077

SEAL CARRIER RINGS

FOR SEA-DOO

- Fit in seal carrier against the carbone ring

FITS MODEL	(B) PART #
720 HX 95-97	4809-0077
800 XP 97-98	4809-0077
951 XP 98-04 (all)	4809-0077
1500 GTI 06-08	4809-0149
1500 GTX 06-08 (except 4-TEC)	4809-0150
1500 GTX 4-TEC 02-08	4809-0149
1500 RXP 04-07	4809-0150
1500 RXP 08	4809-0149
1500 RXT 05	4809-0149
1500 RXT 06-08	4809-0150
1500 Wake 155/215 08	4809-0149



4809-0147

RING CARBONE

FOR SEA-DOO

FITS MODEL	(C) PART #
All models 96-97	003-110
720 GS 01	003-110
720 GTI 01-05	003-110
720 GTS 01	003-110
720 HX 95	003-110
800 XP 97	003-110
951 GTX 01-03	003-110
951 LRV 01	003-110
951 RX 01-03	003-110
951 XP/DI 01-04	003-110
951 3D 06-07	003-110
1500 GTI 06-07	4809-0146
1500 GTX 4-TEC 02-05	4809-0146
1500 GTX 4-TEC LTD 06-07	4809-0147
1500 RXP Supercharged 04	4809-0147
1500 RXP 05-07	4809-0147
1500 RXT 05	4809-0146
1500 RXT 06-07	4809-0147

CARBONE RING KITS

FOR SEA-DOO

- High-quality carbon material
- Durable, long-lasting
- Exceeds OEM standards
- Support ring is high-strength steel and coated for long-lasting durability



4809-0225



4809-0224

FITS MODEL	PART #
720 GS 98-01	4809-0225
720 GTI 98-05	4809-0225
720 GTI LE 02-04	4809-0225
720 GTS 98-01	4809-0225
800 3D RFI 05	4809-0225
800 GSX RFI 99-00	4809-0225
800 GTI LE RFI 03-05	4809-0225
800 GTI RFI 04-05	4809-0225
800 GTX-RFI 98	4809-0225
800 GTX RFI 99-02	4809-0225
800 SPX 98-99	4809-0225
800 XP 97	4809-0225
947 3D DI 06-07	4809-0225
951 GSX Limited 97-99	4809-0225
951 GTX 00-02	4809-0225
951 GTX DI 00-03	4809-0225
951 GTX Limited 98-99	4809-0225
951 LRV 00-01	4809-0225
951 LRV DI 02	4809-0225
951 RX 00-02	4809-0225
951 RX DI 00-03	4809-0225
951 RX X 01	4809-0225
951 XP 00-01	4809-0225
951 XP DI 03-04	4809-0225
951 XP Limited 98	4809-0225
1503 GTI 06-07	4809-0223
1503 GTI 130 08-13	4809-0223
1503 GTI 155 08-13	4809-0223
1503 GTS 130 11-13	4809-0223
1503 GTX 02-07	4809-0223
1503 GTX 155 08-09	4809-0223
1503 RXP NA 07	4809-0223
1503 RXT 05	4809-0223
1503 Wake 155 08-13	4809-0223
1503 Wake 215 08	4809-0223
1503 GTR 215 12-13	4809-0224
1503 GTX 155 10-13	4809-0224
1503 GTX 215 08-13	4809-0224
1503 GTX 255 06-09	4809-0224
1503 GTX Limited 06-07	4809-0224
1503 GTX Limited 255 09	4809-0224
1503 GTX Limited 260 10-13	4809-0224
1503 RXP 04-07	4809-0224
1503 RXP 215 08-09	4809-0224
1503 RXP 255 09-11	4809-0224
1503 RXP 260 12-13	4809-0224
1503 RXT 06-07	4809-0224
1503 RXT 215 08-10	4809-0224
1503 RXT 255 08-09	4809-0224
1503 RXT 260 10-13	4809-0224
1503 Wake Pro 215 09-13	4809-0224

BOLD MAGENTA part numbers are new for 2022

DRIVE SHAFT BELLOWS

FOR SEA-DOO



4809-0209



4809-0106



4809-0208

- OEM replacement parts

FITS MODEL	(D) PART #
580 SP/SPX/SPI/XP 93-95	4809-0209
650 XP 94-95	4809-0209
720 GTI 02-05	4809-0106
800 XP 95	4809-0209
800 GTI RFI/LE RFI 03-05	4809-0106
951 GTX/GTX DI 02-03	4809-0106
951 LRV DI 02	4809-0106
951 RX/RX DI 02-03	4809-0106

FITS MODEL	(D) PART #
951 XP/XP DI 02-04	4809-0106
951 3D RFI 05-06	4809-0106
1503 GTI 06 (all)	4809-0105
1503 GTX 4-TEC 02-06 (all)	4809-0105
1503 RXP/RXT 04-09	4809-0208
1503 RXT 05	4809-0105
1503 GTX 06-09 (all)	4809-0208
1503 RXP/RXT 07-09	4809-0106

SEAL CARRIERS

FOR SEA-DOO



303-115



4809-0076

FITS MODEL	(E,F) COMPLETE ASSEMBLY PART #	(G) SEAL CARRIER PART #
580/650/720/800 90-96 models without carbone ring	4809-0010	003-115
720 HX 95-97, 800 XP 800 97, 800 3D RFI 05, 951 XP LTD 98, 951 XP 02, 951 XP DI 03-04, 951 3D DI 06	4809-0051	003-116

REPAIR KIT FOR SEA-DOO HX/XP MODELS

DESCRIPTION	PART #
Repair kit	4809-0076



4809-0024



4809-0022



4809-0023

IMPELLER THRUST WASHER AND BEARINGS

FOR SEA-DOO

FITS MODEL	DESCRIPTION	PART #
580/650/720 (all)	Washer	4809-0024
720/800/951 98-01 (all)	Bearings	4809-0022
951 02-04 (all)	Bearings	4809-0023



003-350

DRIVE SHAFT BUMPERS

FOR SEA-DOO

- Replace OEM drive shaft bumpers

FITS MODEL	OEM #	PART #
580/650/720 HX/XP models	292-000-019	003-350
1503 03-12 (all)	272-000-173	4809-0213



THROUGH HULL REPAIR FITTING

FOR SEA-DOO IMPELLER SHAFT

- Impeller shaft hull holes often increase in size with wear; this oversize fitting solves the problem
- Replaces OEM #292-000-075

DESCRIPTION	PART #
Thru-hull repair fitting	011-112



JET PUMP FITTING

FOR ALL SEA-DOO MODELS 90-00

- Replaces OEM #293-700-019

DESCRIPTION	PART #
Jet pump fitting	4809-0109



BAILER FITTING

FOR ALL SEA-DOO MODELS 90-00

- Replaces OEM #293-700-017

DESCRIPTION	PART #
Bailer fiting	4809-0108

BOLD MAGENTA part numbers are new for 2022

4809-0078



4809-0086





4809-0089



COUPLERS

- Durable, lightweight aluminum coupler machined to precise tolerances
- Cast aluminum construction provides excellent performance at an economical price
- Sold each

FITS MODEL	THREAD	PART #
KAWASAKI		
550SX 90-95	18 mm	4809-0078
650 (all)	18 mm	4809-0078
750 92-94 (all)	18 mm	4809-0078
750 95-02 (all)	20 mm	4809-0079
800 (all)	20 mm	4809-0079
900 (all)	24 mm	4809-0080
1100 (all)	24 mm	4809-0081
Ultra 150	-	4809-0082

FITS MODEL	THREAD	PART #
YAMAHA		
3 finger (OEM #6M6-45813-009M)	20 mm	4809-0085
3 finger (OEM #6R7-45813-11-CA)	24 mm	4809-0086
3 finger (Crank shaft) (OEM #6M6-45813-32-8P)	27 mm	4809-0172
5 finger (OEM #63M-45813-01-9M)	27 mm	4809-0089
800/1200/1300 99-06 (OEM #66E-45813-10-94)	-	4809-0133
800/1200/1300 99-06 (OEM #68N-45593-00-94)	-	4809-0134
FX/FXHO 99-06 (OEM #66E-45813-10-94)	-	4809-0133
FX/FXHO 99-06 (OEM #68N-45593-00-94)	-	4809-0134

003-201



4809-0212



HIGH-PERFORMANCE COUPLER DAMPERS

- Rubber coupler damper for WSM billet coupler kits or OEM replacement

FITS MODEL	PART #
KAWASAKI	
650/750/900 (all)	003-201
1100 (all)	4809-0083
Ultra 150	4809-0084

FITS MODEL	PART #
SEA-DOO	
720 HX 95-97	4809-0212
YAMAHA	
All 3-finger couplers	003-206
All 5-finger couplers	4809-0090

FITS MODEL	PART #
YAMAHA (CONT)	
800/1200/1300 99-08	4809-0132
FX/FXHO 99-08	4809-0132
VX110 05-10	4809-0132

4809-0228



4809-0230



JET PUMP ASSEMBLIES

FOR SEA-DOO

- Complete kit to replace a worn-out jet pump assembly (does not include propeller)
- Hardened shaft, durable bearings and seals exceed OEM standards

FITS MODEL	PART #
580 (all models) 89-96	4809-0227
650 (all models) 93-95	4809-0227
720 (all models) 95-98	4809-0227
720 GTI 02-05	4809-0228
720 GTI LE 02-04	4809-0228
800 (carb. models) 95-98	4809-0227
800 GSX RFI 99-00	4809-0227

FITS MODEL	PART #
800 GTX RFI 99-02	4809-0227
800 GTI RFI 04	4809-0228
800 RFI 05	4809-0228
951 GSX/GTX Limited 99	4809-0228
951 GTX DI 03	4809-0228
951 LRV DI 02	4809-0228
951 RX DI 02	4809-0228

FITS MODEL	PART #
951 XP DI 03-04	4809-0228
1503 w/ 155,5 mm pump/ 22 mm driveshaft 04-08	4809-0229
1503 w/ 159 mm pump/ 27 mm driveshaft 04-08	4809-0230
4-TEC w/ 155,5 mm pump/ 22 mm driveshaft 09-12	4809-0231

BOLD MAGENTA part numbers are new for 2022



WSM PERFORMANCE PARTS

DRIVE SHAFT REPAIR KITS

• Kit includes bearings, O-rings and oil seals

FITS MODEL	PART #
KAWASAKI	
650/750/900/1100/1200 Ultra 150	4809-0029
SEA-DOO	
900 14-19	4809-0324

FITS MODEL	PART #
YAMAHA	
1000 WaveRunner FX140 02-04	4809-0167
1100 WaveRunner VX 04	4809-0167
1100 WaveRunner VX 05-09	4809-0166





VERTEX PISTON & GASKET FORMERLY WINDEROSA

DRIVE SHAFT SEAL KITS

• Improvement from OEM equipment

FITS MODEL	PART #
KAWASAKI	
Ultra 130 01-04	0935-1118
Ultra 150 99-05	0935-1118
Ultra 310LX/R/X 14-17	0935-1118
JS550 SX 90-95	0935-1118
JS650 86-96	0935-1118
JS650 SX 87-93	0935-1118
JH750 SS 92-97	0935-1118
JH750 XI 93-99	0935-1118
JH750 ZXI 95-97	0935-1118
JS750 SX 92-96	0935-1118
JS750 SXI 96-97	0935-1118
JS750 SXI PRO 98-02	0935-1118
JT750 ST 93-95	0935-1118
JT750 STS 95-97	0935-1118
JT750 STX 98	0935-1118
JS800 SX-R 03-11	0935-1118
JH900 ZXI 95-97	0935-1118
JT900 STS 01-02	0935-1118
JT900 STX 97-06	0935-1118
JH1100 ZXI 96-03	0935-1118
JT1100 STX 97-99	0935-1118
JT1100 STX DI 00-03	0935-1118
JT1200 STX-12F 03-07	0935-1118
JT1200 STX-R 02-05	0935-1118
JT1500 STX-15F 04-17	0935-1118
JT1500 Ultra 250X 07-08	0935-1118
JT1500 Ultra 260 LX/X 09-10	0935-1118
JT1500 Ultra 300 LX 11-13	0935-1118
JT1500 Ultra 300X 11-13	0935-1118
JT1500 Ultra LX 07-17	0935-1118
POLARIS	
Genesis I 01-04	0935-1130
Virage 00-04	0935-1130
Virage I 02-04	0935-1130
Virage TX 00-02	0935-1130
Virage TXI 01-02	0935-1130
SL650 92-95	0935-1130
Freedom 700/SLH700 01-04	0935-1130
Hurricane 700 96-97	0935-1130
SL700 96-97	0935-1130
SLH700/SLTH700 98-00	0935-1130
SLT700 96-97	0935-1130
SL750/SLT750 93-95	0935-1130

FITS MODEL	PART #
POLARIS (CONT)	
SL780/SLT780 96-97	0935-1130
SLX780 95-96	0935-1130
SLX Pro 785 97-00	0935-1130
SL900 96-97	0935-1130
SL1050 97	0935-1130
SLTX1050 96-99	0935-1130
SLXH 1050 98	0935-1130
SLX1050 99	0935-1130
Genesis/Pro 1200 99-02	0935-1130
YAMAHA	
500 Wave Runner/Wave Jammer 87-93	0935-1119
650 Super Jet 90-92	0935-1121
650 Super Jet I 93	0935-1121
650 Wave Runner III 91	0935-1121
650 Wave Runner LX 90-93	0935-1119
650 Wave Runner VXR 93-95	0935-1121
700 FX1 94-95	0935-1121
700 Super Jet 94-95	0935-1121
700 Wave Blaster 93-96	0935-1121
700 Wave Runner PRO VXR 93-94	0935-1121
SJ700 Super Jet 96-17	0935-1121
760 Wave Blaster II 96-97	0935-1121
760 Wave Raider 96-97	0935-1121
760 Wave Venture 97	0935-1121
GP760 Wave Runner 97	0935-1121
GP800 Wave Runner 01-05	0935-1121
XL800 Wave Runner 01	0935-1121
XLT800 Wave Runner 02-05	0935-1121
EX1050 EX Wave Runner 17-18	0935-1121
1100 VX Wave Runner 07-09	0935-1121
1100 VX110 Wave Runner 05-06	0935-1121
GP1200 Wave Runner 00-02	0935-1121
SUV1200 Wave Runner 99-04	0935-1121
XL1200 Wave Runner 99-05	0935-1121
GP1300 Wave Runner 03-08	0935-1121
1800 FX HO Wave Runner 12-18	0935-1129
1800 FX SHO Wave Runner 08-16	0935-1129
1800 FX SVHO Wave Runner 16-18	0935-1129
1800 FZR/FZS Wave Runner 09-16	0935-1129
1800 VX HO Wave Runner 17-18	0935-1129
1800 VXR/VXS Wave Runner 11-17	0935-1129
1800 VXR Wave Runner 18	0935-1129
GP1800 Wave Runner 17-18	0935-1129

BOLD MAGENTA part numbers are new for 2022

VERTEX PISTON & GASKET (FORMERLY WINDEROSA)



JET PUMP SEAL KITS

- Improved performance over stock OEM equipment

FITS MODEL	PART #
KAWASAKI	
Ultra 150 03-05	0935-1123
Ultra 310 LX/R/X 14-17	0935-1123
JH750 XI 93-99	0935-1117
JH750/900 ZXI 95-97	0935-1116
JS750 SXI 96-97	0935-1117
JS750 SXI PRO 98-02	0935-1117
JT750 ST 93-94	0935-1117
JT750 ST/STS 95	0935-1117
JT750 STS 96-97	0935-1117
JT750 STX 98	0935-1117
JS800 SX-R 03-11	0935-1117
JT900 STS 01-02	0935-1116
JT900 STX 99-00	0935-1116
JT900 STX 05-06	0935-1123
JT1200 STX-12F 05-07	0935-1123
JT1200 STX-R 05	0935-1123
JT1500 STX-15F 05-17	0935-1123
JT1500 Ultra LX 07-17	0935-1123
JT1500 Ultra 250X 07-08	0935-1123
JT1500 Ultra 260 LX/X 09-10	0935-1123
JT1500 Ultra 300LX 11-13	0935-1123
JT1500 Ultra 300X 11-13	0935-1123
POLARIS	
Genesis I 01-04	0935-1131
Virage 00-04	0935-1131
Virage I 02-04	0935-1131
Virage TX 00-02	0935-1131
Virage TXI 01-02	0935-1131
MSX 110/150 04	0935-1131
MSX 140 03-04	0935-1131
SL650 94-95	0935-1131
Freedom/SLH 700 01-04	0935-1131
Hurricane 700 96-97	0935-1131
SL700/780 96-97	0935-1131
SLT700 96-97	0935-1131
SLH/SLTH 700 98-00	0935-1131
SL/SLT 750 94-95	0935-1131
Octane 777 Stand-up 02-04	0935-1131
SLT 780 96-97	0935-1131
SLX 780 95-96	0935-1131
SLX Pro 785 97-00	0935-1131
SL900 96-97	0935-1131
SL1050 97	0935-1131
SLHX 1050 98	0935-1131
SLTX 1050 96-99	0935-1131
SLX1050 99	0935-1131
Genesis/Pro 1200 99-02	0935-1131
SEA-DOO	
GTI/GTS 90 ACE 18	0935-1124
150 Speedster 155 Jet Boat 07-12	0935-1124
150 Speedster 215 Jet Boat 07-09	0935-1124
150 Speedster 255 Jet Boat 09-12	0935-1124
180 Challenger 215 Jet Boat 07-12	0935-1124
180 Challenger 215 SC/SCIC Jet Boat 05	0935-1124
180 Challenger SE 215 Jet Boat 07-09, 12	0935-1124
180 Challenger SE 255 Jet Boat Twin Engine 12	0935-1124
180 SP 260 Jet Boat Twin Engine 12	0935-1124
200 Speedster 155 Jet Boat Twin Engine 05, 07-08	0935-1124
200 Speedster 215 Jet Boat Twin Engine 07-11	0935-1124
200 Speedster 255 Jet Boat Twin Engine 12	0935-1124
200 Speedster Jet Boat Twin Engine 04	0935-1124
205 Utopia 155 Jet Boat Twin Engine 07-09	0935-1124

FITS MODEL	PART #
SEA-DOO (CONT)	
205 Utopia SE 215 Jet Boat Twin Engine 07-09	0935-1124
210 Challenger 155 Jet Boat Twin Engine 10-12	0935-1124
210 Challenger 215 Jet Boat Twin Engine 10	0935-1124
210 Challenger 255 Jet Boat 12	0935-1124
210 Challenger S 255 Jet Boat 12	0935-1124
210 Challenger SE 155 Jet Boat Twin Engine 10-12	0935-1124
210 Challenger SE 215 Jet Boat Twin Engine 11-12	0935-1124
210 SP 155/215 Jet Boat Twin Engine 12	0935-1124
210 Wake 155/215 Jet Boat Twin Engine 10-12	0935-1124
220 Islandia 155 Jet Boat Twin Engine 06-07	0935-1124
230 Challenger 155 Jet Boat Twin Engine 07-12	0935-1124
230 Challenger 215 Jet Boat Twin Engine 07	0935-1124
230 Challenger SE 155 Jet Boat Twin Engine 11-12	0935-1124
230 Challenger SE 215 Jet Boat Twin Engine 08-12	0935-1124
230 Challenger SE 255 Jet Boat Twin Engine 09-12	0935-1124
230 Challenger SP 155/215 Jet Boat Twin Engine 09-10	0935-1124
230 Challenger Wake 155/215 Jet Boat Twin Engine 07	0935-1124
230 SP 215 Jet Boat Twin Engine 11-12	0935-1124
230 SP 255 Jet Boat Twin Engine 12	0935-1124
230 Wake 155 Jet Boat Twin Engine 08	0935-1124
230 Wake 215 Jet Boat Twin Engine 08-09	0935-1124
230 Wake 215 Jet Boat Twin Engine 12	0935-1124
230 Wake 255 Jet Boat Twin Engine 09, 12	0935-1124
230 Wake SE 215/255 Jet Boat Twin Engine 10-11	0935-1124
4-TEC GTI 130 155 06-18	0935-1124
4-TEC GTR 215 12-17	0935-1124
4-TEC GTR 230 17-18	0935-1124
4-TEC GTS 130 155 11-17	0935-1124
4-TEC GTX 155 02-18	0935-1124
4-TEC GTX 155 38CS 38CR 12	0935-1124
4-TEC GTX 215 08-13	0935-1124
4-TEC GTX 215 42CS 12	0935-1124
4-TEC GTX 230 18	0935-1124
4-TEC GTX iS 215 10-11	0935-1124
4-TEC GTX LTD 215 05-16	0935-1124
4-TEC GTX LTD 230 17	0935-1124
4-TEC GTX LTD iS 260 12-17	0935-1124
4-TEC GTX LTD iS 260 18 CS 12	0935-1124
4-TEC GTX LTD iS/RXT iS 255 09	0935-1124
4-TEC GTX LTD SC 185 05	0935-1124
4-TEC GTX SC 185 06	0935-1124
4-TEC GTX Special Supercharged 185 04	0935-1124
4-TEC GTX Wake 155 03-07	0935-1124
4-TEC GTX Wake 215 07	0935-1124
4-TEC GTX/GTX LTD Supercharged 185 03-04	0935-1124
4-TEC RXP 155 07-08	0935-1124
4-TEC RXP 215 04-09	0935-1124
4-TEC RXP 255 08-11	0935-1124
4-TEC RXP 260 12-15	0935-1124
4-TEC RXT 215 05-10	0935-1124
4-TEC RXT 230 18	0935-1124
4-TEC RXT 255 08-09	0935-1124
4-TEC RXT 260 10-17	0935-1124

FITS MODEL	PART #
SEA-DOO (CONT)	
4-TEC RXT 260 17CS 12	0935-1124
4-TEC Wake 155 08-18	0935-1124
4-TEC Wake 215 08	0935-1124
4-TEC Wake Pro 215 10-16	0935-1124
4-TEC Wake Pro 230 17-18	0935-1124
430 Islandia SE 215 Jet Boat Twin Engine 08	0935-1124
900 ACE Spark 14-18	0935-1124
900 Ace Spark HO/TRIXX 18	0935-1124
900 GTI/GTR/GTS/ACE 17	0935-1124
YAMAHA	
500 Wave Runner/Wave Jammer 87-93	0935-1120
650 Super Jet 90-92	0935-1122
650 Super Jet I 93	0935-1122
650 Wave Runner III 90-96	0935-1122
650 Wave Runner LX 90-93	0935-1120
650 Wave Runner VXR 93-95	0935-1122
700 FX1 94-95	0935-1122
700 Super Jet 94-95	0935-1122
700 Wave Blaster 93-96	0935-1122
700 Wave Raider 94-97	0935-1122
700 Wave Runner III 94-97	0935-1122
700 Wave Runner PRO VXR 93-94	0935-1122
700 Wave Venture 95-98	0935-1122
SJ700 Super Jet 96-17	0935-1122
XL700 Wave Runner 99-04	0935-1122
760 Wave Blaster II/Wave Raider 96-97	0935-1122
760 Wave Venture 97	0935-1122
GP760 Wave Runner 97-00	0935-1122
XL760 Wave Runner 98-99	0935-1122
GP800 Wave Runner 98-00	0935-1122
GP800 Wave Runner 01-05	0935-1125
XL800 Wave Runner 00-01	0935-1125
XLT800 Wave Runner 02-05	0935-1125
FX1000 FX140 Wave Runner 02-08	0935-1125
EX1050 EX Wave Runner 17-18	0935-1122
VX1050 V1 Wave Runner 16	0935-1125
VX1050 VX Wave Runner 16-18	0935-1125
1100 V1 Wave Runner 15	0935-1126
1100 VX Wave Runner 07-15	0935-1126
1100 VX110 Wave Runner 05-06	0935-1126
1100 Wave Runner FX HO 04-08	0935-1125
1100 Wave Raider 95-96	0935-1122
1100 Wave Venture 96-97	0935-1122
GP1200 Wave Runner 97-99	0935-1122
GP1200 Wave Runner 00-02	0935-1125
SUV1200 Wave Runner 99	0935-1122
SUV1200 Wave Runner 00-04	0935-1125
XL 1200 Wave Runner 98	0935-1122
XL1200 Wave Runner 99-00	0935-1125
XLT1200 Wave Runner 01-05	0935-1125
GP1300 Wave Runner 03-08	0935-1125
1800 FX HO Wave Runner 12-18	0935-1127
1800 FX SHO Wave Runner 08-16	0935-1127
1800 FX SVHO Wave Runner 16-18	0935-1128
1800 FZR/FZS Wave Runner 09-13	0935-1127
1800 FZR/FZS Wave Runner 14-16	0935-1128
1800 VX HO Wave Runner 17	0935-1128
1800 VX HO Wave Runner 18	0935-1127
1800 VXR Wave Runner 18	0935-1128
1800 VXR/VXS Wave Runner 11-17	0935-1127
GP1800 Wave Runner 17-18	0935-1128

BOLD MAGENTA part numbers are new for 2022





JET PUMP REPAIR KITS

• Kit includes bearings, O-rings and oil seals

FITS MODEL	PART #
KAWASAKI	
650 (all)	4809-0026
750 (all except ZXI 95-97)	4809-0026
750 ZXI 95-97	4809-0027
800 (all)	4809-0026
900 STS 01-02	4809-0027
900 STX 01-03	4809-0028
900 ZXi 95-97	4809-0027
1100 (all except Ultra 130)	4809-0028
1100 Ultra 130 01-04	4809-0164
1200 STX-R 02-04	4809-0028
1200 STX-12F 03	4809-0028
1200 STX-R 05	4809-0142
1200 STX-12F 05-08	4809-0142
1200 Ultra 150 99-02	4809-0164
1200 Ultra 150 03-05	4809-0165
1500 STX-15F 04	4809-0028
1500 STX-15F 05-10	4809-0142
1500 STX-15F 11-14	4809-0219
POLARIS	
All models 94-03	4809-0111
SEA-DOO	
580 GT 90-91	4809-0032
580 GTS 92-96	4809-0032
580 GTX 92-94	4809-0032
580 SP 89-96	4809-0032
580 SPI 93-96	4809-0032
580 SPX 93	4809-0032
580 XP 91-93	4809-0032
650 GTX 93-94	4809-0032
650 SPX 94-95	4809-0033
650 XP 94	4809-0033
650 XPi 94	4809-0033
720 GS 97-01	4809-0033
720 GSI 97	4809-0033

FITS MODEL	PART #
SEA-DOO (CONT)	
720 GTi 96-00	4809-0033
720 GTi 01-04	4809-0110
720 GTi LE 02-04	4809-0110
720 GTS 98-01	4809-0033
720 GTS 01	4809-0110
720 HX 95-97	4809-0033
720 SP 97	4809-0033
720 SPX 96	4809-0033
720 XP 95	4809-0033
800 GSX 96-98	4809-0033
800 GSX RFI 99-00	4809-0033
800 GTi RFI 04	4809-0110
800 GTX 95-00	4809-0033
800 GTX RFI 98-02	4809-0033
800 SPX 97-99	4809-0033
800 XP 95-97	4809-0033
900 Spark 14-15/Spark HO 15	4809-0264
951 GSX 98	4809-0033
951 GSX LTD 98	4809-0033
951 GSX LTD 99	4809-0110
951 GTX 98-00	4809-0033
951 GTX 00-03 (all)	4809-0110
951 XP LTD 98	4809-0033
LRV 00-02 (all)	4809-0110
RX/RX DI 00-03	4809-0110
XP 99-04 (all)	4809-0110
1500 GTX 4-TEC 02-03 (all)	4809-0143
1500 GTX 4-TEC 04-10 (all)	4809-0144
1500 Sportster 4-TEC 04-06 (all)	4809-0144
RXP/RXT 06-10	4809-0144
YAMAHA	
650 Super Jet 90-95	4809-0113
650 WaveRunner III 90-92, 96	4809-0113
650 WaveRunner III 95	4809-0031

FITS MODEL	PART #
YAMAHA (CONT)	
650 WaveRunner VXR 91-92, 95	4809-0113
701 FX1 94-95	4809-0113
701 Super Jet 96-12	4809-0113
701 WaveBlaster 93-96	4809-0113
701 WaveRaider 95-97	4809-0031
700 WaveRunner II 94-96	4809-0031
701 WaveRunner VXR Pro 93-94	4809-0113
701 WaveRunner XL 99-03	4809-0031
701 WaveRunner XL 04	4809-0145
701 WaveVenture 95	4809-0113
701 WaveVenture 96	4809-0031
701 WaveVenture 98	4809-0145
701 WaveRaider 95-97	4809-0113
760 WaveBlaster 96-97	4809-0113
760 WaveRunner GP 99-00	4809-0145
760 WaveRunner XL 98-99	4809-0031
760 WaveBlaster 96	4809-0031
760 WaveRaider 97-98	4809-0145
760 WaveVenture 97	4809-0031
800 WaveRunner GP 98-00	4809-0145
800 WaveRunner GP 01-05	4809-0112
800 WaveRunner XL 00-01	4809-0112
800 WaveRunner XLT 02-04	4809-0112
1000/1100 WaveRunner FX140/ Cruiser 02-08	4809-0112
1100 WaveRaider 95-96	4809-0031
1100 WaveRunner VX110 05-09	4809-0155
1100 WaveVenture 96-97	4809-0031
1200 WaveRunner GP 97-99	4809-0145
1200 WaveRunner GP1200R 99-02	4809-0112
1200 WaveRunner SUV 99-04	4809-0112
1200 WaveRunner XL 98	4809-0145
1200 WaveRunner XL/XLT 99-05	4809-0112
1300 WaveRunner GP1300R 03-08	4809-0112



CLUTCH FLYWHEELS (PTO)

FOR SEA-DOO

• Lightweight version available for some models

FITS MODEL	PART #
580 (all)	003-125
580/650/720 (all) (lightweight version)	4809-0092
650/720 (all except XP 93)	003-126

FITS MODEL	PART #
800 96-02 (all w/ coarse thread)	003-127
800 96-02 (all) (lightweight version)	4809-0093
951 (all)	4809-0091

BOLD MAGENTA part numbers are new for 2022



4809-0013



4809-0216



4809-0214



4809-0217

JET PUMP IMPELLER SHAFT BEARING HOUSINGS AND ASSEMBLIES

- Assembly comes with bearing and seals installed

FITS MODEL	PART #
KAWASAKI	
650/750/900/1100 (all, housing only)	003-405
650/750/900/1100 (all, complete assembly)	4809-0013
YAMAHA	
701/760/800/1100/1200 (all, complete assembly)	4809-0012
650 Superjet 92-93 (complete assembly)	4809-0216
650 Wave Runner III 93 (complete assembly)	4809-0216
650 Wave Runner III 95-96 (complete assembly)	4809-0216
650 Superjet 92-93 (housing only)	4809-0215

FITS MODEL	PART #
YAMAHA (CONT)	
650 Wave Runner III 93 (housing only)	4809-0215
650 Wave Runner III 95-96 (housing only)	4809-0215
701 VXR Pro 93-94 (housing only)	4809-0214
701 Wave Blaster 93-94 (housing only)	4809-0214
701 Wave Raider 94 (housing only)	4809-0214
701 Wave Runner 94 (housing only)	4809-0214
701 FX1 94-95 (housing only)	4809-0214
1100 VX 05-09 (all, housing only)	4809-0217



DRIVESHAFT UPGRADE KIT FOR SEA-DOO

- Change OE-style O-ring driveshaft to clip-style driveshaft
- Exceed OEM standards and performance

FITS MODEL	PART #
1503 GTX 215 09	4809-0226
1503 GTX Limited IS 255 09	4809-0226
1503 RXT 215 09-10	4809-0226

FITS MODEL	PART #
1503 RXT IS 255 09	4809-0226
1503 Wake Pro 215 09-10	4809-0226
1503 GTX Limited IS 260 10	4809-0226

FITS MODEL	PART #
1503 RXT X 260 10	4809-0226
1503 RXT X 260 RS 10	4809-0226



4809-0014



4809-0210

DRIVE SHAFTS

FITS MODEL	PART #
POLARIS	
650/700 SL 96-99	4809-0122
700 SLH 98-01	4809-0121
700 SLT 96	4809-0122
700 SLT 97	4809-0121
700 SLTH 99	4809-0121
700 Virage 00	4809-0121
750/780 SL 92-99	4809-0122
780 SLT 96-97	4809-0121
780 SLX 96	4809-0121
785 SLX 97-98	4809-0122
900 SL 96	4809-0121
1050 SL 97	4809-0121
1050 SLTX 96-99	4809-0121
1050 SLX 99	4809-0121
1050 SLXH 98	4809-0121
1200 Genesis/I 01-03	4809-0122
1200 SLX 00	4809-0121
1200 Virage TX 00	4809-0121
SEA-DOO	
580 Yellow 89-91	4809-0014
580 GTS, GTX 92-93	4809-0014
580 GTS 94	4809-0014
580 GTS 95	4809-0096
580 GTS 96	4809-0015
580 SP, SPI, SPX 93-94	4809-0014
580 SP 95	4809-0014
580 SPI 95	4809-0096
580 SP, SPI 96	4809-0015
650 GTX 94	4809-0014
650 GTX 95	4809-0096

FITS MODEL	PART #
SEA-DOO (CONT)	
650 SPX 95	4809-0096
650 XP 93	4809-0014
650 XP, XPI 94	4809-0014
720 GS 97-98	4809-0095
720 GSi 97	4809-0095
720 GTI 96	4809-0015
720 GTI 97-00	4809-0017
720 GTI 01-04	4809-0095
720 GTS 97-00	4809-0015
720 GTS 01	4809-0095
720 SP 97	4809-0015
720 SPX 96	4809-0015
720 HX 95-97	4809-0210
800 GTX 96	4809-0211
800 GSX 96-97	4809-0095
800 GSX RFI 99-01	4809-0095
800 GTX 97	4809-0017
800 GTX RFI 98-01	4809-0017
800 SPX 97-98	4809-0095
800 XP 96	4809-0095
951 GSX 98	4809-0016
951 GSX LTD 99	4809-0016
951 RX, RX DI 00-03	4809-0016
951 GTX LTD 98-99	4809-0128
951 GTX 00-02	4809-0128
951 GTX DI 00-03	4809-0128
951 LRV 00-01	4809-0128
1500 GTI 06-07	4809-0124[1]
1500 GTX 4-TEC 04	4809-0123

FITS MODEL	PART #
SEA-DOO (CONT)	
1500 GTX 4-TEC Supercharged/ Wakeboard 06-08	4809-0124[1]
1500 RXP/Supercharged 04-08	4809-0125
1500 RXT 06-08	4809-0126[2]
1500 Wake 06-07	4809-0126[2]
YAMAHA	
650 Super Jet 90-95	4809-0151
650 WaveRunner III 90-96	4809-0131
701 Super Jet 96-07	4809-0151
701 WaveBlaster 93-96	4809-0130
701 WaveRaider 94-97	4809-0131
701 WaveRaider Deluxe 95	4809-0131
701 WaveRunner III 94-97	4809-0131
701 WaveVenture 95-96	4809-0131
760 WaveRaider 96	4809-0131
800 WaveRunner GP 02-05	4809-0153
800 WaveRunner XL 00-01	4809-0152
800 WaveRunner XLT 02-04	4809-0153
1000 WaveRunner FX/ FX140 Cruiser 05-08	4809-0153
1100 WaveRunner FX/FX140 HO 02-06	4809-0153
1200 WaveRunner GP 00-01	4809-0152
1200 WaveRunner SUV 99-01	4809-0152
1200 WaveRunner SUV 02-04	4809-0153
1200 WaveRunner XL 99-00	4809-0152
1200 WaveRunner XL/XLT 01-05	4809-0153
1300 WaveRunner GP 03-08	4809-0152
1300 WaveRunner SUV 03-04	4809-0152

[1] Only for OEM #271001534.
[2] Only for OEM #s 271001719, 271001550.

BOLD MAGENTA part numbers are new for 2022





IMPELLER PUMP SHAFTS

FITS MODEL	PART #
KAWASAKI	
650/750 (all except ZXi)	003-107
750ZXi (all)	003-109
900 (all)	003-109
900 STX 01-06	003-109
1100 ZXi 96-03	003-109
1100 STX 97-99	003-109
1100 STX Di 00-03	003-109
1100 Ultra 130 01-04	4809-0163

FITS MODEL	PART #
KAWASAKI (CONT)	
1200 STX-R 02-05	003-109
STX-12F 03-06	003-109
1200 Ultra 150 00-05	4809-0163
STX-15F 04-06	003-109
SEA-DOO	
580/650/720/800 (all)	003-106[1]
951 97-98	003-108
951 99-06	4809-0011

FITS MODEL	PART #
SEA-DOO (CONT)	
1500 GTX 4-TEC 02-03	4809-0119
1500 GTX 4-TEC 04-08	4809-0120
TIGERSHARK	
640/900/1000 Monte Carlo 96-97	4809-0118
640/644 Montego/Dlx 97	4809-0118
770 Daytona 96-97	4809-0118

[1] Only replaces OEM #271-000-291.



COUPLER SHAFTS

FOR YAMAHA

FITS MODEL	PART #
650 SJ 90-95	4809-0025
650 WaveRunner III 90-96	4809-0072
701 WaveRaider 94-97	4809-0072
701 SJ 96-12	4809-0025
701 WaveVenture 95-98	4809-0068
701 WaveRunner III 94-97	4809-0072
701 WaveRunner XL 99-04	4809-0068
760 WaveBlaster 96-97	4809-0071

FITS MODEL	PART #
760 WaveRaider 96	4809-0072
760 WaveVenture 97	4809-0068
760 WaveRunner XL 98-00	4809-0068
800 WaveRunner GP 02-05	4809-0154
800 WaveRunner GP 01	4809-0070
800 WaveRunner XL 00-01	4809-0070
800 WaveRunner XLT 02-04	4809-0154
1200 WaveRunner GP 00-01	4809-0070

FITS MODEL	PART #
1200 WaveRunner GP 02	4809-0154
1200 WaveRunner SUV 01	4809-0070
1200 WaveRunner SUV 02-04	4809-0154
1200 WaveRunner XL 00	4809-0070
1200 WaveRunner XL/XLT 01-05	4809-0154
1300 WaveRunner GP 03-08	4809-0154





JET PUMP HOUSINGS

FOR YAMAHA

• Replacement wear rings available separately

FITS MODEL	PART #
SuperJet 650 90-95	003-507
WaveRunner VXR 650 91-93, 95	003-507
WaveRunner III 650 92-93, 96	003-506
SuperJet 701 96-12	003-507
WaveBlaster 701 93-96	003-507
WaveRaider 701 94-97	003-506
WaveRaider III 701 94-95, 97	003-506
WaveRunner VXR 701 93-94	003-507
WaveRunner XL 701 99-04	003-505
WaveVenture 701 95-96	003-506
WaveVenture 701 98	003-505
WaveRaider 760 96	003-506

FITS MODEL	PART #
WaveRunner 760 97-98	003-506
WaveRunner GP 760 99-00	003-506
WaveRunner XL 760 98-99	003-505
WaveVenture 760 97	003-505
WaveRunner GP 800 98-00	003-506
WaveRunner GP 800 01-05	4809-0007
WaveRunner XL/XLT 800 00-04	4809-0007
WaveRunner 1000/1100 FX/140 02-10	4809-0007
WaveRunner 1100 VX 05-11	4809-0007
WaveRaider 1100 95-96	003-505
WaveVenture 1100 96-97	003-505
WaveRunner 1200 GP 97-99	003-505

FITS MODEL	PART #
WaveRunner 1200R GP 00-02	4809-0007
WaveRunner 1200 SUV 99-04	4809-0007
WaveRunner 1200 XL 97-98	003-505
WaveRunner 1200 XL/XLT 99-05	4809-0007
WaveRunner 1300 GP 03-08	4809-0007
WaveRunner FZS/FZR 09-11	4809-0007
REPLACEMENT WEAR RINGS	
For PART #003-505	003-520
For PART #s 003-506 and 003-507	4809-0009
For PART #4809-0007	4809-0008

BOLD MAGENTA part numbers are new for 2022

4809-0074



JET PUMP TRIM SEALS

FOR KAWASAKI

- Seal the space between the pump housing and support

FITS MODEL	PART #
650 (all)	4809-0074
All 750 models 92-02 (except ZXI)	4809-0074
750 ZXI 95-97	4809-0075
800 (all)	4809-0074
All 900 models	4809-0075
All 1100 models	4809-0075
1200 STX-R 02-05	4809-0075
1200 STX-12F 03-07	4809-0075
1500 STX-15F 04-10	4809-0075

003-504



003-503



4809-0263



OEM-STYLE JET PUMP WEAR RINGS AND WEAR RINGS WITH STAINLESS STEEL SLEEVES

FOR SEA-DOO

- OEM-style are direct replacement rubber wear rings for jet pumps
- Stainless steel wear rings feature a stainless steel sleeve; ideal for saltwater use

FITS MODEL	OEM-STYLE PART #	STAINLESS STEEL PART #
2-stroke models 86-97	003-500[1]	003-504
230 GTR P STD/X 18	4809-0317	-
300 GTX LTD 16-17	4809-0317	-
300 GTX P LTD 18	4809-0317	-
300 RXP P X/XRS 18	4809-0317	-
300 RXP X 16-17	4809-0317	-
300 RXP XRS 17	4809-0317	-
300 RXT P X/XRS 18	4809-0317	-
300 RXT X 16	4809-0317	-
300 RXTX X/XRS 17	4809-0317	-
720 GS 98-01	003-500	003-504
720 GTI 00	003-500	003-504
720 GTI 01-05	003-503	4809-0137
720 GTI LE 02-04	003-503	4809-0137
720 GTS 00	003-500	003-504
720 GTS 01	003-503	4809-0137
800 GSX RFI 00	003-500	003-504
800 GTI LE/RFI 03-05	003-503	4809-0137
800 GTX RFI 00-02	003-500	003-504
800 3D RFI 05	003-503	4809-0137
800 SPX 99	003-500	003-504
900 Spark 14-15/Spark HO 15	-	4809-0263
951 GSX LTD 98-99	003-503	4809-0137
951 GTX 00-02	003-503	4809-0137
951 GTX DI 00-03	003-503	4809-0137
951 GTX LTD 99	003-503	4809-0137
951 LRV 00-01	003-503	4809-0137
951 LRV DI 02	003-503	4809-0137
951 RX 00-02	003-503	4809-0137
951 RX DI 00-03	003-503	4809-0137
951 XP 00-02	003-503	4809-0137
951 XP DI 03-04	003-503	4809-0137
951 XP LTD 99	003-503	4809-0137
951 3D DI 06-07	003-503	4809-0137
1500 GTI SE 06-07	4809-0050	4809-0136
1500 GTX 4-TEC 02-03	003-503	4809-0137
1500 GTX 4-TEC LTD 04	4809-0050	4809-0136
1500 GTX 4-TEC 05-07	4809-0050	4809-0136
1500 GTX 4-TEC LTD Supercharged 05-06	4809-0073[2]	4809-0135
1500 GTX 4-TEC Supercharged 04-06	4809-0050	4809-0136
1500 RXP 05-10 (except 07 NA models)	4809-0073[2]	4809-0135
1500 RXP 07 (NA models)	4809-0050	4809-0136
1500 RXP Supercharged 04	4809-0073[2]	4809-0135
1500 RXT 05-10	4809-0073[2]	4809-0135

[1] Aluminum housing models only.

[2] Ring is plastic, not rubber.

BOLD MAGENTA part numbers are new for 2022

SOLAS

STAINLESS STEEL WEAR RINGS

FOR SEA-DOO

- Heavy-duty, 100% stainless steel wear ring/ impeller liner replaces the OEM plastic unit
- Resists debris damage and corrosion
- Provides increased durability and performance



4809-0290



4809-0311

FITS MODEL	PART #
GTI/GTI SE 130HP 06, GTS SE/RXP 155HP 07-09, GTX/GTX 4-Tec/GTX Wake 155HP 02-04, GTX 4-Tec Supercharged 185HP 03-06, GTX 4-Tec Ltd. Supercharged 185HP 03-04	4809-0322
GTX Limited 215HP 05-19, RXP/RXT 215HP 04-10, RXP-X/RXT-X 255, 260HP 08-15, Wake Supercharged 215HP 07-10	4809-0321
RXP-X300/RXT-X 300 16-22	4809-0290
Spark 14-22	4809-0311

SOLAS

INTAKE GRATES

- The most durable, corrosion-resistant intake grates on the market
- Cast aluminum construction with electrical deposition paint for strength
- Feature a single foil for more water flow and less cavitation
- The choice of World Champion Nicolas Rius

4803-0013



XP-IG-B



FITS MODEL	PART #
HONDA	
F-12 02-07	4803-0016
F-12X 02-07	4803-0016
KAWASAKI	
SX 750 92-96	4803-0015
SXi 750 95-96	4803-0015
XiR 750 94	4803-0015
POLARIS	
Hurricane 700 96-97	4803-0013
SL 700 96-97	4803-0013
SL 700DLX 97	4803-0013
SLH 700 98-01	4803-0013
Virage 700 00-04	4803-0013
SL 750 93-95	4803-0013
SLT 750 94-95	4803-0013
Virage I 777 02-04	4803-0013
SL/SLT 780 96-97	4803-0013
SLX Pro 785 96-01	4803-0013
SL 900 96-97	4803-0013
SL 1050 97	4803-0013
SLTX 1050 96-98	4803-0013
SLX 1050 99	4803-0013

FITS MODEL	PART #
POLARIS (CONT)	
SLXH 1050 98	4803-0013
Virage TX 1165 00-02	4803-0013
Virage TXi 1165 01-02	4803-0013
Pro 1200 00-02	4803-0013
SEA-DOO	
GS 97	SD-IG-B
GS 98-01	GTX-IG-B
GSI 97-98	SD-IG-B
GSX 92-95	SD-IG-B
GSX 96-98	GTX-IG-B
GSX Ltd. 97-99	GSX-IG-B
GSX RFI 99-00	GTX-IG-B
GT 90-91	SD-IG-B
GTI 96-97	SD-IG-B
GTI 98-00	GTX-IG-B
GTI/GTI LE/GTI RFI 01-05	XP-IG-B
GTS 92-00	SD-IG-B
GTS 01-02	XP-IG-B
GTX 92-95	SD-IG-B
GTX 96-97	GTX-IG-B
GTX/GTX DI 00-01	GSX-IG-B

FITS MODEL	PART #
SEA-DOO (CONT)	
GTX DI 02-03	4803-0034
GTX Ltd. 98-99	GSX-IG-B
GTX RFI 99-02	GTX-IG-B
GTX 04-08	4803-0034
HX 95-97	SD-IG-B
LRV/LRV DI 99-03	GSX-IG-B
RX/RX DI 00-03	XP-IG-B
RXP 04-10	4803-0033
RXT 05-10	4803-0034
RXX 01-02	XP-IG-B
SP 88-96	SD-IG-B
SPI 93-96	SD-IG-B
SPX 93-98	SD-IG-B
XP 91-96	SD-IG-B
XP 97-98	XP-IG-B
XP/XP DI 00-04	XP-IG-B
XP Ltd. 98-99	XP-IG-B
YAMAHA	
FX and FX H.O. models 04-07	4803-0032
701 Superjet 94-18	4803-0090
701 Waveblaster 93-97	4803-0090

BLOWSION

ALUMINUM INTAKE DUCT

FOR YAMAHA SUPERJET, WAVEBLASTER, OCTANE AND RICKTER (ALL)

- Updated and redesigned with an incredibly easy fit
- Replaces that easily broken OEM Yamaha intake duct with one that is nearly unbreakable
- For 144 mm pumps only



DESCRIPTION	PART #
Aluminum intake duct	4809-0160

BOLD MAGENTA part numbers are new for 2022



PISTON KITS

- The smart solution to save money on engine repairs
- Designed to be OEM replacements
- Cast from a high-silicon-content aluminum alloy that meets or exceeds OEM specifications, then CNC-machined to extremely close tolerances
- Pistons supplied in a kit package that includes rings, wrist pins and circlips

FITS MODEL	BORE SIZE	PISTON PART #
KAWASAKI		
JS 750 SXi 95-96	80,00 mm	0910-3314
	80,50 mm	0910-3315
	81,00 mm	0910-3316
	81,50 mm	0910-3317
750 STS/ZXi 95-97	80,00 mm	0910-3314
	80,50 mm	0910-3315
	81,00 mm	0910-3316
	81,50 mm	0910-3317
750 SS/Supersport Xi 96-97	80,00 mm	0910-3314
	80,50 mm	0910-3315
	81,00 mm	0910-3316
	81,50 mm	0910-3317
750 STX 98	80,00 mm	0910-3314
	80,50 mm	0910-3315
	81,00 mm	0910-3316
	81,50 mm	0910-3317
Xi Sport 98-99	80,00 mm	0910-3314
	80,50 mm	0910-3315
	81,00 mm	0910-3316
	81,50 mm	0910-3317
750 SXi Pro 98-02	80,00 mm	0910-3314
	80,50 mm	0910-3315
	81,00 mm	0910-3316
	81,50 mm	0910-3317
800 SX-R 03-11	82,00 mm	0910-2143
	82,25 mm	0910-2144
	82,50 mm	0910-2145
	83,00 mm	0910-2146
YAMAHA		
Big Bore 650 90-96	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Marine Jet 700 93-03	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Super Jet 700 94-17	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Blaster 700 93-04	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741

FITS MODEL	BORE SIZE	PISTON PART #
YAMAHA (CONT)		
Wave Raider 700 94-97	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Raider 700 Deluxe 93	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Runner 700	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Runner Pro VXR 700 93-01	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Runner XL 700 95-05	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Runner III GP 700 97	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Venture 700 95-04	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Venture XL 700 95-05	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Blaster 760 96-00	84,00 mm	0910-2743
	84,25 mm	0910-2744
	84,50 mm	0910-2745
	85,00 mm	0910-2747
Wave Raider/Wave Runner 760 96-00	84,00 mm	0910-2743
	84,25 mm	0910-2744
	84,50 mm	0910-2745
	85,00 mm	0910-2747
Wave Runner GP 760 96-00	84,00 mm	0910-2743
	84,25 mm	0910-2744
	84,50 mm	0910-2745
	85,00 mm	0910-2747

FITS MODEL	BORE SIZE	PISTON PART #
YAMAHA (CONT)		
Wave Runner XL 760 96-00	84,00 mm	0910-2743
	84,25 mm	0910-2744
	84,50 mm	0910-2745
	85,00 mm	0910-2747
Wave Venture 760 96-00	84,00 mm	0910-2743
	84,25 mm	0910-2744
	84,50 mm	0910-2745
	85,00 mm	0910-2747
	85,50 mm	0910-2748
Wave Venture XL 760 96-00	84,00 mm	0910-2743
	84,25 mm	0910-2744
	84,50 mm	0910-2745
	85,00 mm	0910-2747
	85,50 mm	0910-2748
Marine Jet 1100 (all)	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Super Jet 1100 (all)	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Raider 1100 95-97	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Runner 1100 95-97	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Venture 1100 95-97	81,00 mm	0910-6099
	81,50 mm	0910-6100
	82,00 mm	0910-2740
	82,50 mm	0910-2741
Wave Runner GP 1200 97-99	84,00 mm	0910-2743
	84,25 mm	0910-2744
	84,50 mm	0910-2745
	85,00 mm	0910-2747
Wave Runner SUVE 1200 99-04	84,00 mm	0910-2743
	84,25 mm	0910-2744
	84,50 mm	0910-2745
	85,00 mm	0910-2747
Wave Runner XL 1200 97-99	84,00 mm	0910-2743
	84,25 mm	0910-2744
	84,50 mm	0910-2745
	85,00 mm	0910-2747



REPLACEMENT RING SET

- Each ring set is for one piston
- See Wiseco ring buyer's guide for details

NOTE: Wiseco rings fit only Wiseco pistons.

DESCRIPTION	PART #
80 mm (3,169") ring set	0912-0437

BOLD MAGENTA part numbers are new for 2022



PISTONS

- Machined from 2618-T6 high-tensile forged aluminum
- Dome/dish features smooth flowing radii; require no deburring or preparation
- JE designs are specifically engineered for extreme applications including professional competition
- Pro Series pistons available for select models: features include internal and external bracing, dedicated embossed forgings for weight reduction, specialized processes such as internal milling the internal struts, along with dedicated accumulator groove and forged side relief
- Pins, pin fitment, lock and rings included

FITS MODEL	DISPLACEMENT	BORE	OVERSIZE	COMPRESSION RATIO	WEIGHT (GRAMS)	SKIRT	PART #
YAMAHA							
FX SHO 1800 09-13	1812cc	86 mm	STD	10,5:1	330	Round	0910-5918
	1812cc	86 mm	STD	11,0:1	336	Round	0910-5919
	1832cc	86,5 mm	+,0,5 mm	8,6:1	323	Round	0910-5920
	1832cc	86,5 mm	+,0,5 mm	10,5:1	334	Round	0910-5921
	1832cc	86,5 mm	+,0,5 mm	11,0:1	342	Round	0910-5922

WK1026



HIGH-PERFORMANCE 2- AND 4-CYCLE PWC PISTONS

- All Wiseco pistons are forged from aerospace aluminum alloys on Wiseco's state-of-the-art forging presses
- Built on a legacy of championships for over 60 years by American craftsmen
- Wiseco pistons have the latest dyno-tested technology to out-perform the competition
- Wiseco forged pistons are priced with rings and circlips
- Wiseco rings, clips and wrist pins only fit Wiseco pistons; also note that ring types do not interchange (i.e. CD is not interchangeable with TD)

WARNING: Wiseco pistons can be fitted only with Wiseco rings.

CC DISPL.	BORE SIZE	COMPLETE KIT	PISTON PART #	REPL. RING	REPL. WRIST PIN	REPL. CIRCLIP	REPL. TOP END BEARING
ARCTCO/TIGERSHARK							
650 ALL TWIN CYLINDER MODELS							
639cc	76 mm/+0,31 mm	-	-	2992TD	S-461	CW20	-
770 DAYTONA, MONTE CARLO 96							
768cc	83 mm/std.	-	-	3268TD	-	CW20	-
900 TIGERSHARK AND MONTE CARLO THREE CYLINDER MODELS							
896cc	76,5 mm/std.	-	2349M07650	-	S-461	CW20	-
998cc	80,5 mm/+4,0 mm	-	-	3169TD	S-512X	CW20	-
KAWASAKI							
300 ALL SINGLE CYLINDER MODELS							
295cc	76 mm/std.	WK1026[1]	-	2992TD	-	CW18	-
299cc	76,5 mm/+0,5 mm	-	549M07650[1]	-	-	CW18	-
303cc	77 mm/+1,0 mm	WK1028[1]	549M07700[1]	-	-	CW18	-
440 ALL TWIN CYLINDER MODELS							
436cc	68 mm/std.	-	-	2677CD	S-259	CW16	B1021
439cc	68,25 mm/+0,25 mm	-	-	2687CD	S-259	CW16	B1021
442cc	68,5 mm/+0,5 mm	-	-	2697CD	S-259	CW16	B1021
449cc	68 mm/+1,0 mm	-	-	2717CD	S-259	CW16	B1021
550 ALL TWIN CYLINDER MODELS EXCEPT REED VALVE							
531cc	75 mm/std.	-	516M07500	2953TC	S-259	CW16	B1021
537cc	75,5 mm/+0,5 mm	WK1012	-	2973TC	S-259	CW16	B1021
544cc	76 mm/+1,0 mm	WK1013	516M07600	-	S-259	CW16	B1021
550 TWIN CYLINDER REED VALVE MODELS 91-96							
531cc	75 mm/std.	-	-	2953TC	S-259	CW16	B1021
537cc	75,5 mm/+0,5 mm	WK1046	-	2973TC	S-259	CW16	B1021
650 ALL TWIN CYLINDER MODELS							
635cc	76 mm/std.	WK1016	-	2992TD	S-511X	CW18	B1022X
643cc	76,5 mm/+0,5 mm	WK1017	549M07650	-	S-511X	CW18	B1022X
657cc	77 mm/+1,0 mm	WK1018	549M07700	-	S-511X	CW18	B1022X
660cc	77,5 mm/+1,5 mm	WK-1019	549M07750	-	S-511X	CW18	B1022X

[1] 77,5 mm and 78 mm pistons require crankcase cleanup; 78 mm pistons require cylinder re-sleeving.

HIGH-PERFORMANCE 2- AND 4-CYCLE PWC PISTONS continued on next page.

BOLD MAGENTA part numbers are new for 2022

WISECO Performance Products — HIGH-PERFORMANCE 2- AND 4-CYCLE PWC PISTONS (SUITE)

CC DISPL.	BORE SIZE	COMPLETE KIT	PISTON PART #	REPL. RING	REPL. WRIST PIN	REPL. CIRCLIP	REPL. TOP END BEARING
KAWASAKI (CONT)							
750 ALL TWIN CYLINDER MODELS 92-95 WITH 20 mm WRIST PINS							
743cc	80 mm/std.	-	-	3150TD	S-512X	CW20	B1023
752cc	80,5 mm/+0,5 mm	WK1060	0910-0001	3169TD	S-512X	CW20	B1023
760cc	81 mm/+1,0 mm	WK1061	-	3189TD	S-512X	CW20	B1023
771cc	81,5 mm/+1,5 mm	-	813M08150	-	-	CW20	B1023
779cc	82 mm/+2,0 mm	-	-	3228TD	S-512X	CW20	B1023
840cc	84 mm/+4,0 mm	-	-	-	S-512X	CW20	B1023
750 SS 96-97, 750 STX 98, 750 ZXi 96-97, STS 750 96-97, SUPER SPORT Xi 750 96-97, Xi SPORT 750 98-99 (750 CC TWIN CYLINDER WITH 22MM WRIST PINS)							
743cc	80 mm/std.	WK1241	809M08000	-	-	CW22	B1030
752cc	80,5 mm/+0,5 mm	WK1242	-	-	-	CW22	B1030
760cc	81 mm/+1,00 mm	WK1243	809M08100	-	-	CW22	B1030
779cc	82 mm/+2,00 mm	-	-	-	-	CW22	B1030
820cc	84 mm/+4,00 mm	-	0910-3959[3]	-	-	CW22	B1030
900 ALL THREE CYLINDER MODELS 95-06							
891cc	73 mm/std.	-	-	-	S-512X	CW20	B1023
903cc	73,5 mm/+0,5 mm	-	-	2894CD	S-512X	CW20	B1023
915cc	74 mm/+1,0 mm	WK1102	-	-	S-512X	CW20	B1023
1100 ALL THREE CYLINDER MODELS (EXCEPT 1100 DI MODELS)							
1071cc	80 mm/std.	-	809M08000	-	-	CW22	B1030
1083cc	80,5 mm/+0,5 mm	WK1247	-	-	-	CW22	B1030
1097cc	81 mm/+1,0 mm	WK1248	809M08100	-	-	CW22	B1030
1112cc	82 mm/+2,00 mm	-	-	-	-	CW22	B1030
1179cc	84 mm/+4,00 mm	-	0910-3959[3]	-	-	CW22	B1030
1500 FOUR CYLINDER FOUR-STROKE MODELS 09-10							
1498cc	-	-	-	-	-	0913-0081	-
POLARIS							
650 ALL THREE CYLINDER MODELS							
647cc	65 mm/std.	-	-	2559CD	S-280	CW18	B1014
656cc	65,5 mm/+0,5 mm	-	-	2579CD	S-280	CW18	B1014
665cc	66 mm/+1,0 mm	-	-	2598CD	S-280	CW18	B1014
675cc	66,5 mm/+1,5 mm	-	-	2618CD	S-280	CW18	B1014
685cc	67 mm/2,0 mm	-	-	2638CD	S-280	CW18	B1014
700 ALL TWIN CYLINDER MODELS							
700cc	81 mm/std.	-	-	3189TD	-	CW20	0924-0124
710cc	81,5 mm/+0,5 mm	-	-	3209TD	-	CW20	0924-0124
718cc	82 mm/+1,0 mm	WK1139	-	3228TD	-	CW20	0924-0124
750 ALL THREE CYLINDER MODELS							
744cc	69,75 mm/std.	-	633M06975	2746CD	S-343	CW18	B1014
755cc	70,25 mm/+0,5 mm	-	633M07025	-	S-343	CW18	B1014
766cc	70,75 mm/+1,0 mm	-	633M07075	2786CD	S-343	CW18	B1014
900 ALL THREE CYLINDER MODELS							
889cc	74,5 mm/std.	-	-	2933TD	S-512X	CW20	0924-0124
901cc	75 mm/+0,5 mm	-	-	2953TD	S-512X	CW20	0924-0124
913cc	75,5 mm/+1,0 mm	-	-	2973TD	S-512X	CW20	0924-0124
1050 ALL THREE CYLINDER MODELS							
1077cc	82 mm/+1,0 mm	-	-	-	S-512X	CW20	0924-0124
SEA-DOO (BOMBARDIER)							
580 ALL TWIN CYLINDER MODELS							
580cc	76 mm/std.	-	-	2992TD	S-477	CW18	B1003
650 ALL TWIN CYLINDER MODELS							
650cc	78 mm/std.	-	663M07800	3071LK	S-512X	CW20	0924-0124
658cc	78,5 mm/+0,5 mm	-	663M07850	3091LK	S-512X	CW20	0924-0124
666cc	79 mm/+1,0 mm	WK1118	663M07900	-	S-512X	CW20	0924-0124
XP, XH750 718cc 95; SPX, GTi, HX 96							
726cc	82,5 mm/+0,5 mm	-	-	-	S-512X	CW20	-
718 ALL TWIN CYLINDER MODELS							
718cc	82 mm/std.	-	-	-	S-512X	CW20	-
785 ALL TWIN CYLINDER MODELS							
785cc	82 mm/std.	-	-	-	S-461	CW20	0923-0253
951 ALL TWIN CYLINDER MODELS 98-07							
951cc	88 mm/std.	-	716M08800	-	-	CW21	-
960cc	88,5 mm/+0,5 mm	0903-1171	716M08850	-	-	CW21	-
971cc	89 mm/+1,0 mm	WK1213[2]	716M08900	-	-	CW21	-
RXP 215, EXP-X 225, RXT 255/260, TXT-X 255/260 05-15							
1509cc	100,5 mm/+0,5 mm	-	0910-3921	-	-	-	B1031
WET JET							
440 CAYUNA ENGINE THROUGH 88							
429cc	67,5 mm/std.	-	-	2658CD	S-256	CW16	-
433cc	67,75 mm/+0,25 mm	-	-	2668CD	S-256	CW16	-
436cc	68 mm/+1,0 mm	-	-	2677CD	S-256	CW16	-
442cc	68,5 mm/+1,5 mm	-	-	2697CD	S-256	CW16	-
449cc	69 mm/2,0 mm	-	-	2717CD	S-256	CW16	-
YAMAHA							
500 ALL TWIN CYLINDER MODELS							
496cc	72 mm/std.	-	-	2835CD	-	CW20	-
503cc	72,5 mm/+0,5 mm	-	-	2854CD	-	CW20	-

[2] Not for DI models.

[3] Crankcase machining required for 83 mm and larger.

BOLD MAGENTA part numbers are new for 2022

HIGH-PERFORMANCE 2- AND 4-CYCLE PWC PISTONS (SUITE)

CC DISPL.	BORE SIZE	COMPLETE KIT	PISTON PART #	REPL. RING	REPL. WRIST PIN	REPL. CIRCLIP	REPL. TOP END BEARING
YAMAHA (CONT)							
650 ALL TWIN CYLINDER MODELS							
641cc	77,5 mm/+0,5 mm	WK1041	-	-	S-423	CW20	B1023
701 ALL TWIN CYLINDER MODELS WITH DUAL CARBS							
701cc	81 mm/std.	WK1317	790M08100	-	-	CW20	B1031
710cc	81,5 mm/+0,5 mm	WK1318	790M08150	-	-	CW20	B1031
760 ALL TWIN CYLINDER MODELS							
754cc	84 mm/std.	WK1290	-	-	-	CW20	B1031
763cc	84,5 mm/+0,5 mm	WK1291	757M08450	-	-	CW20	B1031
WAVE RUNNER GP 800 98-05, WAVE RUNNER XL 800 00-01, WAVE RUNNER XLT 800 02-04							
784cc	84 mm/std.	-	0910-1695	-	-	CW20	-
1100 ALL THREE CYLINDER MODELS							
1051cc	81 mm/std.	WK1329	-	-	-	CW20	B1031
1064cc	81,5 mm/+0,5 mm	-	791M08150	-	-	CW20	B1031
1077cc	82 mm/+1,0 mm	-	791M08200	-	-	CW20	B1031
GP1200 97-99/ XL1200 98/ SUV1200 (ALL)							
1131cc	84 mm/std.	WK1312	-	-	-	CW20	B1031
1142cc	84,5 mm/+0,5 mm	WK1313	757M08450	-	-	CW20	B1031



WRIST PINS

- Wiseco wrist pins are strong, lightweight and can be used with OEM pistons

PART #	OD/LENGTH
S-256	16 mm/2,050"
S-259	16 mm/2,300"
S-280	18 mm/2,160"
S-343	18 mm/2,370"
S-423	20 mm/2,158"

PART #	OD/LENGTH
S-461	20 mm/2,559"
S-477	18 mm/2,0748"
S-511X	18 mm/2,244"
S-512X	20 mm/2,362"



CW16

CIRCLIPS

- Two high-strength, easy-to-install circlips are furnished with every piston
- Order additional inventory from the chart below

CW PIN	SIZE
CW16	16 mm
CW18	18 mm
CW20	20 mm

CW PIN	SIZE
CW21	21 mm
0913-0081	21 mm
CW22	22 mm



REPLACEMENT RING SETS

- Each ring set is for one piston
- See Wiseco ring buyer's guide for details

NOTE: Wiseco rings fit only Wiseco pistons.



TOP-END BEARINGS

PART #	DIMENSIONS (MM)
0924-0124	20 x 25 x 21,8
B1003	18 x 22 x 22
B1014	18 x 23 x 22
B1021	16 x 20 x 22,5
B1022X	18 x 22 x 23,6

PART #	DIMENSIONS (MM)
B1023	20 x 25 x 25
B1030	22 x 27 x 24,8
B1031	20 x 25 x 23
0923-0253	20 x 24 x 22,8

BOLD MAGENTA part numbers are new for 2022





COMPLETE PISTON KITS

- Quality and construction that meets or exceeds OEM
- Available in original and platinum
- Feature improved E-clip design
- Contain piston, rings, pin and clips
- Additional rings available separately
- Order one per cylinder

ORIGINAL COMPLETE PISTON KITS

FITS MODEL	BORE	SIZE	PART #
KAWASAKI			
JS300/SX 86-91	76 mm	Std.	010-810
		0,25 mm over	010-810-04
		0,5 mm over	010-810-05
JS550 82-90	75 mm	Std.	010-812X
		0,5 mm over	010-812-05
650 SC 91-95, 650 SX 87-93, 650 TS 91-96, 650 X2 87-96	76 mm	Std.	010-810
		0,25 mm over	010-810-04
		0,5 mm over	010-810-05
750 SS 92-96, 750 SSXI 93-95, 750 ST 94-95, 750 SX 92-94, 750 XIR 94 (models with 20mm wrist pins)	80 mm	Std.	010-820
		0,5 mm over	010-820-05
750 SXI/SXI Pro/ZXI 95-02 (models with 22mm wrist pins)	80 mm	Std.	010-821
		0,25 mm over	010-821-04
		0,5 mm over	010-821-05
800 SX-R 03-09	82 mm	Std.	0910-0649
		0,5 mm over	0910-0650
		1 mm over	0910-0651
900 STX 95-06	73 mm	Std.	010-840
		0,5 mm over	010-840-05
1100 STX DI 00-03, 1100 Ultra 130 DI 01-04	80 mm	Std.	0910-0652
		0,5 mm over	0910-0653
		1 mm over	0910-0654
1200 STX-12F 03-07	83 mm	Std.	0910-1978
		0,5 mm over	0910-1979
1500 STX-15F 04-09, 1500 Ultra LX 07-09	83 mm	Std.	0910-1980
POLARIS			
650 (all)	65 mm	Std.	010-831
		0,5 mm over	010-831-05
700 (all)	81 mm	Std.	010-832
		0,5 mm over	010-832-05
750 (all 2-stroke models)	69,75 mm	Std.	010-830
		0,5 mm over	010-830-05
		1 mm over	010-830-07
780 (except Virage/Octane)	71,3 mm	Std.	010-834
		0,5 mm over	010-834-05
780 Virage/Octane 02-04	84 mm	Std.	0910-0655
		0,5 mm over	0910-0656
		1 mm over	0910-0657
1050 (all)	81 mm	Std.	010-832
		0,5 mm over	010-832-05
1200 Genesis, SLX, X-45, Virage TX/TXi 99-04	84 mm	Std.	0910-0655
		0,5 mm over	0910-0656
		1 mm over	0910-0657

PLATINUM SERIES PISTON KITS

- Skirts have a nonabrasive, expansion-retarding MOS2 coating to reduce heat and friction for added power and longevity
- MOS2 coating actually draws heat through piston walls and out the bottom
- Specially hardened tops add strength to ring grooves

FITS MODEL	BORE	SIZE	PART #
SEA-DOO			
580 (all)	76 mm	Std.	010-815
		0,5 mm over	010-815-05
		1 mm over	010-815-07
650 (all)	78 mm	Std.	010-816
		0,5 mm over	010-816-05
720 (all)	82 mm	Std.	010-817
		0,25 mm over	010-817-04
		0,5 mm over	010-817-05
800 (all except RFI models)	82 mm	Std.	010-818
		0,5 mm over	010-818-05
		1 mm over	010-818-07
951 (all carbureted models)	87, 91 mm	Std.	010-819
		0,25 mm over	010-819-04
		0,5 mm over	010-819-05
		1 mm over	0910-0658
YAMAHA			
650 (all)	77 mm	Std.	010-802
		0,5 mm over	010-802-05
701 (all 61X models; not for 62T models)	81 mm	0,25 mm over	010-825-04
		0,5 mm over	010-825-05
		0,75 mm over	010-825-06
701 (all 62T models)	81 mm	Std.	0910-0659
		0, 5 mm over	0910-0660
		1 mm over	0910-0661
760 (all)	84 mm	Std.	010-826
		0,25 mm over	010-826-04
		0,5 mm over	010-826-05
FX140 1000 02-06	73.9 mm	Std.	0910-1982
		0,5 mm over	0910-1983
FX140 1100 HO 04-08	75.9 mm	Std.	0910-1984
		0,25 mm over	0910-1985
VX1100 05-09	75.9 mm	Std.	0910-1986[1]
		0,25 mm over	0910-1987[1]
		0,5 mm over	0910-1988[1]
GP1200 97-99, XL1200 98, SUV1200 99	84 mm	Std.	010-826
		0,25 mm over	010-826-04
		0,5 mm over	010-826-05

[1] Nikasil bore requires re-sleeving.

BOLD MAGENTA part numbers are new for 2022

COMPLETE PISTON KITS (CONT)

PISTON RINGS FOR ORIGINAL PISTON KITS

FITS MODEL	SIZE	PART #
KAWASAKI		
JS300/SX 86-91	Std.	010-910
650 (all)	Std.	010-910
750 (all)	Std.	010-920
	0,25 mm over	010-920-04
	0,5 mm over	010-920-05
	1 mm over	0912-0076
800 (all)	Std.	0912-0073
1100 (all)	Std.	010-920
	0,25 mm over	010-920-04
	0,5 mm over	010-920-05
	1 mm over	0912-0076
1200 STX-R 02-05, 1200 Ultra 150 99-05	Std.	010-920
	0,25 mm over	010-920-04
	0,5 mm over	010-920-05
	1 mm over	0912-0076
1200 STX-12F 03-07, 1500 STX-15F 04-09, 1500 Ultra LX 07-09	Std.	0911-0010
POLARIS		
650 (all)	Std.	010-931
	0,5 mm over	010-931-05
700 (all)	Std.	010-932
750 (all 2-stroke models)	Std.	010-930
	0,5 mm over	010-930-05
780 (all except Virage and Octane)	Std.	010-934
	0,5 mm over	010-934-05
780 Virage/Octane 02-04	Std.	0912-0077
	0,5 mm over	0912-0078
	1 mm over	0912-0079
900 (all)	0,25 mm over	010-933-04
1050 (all)	Std.	010-932
1200 Genesis, SLX, X-45, Virage TX/TXi 99-04	Std.	0912-0077
	0,5 mm over	0912-0078
	1 mm over	0912-0079

FITS MODEL	SIZE	PART #
SEA-DOO		
580 (all)	Std.	010-915
	0,5 mm over	010-915-05
650 (all)	Std.	010-916
	0,5 mm over	010-916-05
720 (all)	Std.	010-917
	0,5 mm over	010-917-05
	1 mm over	010-917-07
800 (all including RFI models)	Std.	010-917
	0,5 mm over	010-917-05
	1 mm over	010-917-07
951 (all carbureted models)	Std.	010-919
	0,25 mm over	010-919-04
	0,5 mm over	010-919-05
	1 mm over	0912-0080
YAMAHA		
650 (all)	Std.	010-902
701 (all)	Std.	010-925
	0,25 mm over	010-925-04
	0,5 mm over	010-925-05
	0,75 mm over	010-925-06
	1 mm over	0912-0081
760 (all)	Std.	010-926
	0,25 mm over	010-926-04
	0,5 mm over	010-926-05
FX140 1000 02-06	Std.	0911-0012
1100 (all 2-stroke)	Std.	010-925
	0,25 mm over	010-925-04
	0,5 mm over	010-925-05
	0,75 mm over	010-925-06
	1 mm over	0912-0081
FX140 1100 HO 04-08, VX1100 05-09	Std.	0911-0014
	0,25 mm over	0911-0015
GP1200 97-99, XL1200 98, SUV1200 99	Std.	010-926
	0,25 mm over	010-926-04
	0,5 mm over	010-926-05

PLATINUM COMPLETE PISTON KITS

FITS MODEL	BORE	SIZE	PART #
KAWASAKI			
750 SS 96-97, STS 95-97, STX 98, SXI/ZXI 95-01, Xi-Sport 98-99	80 mm	Std.	010-821P
		0,25 mm	010-821-04P
		0,5 mm	010-821-05P
1100 STX 97-99, 1100ZXi 96-03	80 mm	Std.	010-821P
		0,25 mm	010-821-04P
		0,5 mm	010-821-05P
1200 Ultra 150 99-05, 1200 STX-R 02-05	80 mm	Std.	010-841P
		0,5 mm	010-841-05P
SEA-DOO			
800 RFI (all)	82 mm	Std.	0910-1261
		0,5 mm	0910-1262
		1 mm	0910-1263
951 DI (all)	87.91 mm	Std.	0910-1264
		0,5 mm	0910-1265
		1 mm	0910-1266

FITS MODEL	BORE	SIZE	PART #
SEA-DOO (CONT)			
GTX 1500 4-TEC/Wakeboard Edition 02-09 (all except Supercharged models), GTI 1500 155 HP 07-09	99.96 mm	Std.	0910-1270
		0,5 mm	0910-1271
GTX 1500 4-TEC Supercharged 03-09	99.96 mm	Std.	0910-1272
		0,5 mm	0910-1273
GTX 1500 4-TEC Limited Supercharged 04-09, RXP/RXT 1500 Supercharged 06-09	99.96 mm	Std.	0910-1274
		0,5 mm	0910-1275
YAMAHA			
800 98-05, GP1200R 00-02, XL1200 98-01, XLT1200 01-05	80 mm	Std.	010-829BP[1]
		0,5 mm	010-829-05P[1]
GP1300R 03-08	84 mm	Std.	0910-1267
		0,5 mm	0910-1268[2]
		1 mm	0910-1269[2]

[1] For use with Powervalve motors only.
[2] Nikasil bore requires resleeving.

PISTON RINGS FOR PLATINUM PISTON KITS

FITS MODEL	BORE	SIZE	PART #
KAWASAKI			
750 SS 96	80 mm	Std.	010-920
		0,25 mm	010-920-04
		0,5 mm	010-920-05
1100 (all)	80 mm	Std.	010-920
		0,25 mm	010-920-04
		0,5 mm	010-920-05
1200 Ultra 150 99-05, 1200 STX-R 02-05	80 mm	Std.	010-920
		0,25 mm	010-920-04
		0,5 mm	010-920-05
SEA-DOO			
951 DI (all)	87.91 mm	Std.	0912-0260
		0,5 mm	0912-0261
		1 mm	0912-0262

FITS MODEL	BORE	SIZE	PART #
SEA-DOO (CONT)			
GTX 1500 4-TEC/Wakeboard Edition 02-09 (all), GTI 1500 155 HP 07-09, RXP/RXT 1500 Supercharged 06-09	99.96 mm	Std.	0912-0266
		0,5 mm	0912-0267
YAMAHA			
GP1200R 00-02, XL1200 98-01, XLT1200 01-05	80 mm	0,25 mm over	010-929-04[1]
		0,5 mm over	010-929-05[1]
GP1300R 03-08	84 mm	Std.	0912-0263
		1 mm	0912-0265

[1] For use with Powervalve motors only.

BOLD MAGENTA part numbers are new for 2022



CYLINDER KIT
FOR YAMAHA 1200R

- Exact OEM replica
- Nikasil bore plating
- High-strength, heat-resistant alloy valve with safety link
- Moly-coated piston kit with wrist pin clips
- High-quality Japanese rings exceed OEM

FITS MODEL	PART #	OE PART #
GP 00-02	0931-0530	66V-11311-00-94
XL 99-01	0931-0530	66V-W1130-00-00
XLT 02-05	0931-0530	66V-W1130-00-94

Original Series



Platinum Series



TOP-END ENGINE REBUILD KITS

- Top-quality piston kits
- Include pistons, rings, pins, clips, racing needle bearings, head and base gaskets, intake and exhaust gaskets
- Available in original and platinum series

ORIGINAL SERIES

FITS MODEL	SIZE	PART #
KAWASAKI		
JS550 82-89	Std.	010-812-10
	0,5 mm over	010-812-12
	1 mm over	010-812-14
650 91-96 (all)	Std.	010-810-10
	0,5 mm over	010-810-12
	1 mm over	010-810-14
750 SS 92-95, ST 94-95, SX 92-94, XiR 94 (models w/ 20mm wrist pins)	Std.	010-820-10
	0,5 mm over	010-820-12
	0,75 mm over	010-820-13
750 SS 96-97, STS 95-97, STX 98, SXi 95-96, ZXi 95-97	Std.	010-821-10
	0,25 mm over	010-821-11
	0,5 mm over	010-821-12
900 (all)	Std.	010-840-10
	0,5 mm over	010-840-12
	1 mm over	010-840-14
1100 STX 97-99, 11 ZXi 96-03	Std.	010-821-20
	0,25 mm over	010-821-21
	0,5 mm over	010-821-22
POLARIS		
650 (all)	Std.	010-831-10
	0,5 mm over	010-831-12
700 (all)	Std.	010-832-10
	0,25 mm over	010-832-11
	0,5 mm over	010-832-12

FITS MODEL	SIZE	PART #
POLARIS (CONT)		
750 (all 2-stroke models)	Std.	010-830-10
	0,5 mm over	010-830-12
	1 mm over	010-830-14
780 (all except Virage, Octane)	Std.	010-834-10
	0,5 mm over	010-834-12
1050 (all)	0,25 mm over	010-832-21
	0,5 mm over	010-832-22
SEA-DOO		
580 92-94 (all)	Std.	010-815-10
	0,5 mm over	010-815-12
650 94-96	Std.	010-816-10
	0,25 mm over	010-816-11
	0,5 mm over	010-816-12
720 (all)	Std.	0903-0034
	0,5 mm over	0903-0035
	1 mm over	0903-0036
800 (all except RFi)	Std.	010-818-10
	0,5 mm over	010-818-12
	1 mm over	010-818-14
951 (all except fuel-injected models)	Std.	010-819-10
	0,25 mm over	010-819-11
	0,5 mm over	010-819-12
	1 mm over	0903-0122

FITS MODEL	SIZE	PART #
YAMAHA		
650 (all)	Std.	010-802-10
	0,25 mm over	010-802-11
	0,5 mm over	010-802-12
	1 mm over	010-802-14
701 (all 61X models)	Std.	010-825-10
	0,25 mm over	010-825-11
	0,5 mm over	010-825-12
	0,75 mm over	010-825-13
	1 mm over	010-825-14
701 (all 62T models)	Std.	0903-0123
	0,5 mm over	0903-0124
	1 mm over	0903-0125
760 (all)	Std.	010-826-10
	0,25 mm over	010-826-11
	0,5 mm over	010-826-12
1100 (all)	0,5 mm over	010-825-22
GP1200 97-99, XL1200 98, SUV1200 (all)	Std.	010-826-20
	0,25 mm over	010-826-21
	0,5 mm over	010-826-22

PLATINUM SERIES

FITS MODEL	SIZE	PART #
KAWASAKI		
1200 (150 Ultra)	Std.	010-841-10P
SEA-DOO		
800 RFi (all)	Std.	0903-0743
	0,5 mm	0903-0744
	1 mm	0903-0745

FITS MODEL	SIZE	PART #
SEA-DOO (CONT)		
951 DI (all)	Std.	0903-0746
	0,5 mm	0903-0747
	1 mm	0903-0748
YAMAHA		
GP1200 00-02, XL1200 98-01, XLT1200 01-05	Std.	010-829-10BP[1]

FITS MODEL	SIZE	PART #
YAMAHA (CONT)		
GP1300R 03-08	Std.	0903-0749
	0,5 mm	0903-0750[2]
	1 mm	0903-0751[2]

[1] Fits Powervalve motors only.
[2] Nikasil bore requires resleeving.

BOLD MAGENTA part numbers are new for 2022



CONNECTING ROD KITS

- A lower-priced, higher-quality alternative to OEM replacement crank assemblies
- All rods are shot peened and double honed to ensure strength and accuracy
- Hot Rods thrust washers and crank pin bearings are silver coated for added lubricity
- Rod assembly sold complete with rod, crank pin, crank pin bearing, top-end bearing and thrust washers

FITS MODEL	PART #
POLARIS	
700/900 SL 96-97/1050 SL 96-99	CR155
1200 SLX 00-01	0923-0046
SEA-DOO	
951 DI 00-07 (all)	0923-0047
YAMAHA	
Exciter Jetboat 98-99	42-7304
650 Super Jet 90-93	42-7304
700 Wave Venture 98	42-7304
SJ 700 98-17	42-7304
XL700 Waverunner 99-04	42-7304
GP800/R 98-05	0923-0033

FITS MODEL	PART #
YAMAHA (CONT)	
Exciter 1100 Jetboat 96-98	42-7304
WVT1100 Wave Venture 96-97	42-7304
RA1100 Waveraider 95-96	42-7304
SV1200 Waverunner 99-04	42-7304
XL1200 Waverunner 98	42-7304
GP1200 Waverunner 97-99	42-7304
GP1200 Waverunner 00-02	0923-0033
XA1200 Waverunner 99-05	0923-0033
LST1200 Jetboat 99-05	42-7304
GP1300 03-06	0923-0033
XR1800 Jetboat 00-01	0923-0033



CRANKSHAFT ASSEMBLY

FOR KAWASAKI JS750 95-02/800 SX-R 03-11

- Sold complete with Hot Rods connecting rod
- Multi-cylinder applications are sold complete with main bearings
- Factory assembled and trued to OEM specifications, Hot Rods cranks will meet or surpass the OEM in performance
- Ready for installation
- Crankshafts are completely rebuildable with genuine Hot Rods connecting rods

DESCRIPTION	PART #
Crankshaft assembly	0921-0037



BOTTOM END KIT

FOR KAWASAKI JS 800 SX-R 03-06

- Everything you need for complete crankshaft installation
- Kit includes crankshaft, main bearing/seals and an engine gasket set that includes all necessary gaskets and seals for a complete rebuild

DESCRIPTION	PART #
Bottom end kit	0921-0462

BOLD MAGENTA part numbers are new for 2022

CRANKSHAFT ASSEMBLIES

- Complete crankshaft assembly with connecting rod
- Will meet or exceed OEM performance
- Trued to OEM specifications
- Multi-cylinder applications include main bearings
- Rebuildable
- Ready for installation



0921-0230

FITS MODEL	PART #
SEA-DOO	
720 (all)	0921-0224
800 (all except RFI models)	0921-0225
800 RFI models	0921-0226
951 carbureted models 98-02	0921-0227
951 fuel-injected models 00-07	0921-0228

FITS MODEL	PART #
SEA-DOO (CONT)	
1503 4-Tech models 03-05	0921-0485
1503 4-Tech models 06-09	0921-0486
YAMAHA	
650/701/760 (all)	0921-0229
800 98-05 (all)	0921-0483

FITS MODEL	PART #
YAMAHA (CONT)	
1100 95-97 (all)	0921-0230
1200 (all)	0921-0231[1]
1200/1300 Power valve	0921-0484

[1] Not for Powervalve motors.

CRANKSEAL SETS

- Available for a wide variety of applications



0921-0249

FITS MODEL	PART #
KAWASAKI	
Supersport Xi 93-95	0921-0248
SC 91-95	0921-0248
ST 94-95	0921-0248
TS 89-96	0921-0248
XiR 94	0921-0248
X-2 86-95	0921-0248
Xi Sport 98-99	0921-0248
JS650 SX 87-93	0921-0248
JS750 SS 95-96	0921-0248
JS750 SXi 95-96	0921-0248
750 SS/Supersport Xi 96-97	0921-0248

FITS MODEL	PART #
KAWASAKI (CONT)	
750 STS/ZXi 95-97	0921-0248
750 STX 98	0921-0248
750 SX 92-95	0921-0248
750 SXi Pro 98-02	0921-0248
800 SX-R 03-11	0921-0248
YAMAHA	
Superjet 650 90-93	0921-0249
Wave Runner 650 90-96	0921-0249
Big Bore 650 90-96	0921-0249
Superjet 700 94-17	0921-0249
Wave Blaster 700 93-04	0921-0249

FITS MODEL	PART #
YAMAHA (CONT)	
Wave Raider 700 94-97	0921-0249
Wave Runner 700 93-04	0921-0249
Wave Venture 700 95-04	0921-0249
XL 700 95-05	0921-0249
GP 760 96-00	0921-0249
Wave Blaster/Wave Raider/ Wave Runner/Wave Venture 760 96-00	0921-0249
XL 760 96-00	0921-0249
Wave Runner/Wave Venture 1100 95-97	0921-0249
GP/XL 1200 97-99	0921-0249
SUV 1200 99-04	0921-0249

POWER VALVE PARTS

- Fine tunes exhaust for peak performance



0950-0473



0950-0474



0926-2253

DESCRIPTION	OEM #	PART #
SEA-DOO		
Power valve rubber boot	420-260-723	0950-0473
Power valve piston	420-854-449	0950-0474

DESCRIPTION	OEM #	PART #
YAMAHA 800-1300		
Power valve w/ safety link	-	0926-2253

SHAFT, SHAFT SPRING AND SHAFT GEAR

FOR SEA-DOO ROTARY VALVES



010-455



010-457



010-450



010-453

FITS MODEL	DESCRIPTION	PART #
580/650/720 (all)	Shaft	010-455
800 (all)	Shaft	010-457

FITS MODEL	DESCRIPTION	PART #
580/650/720/800 (all)	14-tooth gear	010-450
580/650/720/800 (all)	Shaft spring	010-453

BOLD MAGENTA part numbers are new for 2022



HOTCAMS
UNLEASH THE POWER WITHIN

CAM CHAIN

- Silent chain
- Exclusive heat-treated links create excellent friction and impact resistance
- Engineered to exceed OEM specifications and tolerances

FITS MODEL	PART #
YAMAHA PWC	
Waverunner FX 06-08	0925-0972
Waverunner VX 11-14	0925-0972
VX Cruiser 07-15	0925-0972

FITS MODEL	PART #
YAMAHA JET BOATS	
212X 08-10	0925-0972
SX230 07	0925-0972

FITS MODEL	PART #
YAMAHA JET BOATS (CONT)	
AR230 07-09	0925-0972
232 08-09	0925-0972

0930-0105



0930-0106



BLOWSION

CYLINDER HEAD WITHOUT DOMES

FOR YAMAHA SUPERJET 96-13 WITH 760 OR 701 ENGINES

- Developed and designed in conjunction with the Kommander himself, Steve Webster, as a Blowsion exclusive offering
- One-piece Yamaha billet aluminum/CNC performance cylinder head kit provides the best of both worlds with excellent horsepower gains, better cooling capacity and a price that is easy on the wallet
- State-of-the-art heads use the same replaceable domes of Blowsion's popular two-piece girdled Yamaha heads and utilize an improved squish band design for easy tuning and more compression for pump gas friendly horsepower
- Up to 70% better cooling, increased reliability and CAD designed combustion chambers ensure maximum performance and long engine life
- Girdle kit available for those looking for maximum cylinder support
- Head includes all hardware needed for installation

NOTE: Requires two cylinder domes (sold separately).

DESCRIPTION	PART #
Cylinder head w/o domes	0930-0105

DESCRIPTION	PART #
Girdle kit	0930-0106

C6001X



C6145



COMETIC GASKET

HIGH-PERFORMANCE PERSONAL WATERCRAFT GASKET KITS

- Gasket kits are complete with head, base, reed, intake, manifold and exhaust gaskets
- Graphite head gaskets are manufactured from non-asbestos, flexible graphite laminated to a stainless steel core
- Graphite material is impervious to fuels, coolants and oils

FITS MODEL	DISP. CC	NO. OF CYL.	PART #
KAWASAKI			
JS300/SX through 94	300	1	C6001X[1]
JS550 through 89	550	2	C6004
JH750SS 92-97	750	2	C6043[1]
JH750XI 93-97	750	2	C6043
JH750XIR 94	750	2	C6043
JS750SX 92-95	750	2	C6043
JS750SXI 98-02	750	2	C6043
JS750ZXI 95-97	750	2	C6043
JT750STS 95-97	750	2	C6043
JT750ST 94-95	750	2	C6043
JH900ZXI 95-97	941	3	C6118
JT900STX 98-00	941	3	C6118
JH1100ZXI 96-03	1097	3	C6145
JT1100STX/STX D.I. 97-03	1097	3	C6145

FITS MODEL	DISP. CC	NO. OF CYL.	PART #
KAWASAKI (CONT)			
Ultra 150 99-05	1205	3	C6202
1200STX 02-05	1205	3	C6202
POLARIS			
SLX Pro 785 97-98	785	3	C6181
YAMAHA			
Super Jet 97-00	701	2	C6084
WaveBlaster 96-97	701	2	C6084
700 WaveRaider/DLX 93-95	701	2	C6084
700 WaveVenture 95-97	701	2	C6084
700 XL 99-00	701	2	C6084
800GP 98-02	800	2	C6199

[1] Graphite head gaskets are included in these kits. All other kits have copper or O-ring head gaskets.

BOLD MAGENTA part numbers are new for 2022

VERTEX PISTON & GASKET formerly WINDEROSA

0934-6561



0934-6555



ENGINE GASKET SETS

- Winderosa's wide range of high-tech materials provides unmatched reliability and performance for the demanding needs of today's power plants
- Fit most current and many non-current engines, including Sachs, JLO, Hirth, CCW, Kohler and Xenoah
- Designed to replace OEM gaskets exactly
- Many kits now include coated stainless steel head gaskets
- High-performance oil seals have a high-chromium-content stainless steel alloy spring for maximum performance and corrosion resistance
- Order only what you need for specific maintenance projects
- Available as complete sets or full top-end sets

FITS MODEL	FULL TOP END SET	COMPLETE SET
KAWASAKI		
130 Ultra 04	0934-0722	PD810355
150 Ultra 00-05	0934-0267	0934-0268
150 Ultra 99-05	-	0934-6561
310 Ultra LX/R/X 14-17	0934-6555	0934-6565
JS300 86-91	PD812303	PD811303
JS440 82-88	PD812305	PD810310
JS440 89-92	0934-6544	-
JS550 82-90	PD812325	PD810330
JS550SX 91-95	PD812326	PD811326
JS650SX 86-96	PD812343	PD810345
JH750SS/Xi 93-99	PD812361	0934-0266
JH750ZXi 95-97	PD812361	0934-0266
JS750SX/SXi/Pro 92-02	PD812361	PD811361
JT750ST/STS/STX 92-98	PD812361	PD811361
JS800 SX-R 03-11	0934-6551	0934-6560
JH900 ZXI 95-97	0934-6550	-
JH900ZXi/JT900 STX 95-06	-	PD810350
JT900 STS 01-02	0934-6550	-
JT900 STX 97-06	0934-6550	-
JH1100 ZXI/JT1100 STX 96-04	0934-0722	PD810355
STX-R1200 02-05	0934-0267	0934-0268
JT1200 STX-12F 03-07	0934-6552	0934-6562
JT1500 STX-15F 04-17	0934-6552	0934-6562
JT1500 Ultra LX 14-17	0934-6552	0934-6562
JT1500 Ultra 250X 07-10	0934-6553	0934-6563
JT1500 Ultra 300X/LX 11-13	0934-6554	0934-6564
POLARIS		
SL 650 92-95	PD812375	PD811375
SL/SLH/SLT/SLTH 700 96-03	-	PD811380
700 Hurricane, Virage 96-00	-	PD811380
SL/SLT 750 93-95	PD812384	PD811384
SL/SLT/SLX 780 95-97	PD812385	PD811385
SL/SLTX1050, SLXH1050 96-99	0934-0271	0934-0272
Genesis I 01-04	0934-6557	0934-6568
Genesis/Pro1200 99-00	0934-6557	0934-6567
Genesis/Pro1200 01-02	0934-6558	0934-6568
Virage 00-04	-	0934-6569
Virage TX 00	0934-6557	0934-6567
Virage TX 01-02	0934-6558	0934-6568
Virage TXI 01-02	0934-6558	0934-6568
MSX140 03-04	0934-6558	0934-6568
SEA-DOO		
150 Speedster 155/255 Jet Boat 07-12	-	0934-6548
180 Challenger 215 Jet Boat 07-12	-	0934-6548
180 Challenger 215 SC/SCIC Jet Boat 05	-	0934-6548
180 Challenger SE 215 Jet Boat 07-09, 12	-	0934-6548
180 Challenger SE 255 Jet Boat Twin Engine 09-12	-	0934-6548

COMPLETE PROFESSIONAL SETS

- Sets contain ALL gaskets necessary for professional engine rebuilding, including high-performance oil seals
- Include all head, base, intake, exhaust gaskets and O-rings or oil seals, plus crankshaft end seals and power valve gaskets
- The most complete gasket sets available

"PRO-FORMANCE" FULL TOP-END SETS

- Contain high-performance head and base gaskets, plus intakes and exhaust, as well as upper head components and power valve gaskets
- These performance sets are designed for cylinder rebuild and piston replacement

FITS MODEL	FULL TOP END SET	COMPLETE SET
SEA-DOO (CONT)		
180 SP 260 Jet Boat Twin Engine 12	-	0934-6548
580 Yellow engine 88-91 (all)	-	0934-0725
580 Yellow Eng GT 90-91	0934-6546	-
580 White engine 92-96 (all)	PD810402	PD811429
650 93-95 (all)	PD812435	PD811435
720 95-04 (all)	PD810405	PD811432
800 95-99 (all)	PD810410	PD811410
800 RFI 00-05	-	0934-0514
900 Ace Spark 14-18	0934-6549	0934-6559
900 Ace Spark HO/TRIXX 18	0934-6549	0934-6559
900 GTI/GTR/GTS/ACE 17	0934-6549	0934-6559
900 GTI/GTS ACE 18	0934-6549	0934-6559
951 98-00 (all)	PD810415	PD811415
951 01-02 (all)	0934-2615	-
951 DI 00-07	0934-2185	0934-2184
4-Tec 1503 02-04 (except 04 RXP Supercharged)	-	0934-2617
4-Tec 1503 06-11	-	0934-2618
TIGERSHARK		
640 93-99	-	PD811280
1000 97-98	-	0934-0512
YAMAHA		
500 87-93 (all)	-	PD810455
500 Wave Runner/Wave Jammer 87-93	0934-6547	-
650 90-96 (all)	PD812500	PD811500
FX-1 94-95	PD812530	PD811530
700 Super Jet 94-95	PD812530	PD811530
700 Super Jet 61X 96-04	0934-0723	-
SJ700 Super Jet 96-17	-	0934-6566
700 Wave Blaster 93-95	PD812530	PD811530
700 Wave Blaster 96	0934-0723	0934-6566
700 Wave Raider 94-95	PD812532	PD811532
700 Wave Raider 96-98	PD812530	PD811530
700 Wave Runner 93-97	PD812530	PD811530
700 Wave Runner 99-02	PD812532	PD811532
700 Wave Runner Pro VXR 93-94	PD812530	PD811530
XL700 Wave Runner 99-04	-	0934-6566
700 Wave Venture 95-98	PD812532	PD811532
760 96-00 (all)	PD812535	PD811535
GP800 Wave Runner 98-05	0934-6556	PD811541
XL800 Wave Runner 00-01	0934-6556	-
XLT800 Wave Runner 02-05	0934-6556	-
1100 Wave Raider 95-97	-	PD811540
1100 Wave Venture 96-97	-	PD811540
1200 models 97-04 (all)	PD812543	PD811543
1200 models w/ Power Valve engine 99-05 (all)	0934-0724	PD811542
GP1300 Wave Runner 03-08	0934-6545	-

BOLD MAGENTA part numbers are new for 2022



0934-4575



0934-4576

BLOWSION

SUPER BASE GASKETS

- Simple to install stainless and reusable base gasket, simply clean both mating surfaces and install
- PART #0934-4575 is coated stainless steel standard thickness of 0,51 mm (0,020") for Kawasaki
- PART #0934-4576 is a standard (OEM) Yamaha 0,51 mm (0,020") thickness
- Gasket with metal core for blowout protection
- No need to use messy gasket sealants like others

FITS MODEL	PART #
KAWASAKI	
SXR/SXI 750	0934-4575

FITS MODEL	PART #
YAMAHA	
701/760	0934-4576



MOOSE RACING

POWERSPORTS ALL-GASKET

- Comes with two sheets of gasket material – 0,8 mm thick x 29 cm wide x 39,5 cm long (0,032" x 11,5" x 15,5")
- Material is premium compressed sheet, manufactured with aramid and other synthetic fibers and uses an NBR (Nitrile Butadiene Rubber) binder
- Flexible, easy to use, trace and cut with scissors or razor knife
- Resistant to: oils, solvents, fuels, mild acids and alkalis, water, low pressure steam, air and other gases
- Recommended applications to seal: engine case side covers, valve covers, base and cylinder, transmissions, drive line components, water pumps, thermostats, fuel pumps, oil line and hose flanges
- Also have favorable properties for high heat insulation and exhaust mount insulation
- Service conditions up to 399 °C (750 °F)

DESCRIPTION	PART #
Powersports All-Gasket	0934-4727

0934-4769



HELIX RACING PRODUCTS

PREMIUM GASKET MATERIAL

- Made from aramid and other synthetic fibers compressed with nitrile butadiene rubber (NBR) binder
- Resists oils, solvents, mild acids, alkalis, gasses, water and low-pressure steam
- Multi-purpose seal for all powersports applications including oil, fuel, water, coolant and exhaust mounts
- Service conditions up to 363 °C (750 °F)
- Available in light green

DESCRIPTION	PART #
0,8 mm thick x 37 cm W x 76 cm L (0,032" x 14,5" x 30")	0934-4769
3,8 mm thick x 37 cm W x 76 cm L (0,15" x 14,5" x 30")	0934-7175
15,8 mm thick x 37 cm W x 76 cm L (0,62" x 14,5" x 30")	0934-7176



VERTEX PISTON & GASKET POWERED BY WINDEROSA

UNIVERSAL GASKET KITS

0934-6883

- Designed to seal perfect surfaces
- Outperforms OEM material on imperfect surfaces

DESCRIPTION	PART #
15 cm x 15 cm (6" x 6") (7 sheets)	0934-6883
15 cm x 15 cm (6" x 6") (7 sheets)	0934-6887[2]
20,5 cm x 20,5 cm (8" x 8") (5 sheets)	0934-6884



0934-6886

DESCRIPTION	PART #
20,5 cm x 20,5 cm (8" x 8") (7 sheets)	0934-6885
30,5 cm x 45,5 cm (12" x 18") (3 sheets)	0934-6886[1]

[1] Withstands temperatures of up to 200 °C (400 °F).
[2] Withstands temperatures of up to 650 °C (1200 °F).

BOLD MAGENTA part numbers are new for 2022

VERTEX PISTON & GASKET formerly WINDEROSA



CRANKSHAFT OIL SEALS

- Oil seal set includes oil seals for the magneto and oil seal for the PTO side of the engine for the watercraft listed
- All oil seals include stainless steel springs

FITS MODEL	PART #
KAWASAKI	
440 82-92 (all)	PD810775
550 82-95 (all)	PD810775
650 86-96 (all)	PD810788
750 92-02 (all)	PD810788
JS800 03-05	PD810788
900 95-05	PD810801
1100 96-04	PD810801
Ultra 130 04	PD810801
Ultra 150 99	0935-0002

FITS MODEL	PART #
POLARIS	
700 96-00 (all)	PD810796
900 96-97 (all)	PD810796
1050 96-99 (all)	PD810796
1200 99-00	PD810796
SEA-DOO	
580 89-96 (all)	PD810696
650 93-95 (all)	PD810696
720 95-00 (all)	PD810696
800 95-99 (all)	PD810797

FITS MODEL	PART #
SEA-DOO (CONT)	
951 DI RX, LRV, GTX 02-03	0935-0404
951 DI XP 03-04	0935-0404
951 06-07	0935-0404
YAMAHA	
650 90-96 (all)	PD810795
701 93-04 (all)	PD810795
760 96-00 (all)	PD810795
1100 95-97	PD810795
1200 97-04	PD810795



0935-1114



0935-1112

OIL SEAL KITS

- Kit includes all engine oil seals necessary to rebuild the engine and transmission including crankshaft, output shaft, water pump, clutch, shaft and starter seals
- Does not include valve stem seals or mechanical water pump seals

FITS MODEL	PART #
KAWASAKI	
Ultra 130 01-04	0935-1114
JS300 86-88	0935-1109
JS300 SX 89-91	0935-1109
Ultra 310 LX/R/X 14-17	0935-1115
JH900 ZXI 95-97	0935-1114
JT900 STS 01-02	0935-1114
JT900 STX 97-06	0935-1114
JH1100 ZXI 96-03	0935-1114
JT1100 STX 97-99	0935-1114
JT1100 STX DI 00-03	0935-1114
JT1200 STX-12F 03-07	0935-1115
JT1500 STX-15F 04-17	0935-1115
JT1500 Ultra 25X 07-08	0935-1115
JT1500 Ultra 260LX/X 09-10	0935-1115
JT1500 Ultra 300X/LX 11-13	0935-1115
JT1500 Ultra LX 07-17	0935-1115
SEA-DOO	
GTI/GTS 90 ACE 18	0935-1113
150 Speedster 155 Jet Boat 07-12	0935-1112
150 Speedster 215 Jet Boat 07-09	0935-1112
150 Speedster 255 Jet Boat 09-12	0935-1112
180 Challenger 215 Jet Boat 07-08, 10-12	0935-1112
180 Challenger 215 SC/SCIC Jet Boat 05	0935-1112
180 Challenger SE 215 Jet Boat 07-09, 12	0935-1112
180 Challenger SE 255 Jet Boat Twin Engine 09-12	0935-1112
180 SP 260 Jet Boat Twin Engine 12	0935-1112
200 Speedster Jet Boat Twin Engine 04	0935-1112
200 Speedster 155 Jet Boat Twin Engine 05, 07-08	0935-1112
200 Speedster 215 Jet Boat Twin Engine 07-12	0935-1112
205 Utopia 155 Jet Boat Twin Engine 07-09	0935-1112
205 Utopia SE 215 Jet Boat Twin Engine 07-09	0935-1112
210 Challenger 155 Jet Boat Twin Engine 10-12	0935-1112
210 Challenger 215 Jet Boat Twin Engine 10	0935-1112
210 Challenger 255 Jet Boat 12	0935-1112
210 Challenger S 255 Jet Boat 12	0935-1112
210 Challenger SE 155 Jet Boat Twin Engine 10-12	0935-1112

FITS MODEL	PART #
SEA-DOO (CONT)	
210 Challenger SE 215 Jet Boat Twin Engine 11-12	0935-1112
210 SP 155/215 Jet Boat Twin Engine 12	0935-1112
210 Wake 155/215 Jet Boat Twin Engine 10-12	0935-1112
220 Islandia 155 Jet Boat Twin Engine 06-07	0935-1112
230 Challenger 155 Jet Boat Twin Engine 07-12	0935-1112
230 Challenger 215 Jet Boat Twin Engine 07	0935-1112
230 Challenger SE 155 Jet Boat Twin Engine 11-12	0935-1112
230 Challenger SE 215 Jet Boat Twin Engine 08-12	0935-1112
230 Challenger SE 255 Jet Boat Twin Engine 09-12	0935-1112
230 Challenger SP 155/215 Jet Boat Twin Engine 09-10	0935-1112
230 Challenger Wake 155/215 Jet Boat Twin Engine 07	0935-1112
230 SP 215 Jet Boat Twin Engine 11-12	0935-1112
230 SP 255 Jet Boat Twin Engine 12	0935-1112
230 Wake 155 Jet Boat Twin Engine 08	0935-1112
230 Wake 215 Jet Boat Twin Engine 08-09	0935-1112
230 Wake 215 Jet Boat Twin Engine 12	0935-1112
230 Wake 255 Jet Boat Twin Engine 09, 12	0935-1112
230 Wake SE 215/255 Jet Boat Twin Engine 10-11	0935-1112
430 Islandia SE 215 Jet Boat Twin Engine 08	0935-1112
4-TEC GTI 130 155 06-18	0935-1112
4-TEC GTI 215 12-17	0935-1112
4-TEC GTR 230 17-18	0935-1112
4-TEC GTS 130 155 11-17	0935-1112
4-TEC GTX 155 02-18	0935-1112
4-TEC GTX 155 38CS 38CR 12	0935-1112
4-TEC GTX 215 08-09, 11-13	0935-1112
4-TEC GTX 215 42CS 12	0935-1112
4-TEC GTX 230 18	0935-1112
4-TEC GTX iS 215 10-11	0935-1112
4-TEC GTX LTD 215 05-08, 14-16	0935-1112
4-TEC GTX LTD 230 17	0935-1112
4-TEC GTX LTD iS 260 12-17	0935-1112
4-TEC GTX LTD iS 260 18CS 12	0935-1112

FITS MODEL	PART #
SEA-DOO (CONT)	
4-TEC GTX LTD iS/RXT iS 255 09	0935-1112
4-TEC GTX LTD iS/RXT iS 260 10-11	0935-1112
4-TEC GTX LTD SC 185 05	0935-1112
4-TEC GTX SC 185 06	0935-1112
4-TEC GTX Special Supercharged 185 04	0935-1112
4-TEC GTX Wake 155 03-07	0935-1112
4-TEC GTX Wake 215 07	0935-1112
4-TEC GTX/GTX LTD Supercharged 185 03-04	0935-1112
4-TEC RXP 155 07-08	0935-1112
4-TEC RXP 215 04-09	0935-1112
4-TEC RXP 255 08-11	0935-1112
4-TEC RXP 260 12-15	0935-1112
4-TEC RXT 215 05-10	0935-1112
4-TEC RXT 230 18	0935-1112
4-TEC RXT 255 08-09	0935-1112
4-TEC RXT 260 10-17	0935-1112
4-TEC RXT 260 17CS 12	0935-1112
4-TEC Wake 155 08-18	0935-1112
4-TEC Wake 215 08	0935-1112
4-TEC Wake Pro 215 09-16	0935-1112
4-TEC Wake Pro 230 17-18	0935-1112
4-TEC GTX/RXP/RXT 300 18	0935-1112
Islandia SE 215 Jet Boat Twin Engine 09	0935-1112
Speedster Wake 155 Jet Boat Twin Engine 07-08	0935-1112
Speedster Wake 215 Jet Boat Twin Engine 07-09	0935-1112
Sportster 215 Jet Boat 05	0935-1112
Sportster 4-TEC 155 Jet Boat 05	0935-1112
Sportster 4-TEC Jet Boat 03-04	0935-1112
900 ACE Spark 14-18	0935-1113
900 ACE Spark HO/TRIXX 18	0935-1113
900 GTI/GTR/GTS ACE 17	0935-1113
YAMAHA	
GP800 Wave Runner 98-05	0935-1110
XL800 Wave Runner 00-01	0935-1110
XLT800 Wave Runner 02-05	0935-1110
GP1200 Wave Runner 00-02	0935-1111
XL1200 Wave Runner 99-00	0935-1111
XLT1200 Wave Runner 01-05	0935-1111
GP1300 Wave Runner 03-08	0935-1111

BOLD MAGENTA part numbers are new for 2022

VERTEX PISTON & GASKET formerly WINDEROSA

0935-1133





0935-1136



0935-1144

O-RING INJECTOR KITS

• Improved performance from OEM equipment

FITS MODEL	PART #
KAWASAKI	
Ultra 310 LX/R/X 14-17	0935-1133
JT1500 Ultra 300LX/X 11-13	0935-1133
SEA-DOO	
GTI/GTS 90 ACE	0935-1134
Islandia SE 215 Jet Boat Twin Engine 09	0935-1140
Speedster Wake 155 Jet Boat Twin Engine 07-08	0935-1139
Speedster Wake 215 Jet Boat Twin Engine 07-09	0935-1140
Sportster 215 Jet Boat 05	0935-1140
Sportster 4-TEC Jet Boat 03-04	0935-1139
Sportster 4-TEC 155 Jet Boat 05	0935-1139
150 Speedster 155 Jet Boat 07-10	0935-1139
150 Speedster 155 Jet Boat 11	0935-1135
150 Speedster 155 Jet Boat 12	0935-1136
150 Speedster 215 Jet Boat 07-09	0935-1140
150 Speedster 255 Jet Boat 09-11	0935-1137
150 Speedster 255 Jet Boat 12	0935-1136
180 Challenger 215 Jet Boat 07-08	0935-1140
180 Challenger 215 Jet Boat 10-11	0935-1137
180 Challenger 215 Jet Boat 12	0935-1136
180 Challenger 215 SC/SCIC Jet Boat 05	0935-1140
180 Challenger 215 SE Jet Boat 07-09	0935-1140
180 Challenger 215 SE Jet Boat 12	0935-1136
180 Challenger 255 SE Jet Boat Twin Engine 09-11	0935-1137
180 Challenger 255 SE Jet Boat Twin Engine 12	0935-1136
180 SP 260 Jet Boat Twin Engine 12	0935-1136
200 Speedster Jet Boat Twin Engine 04	0935-1139
200 Speedster 155 Jet Boat Twin Engine 05, 07-08	0935-1139
200 Speedster 215 Jet Boat Twin Engine 07-09	0935-1140
200 Speedster 255 Jet Boat Twin Engine 10-11	0935-1137
200 Speedster 255 Jet Boat Twin Engine 12	0935-1136
205 Utopia 155 Jet Boat Twin Engine 07-09	0935-1139
205 Utopia SE 215 Jet Boat Twin Engine 07-09	0935-1140
210 Challenger 155 Jet Boat Twin Engine 10-12	0935-1136
210 Challenger 215 Jet Boat Twin Engine 10	0935-1136
210 Challenger 255 Jet Boat 12	0935-1136
210 Challenger S 255 Jet Boat 12	0935-1136
210 Challenger SE 155 Jet Boat Twin Engine 10-12	0935-1136
210 Challenger SE 215 Jet Boat Twin Engine 11-12	0935-1136
210 SP 155/215 Jet Boat Twin Engine 12	0935-1136
210 Wake 155/215 Jet Boat Twin Engine 10-12	0935-1136
220 Islandia 155 Jet Boat Twin Engine 06-07	0935-1139
230 Challenger 155 Jet Boat Twin Engine 07-09	0935-1139
230 Challenger 155 Jet Boat Twin Engine 10	0935-1137
230 Challenger 155 Jet Boat Twin Engine 11-12	0935-1136

FITS MODEL	PART #
SEA-DOO (CONT)	
230 Challenger SP 155 Jet Boat Twin Engine 09	0935-1139
230 Challenger Wake 155 Jet Boat Twin Engine 07	0935-1139
230 Challenger 215 Jet Boat Twin Engine 07	0935-1140
230 Challenger SE 155 Jet Boat Twin Engine 11-12	0935-1136
230 Challenger SE 215 Jet Boat Twin Engine 08-09	0935-1140
230 Challenger SE 215 Jet Boat Twin Engine 10	0935-1137
230 Challenger SE 215 Jet Boat Twin Engine 11-12	0935-1136
230 Challenger SE 255 Jet Boat Twin Engine 09-10	0935-1137
230 Challenger SE 255 Jet Boat Twin Engine 11-12	0935-1136
230 Challenger SP 155 Jet Boat Twin Engine 10	0935-1137
230 Challenger SP 215 Jet Boat Twin Engine 09	0935-1140
230 Challenger SP 215 Jet Boat Twin Engine 10	0935-1137
230 Challenger Wake 215 Jet Boat Twin Engine 07	0935-1140
230 SP 215 Jet Boat Twin Engine 11-12	0935-1136
230 SP 255 Jet Boat Twin Engine 12	0935-1136
230 Wake 155 Jet Boat Twin Engine 08	0935-1139
230 Wake 215 Jet Boat Twin Engine 08-09	0935-1140
230 Wake 215 Jet Boat Twin Engine 12	0935-1136
230 Wake SE 215 Jet Boat Twin Engine 10	0935-1137
230 Wake SE 215 Jet Boat Twin Engine 11	0935-1136
230 Wake 255 Jet Boat Twin Engine 09	0935-1140
230 Wake 255 Jet Boat Twin Engine 12	0935-1136
230 Wake SE 255 Jet Boat Twin Engine 10	0935-1137
230 Wake SE 255 Jet Boat Twin Engine 11	0935-1136
430 Islandia SE 215 Jet Boat Twin Engine 08	0935-1140
4-TEC GTI 130 155 06-10	0935-1139
4-TEC GTI 130 155 11-17	0935-1136
4-TEC GTI 130 155 18	0935-1138
4-TEC GTR 215 12-17	0935-1136
4-TEC GTR 230 17	0935-1136
4-TEC GTR 230 18	0935-1138
4-TEC GTS 130 155 11-17	0935-1136
4-TEC GTX 155 02-09	0935-1139
4-TEC GTX 155 10-17	0935-1136
4-TEC GTX 155 18	0935-1138
4-TEC GTX 155 38CS 38CR 12	0935-1136
4-TEC GTX Wake 155 03-07	0935-1139
4-TEC GTX LTD SC 185 05	0935-1139
4-TEC GTX SC 185 06	0935-1139
4-TEC GTX Special Supercharged 185 04	0935-1140
4-TEC GTX/GTX LTD Supercharged 185 03-04	0935-1140
4-TEC GTX 215 08-09	0935-1140
4-TEC GTX 215 11-13	0935-1136
4-TEC GTX iS 215 10-11	0935-1136
4-TEC GTX LTD 215 05-08	0935-1140
4-TEC GTX LTD 215 14-16	0935-1136
4-TEC GTX Wake 215 07	0935-1140
4-TEC GTX 215 42CS 12	0935-1136

FITS MODEL	PART #
SEA-DOO (CONT)	
4-TEC GTX 230 18	0935-1138
4-TEC GTX LTD 230 17	0935-1136
4-TEC GTX LTD iS/RXT iS 255 09	0935-1136
4-TEC GTX LTD iS 260 12-17	0935-1136
4-TEC GTX LTD iS 260 18 CS 12	0935-1136
4-TEC GTX LTD iS/RXT iS 260 10-11	0935-1136
4-TEC GTX/RXP/RXT 300 18	0935-1138
4-TEC RXP 155 07-08	0935-1139
4-TEC RXP 215 04-09	0935-1140
4-TEC RXP 255 08-11	0935-1137
4-TEC RXP 260 12-15	0935-1136
4-TEC RXT 215 05-09	0935-1140
4-TEC RXT 215 10	0935-1136
4-TEC RXT 230 18	0935-1138
4-TEC RXT 255 08-09	0935-1137
4-TEC RXT 260 10-17	0935-1136
4-TEC RXT 260 17CS 12	0935-1136
4-TEC Wake 155 08-10	0935-1139
4-TEC Wake 155 11-17	0935-1136
4-TEC Wake 155 18	0935-1138
4-TEC Wake 215 08	0935-1140
4-TEC Wake Pro 215 09	0935-1140
4-TEC Wake Pro 215 10-16	0935-1136
4-TEC Wake Pro 230 17	0935-1136
4-TEC Wake Pro 230 18	0935-1138
900 ACE Spark 14-18	0935-1134
900 ACE Spark HO/TRIXX 18	0935-1134
900 GTI/GTR/GTS ACE 17	0935-1134
1630 HO ACE GTX/RXP/RXT 300 16-17	0935-1138
YAMAHA	
FX1000 FX140 Wave Runner 02-08	0935-1132
EX1050 EX Wave Runner 17-18	0935-1142
VX1050 V1 Wave Runner 16	0935-1142
VX1050 VX Wave Runner 16-18	0935-1142
1100 V1 Wave Runner 15	0935-1143
1100 VX Wave Runner 07-12	0935-1144
1100 VX Wave Runner 13-15	0935-1143
1100 VX110 Wave Runner 05-06	0935-1144
1100 Wave Runner FX HO 04-08	0935-1132
JT1200 STX-12F 03-07	0935-1141
JT1500 STX-15F 04-17	0935-1141
JT1500 Ultra 250X 07-08	0935-1141
JT1500 Ultra 260LX/X 09-10	0935-1141
JT1500 Ultra LX 07-17	0935-1141
1800 FX HO Wave Runner 12-18	0935-1145
1800 FX SHO Wave Runner 08-10	0935-1147
1800 FX SHO Wave Runner 11-12	0935-1144
1800 FX SHO Wave Runner 13-15	0935-1146
1800 FX SHO Wave Runner 16	0935-1145
1800 FX SVHO Wave Runner 16-18	0935-1146
1800 FZR/FZS Wave Runner 09-10	0935-1147
1800 FZR/FZS Wave Runner 11-12	0935-1144
1800 FZR/FZS Wave Runner 13-16	0935-1143
1800 GP Wave Runner 17	0935-1143
1800 GP Wave Runner 18	0935-1146
1800 VX HO Wave Runner 17-18	0935-1145
1800 VXR Wave Runner 18	0935-1145
1800 VXR/VXS Wave Runner 11-12	0935-1144
1800 VXR/VXS Wave Runner 13-17	0935-1145

BOLD MAGENTA part numbers are new for 2022



O-RING HEAD KIT

FOR YAMAHA 701/760 BILLET

- Bulletproof nitrile O-ring kit comes with the same quality and durability you have come to know and expect from Blowsion
- Fits Blowsion one-piece and two-piece billet head kits

DESCRIPTION	PART #
O-ring head kit	0935-0817



0932-0078



0932-0080

REPLACEMENT OIL PUMP PARTS

FOR SEA-DOO 4-TEC ENGINES

FITS MODEL	DESCRIPTION	PART #
SEA-DOO		
1500 4-TEC 03-09 (all)	Shaft (long)	0932-0077
1500 4-TEC 03-04	Shaft (short)	0932-0079
1500 GTX 4-TEC LTD 05	Shaft (short)	0932-0078
1500 SCIC 05		0932-0078
1500 RXP/RXT 05		0932-0078
1500 RXP Supercharged 04		0932-0078
1500 4-TEC 06-09 (all)		0932-0078

FITS MODEL	DESCRIPTION	PART #
SEA-DOO (CONT)		
1500 4-TEC 03-09 (all)	Outer rotor	0932-0080
1500 4-TEC 03-09 (all)	Cover plate	0932-0081



0712-0295

OIL DRAIN PLUGS

- Replacement oil drain plugs

FITS MODEL	PART #
SEA-DOO	
580 GTS 95-96	0712-0295
650 GTX 95	0712-0295
720 GS 97-00	0712-0295
720 GS 01	0712-0359
720 GSI 97	0712-0295
720 GTI 96-98, 00	0712-0295
720 GTI 01-03	0712-0359
720 GTI LE 02-03	0712-0359
720 GTS 97-00	0712-0295
720 GTS 01	0712-0359
720 XP 95	0712-0295
800 GSX 96-98	0712-0295
800 GSX RFI 99-00	0712-0295
800 GTI LE RFI 03	0712-0359

FITS MODEL	PART #
SEA-DOO (CONT)	
800 GTX 96-97	0712-0295
800 GTX RFI 98, 00	0712-0295
800 GTX RFI 01-02	0712-0359
800 SPX 98-99	0712-0295
800 XP 95-98	0712-0295
900/1503/1630 09-20	0712-0646
951 GSX LTD 98-99	0712-0295
951 GTX 00	0712-0295
951 GTX 01-02	0712-0359
951 GTX DI 00	0712-0295
951 GTX DI 01-03	0712-0359
951 GTX LTD 98	0712-0295
951 LRV 00-01	0712-0295
951 LRV DI 02	0712-0295

FITS MODEL	PART #
SEA-DOO (CONT)	
951 RX/RX DI 00	0712-0295
951 RX/RX DI 01-02	0712-0359
951 RX X 01	0712-0359
951 XP 00	0712-0295
951 XP 01-02	0712-0359
951 XP DI 03	0712-0359
1500 GTX 4-TEC 02-03	0712-0359
1500 Wake 155/215 08-09	0712-0295
YAMAHA	
All 2-stroke models 90-08	0712-0358
WaveRunner FX/FX 140 1000/1100 04-09	0712-0295
WaveRunner VX/VX110 1100 Sport/ Deluxe 05-09	0712-0295
WaveRunner FX SHO 1800 09	0712-0295



MACHINED CRANKCASE BLOCK-OFF PLATE

FOR KAWASAKI 650/750 (ALL)

- Covers the case breather port
- CNC-machined from top-quality billet aluminum

DESCRIPTION	PART #
Machined crankcase block-off plate	011-210

OIL INJECTION REMOVAL KITS

- Top-quality billet aluminum construction
- Washers not included

FITS MODEL	PART #
KAWASAKI	
650/750 (all)	011-205
900/1100 (all)	011-206
POLARIS	
650/750/780 (all)	011-208

FITS MODEL	PART #
SEA-DOO	
580/650/720 (all)	011-212
800/951 (all)	011-213
YAMAHA	
650/701/760 (all)	011-205
1100/1200 (all)	011-216

011-212



BOLD MAGENTA part numbers are new for 2022



0932-0257



0932-0256

WATER PUMP REBUILD KITS

FOR SEA-DOO

- Kit includes every gasket, O-ring, mechanical seal, bearing and seals required to rebuild a water pump

FITS MODEL	PART #
GTI/GTS 90 ACE 18	0932-0257
150 Speedster 155 Jet Boat 07-12	0932-0256
150 Speedster 215 Jet Boat 07-19	0932-0256
150 Speedster 255 Jet Boat 12	0932-0256
180 Challenger 215 Jet Boat 07-12	0932-0256
180 Challenger 215 SC/SCIC Jet Boat 05	0932-0256
180 Challenger SE 215 Jet Boat 07-09, 12	0932-0256
180 Challenger SE 255 Jet Boat Twin Engine 09-12	0932-0256
180 SP 260 Jet Boat Twin Engine 12	0932-0256
200 Speedster 155 Jet Boat Twin Engine 05, 07-08	0932-0256
200 Speedster 215 Jet Boat Twin Engine 07-09	0932-0256
200 Speedster 255 Jet Boat Twin Engine 10-12	0932-0256
200 Speedster Jet Boat Twin Engine 04	0932-0256
205 Utopia 155 Jet Boat Twin Engine 07-09	0932-0256
205 Utopia SE 215 Jet Boat Twin Engine 07-09	0932-0256
210 Challenger 155 Jet Boat Twin Engine 10-12	0932-0256
210 Challenger 215 Jet Boat Twin Engine 10	0932-0256
210 Challenger 255 Jet Boat 12	0932-0256
210 Challenger S 255 Jet Boat 12	0932-0256
210 Challenger SE 155 Jet Boat Twin Engine 10-12	0932-0256
210 Challenger SE 215 Jet Boat Twin Engine 11-12	0932-0256
210 SP 155/215 Jet Boat Twin Engine 12	0932-0256
210 Wake 155/215 Jet Boat Twin Engine 10-12	0932-0256
220 Islandia 155 Jet Boat Twin Engine 06-07	0932-0256
230 Challenger 155 Jet Boat Twin Engine 07-12	0932-0256
230 Challenger 215 Jet Boat Twin Engine 07	0932-0256
230 Challenger SE 155 Jet Boat Twin Engines 11-12	0932-0256
230 Challenger SE 215 Jet Boat Twin Engine 08-12	0932-0256
230 Challenger SE 255 Jet Boat Twin Engine 09-12	0932-0256
230 Challenger SP 155/215 09-10	0932-0256
230 Challenger Wake 155/215 Jet Boat Twin 07	0932-0256
230 SP 215 Jet Boat Twin Engine 11-12	0932-0256
230 SP 255 Jet Boat Twin Engine 12	0932-0256
230 Wake 155 Jet Boat Twin Engine 08	0932-0256
230 Wake 215 Jet Boat Twin Engine 08-09, 12	0932-0256
230 Wake 255 Jet Boat Twin Engine 09, 12	0932-0256
230 Wake SE 215/255 Jet Boat Twin Engine 10-11	0932-0256

FITS MODEL	PART #
430 Islandia SE 215 Jet Boat Twin Engine 08	0932-0256
4-TEC GTI 130 155 06-17	0932-0256
4-TEC GTR 215 12-17	0932-0256
4-TEC GTR 230 17	0932-0256
4-TEC GTS 130 155 11-17	0932-0256
4-TEC GTX 155 02-17	0932-0256
4-TEC GTX 155 38CS 38CR 12	0932-0256
4-TEC GTX 215 08-09, 11-13	0932-0256
4-TEC GTX 215 42CS 12	0932-0256
4-TEC GTX iS 215 10-11	0932-0256
4-TEC GTX LTD 215 05-08, 14-16	0932-0256
4-TEC GTX LTD 230 17	0932-0256
4-TEC GTX LTD iS 260 12-17	0932-0256
4-TEC GTX LTD iS 260 18CS 12	0932-0256
4-TEC GTX LTD iS/RXT iS 255 09	0932-0256
4-TEC GTX LTD iS/RXT iS 260 10-11	0932-0256
4-TEC GTX LTD SC 185 06	0932-0256
4-TEC GTX SC 185 06	0932-0256
4-TEC GTX Special Supercharged 185 04	0932-0256
4-TEC GTX Wake 155 03-07	0932-0256
4-TEC GTX Wake 215 07	0932-0256
4-TEC GTXGTX LTD Supercharged 185 03-04	0932-0256
4-TEC RXP 155 07-08	0932-0256
4-TEC RXP 215 04-09	0932-0256
4-TEC RXP 255 08-11	0932-0256
4-TEC RXP 260 12-15	0932-0256
4-TEC RXT 215 05-10	0932-0256
4-TEC RXT 255 08-09	0932-0256
4-TEC RXT 260 10-17	0932-0256
4-TEC RXT 260 17CS 12	0932-0256
4-TEC Wake 155 08-17	0932-0256
4-TEC Wake 215 08	0932-0256
4-TEC Wake Pro 215 09-16	0932-0256
4-TEC Wake Pro 230 17	0932-0256
900 ACE Spark 14-18	0932-0257
900 ACE Spark HO/TRIXX 18	0932-0257
900 GTI/GTR/GTS ACE 17	0932-0257

BOLD MAGENTA part numbers are new for 2022

VERTEX PISTON & GASKET

WATER PUMP SEALS

FOR SEA-DOO

- Direct OEM replacement
- High-quality seal face material seals better and lasts longer
- Corrosion- and chemical-resistant materials keep your engine clean, safe and cool
- Meet or exceed OEM quality

0932-0259



0932-0258



FITS MODEL	SEAL KITS
GTI/GTS 90 ACE 18	0932-0259
150 Speedster 155 Jet Boat 07-12	0932-0258
150 Speedster 215 Jet Boat 07-09	0932-0258
150 Speedster 255 Jet Boat 09-12	0932-0258
180 Challenger 215 Jet Boat 07-08, 10-12	0932-0258
180 Challenger 215 SC/SCIC Jet Boat 05	0932-0258
180 Challenger SE 215 Jet Boat 07-09, 12	0932-0258
180 Challenger SE 255 Jet Boat Twin Engine 09-12	0932-0258
180 SP 260 Jet Boat Twin Engine 12	0932-0258
200 Speedster Jet Boat Twin Engine 04	0932-0258
200 Speedster 155 Jet Boat Twin Engine 05, 07-08	0932-0258
200 Speedster 215 Jet Boat Twin Engine 07-12	0932-0258
205 Utopia 155 Jet Boat Twin Engine 07-09	0932-0258
205 Utopia SE 215 Jet Boat Twin Engine 07-09	0932-0258
210 Challenger 155 Jet Boat Twin Engine 10-12	0932-0258
210 Challenger 215 Jet Boat Twin Engine 10	0932-0258
210 Challenger 255 Jet Boat 12	0932-0258
210 Challenger S 255 Jet Boat 12	0932-0258
210 Challenger SE 155 Jet Boat Twin Engine 10-12	0932-0258
210 Challenger SE 215 Jet Boat Twin Engine 11-12	0932-0258
210 SP 155/215 Jet Boat Twin Engine 12	0932-0258
210 Wake 155/215 Jet Boat Twin Engine 10-12	0932-0258
220 Islandia 155 Jet Boat Twin Engine 06-07	0932-0258
230 Challenger 155 Jet Boat Twin Engine 07-12	0932-0258
230 Challenger 215 Jet Boat Twin Engine 07	0932-0258
230 Challenger SE 155 Jet Boat Twin Engine 11-12	0932-0258
230 Challenger SE 215 Jet Boat Twin Engine 08-12	0932-0258
230 Challenger SE 255 Jet Boat Twin Engine 09-12	0932-0258
230 Challenger SP 155/215 Jet Boat Twin Engine 09-10	0932-0258
230 Challenger Wake 155/215 Jet Boat Twin Engine 07	0932-0258
230 SP 215 Jet Boat Twin Engine 11-12	0932-0258
230 SP 255 Jet Boat Twin Engine 12	0932-0258
230 Wake 155 Jet Boat Twin Engine 08	0932-0258
230 Wake 215 Jet Boat Twin Engine 08-09	0932-0258
230 Wake 215 Jet Boat Twin Engine 12	0932-0258
230 Wake 255 Jet Boat Twin Engine 09, 12	0932-0258
230 Wake SE 215/255 Jet Boat Twin Engine 10-11	0932-0258
430 Islandia SE 215 Jet Boat Twin Engine 08	0932-0258
4-TEC GTI 130 155 06-18	0932-0258
4-TEC GTI 215 12-17	0932-0258
4-TEC GTR 230 17-18	0932-0258
4-TEC GTS 130 155 11-17	0932-0258

FITS MODEL	SEAL KITS
4-TEC GTX 155 02-18	0932-0258
4-TEC GTX 155 38CS 38CR 12	0932-0258
4-TEC GTX 215 08-09, 11-13	0932-0258
4-TEC GTX 215 42CS 12	0932-0258
4-TEC GTX 230 18	0932-0258
4-TEC GTX iS 215 10-11	0932-0258
4-TEC GTX LTD 215 05-08, 14-16	0932-0258
4-TEC GTX LTD 230 17	0932-0258
4-TEC GTX LTD iS 260 12-17	0932-0258
4-TEC GTX LTD iS 260 18CS 12	0932-0258
4-TEC GTX LTD iS/RXT iS 255 09	0932-0258
4-TEC GTX LTD iS/RXT iS 260 10-11	0932-0258
4-TEC GTX LTD SC 185 05	0932-0258
4-TEC GTX SC 185 06	0932-0258
4-TEC GTX Special Supercharged 185 04	0932-0258
4-TEC GTX Wake 155 03-07	0932-0258
4-TEC GTX Wake 215 07	0932-0258
4-TEC GTX/GTX LTD Supercharged 185 03-04	0932-0258
4-TEC RXP 155 07-08	0932-0258
4-TEC RXP 215 04-09	0932-0258
4-TEC RXP 255 08-11	0932-0258
4-TEC RXP 260 12-15	0932-0258
4-TEC RXT 215 05-10	0932-0258
4-TEC RXT 230 18	0932-0258
4-TEC RXT 255 08-09	0932-0258
4-TEC RXT 260 10-17	0932-0258
4-TEC RXT 260 17CS 12	0932-0258
4-TEC Wake 155 08-18	0932-0258
4-TEC Wake 215 08	0932-0258
4-TEC Wake Pro 215 09-16	0932-0258
4-TEC Wake Pro 230 17-18	0932-0258
4-TEC GTX/RXP/RXT 300 18	0932-0258
Islandia SE 215 Jet Boat Twin Engine 09	0932-0258
Speedster Wake 155 Jet Boat Twin Engine 07-08	0932-0258
Speedster Wake 215 Jet Boat Twin Engine 07-09	0932-0258
Sportster 215 Jet Boat 05	0932-0258
Sportster 4-TEC 155 Jet Boat 05	0932-0258
Sportster 4-TEC Jet Boat 03-04	0932-0258
900 Ace Spark 14-18	0932-0259
900 Ace Spark HO/TRIXX 18	0932-0259
900 GTI/GTR/GTS ACE 17	0932-0259
1630 HO ACE GTX/RXP/RXT 300 16-17	0932-0258

WSM PERFORMANCE PARTS

EXHAUST PIPE HOSES

FOR SEA-DOO

1860-0659



1860-0540



1860-0539



FITS MODEL	LENGTH/ID	PART #
650-800 94-05 (all)	79 mm/49 mm (3,1"/1,95")	1860-0659
951 GSX/GTX/XP LTD 98-99	89 mm/64 mm (3,5"/2,5")	1860-0540
951 GTX/RX 00-02	89 mm/64 mm (3,5"/2,5")	1860-0540

FITS MODEL	LENGTH/ID	PART #
951 LRV/XP 00-01	89 mm/64 mm (3,5"/2,5")	1860-0540
1500 GTI/GTX/RXP/RXT 06-07	81 mm/70 mm (3,2"/2,75")	1860-0539

WSM PERFORMANCE PARTS

EXHAUST PICKUP ENVELOPE

FOR SEA-DOO 951 MODELS 00-04

- Install around the exhaust to manifold joint, to deflect water spray from the joint

0950-0472



1860-0660



DESCRIPTION	PART #
Exhaust pickup envelope	0950-0472

DESCRIPTION	PART #
Exhaust bushings, 1 pr.	1860-0660[1]

[1] Repl. OEM #293-300-031.

BOLD MAGENTA part numbers are new for 2022


011-104


011-105


011-110


011-107


011-108


011-109


011-117


011-116


011-126

MOTOR MOUNTS

- Replacements for broken or worn-out OEM motor mounts

FITS MODEL	PART #
KAWASAKI	
JS440 77-86	011-104
JS550 82-89	011-104
SX550 90	011-104
650 87-96	011-105
750 92-99	011-105
900/1100 (all)	011-103
Ultra 150 99-05 (front)	0933-0006
Ultra 150 99-05 (rear)	011-103
1200 STX-R 02-05 (front)	0933-0006
1200 STX-R 02-05 (rear)	011-103
STX-12F 03-07	011-103
STX-15F 04-10	011-103
Ultra 250X/LX 07-10	011-103
Ultra 260X/LX 09-11	011-103
POLARIS	
SL 650 92-95	011-110
SL 750 93-94	011-110
780 (all)	011-110
SEA-DOO	
580/650/720 (all)	011-107
GSX 800 96-98 (front)	011-108
GSX 800 96-98 (rear)	011-109[1]
GSX RFI 800 99-00 (rear)	011-109[1]
GTI LE RFI 800 03 (front)	0933-0010
GTI LE RFI 800 03 (rear)	011-109[1]
GTI RFI/LE RFI 800 04-05 (rear)	0933-0008[1]
GTX 800 96-97 (front)	011-108
GTX 800 96-97 (rear)	011-109[1]
GTX RFI 800 98-02 (front)	0933-0010

FITS MODEL	PART #
SEA-DOO (CONT)	
GTX RFI 800 98-02 (rear)	011-109[1]
SPX 800 97-98 (front)	011-108
SPX 800 97-99 (rear)	011-109[1]
800/951 (rear)	011-109
XP 800 96-97 (front)	011-108
XP 800 96-97 (rear)	011-109[1]
GSX LTD 951 99 (front)	011-108
GSX LTD 951 98-99 (rear)	011-109[1]
GTX 951 00-02 (rear)	011-109[1]
GTX DI 951 00-03	011-109[1]
GTX LTD 951 98 (front)	011-108
GTX LTD 951 98-99 (rear)	011-109[1]
LRV/DI 951 00-02 (rear)	011-109[1]
RX/DI 951 00-03 (rear)	011-109[1]
RXX 951 01 (rear)	011-109[1]
XP 951 00-02 (front)	0933-0010
XP 951 00-02 (rear)	011-109[1]
XP LTD/DI 951 99-04 (front)	0933-0010
XP DI 951 03-04 (rear)	011-109[1]
XP LTD 951 98-99 (rear)	011-109[1]
GTI 1500 06-07 (rear)	0933-0008[1]
GTI SE 1500 06-07 (rear)	0933-0008[1]
GTX 1500 4-TEC 02-07 (front)	0933-0009
GTX 1500 4-TEC 02-07 (rear)	0933-0008[1]
RXP/RXT 05-10 (front)	0933-0009
RXP/RXT 05-07, 10 (rear)	0933-0008[1]
YAMAHA	
500 WJ 87-90	011-117
WaveRunner III 650 96	011-117

FITS MODEL	PART #
YAMAHA (CONT)	
650/701 SuperJet (all)	011-115
WaveBlaster 701 (all)	011-116
701 FX 94-95	011-116
WaveRaider 701 95-97	011-117
WaveRunner III 701 97	011-117
WaveRunner XL 701 99-04	011-117
WaveVenture 701 95-98	011-117
WaveBlaster 760 (all)	011-116
WaveRaider 760 96	011-117
WaveVenture 760 97	011-117
WaveRunner GP 760 97-00	011-117
WaveRunner XL 760 98-99	011-117
WaveRunner GP 800 98-00	011-117
WaveRunner XL 800 00-01	011-117
WaveRunner XLT 800 02-04	011-117
WaveRaider 1100 95-96	011-117
FX140 WaveRunner 02-04	011-126
FX1100 WaveRunner/Cruiser 04-11	011-126
VX1100 WaveRunner 05-11	011-126
WaveVenture 1100 96-97	011-117
WaveRunner GP 1200 97-99	011-117
WaveRunner XL 1200 98	011-117
WaveRunner GP 1200R 00-01	011-126
WaveRunner SUV 1200 99-04	011-117
WaveRunner XL LTD 1200 99-00	0933-0007
WaveRunner XLT 1200 01-05	0933-0007
WaveRunner GP1300 04-08	011-126
WaveRunner FZS/FZR SHO 09-11	011-126

[1] Requires two mounts.

ENGINE KEEPERS

FOR YAMAHA SUPER JET (ALL)

- Designed in conjunction with (and required by) Blowsion SXR Pro Freerider Air Darin Anderson and SL rider Joe Kenney; these "Kenney Keepers" are a must have for any hardcore surf or flat-water invert artist riding a Yamaha Super Jet
- Each set contains a left- and right-side front mount retainer and extended stainless hardware for installation
- Unique close tolerance design retains the front "top heavy" weight of the engine block from being flexed or thrown forward during flat out maneuvers or inverts
- Since this is a common occurrence even in flat water racing action, Blowsion designers also found them to be excellent insurance against ever having to replace those expensive engine mounts again
- Anodized blue; kit includes left and right contoured brackets and stainless mounting bolts



DESCRIPTION	PART #
Engine keepers	0933-0097

BOLD MAGENTA part numbers are new for 2022

FLO Oil Filters

FLO STAINLESS STEEL, REUSABLE "SPIN-ON" OIL FILTERS

- Made from laser-cut, medical-grade, 304 stainless steel micronic filter cloth, this filter provides 200% more filter area in many cases
- Stainless filter catches items down to 35 microns, which is about three times better than most good paper or brass filters
- Unlike glued paper filters, the FLO Oil Filter pleat seam is welded and able to withstand up to 316 °C (600 °F)
- Filters maintain consistent flow under all conditions including extreme heat, the presence of water, and cold start-ups where paper filters can flow so poorly that they often cause the bypass valve to open and allow unfiltered oil to enter your engine

0712-0149



0712-0645



- Should be the last filter an owner ever needs; this high-tech filter technology is widely used in all types of auto racing including NASCAR, Indy type cars, Formula 1 and in the aerospace industry where filtration is of the utmost importance

PART #	FLO PART #	DESCRIPTION
OIL FILTERS		
0712-0149	PCS1	Gunmetal gray

PART #	FLO PART #	DESCRIPTION
OIL FILTERS (CONT)		
0712-0645	PCS1BC	Black w/ polished cooling fins

APPLICATIONS

FITS MODEL
HONDA
AquaTrax F-12 02-07
AquaTrax R-12 07-13
AquaTrax F-15 08-09
KAWASAKI
STX 09-10
STX 12F 03-07
STX 15F 04-21
Ultra 250X 07-08

FITS MODEL
KAWASAKI (CONT)
Ultra 260 09-13
Ultra 300 11-14
Ultra 310 (all) 14-21
Ultra LX 07-21
YAMAHA
FX1000/1100 WaveRunner 04-07
VX1100 WaveRunner 05-16
FX 02-08

FITS MODEL
YAMAHA (CONT)
EX (all) 17-21
EXR 19-21
VX (Sport & Deluxe) 05-21
VX Cruiser 07-21
VX Limited 16-21
VX-C 19-21

FITS MODEL
YAMAHA JET BOATS
AR230/SX230 04-06
SR230 03-05
AR210/SR210/SX210 06-07
AR230/SX230 HO 05-06
AR230/SR230/SX230 HO 07

EMGO

OIL FILTER

FOR SEA-DOO



- Direct OE replacement oil filter

FITS MODEL	EMGO PART #	PART #
GTI 130/155 06-17	10-26992	0712-0391
GTR 215 12	10-26992	0712-0391
GTS 130 11-12	10-26992	0712-0391
GTX 155/215/260/4-TEC 03-12	10-26992	0712-0391
RXP/X255/260 04-12	10-26992	0712-0391
Wake 155 08-12	10-26992	0712-0391
Wake Pro 215/230 08-17	10-26992	0712-0391
150 Speedster 255HP/260HP 09-12	10-26992	0712-0391
150 Speedster 215HP 08-09	10-26992	0712-0391
150 Speedster 155HP 08-12	10-26992	0712-0391
150 Speedster 07-08	10-26992	0712-0391
180 Challenger SE 215HP 08-12	10-26992	0712-0391
180 Challenger SE 255/260HP 09	10-26992	0712-0391
180 Challenger/SE 05-08	10-26992	0712-0391
180 Challenger CS 06	10-26992	0712-0391
200 Speedster 215/310/430/510 08-12	10-26992	0712-0391
200 Speedster 05-08	10-26992	0712-0391
205 Utopia SE 430HP (2 req.) 08-09	10-26992	0712-0391
205 Utopia SE 310HP (2 req.) 08-09	10-26992	0712-0391
205 Utopia/SE 06-08	10-26992	0712-0391
205 Utopia/SE 155/215 06-09	10-26992	0712-0391
210 Challenger 260/310/430 10-12	10-26992	0712-0391
210 SP 310/430 11-12	10-26992	0712-0391
210 Wake 310/430 11-12	10-26992	0712-0391
230 Challenger SE 07-08	10-26992	0712-0391
230 Challenger 07-08	10-26992	0712-0391
230 Wake 07	10-26992	0712-0391
230 Wake Eng. 2 07-08	10-26992	0712-0391
Wake 215 08	10-26992	0712-0391
Wake 155 07-12	10-26992	0712-0391
Wake 05-06	10-26992	0712-0391
Islandia SE ENG.2 07-08	10-26992	0712-0391
Islandia SE 06-08	10-26992	0712-0391
Islandia 06	10-26992	0712-0391
Sportster SCIC 155/215HP 05	10-26992	0712-0391
Sportster 4-TEC 155/215HP 05	10-26992	0712-0391
Sportster 4-TEC 04	10-26992	0712-0391
Speedster Wake 430HP (2 req.) 09	10-26992	0712-0391

FITS MODEL	EMGO PART #	PART #
Speedster Wake ENG. 2 06-08	10-26992	0712-0391
Speedster Wake 1 06-08	10-26992	0712-0391
GTI 06-07	10-26992	0712-0391
GTI Rental 06	10-26992	0712-0391
GTI SE 06	10-26992	0712-0391
GTI 4-TEC/SE/Rental 07	10-26992	0712-0391
GTI 130 08-12	10-26992	0712-0391
GTI 130 Rental 08	10-26992	0712-0391
GTI SE 130/155 07-17	10-26992	0712-0391
GTI LTD. 155 01-12	10-26992	0712-0391
GTR215 2012	10-26992	0712-0391
GTS130 01-12	10-26992	0712-0391
GTX 05-07	10-26992	0712-0391
GTX IS 215 10-11	10-26992	0712-0391
GTX SC 05-06	10-26992	0712-0391
GTX LTD/Wake 07	10-26992	0712-0391
GTX LTD iS 260 10-12	10-26992	0712-0391
GTX Limited IS 255 09	10-26992	0712-0391
GTX Limited 05-08	10-26992	0712-0391
GTX S 155 12-17	10-26992	0712-0391
GTX 155/215 08-12	10-26992	0712-0391
GTX 4-TEC Wakeboard Edition 04	10-26992	0712-0391
GTX 4-TEC Wake 03-06	10-26992	0712-0391
GTX 4-TEC/LTD. Supercharged 03-06	10-26992	0712-0391
GTX 4-TEC 02-06	10-26992	0712-0391
RXP 04-07	10-26992	0712-0391
RXP 155 07-08	10-26992	0712-0391
RXP 215 08-09	10-26992	0712-0391
RXP-X 255 08-11	10-26992	0712-0391
RXP-X260 12	10-26992	0712-0391
RXT 05-07	10-26992	0712-0391
RXT 215 08-09	10-26992	0712-0391
RXT IS 255 09	10-26992	0712-0391
RXT 260 11-17	10-26992	0712-0391
RXT iS 260 10-17	10-26992	0712-0391
RXT-X 255 08-09	10-26992	0712-0391
RXT-X 260 10-17	10-26992	0712-0391

BOLD MAGENTA part numbers are new for 2022

0712-0094



0712-0091



PARTS UNLIMITED

OIL FILTERS

- Parts Unlimited oil filters literally use the world's finest materials: German paper, English glue and Japanese zinc steel

FITS MODEL	PART #
HONDA	
F12/F12X 02-07	0712-0094
R12/R12X 03-07	0712-0094
F15X 08-09	0712-0094
KAWASAKI	
STX-12F 03-06	0712-0094
STX-12F 07	01-0035X
STX-15F 04-19	0712-0094
STX/STX-15F 07-09	01-0035X
Ultra 250 X/LX 07-08	0712-0094
Ultra LX 07-19	0712-0094
Ultra 260 X/LX 09	0712-0094
SEA-DOO	
GTI 1494 06-07 (all)	0712-0091[1]
GTI 130/SE 1494 08-17	0712-0091[1]
GTI 155 SE 1494 08-17	0712-0091[1]
GTI 130/SE 1503 15-17	0712-0091[1]
GTR 215/230 14-17	0712-0091[1]
GTS 130 1503 15-16	0712-0091[1]
GTX 1494 02-09 (all)	0712-0091[1]
GTX 155/215/Limited 1494 08-17	0712-0091[1]
GTX 155/230 14-17	0712-0091[1]

FITS MODEL	PART #
SEA-DOO (CONT)	
RXP 1494 04-15	0712-0091[1]
Wake 1494 05-15	0712-0091[1]
Wake 155 1503 14-17	0712-0091[1]
RXT 1494 05-13	0712-0091[1]
RXT 260/RXT X 260 1503 14-17	0712-0091[1]
RXP X 260 14-15	0712-0091[1]
YAMAHA	
FX140 02-03	01-0035X
FX1000/1100 04-07	01-0035X
FX1000/1100 08	0712-0094
VX1100 05-07	01-0035X
VX1100 08-15	0712-0094
GX/VX1800 11-13	0712-0094
SEA-DOO JET BOATS	
150 Speedster 07-09	0712-0091[1]
180 Challenger 06-09 (all)	0712-0091[1]
200 Speedster 06-09	0712-0091[1]
205 Utopia/SE 06-09	0712-0091[1]
230 Challenger/SE 07-08	0712-0091[1]
230 Wake 07-08	0712-0091[1]
Islandia/SE 06-08	0712-0091[1]

FITS MODEL	PART #
SEA-DOO JET BOATS (CONT)	
Speedster Wake 06-09	0712-0091[1]
Sportster 4 TEC 05	0712-0091[1]
YAMAHA JET BOATS	
AR210 06-07	01-0035X
SR210 06-07	01-0035X
SX210 06-07	01-0035X
SX210 08	0712-0094
AR210 08-09	0712-0094
212X 08 (except CA model)	0712-0094
212X 09	0712-0094
212SS 08-09	0712-0094
SR230 03-05	01-0035X
SR230 HO 07	01-0035X
SX230/HO 03-07	01-0035X
SX230 HO 08-09	0712-0094
AR230/HO 04-07	01-0035X
AR230/HO 09	0712-0094
232 Limited/S 08-09	0712-0094

[1] Includes housing O-rings.





K&N

PERFORMANCE OIL FILTERS

- K&N delivers a premium oil filter which is built with a synthetic media specifically designed to withstand the high concentrates of synthetic racing oils
- A large filter media provides high-flow rates and outstanding oil filtration to keep your motor running clean and smooth
- Uniform pleated synthetic filter media provides high capacity and outstanding filtration
- Synthetic Media allows for the higher-flow rates associated with synthetic and synthetic blended oils
- Protected by a heavy-duty canister and baseplate, with a double-rolled seal
- Check-valve/anti-drain back valve prevents drain-back and dry starts (where applicable)
- Pre-lubed base gasket
- 17 mm hex nut (pre-drilled for safety wire security) allows easy-on, wrench-off removal (where applicable)

FITS MODEL	PART #
HONDA	
Aquatrax R-12/X 1200 03-07	0712-0550[1]
Aquatrax F-12/X 1200 02-07 (all)	0712-0550[1]
Aquatrax F15X 08-09	0712-0550[1]
KAWASAKI	
Ultra 250 X/LX 07-08	0712-0550[1]
Ultra 260 X/LX 09	0712-0550[1]
Ultra LX 07-17	0712-0550[1]
STX-12F 1200 03-06	0712-0550[1]
STX-12F 1200 07	KN-303[2]
STX-15F 1500 04-17	0712-0550[1]
STX/STX-15F 1500 07-09	KN-303[2]
SEA-DOO	
GTI 1494 06-07 (all)	0712-0118
GTI 130/SE 1494 08-15	0712-0118
GTI 155 SE 1494 08-17	0712-0118
GTI 130/SE 1503 15-17	0712-0118
GTR 215 1503 14-16	0712-0118
GTS 130 1503 15-16	0712-0118

K&N PART #	PART #
KN-556	0712-0118
KN-204C (chrome version of PART #0712-0550)	0712-0123

FITS MODEL	PART #
SEA-DOO (CONT)	
GTX 1494 02-09 (all)	0712-0118
GTX 155/215/Limited 1494 08-17	0712-0118
RXP 1494 04-15	0712-0118
RXT 1494 05-13	0712-0118
Wake 1494 05-15	0712-0118
GTX 155/S 1503 14-17	0712-0118
Wake 155 1503 14-17	0712-0118
RXT 260/RXT X 260 1503 14-17	0712-0118
RXP X 260 1503 14-15	0712-0118
YAMAHA	
FX1000/1100 WaveRunner 04-07	KN-303[2]
FX1000/1100 WaveRunner 08	0712-0550[1]
SXT1100 232 Ltd./S/AR/SX230 08-09	0712-0550[1]
VX1100 WaveRunner 05-07	KN-303[2]
VX1100 WaveRunner 08-15	0712-0550[1]
SEA-DOO JET BOATS	
150 Speedster 07-09	0712-0118
180 Challenger 06-09 (all)	0712-0118

K&N PART #	PART #
KN-204-1	0712-0550
KN-303	KN-303

FITS MODEL	PART #
SEA-DOO JET BOATS (CONT)	
200 Speedster 06-09	0712-0118
205 Utopia/SE 06-09	0712-0118
230 Challenger/SE 07-08	0712-0118
230 Wake 07-08	0712-0118
Islandia/SE 06-08	0712-0118
Speedster Wake 06-09	0712-0118
Sportster 4-Tec 05	0712-0118
YAMAHA JET BOATS	
AR230/SX230 04-06	KN-303[2]
SR230 03-05	KN-303[2]
AR210/SR210/SX210 06-07	KN-303[2]
AR230/SX230 HO 05-06	KN-303[2]
AR230/SR230/SX230 HO 07	KN-303[2]
AR230/SX230 HO 08-09	0712-0550[1]
212SS/212X/232 Limited 08-09	0712-0550[1]

[1] Also available in chrome; PART #0721-0123.
[2] Also available in chrome; PART #KN-303C.

K&N PART #	PART #
KN-303C (chrome version of PART #KN-303)	KN-303C

BOLD MAGENTA part numbers are new for 2022

HIFLOFILTRO® OIL FILTERS

STANDARD FILTERS

- The original Hiflofiltro® factory was founded in 1955 and has been manufacturing filters for the OEM motor industry since 1963
- With the experience of more than five decades, constant research and development and featuring a completely modern production facility, Hiflofiltro offers some of the best quality filters in the world
- Production monitored to ensure OEM or better quality
- Constructed using the best materials available
- One of the broadest ranges of aftermarket coverage



RACING FILTERS

- Heavy-duty steel casing features a welded hex nut for easier removal and installation
- High-performance tri-fiber media for optimum filtration and consistent oil flow
- Premium rubber relief valve for 100% seal
- Compatible with all oil types

NOTE: See chart below for oil filter applications.

FITS MODEL	PART #
HONDA	
Aquatrax F-12/X 1200 02-07	HF204
(racing)	0712-0437
Aquatrax R-12/X 1200 03-07 (all)	HF204
(racing)	0712-0437
Aquatrax F15X 08-09	HF204
(racing)	0712-0437
HP25 01-05 (up to 003206)	HF303C[2]
	HF303[1]
HP30 01-05 (up to 1005016)	HF303C[2]
	HF303[1]
HP40 01-05 (up to 3007642)	HF303C[2]
	HF303[1]
HP50 00-05 (up to 3014456)	HF303C[2]
	HF303[1]
KAWASAKI	
Jet Ski STX-12F 03-07	HF303C[2]
	HF303[1]
Jet Ski STX 09-10	HF303C[2]
	HF303[1]
Jet Ski STX 15F 04-10	HF303C[2]
	HF303[1]
Jet Ski Ultra LX0 7-11	HF303C[2]
	HF303[1]
Ultra 250 X 07-08	HF204
(racing)	0712-0437
Ultra 260 LX/X 09-12	HF204
(racing)	0712-0437
Ultra 300 X/LX 11-12	HF204
(racing)	0712-0437
Ultra 310 LX 14-17	HF204
(racing)	0712-0437
Ultra 310 SE/X 14-17	HF204
(racing)	0712-0437
Ultra LX 07-11	HF303[1]
	HF303C[2]
(racing)	0712-0438
Ultra LX 12-17	HF204
(racing)	0712-0437
STX-12F 1200 03-07	HF303[1]
	HF303C[2]
(racing)	0712-0438
STX-15F 1500 11-17	HF204
(racing)	0712-0437
STX/STX-15F 1500 04-10	HF303[1]
	HF303C[2]
(racing)	0712-0438
NISSAN	
NSF15 (all)	0712-0301
NSF20 (all)	0712-0301
NSF25 (all)	0712-0301
NSF30 (all)	0712-0301
SEA-DOO	
GTI 06	0712-0080
GTI130 08-12	0712-0080
GTI 4-TEC 07 (all)	0712-0080
GTI Limited 155 11-16	0712-0080
GTI Rental 06	0712-0080
GTI Rental 130 08	0712-0080
GTI SE 06	0712-0080
GTI SE 155/130 08-16	0712-0080
GTR 215 12-16	0712-0080
GTS 130 11-16	0712-0080
GTX 07	0712-0080

FITS MODEL	PART #
SEA-DOO (CONT)	
GTX 215/155 08-12	0712-0080
GTX 4-TEC 02-06 (all)	0712-0080
GTX iS 215 10-11	0712-0080
GTX Limited iS 260 10-16	0712-0080
GTX LTD 07	0712-0080
GTX S 155 12-16	0712-0080
GTX Wake 07	0712-0080
RXP 04-07	0712-0080
RXP-X 255 08-11	0712-0080
RXP-X 260 12-16	0712-0080
RXT 05-07	0712-0080
RXT 260 11-16	0712-0080
RXT iS 260 10-12	0712-0080
RXT-X 260 10-16	0712-0080
RXT-X aS 260 10-16	0712-0080
Wake 155 08-16	0712-0080
Wake Pro 215 08-16	0712-0080
DF9.9/9.9A 96-11	HF131
DF15 96-11	HF131
TOHATSU	
MSF15 (all)	0712-0301
MSF20 (all)	0712-0301
MSF25 (all)	0712-0301
MSF30 (all)	0712-0301
YAMAHA	
F15/25/40/50/115 00-05	HF303C[2]
	HF303[1]
F30 01-05	HF303C[2]
	HF303[1]
F40 midrange 06	HF303C[2]
	HF303[1]
F60 005	HF303C[2]
	HF303[1]
F75 03-05, F75 midrange 06	HF303C[2]
	HF303[1]
F80/100 00-03	HF303C[2]
	HF303[1]
F90 03-05	HF303C[2]
	HF303[1]
F90 jet drive/midrange 06	HF303C[2]
	HF303[1]
F115 in-line four/jet drive 06	HF303C[2]
	HF303[1]
FX/FX Cruiser 05-07	HF303C[2]
	HF303[1]
FX Cruiser HO 04-07	HF303C[2]
	HF303[1]
FX HO 04-07	HF303C[2]
	HF303[1]
FX140 Cruiser 03-07	HF303C[2]
	HF303[1]
VX/VX cruiser/deluxe/sport 07	HF303C[2]
	HF303[1]
VX110 deluxe/sport 05-06	HF303C[2]
	HF303[1]
F150 04-05	0712-0476
F150 (In line four)/(Jet drive) 06-18	0712-0476
F200/225 02-05	0712-0476
F200/225 (High power) 06-18	0712-0476
Sport Model 225 06-18	0712-0476
F250 05	0712-0476
F250 (High power) 06-18	0712-0476
FX HO/Cruiser 04-07	HF303[1]

FITS MODEL	PART #
YAMAHA (CONT)	
FX HO/Cruiser 04-07 (CONT)	HF303C[2]
(racing)	0712-0438
FX HO/Cruiser HO 09-16	0712-0476
FX SHO/Cruiser SHO 08-16	0712-0476
FX 140/Cruiser 02-04	HF303[1]
	HF303C[2]
(racing)	0712-0438
FZR 09-16	0712-0476
FZS 10-16	0712-0476
VX/Cruiser/Deluxe/Sport 07	HF303[1]
	HF303C[2]
(racing)	0712-0438
VX110 Deluxe/Sport 05-06	HF303[1]
	HF303C[2]
(racing)	0712-0438
VXR/VXS 11-16	0712-0476
FX1000/1100 WaveRunner 03-07	HF303[1]
	HF303C[2]
(racing)	0712-0438
FX1000/1100 WaveRunner 08	HF204
(racing)	0712-0437
FX Cruiser/Cruiser HO 08	HF204
(racing)	0712-0437
SXT1100 232 Ltd./S/AR/SX230 08-09	HF204
(racing)	0712-0437
VX1100 WaveRunner 05-07	HF303[1]
	HF303C[2]
(racing)	0712-0438
VX1100 WaveRunner 08-14	HF204
(racing)	0712-0437
VX Cruiser/Deluxe/Sport 08-12	HF204
(racing)	0712-0437
VF200/225/225 V6 offshore/250/250 V6 offshore/F300 V6 offshore 11-	0712-0526
F350 V8 5.3l 06-	0712-0526
SEA-DOO JET BOATS	
Challenger 180 4TEC/CS 05-06	0712-0080
Islandia 220 06	0712-0080
Speedster 200 w/1503 x 2 04	0712-0080
Sportster 4-TEC w/1503/155HP 03-04	0712-0080
Utopia 205 06	0712-0080
YAMAHA JET BOATS	
AR230/SX230 04-06	HF303[1]
	HF303C[2]
(racing)	0712-0438
SR230 03-05	HF303[1]
	HF303C[2]
(racing)	0712-0438
AR210/SR210/SX210 06-07	HF303[1]
	HF303C[2]
(racing)	0712-0438
AR230/SX230 HO 05-06	HF303[1]
	HF303C[2]
(racing)	0712-0438
AR230/SX230 HO 08-09	HF204
(racing)	0712-0437
AR230/SR230/SX230 HO 07	HF303[1]
	HF303C[2]
(racing)	0712-0438
212SS/212X/232 Limited 08-09	HF204
(racing)	0712-0437

[1] Glossy black finish.
[2] Chrome finish.

BOLD MAGENTA part numbers are new for 2022



OIL FILTER
FOR SEA-DOO SPARK 14-19, SPARK HO 15-17
• Replaces OEM #420-956123

DESCRIPTION	PART #
Spark oil filter	0712-0501



OIL FILTER
FOR SEA-DOO 2-STROKE MODELS
• Replaces OEM #s 275-000-051 and 275-0000-262

DESCRIPTION	PART #
Oil filter	0712-0178



OIL FILTER CAP
FOR SEA-DOO 1500 GTI, GTX/4-TEC, RXP, RXT, WAKE 155/215 04-09 (ALL)

DESCRIPTION	PART #
Oil filter cap	0712-0294



OIL PUMP COVER
FOR ALL SEA-DOO 4-TECH MODELS
• Direct replacement for your OEM #420-811-590 oil pump cover

DESCRIPTION	PART #
Oil pump cover	0932-0085



BALL BEARING WITH BELLOW
FOR SEA-DOO 1503 09-10 (ALL)
• Replaces OEM #420832753

DESCRIPTION	PART #
Bellows w/ B bearing	4809-0218



0712-0365



0712-0366



0712-0367

PARTS UNLIMITED

OIL FILTER O-RINGS
FOR BOMBARDIER 4 TEC 4-STROKE (ALL)
• OEM oil filter O-ring replacements
• Sold in 5-pack to dealer, sold to consumer as each

DESCRIPTION	PART #
For OEM #420950860	0712-0365

DESCRIPTION	PART #
For OEM #420230920	0712-0366

DESCRIPTION	PART #
For OEM #420850500	0712-0367

BOLD MAGENTA part numbers are new for 2022



FUEL/AIR SYSTEMS
ELECTRICAL

PARTS EUROPE

DYNOJET



POWER VISION 3

FOR SEA-DOO GTI 90 20

- Flash performance tunes via OEM diagnostic connector, no need to remove and send out ECU
- Display vehicle data channels in real-time
- Weather-resistant for use in all conditions
- High-contrast display, viewable in direct sunlight

NOTE: All Power Vision returns and/or adjustments must be made directly with Dynojet Research.

FITS MODEL	PART #
Power Vision 3	1020-3334



POWER COMMANDER V MAP SELECT SWITCH

- Switches between two different maps that have been pre-loaded in a Power Commander V
- Comes with a switch, wiring and instructions
- Universal mount

DESCRIPTION	PART #
Power Commander V map switch	1020-2082

MIKUNI



BN38448113



BN44408052



BN46-42-8002

HI PERFORMANCE SUPER BN CARBURETORS

- Special needle valves and springs give optimum pop-off with larger high and low speed jets
- Specifically designed to meet the needs of high horsepower racing watercraft
- Externally adjustable metering screws and replaceable jets make high- and low-speed tuning easy
- Made in Japan

MIKUNI PART #	INTAKE ID (MM)	LOW SPEED JET (MM)	HIGH SPEED JET (MM)	NEEDLE VALVE (MM)	ARM SPRING (GRAMS)	COLOR	PART #
SINGLE SQUARE PUMP CARBS							
BN38-34-8113[1]	38	65	107,5	2	115	Silver	BN38448113
BN44-40-8067[1]	44	120	140	2,5	80	Silver	1002-0033
BN44-40-8052[1]	44	120	125	2,3	65	Black	BN44408052
PRO RACING SUPER BN46							
BN46-42-8002[2]	46	120	150	2,5	80	Silver	BN46-42-8002

[1] Primer fitting; no butterfly choke.
[2] Extended throttle shaft.



BN34288010



1002-0032



BN444043

BLACK OEM REPLACEMENT SUPER BN CARBURETORS

- High-quality OE-style replacement carburetors
- Carburetors have correct regular throttle shaft with choke shaft for easy installation
- Made in Japan

MIKUNI PART #	INTAKE ID (MM)	LOW SPEED JET (MM)	HIGH SPEED JET (MM)	NEEDLE VALVE (MM)	ARM SPRING (GRAMS)	PART #
BN34-28-8010[1]	34	77,5	80	1,5	65	BN34288010
BN401-38-24[2]	38	70	167,5	1,5	95	1002-0032
BN44-40-43[3]	44	120	115	1,5	115	BN444043

[1] Fits Yamaha Wave Runner/Jammer 500 88-89. [2] Fits Sea Doo 720 GTI, GTS, GS, GSI 97. [3] Fits Yamaha SJ650 90-93, SJ701 94-95, TigerShark Monte Carlo 650 96.

BOLD MAGENTA part numbers are new for 2022



MKBN3844SPR



1006-0285



1006-0284

GENUINE MIKUNI CARBURETOR REBUILD KITS

• All parts needed for complete rebuild (except needle valve)

DESCRIPTION	MIKUNI REFERENCE #	PART #
For 38 or 44/46 mm Super BN and High Performance BN carbs	MK-BN38/44 SPR	MKBN3844SPR[1]
For 46 mm I series carbs (Sea-Doo 951 98-12)	MK-BN46I	1006-0285
For 44 mm or 46 mm I-series carbs (Yamaha 800/1200 engine type 60T, 66E, 66V, 67X, 68N)	MK-BN441-YAM	1006-0284

[1] All Mikuni Performance square body 38mm, 44mm and 46mm carbs; also Sea-Doo pre 97, Kawasaki 750 98-02, 800 SXR 03-08.



GENUINE MIKUNI BN DIAPHRAGM REPAIR KIT

• Diaphragm repair kit for all standard Mikuni BN series carburetors (not Super BN) – six-screw pump cover

DESCRIPTION	PART #
Repair kit	MKBN3844



COUPLING KIT

FOR DUAL APPLICATION OF MIKUNI CARBURETORS

DESCRIPTION	PART #
Coupling kit	MKBN001



CARBURETOR REBUILD KIT

• Includes all necessary parts for complete carburetor rebuild

FITS MODEL	PART #
SEA-DOO	
580 GT 91	1003-1996
580 GTS 92-96	1003-1996
580 GTX 92-93	1003-1996
580 SP 91-96	1003-1996
580 SPI 93-96	1003-1996
580 SPX 93	1003-1996
580 XP 91-92	1003-1996
650 GTX/SPX 94-95	1003-1996
650 XP 93-95	1003-1996
650 XPI 94	1003-1996
720 GS 97-01	1003-1996
720 GSI 97	1003-1996
720 GTI 96-05	1003-1996

FITS MODEL	PART #
SEA-DOO (CONT)	
720 GTI LE 02-04	1003-1996
720 GTS 97-01	1003-1996
720 HX 95-97	1003-1996
720 SP 97	1003-1996
720 SPX 96	1003-1996
800 3D RFI 05	1003-1996
800 GSX/GTX 96-97	1003-1996
800 SPX 97-99	1003-1996
800 XP 95-97	1003-1996
YAMAHA	
650 LX 91-93	1003-1996
650 SuperJet 90-93	1003-1996
650 VXR 91-93, 95	1003-1996

FITS MODEL	PART #
YAMAHA (CONT)	
650 Wave Runner III 90-93, 95-96	1003-1996
700 SuperJet 700 94-20	1003-1996
700 Wave Blaster 93-96	1003-1996
700 Wave Raider 94-97	1003-1996
700 Wave Runner III 94-95, 97	1003-1996
700 Wave Venture 95-96, 98	1003-1996
1100 Wave Raider 95-96	1003-1996
1100 Wave Venture 96-97	1003-1996
1200 GP 97-99	1003-1996
1200 SUV 99-02	1003-1996
1200 XL 98	1003-1996

BOLD MAGENTA part numbers are new for 2022



COMPLETE CARB REPAIR KIT

- Kit available for BN 38 mm and 44 mm old-style/round body diaphragm- and gasket-type HD carbs
- Also fits Kawasaki Jet Ski with 440 engine

DESCRIPTION	PART #
Carburetor repair kit	462140

PD824467



PD824468



CARBURETOR REBUILD KITS

FOR KEIHIN

- All parts needed for a complete rebuild of select Keihin carbs
- Kits include Viton™ tipped inlet needle
- Not for use with constant velocity carburetors

DESCRIPTION	PART #
28 mm carbs	PD824467

DESCRIPTION	PART #
38-44 mm carbs	PD824468

PD824466



1003-0059



SUPER BN/BNI KITS

- All parts needed for complete rebuild (except needle valve)
- Fits either 38 or 44/46 mm Super BN and High Performance Super BN with four-screw pump covers, and Super BNI 46 mm carbs

DESCRIPTION	PART #
38 or 44/46 mm Super BN and High Performance Super BN w/ 4-screw air pump covers	PD824466

DESCRIPTION	PART #
46 mm Super BNI carburetor	1003-0059

0934-2620



0934-2624



CARBURETOR INTAKE GASKETS

- Manufactured from compressed micropore material for ultimate sealing and durability
- Replace worn or damaged base gaskets when doing a carb rebuild
- Sold in 10-pack

DESCRIPTION	PART #
MIKUNI	
38 mm	0934-2620
40 mm	0934-2621
44 mm	0934-2622

DESCRIPTION	PART #
MIKUNI (CONT)	
46 mm	0934-2623
KEIHIN	
38 mm	0934-2624

DESCRIPTION	PART #
KEIHIN (CONT)	
40 mm	0934-2625
42 mm	0934-2626

BOLD MAGENTA part numbers are new for 2022



WSM PERFORMANCE PARTS

CDK II REBUILD KIT

FOR KEIHIN

- All the parts needed for a complete rebuild, including new diaphragm, O-rings, gaskets, needle and assorted hardware

DESCRIPTION	PART #
CDK 2 repair kit	006-345

MK-44R





1006-0286

MIKUNI

GENUINE MIKUNI FUEL PUMP REPAIR KITS

- Genuine Mikuni fuel pump kit contains all gaskets, diaphragms, etc., required to rebuild Mikuni pump listed below

DESCRIPTION	PART #
Kit for DF-44 rectangular pumps	MK-44R

DESCRIPTION	PART #
Kit for DF-62 pentagonal pumps	1006-0286



451454



449X



451453

VERTEX PISTON & GASKET (FORMERLY WINDEROSA)

FUEL PUMP REPAIR KITS

- All the gaskets needed to rebuild old or leaking pumps
- PART #451454 for all dual-outlet square Mikuni pumps, replaces Arctic Cat OEM #0636-640
- PART #451454 also replaces Ski-Doo OEM #s 403-8006-00, 403-8007-00
- PART #449X fits DF 44 rectangular pumps

DESCRIPTION	PART #
For Mikuni/Arctic Cat/Ski-Doo (see copy)	451454
For DF 44 rectangular pump	449X
Mikuni DF 52 w/ PTFE pumps	451453

DF-44



1006-0287



MIKUNI

GENUINE MIKUNI FUEL PUMPS

- DF-44 pumps 14 liters per hour
- DF-62 pumps 65 liters per hour

DESCRIPTION	PART #
Genuine Mikuni DF-44 single fuel pump	DF-44

DESCRIPTION	PART #
Genuine Mikuni DF-62 double fuel pump	1006-0287

BOLD MAGENTA part numbers are new for 2022



PD820007



PD820008



PD820009



PD820010

PARTS UNLIMITED

PRIMER KITS

FOR DUAL AND TRIPLE CARB APPLICATIONS

- For removal of stock chokeshaft and plate to provide effortless airflow into the carbs
- Available for Mikuni and Keihin carbs
- Include all hose fittings and plungers necessary to convert from stock
- Connectors and plugs sold to dealer in 10-packs; sold to consumer as each

DESCRIPTION	PART #
Dual Mikuni	PD820007

DESCRIPTION	PART #
Dual Keihin	PD820008

DESCRIPTION	PART #
Triple Mikuni	PD820009

DESCRIPTION	PART #
Triple Keihin	PD820010

PD820006





PD820005



1009-0003



1009-0004



1009-0002

PARTS UNLIMITED

SINGLE CARB PRIMER KITS

- Keihin primer kit is made exclusively to fit all Keihin CDK40 carburetors
- Mikuni primer kit fits all Mikuni carburetors
- Makes sure the watercraft starts every time
- Complete with all the necessary hardware

DESCRIPTION	PART #
Keihin primer kit	PD820006
Mikuni primer kit	PD820005

DESCRIPTION	PART #
Keihin inlets (10-pk.)	1009-0003
Keihin plugs (10-pk.)	1009-0004

DESCRIPTION	PART #
Mikuni plugs (10-pk.)	1009-0002



PARTS UNLIMITED

MAIN JET CARRIER

- Organize up to 19 spare jets while keeping clean and preventing damage
- Includes wrench

DESCRIPTION	PART #
Main jet carrier	301



MIKUNI

POP-OFF GAUGE

- Specially made for calibrating pop-off pressure
- Gauge is calibrated in $^{1}/_{2}$ psi increments up to 30 psi

DESCRIPTION	PART #
Pop-off gauge	MK-BN-PMP

MIKUNI

SUPER BN MANUAL

- A must for any Super BN carb user
- Covers specifications, tuning and repair for all Super BN series carbs

DESCRIPTION	PART #
Super BN manual	MKBN-004



BOLD MAGENTA part numbers are new for 2022

GENUINE MIKUNI N102.221 MAIN JETS

BRASS SLOTTED HEAD

- Check dimensions before ordering
- For CV and Power Jet carburetors as well as other OE applications that originally came with a N102.221 main jet
- Sold to dealer in 4-pack



KN10222180

JET SIZE	PART #	JET SIZE	PART #	JET SIZE	PART #	JET SIZE	PART #
80	KN10222180	102,5	KN1022211025	140	KN102221140	165	KN102221165
82,5	KN102221825	105	KN102221105	142,5	KN1022211425	170	KN102221170
85	KN10222185	107,5	KN1022211075	145	KN102221145	175	KN102221175
87,5	KN102221875	110	KN102221110	147,5	KN1022211475	180	KN102221180
90	KN10222190	115	KN102221115	150	KN102221150	185	KN102221185
92,5	KN102221925	120	KN102221120	152.5	KN1022211525	190	KN102221190
95	KN10222195	125	KN102221125	155	KN102221155	195	KN102221195
97,5	KN102221975	130	KN102221130	160	KN102221160	200	KN102221200
100	KN102221100	135	KN102221135				

GENUINE MIKUNI NEEDLE AND SEAT



- Genuine Mikuni needle and seat assemblies provide reliable performance
- Made to the highest standards
- Check application and size of needle and seat assembly before ordering
- VM26/26 style fits VM22 MM-34 MM Flange, VM24-512 Spigot, VM26 MM and 28 MM Round Spigot and VM30 MM small body
- 786-35015 Viton® Tip push-in type needle and seat fits Super BN and BNI carburetors

SIZE	PART #
VM26/26 STYLE W/ METAL TIP	
1,5	VM26/26-1.5
1,8	VM26/26-1.8
2,0	VM26/26-2.0
2,5	VM2626-2.5

SIZE	PART #
786-35015 VITON® TIP STYLE FOR SUPER BN AND BNI CARBS	
1,5	786-35015-1.5
2,0	786-35015-2.0
2,3	786-35015-2.3
2.5	786-35015-2.5

GENUINE MIKUNI SUPER BN VALVE KITS


MKBN3844SPR-2

- Reduces pop-off and increases fuel flow for high-performance applications
- 2.5 needle valve and 80g + 2.3 N-S and 65g spring
- Super BN kits fit either 38 or 44/46 mm Super BN and high-performance Super BN carbs

DESCRIPTION	PART #
Super BN, 2,3 needle, 65 g spring	MKBN3844SPRN

DESCRIPTION	PART #
Super BN, 2,5 needle, 80 g spring	MKBN3844SPR-2


KN10060670

GENUINE MIKUNI PILOT (LOW SPEED) JETS

- Sold to dealers 4 per pack; sold to consumer as each

JET SIZE	PART #	JET SIZE	PART #	JET SIZE	PART #	JET SIZE	PART #
60	KN10060660	80	KN10060680	92,5	KN100606925	110	KN100606110
65	KN10060665	82,5	KN100606825	95	KN10060695	112,5	KN1006061125
70	KN10060670	85	KN10060685	100	KN100606100	115	KN100606115
72,5	KN100606725	87,5	KN100606875	105	KN100606105	117,5	KN1006061175
75	KN10060675	90	KN10060690	107,5	KN1006061075	120	KN100606120
77,5	KN100606775						


999-730015

GENUINE MIKUNI NEEDLE VALVE SPRINGS

- Available in different lengths to vary pop-off pressure

RATE	PART #	RATE	PART #	RATE	PART #
65 g	730-03030	80 g	999-730015	115 g	730-03027

BOLD MAGENTA part numbers are new for 2022


006-7110

HIGH-SPEED JETS

- For Keihin CDK II watercraft carbs
- Made in Japan for WSM

SIZE	PART #	SIZE	PART #
110	006-7110	142	006-7142
115	006-7115	145	006-7145
120	006-7120	148	006-7148
125	006-7125	150	006-7150
128	006-7128	152	006-7152
130	006-7130	155	006-7155
132	006-7132	158	006-7158
138	006-7138	160	006-7160
140	006-7140	162	006-7162


006-6050

LOW-SPEED JETS

FOR KEIHIN

- For Keihin CDK II watercraft carbs
- Made in Japan for WSM

SIZE	PART #	SIZE	PART #
50	006-6050	80	006-6080
60	006-6060	82	006-6082
65	006-6065	85	006-6085
68	006-6068	88	006-6088
72	006-6072	90	006-6090
75	006-6075	95	006-6095
78	006-6078		



CARBURETOR SPRING

- Fits all Mikuni SBN carburetors
- 115 g

DESCRIPTION	PART #
Carburetor spring	1003-1997

1050-0303



1050-0304



T-SCREW KITS

- Mikuni high- and low-speed with T-cross bar – extended length
- Include two high-speed and two low-speed screws

NOTE: Fits only Mikuni I series carbs/OEM Kawasaki Sxr carbs and all OEM Yamaha carbs. Absolutely a must for 04 or newer Yamaha Super Jets with aftermarket pipes.

DESCRIPTION	PART #
Kawasaki	1050-0303
Yamaha	1050-0304

1013-0025



1013-0028



1013-0029



CARBURETOR ADAPTERS

- Required for upgrade to aftermarket flame arrestor
- Work well with clamp-on filters from Prok and Blowsion (w/ 70 mm ($2^{3}/_{4}$") ID flange)
- Mounting bolts included

DESCRIPTION	PART #
Fits 38-42 mm Keihin Silver (CDKII)	1013-0025
Fits 38 mm Mikuni	1013-0026
Fits 38 mm Mikuni w/ oil injection	1013-0028
Fits 38/40 mm Mikuni I Silver	1013-0027
Fits 44 mm Mikuni	1013-0134
Fits 44 mm Mikuni w/ oil injection (SBN)	1013-0024
Fits 57 mm Mikuni w/ oil injection	1013-0029



RIBBON REMOVER

FOR SEA-DOO SPARK 14-16, SPARK HO 15

DESCRIPTION	PART #
Ribbon remover	4809-0265

BOLD MAGENTA part numbers are new for 2022

1011-2467



1011-2877



TORNADO AIR FORCED FLAME ARRESTORS

- Feature a uniquely designed water-deflection cone shape
- Solid and bulletproof, the filter element section is conical shaped 63,5 mm (2,5") tall with directional air flow pleats in the arrestor material
- A clear velocity cone on the inside enhances and directs airflow into the carburetor for increased overall performance
- Also feature an anodized aluminum outer ring in black, silver, blue, green, orange or red anodized versions
- Black version listed in chart; to order Optional Anodized Color Versions see second chart
- Outerwears' flame-arrestor, water-resistant pre-filter screen has a 102 mm (4") diameter taper fit, is 63,5 mm (2,5") tall and fits Blowsion and Tau Ceti Tornado flame arrestors; sold individually
- Flame arrestor adapter required (sold separately)
- Sold each

APPLICATIONS

FITS MODEL	CARBURETOR	CARB ADAPTER (JETINETICS BRAND)	QTY.	FLAME ARRESTOR	PRE FILTER #
KAWASAKI					
JS300/400/440 (all)	Mikuni BN 38	1013-0076	1	1011-2467	1011-2877
JS550 83-85	Mikuni BN 38	1013-0076	1	1011-2467	1011-2877
JS550 86-90	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
JS550SX 91-95	Keihin CDK II 38	1013-0086	1	1011-2467	1011-2877
650 SC/SX/TS (all)	Keihin CDK II 38	1013-0086	1	1011-2467	1011-2877
650 X-2 90-95	Keihin CDK II 40	1013-0086	1	1011-2467	1011-2877
750 SS/ST/SX 92-95	Keihin CDK II 40	1013-0086	1	1011-2467	1011-2877
750 STS (all)	Keihin CDK II 40	1013-0086	2	1011-2467	1011-2877
750 STX (all)	Keihin CDK II 40	1013-0086	2	1011-2467	1011-2877
750 SXi/SXi Pro 96-02	Mikuni BN 40I	1013-0078	2	1011-2467	1011-2877
750 Xi Sport (all)	Keihin CDK II 40	1013-0086	2	1011-2467	1011-2877
750 Xi Sport 98	Keihin CDK II 40	1013-0086	2	1011-2467	1011-2877
750 XiR (all)	Keihin CDK II 40	1013-0086	2	1011-2467	1011-2877
750 ZXi (all)	Keihin CDK II 40	1013-0086	2	1011-2467	1011-2877
800 SXR 03-11	Mikuni BN 40I	1013-0078	2	1011-2467	1011-2877
900 STX 97-98	Keihin CDK II 38	1013-0086	3	1011-2467	1011-2877
900 ZXi 97	Keihin CDK II 38	1013-0086	3	1011-2467	1011-2877
1100 STX/ZXi 97	Keihin CDK II 38	1013-0086	3	1011-2467	1011-2877
POLARIS					
SL 650 (all)	Mikuni BN 38	1013-0076	3	1011-2467	1011-2877
SLT 650 (all)	Mikuni BN 38	1013-0076	3	1011-2467	1011-2877
Hurricane 700 96-97	Keihin CDK II 38	1013-0086	2	1011-2467	1011-2877
SL 700/Dlx. 96-97	Keihin CDK II 38	1013-0086	2	1011-2467	1011-2877
SLH 700 98	Keihin CDK II 38	1013-0086	2	1011-2467	1011-2877
SLH 700 99	Keihin CDK II 40	1013-0086	2	1011-2467	1011-2877
SLT 700 96-97	Keihin CDK II 38	1013-0086	2	1011-2467	1011-2877
SLTH 700 98	Keihin CDK II 38	1013-0086	2	1011-2467	1011-2877
SLTH 700 99	Keihin CDK II 40	1013-0086	3	1011-2467	1011-2877
SL 750/780 93-97	Mikuni BN 38	1013-0076	3	1011-2467	1011-2877
SLT 750/780	Mikuni BN 38	1013-0076	3	1011-2467	1011-2877
SLX 780 96	Mikuni BN 38	1013-0076	3	1011-2467	1011-2877
SLX Pro 785 98-00	Mikuni BN 44	1013-0079	3	1011-2467	1011-2877
SL 900/1050 96-97	Keihin CDK II 38	1013-0086	3	1011-2467	1011-2877
SLTX 1050 97	Keihin CDK II 38	1013-0086	3	1011-2467	1011-2877
SLTX 1050 98	Keihin CDK II 40	1013-0086	3	1011-2467	1011-2877
SLX 1050 99	Keihin CDK II 40	1013-0086	3	1011-2467	1011-2877
SLXH 1050 98	Keihin CDK II 40	1013-0086	3	1011-2467	1011-2877
Genesis 1200 99-00	Keihin CDK II 40	1013-0086	3	1011-2467	1011-2877
SEA-DOO					
GS/GSi/GSX 97-00	Mikuni BN 40I	1013-0078	2	1011-2467	1011-2877
GS 01	Mikuni BN	-	1	1011-2467	1011-2877
GTI 97	Mikuni BN 40I	1013-0078	1	1011-2467	1011-2877
GTI 96	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
GTI 01	Mikuni BN	-	1	1011-2467	1011-2877
GTI-LE 02	Mikuni BN	-	1	1011-2467	1011-2877
GTS 88-96	Mikuni BN 38	1013-0076	1	1011-2467	1011-2877
GTS 97	Mikuni BN 40I	1013-0078	1	1011-2467	1011-2877
GTS 01	Mikuni BN	-	1	1011-2467	1011-2877
GTX 92-94	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
GTX 95-96	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
GTX 96-97	Mikuni BN 40I	1013-0078	2	1011-2467	1011-2877
HX 96-97	Mikuni BN 38I	1013-0078	2	1011-2467	1011-2877
SP/SPI 580	Mikuni BN 38	1013-0076	1	1011-2467	1011-2877
SPX 92-94	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
SPX 95	Mikuni BN 38I	1013-0078	2	1011-2467	1011-2877
SPX 96	Mikuni BN 38I	1013-0078	2	1011-2467	1011-2877
SPX 97	Mikuni BN 40I	1013-0078	2	1011-2467	1011-2877
XP 90-93	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
XP 94-95	Mikuni BN 38I	1013-0078	2	1011-2467	1011-2877
XP 96-99	Mikuni BN 40I	1013-0078	2	1011-2467	1011-2877
XP 800 95	Mikuni BN 40I	1013-0078	2	1011-2467	1011-2877

BOLD MAGENTA part numbers are new for 2022

TORNADO AIR FORCED FLAME ARRESTORS (CONT)

FITS MODEL	CARBURETOR	CARB ADAPTER (JETINETICS BRAND)	QTY.	FLAME ARRESTOR	PRE FILTER #
TIGERSHARK					
Barracuda 640 94-95	Mikuni BN 46	-	1	1011-2467	1011-2877
Daytona 640 93-95	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
Daytona 640 93-95	Mikuni BN 46	-	1	1011-2467	1011-2877
Monte Carlo 94-95	Mikuni BN 46	-	1	1011-2467	1011-2877
Monte Carlo 96	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
Montego 644	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
Montego 644 97	Mikuni BN 38	1013-0076	1	1011-2467	1011-2877
Montego DLX 95-96	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
Montego DLX 97	Mikuni BN 38	1013-0076	1	1011-2467	1011-2877
Monte Carlo 640 97	Mikuni BN 38	1013-0076	1	1011-2467	1011-2877
TS640L	Mikuni BN 38I	1013-0078	2	1011-2467	1011-2877
TS 640	Mikuni BN 38I	1013-0078	1	1011-2467	1011-2877
Daytona 770 96-99	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
Monte Carlo 770 96-97	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
TS 770L/R	Mikuni BN 38I	1013-0078	2	1011-2467	1011-2877
TS 770L 99	Mikuni BN 40I	1013-0078	1	1011-2467	1011-2877
TS 770	Mikuni BN 40I	1013-0078	1	1011-2467	1011-2877
Monte Carlo 900 96	Mikuni BN 38	1013-0076	3	1011-2467	1011-2877
900 95	Mikuni BN 44	1013-0079	3	1011-2467	1011-2877
Monte Carlo 1000	Mikuni BN 38I	1013-0078	3	1011-2467	1011-2877
TS 1000LR	Mikuni BN 40I	1013-0078	3	1011-2467	1011-2877
Daytona 1000	Mikuni BN 40I	1013-0078	3	1011-2467	1011-2877
TS 1100R	Mikuni BN 42I	1013-0078	3	1011-2467	1011-2877
YAMAHA					
WaveJammer 500	Mikuni BN 38	1013-0076	1	1011-2467	1011-2877
WaveRunner 500	Mikuni BN 38	1013-0076	1	1011-2467	1011-2877
Super Jet 650 90-95	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
FX1 701 94-95	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
Super Jet 701 96-15	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
WaveBlaster 701 93-95	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
WaveBlaster 701 96	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
WaveRaider 701 94-95	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
WaveRaider 701 96-97	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
WaveRunner XL 701	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
WaveVenture 701	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
WaveRaider DLX	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
WaveRunner LX 90-93	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
WaveRunner VXR	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
WaveRunner VXR Pro	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
WaveRunner III	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
WaveRunner III GP	Mikuni BN 44	1013-0079	1	1011-2467	1011-2877
WaveBlaster II 760 96-97	Mikuni BN 44	1013-0079	2	1011-2467	1011-2877
WaveRaider 760 96	Mikuni BN 44	1013-0079	2	1011-2467	1011-2877
WaveRunner GP 760	Mikuni BN 44	1013-0079	2	1011-2467	1011-2877
WaveRunner XL 760	Mikuni BN 44	1013-0079	2	1011-2467	1011-2877
WaveVenture 760	Mikuni BN 38	1013-0076	2	1011-2467	1011-2877
WaveRunner LXT800 02-04	BN44I	1013-0087	2	1011-2467	1011-2877
WaveRunner GP800R 02-07	BN44I	1013-0087	2	1011-2467	1011-2877
WaveRaider 1100	Mikuni BN 38	1013-0076	3	1011-2467	1011-2877
WaveVenture 1100	Mikuni BN 38	1013-0076	3	1011-2467	1011-2877
WaveRunner GP1200	Mikuni BN 44	1013-0079	3	1011-2467	1011-2877
WaveRunner GP1200R through 02 (except Riva GP 1200R)	Mikuni BN 44	1013-0079	3	1011-2467	1011-2877
WaveRunner GP1200R 02-05	Mikuni BN	-	3	1011-2467	1011-2877
WaveRunner SUV1200	Mikuni BN 44	1013-0079	3	1011-2467	1011-2877
WaveRunner XL1200 through 01	Mikuni BN 44	1013-0079	3	1011-2467	1011-2877
WaveRunner XLT1200 02-04	Mikuni BN	-	3	1011-2467	1011-2877











OPTIONAL ANODIZED COLOR FLAME ARRESTORS

COLOR	PART #
Silver anodized	1011-2468
Blue anodized	1011-2873

COLOR	PART #
Green anodized	1011-2874
Orange anodized	1011-2875

COLOR	PART #
Red anodized	1011-2876

BOLD MAGENTA part numbers are new for 2022



1011-2870



1011-2871



1011-2872

WASHABLE AIR FILTERS

FOR YAMAHA

- OEM stock replacement air filters
- Washable and reusable to maximize performance and budget
- Clean air filters increase airflow, meaning more power and greater performance

FITS MODEL	PART #
1050 (all)	1011-4618
FX Cruiser HO/SHO (1052cc) 08-09	1011-2870
FZR/FZS (1812cc) 09	1011-2870
VX 1100 Cruiser (1100cc) 07-09	1011-2871
VX 1100 Deluxe (1100cc) 05-09	1011-2871
VX 1100 Sport (1100cc) 05-09	1011-2871
FX 140 (998cc) 02-04	1011-2872
FX Cruiser (1812cc) 03-04	1011-2872





FUEL PICKUP - INTERNAL FILLER

FOR YAMAHA SUPERJET 90-15

- Designed with the option for use as a single, dual and triple pickup
- Billet beauty is the lowest profile and lightest weight internal fuel filler available
- Features include heavy-duty O-ringed tank and fuel cap seals, machined aluminum fuel pickup tubes for retrieving fuel under the most insane water action (also resulting in maximum pickup tube depth for increased run time)
- Pickup tubes can also be trimmed and used for reserve line, return line or tank vent, depending on carburetor setup and fuel demands needed
- Each filler includes block off plugs for single carbs or OEM Yamaha carbs as well as a Blowsion front rubber tank block off
- Black only; no OEM tank modifications necessary

DESCRIPTION	PART #
Fuel pickup (internal filler)	0706-0217





VFORCE3 REED VALVE SYSTEMS

- The advancement of reed technology
- Snap-together cage uses symmetrical reed petals, eliminating the need for different "inner" and "outer" replacement petals
- Reed tip shape accelerates air mixture, ensuring increased airflow for increased horsepower
- Innovative design completely eliminates need for screws
- Proprietary carbon fiber layout

FITS MODEL	PART #
KAWASAKI	
800 SX-R 03-11	1008-0287
YAMAHA	
All Twin models	1008-0298[1]

[1] Not compatible for older WaveBlasters and GPR (Power Valve cylinder) applications.

BOLD MAGENTA part numbers are new for 2022

VFORCE BY MOTO TASSINARI

REPLACEMENT REEDS FOR THE ORIGINAL DELTA AND DELTA 2 REED VALVE SYSTEMS

- Replacement reeds for the original style V-Force Delta and V-Force Delta 2 reed valve systems
- Carbon-fiber reeds have twice the tip area of conventional reeds
- Cross-reference your reed valve application in the chart below to find your replacement reeds
- Order one set of reeds per reed cage



2P1171

FITS MODEL	ORIGINAL DELTA PART #	DELTA 2 PART #
KAWASAKI		
750 (all)	DP120-1	-
900/1100 (all)	DP120-1	-
Twin (all except 650)	-	2P1271
Triple (all)	-	2P1271
POLARIS		
SL650 92-96	DP110-1	2P1171
750/780/785 (all)	DP110-1	2P1171
900/1050 (all)	DP120-1	2P1271
SL/SLT/Hurricane 700 (all)	-	2P1271

FITS MODEL	ORIGINAL DELTA PART #	DELTA 2 PART #
SEA-DOO		
951 (all)	-	2P1271[1]
TIGERSHARK		
Twin (all)	DP110-1	2P1171
Triple (all)	DP110-1	2P1171
YAMAHA		
Twin (all except GP800 AND 650)	DP120-1	2P1271
Triple (all except XL1200 LTD/GP1200R)	DP120-1	2P1271

[1] Requires intake manifold.

Boyesen

PRO SERIES REEDS

- High-tech carbon fiber with all the advantages of Boyesen's exclusive dual-stage reed design
- Pair a carbon fiber top reed and a durable fiberglass/epoxy bottom reed
- Offer the quickest acceleration any reed can offer; maximizes horsepower and torque
- Respond quickly and accurately to piston speed changes for smooth, dependable throttle response
- No sacrifice in reed life like traditional carbon fiber reeds
- Designed for the newest 2-stroke technologies
- Packaged as a complete engine set



FITS MODEL	PART #
POLARIS	
750 all 96-97 (modified)	PRO31

FITS MODEL	PART #
POLARIS (CONT)	
785 SLX Pro 97-01 (modified)	PRO31

Boyesen

POWER REEDS



- Boyesen dual-stage reeds consistently outperform standard reeds in laboratory flow analysis
- They achieve greater flow velocity over the entire range of operating pressures
- Performance enhanced from start-up to top end
- Top racers and knowledgeable riders make Boyesen Racing Reeds their first step in getting more power, more performance and more pleasure from their high-performance watercraft
- Packaged as a complete engine set

FITS MODEL	PART #
YAMAHA	
701 Super Jet 96-12	026
701 WaveBlaster 96	026
701 WaveRaider 94-96 (dual-carb)	026

FITS MODEL	PART #
YAMAHA (CONT)	
701 WaveRaider/Deluxe 95-96	026
701 WaveRunner XL 99-04	026
701 WaveVenture 95-98	026

BOLD MAGENTA part numbers are new for 2022



0703-0727



0703-0732



0703-0731



0703-0730



0703-0733



0703-0728



0703-0729



0703-0740



0703-0743

VENT HOSE TUB

- 45,5 cm (18") polyurethane fuel cap vent hoses
- Soft, flexible and kink-resistant material
- 54-piece tub; nine pieces of each color
- Six colors included
- Replacement 9-packs available for each color
- Sold each

DESCRIPTION	PART #
Vent hose tub	0703-0727

VENT HOSE REFILL PACKS

- 9-piece refill packs for the vent hose tub
- Eight colors available

COLOR	PART #
Black	0703-0732
Blue	0703-0731
Green	0703-0730

COLOR	PART #
Orange	0703-0733
Red	0703-0728
Yellow	0703-0729

COLOR	PART #
Pink	0703-0740
White	0703-0743



Clear



Black



Red



Yellow



Green



Blue



Orange

FUEL AND CARBURETOR VENT LINE

- This quality-made fuel line will not harden or crack
- Fuel line is made of premium polyurethane
- Available in 6,4 mm, 4,8 mm and 7,9 mm ID ($^1/_4$", $^3/_{16}$" and $^5/_{16}$"); carburetor vent line available in 3,17 mm ID ($^1/_8$")
- Fuel line available in 91 cm lengths (3')
- Carb vent line comes in 152 cm lengths (5')
- Available in clear, black, red, yellow, green, orange or blue

NOTE: Not to be used with fuel over 10% alcohol.

DESCRIPTION	COLOR	PART #
FUEL LINE; 91,5 CM (3')		
6,4 mm ($^1/_4$")	Clear	M6219
	Black	M62191
	Red	0706-0243
	Yellow	0706-0244
	Green	0706-0245
	Blue	0706-0246
	Orange	0706-0304
4,8 mm ($^3/_{16}$")	Clear	M6209
	Black	M62091
	Red	0706-0247
	Yellow	0706-0248
	Green	0706-0249
	Blue	0706-0250
	Orange	0706-0303

DESCRIPTION	COLOR	PART #
FUEL LINE; 91,5 CM (3') (CONT)		
7,9 mm ($^5/_{16}$")	Clear	0706-0113
	Black	0706-0114
	Red	0706-0251
	Yellow	0706-0252
	Green	0706-0253
	Blue	0706-0254
	Orange	0706-0305
CARB VENT LINE; 152,5 CM (5')		
3,2 mm ($^1/_8$")	Clear	M6109
	Black	M61091
	Red	0706-0255
	Yellow	0706-0256
	Green	0706-0257
	Blue	0706-0258
	Orange	0706-0302

BOLD MAGENTA part numbers are new for 2022





Gates BARRICADE LOW PERMEATION FUEL LINE HOSE

LP (LOW PERMEATION) FUEL LINES

- Five-layer Greenshield™ barrier technology keeps fuel out of the environment, while delivering peak fuel efficiency
- Heat-, oil-, ozone- and abrasion-resistant cover
- Submersible fuel line types exceed SAE J30R14T1 requirements
- ONLY submersible fuel line styles are suitable for in-tank use; DO NOT use fuel injection or carburetor fuel line for applications that require the fuel line be submersed in gasoline
- Fuel-injection fuel line is recommended for all fuel-injection applications
- Carburetor fuel line is not for use with pressurized fuel line applications, fuel-injection systems or cooling system applications
- Fuel injection and carburetor fuel line sold in 7,5 m (25') rolls and 61 cm (2') lengths
- Submersible fuel line sold in 30,5 cm (1') lengths



CARBURETOR FUEL LINE (NON-SUBMERSIBLE)

ID	PART #
61 CM (2') LENGTH	
4,8 mm (3/16")	0706-0176
6,4 mm (1/4")	0706-0177
7,9 mm (5/16")	0706-0178

ID	PART #
61 CM (2') LENGTH (CONT)	
9,5 mm (3/8")	0706-0179
7,6 M (25') LENGTH	
4,8 mm (3/16")	0706-0180

ID	PART #
7,6 M (25') LENGTH (CONT)	
6,4 mm (1/4")	0706-0181
7,9 mm (5/16")	0706-0182
9,5 mm (3/8")	0706-0183

FUEL INJECTION LINE (NON-SUBMERSIBLE)

ID	PART #
61 CM (2') LENGTH	
6,4 mm (1/4")	0706-0184
7,9 mm (5/16")	0706-0186

ID	PART #
7,6 M (25') LENGTH	
6,4 mm (1/4")	0706-0185
7,9 mm (5/16")	0706-0187

SUBMERSIBLE FUEL LINE

ID	PART #
30,5 CM (1') LENGTH	
7,9 mm (5/16")	0706-0290
9,5 mm (3/8")	0706-0291

Gates BARRICADE LOW PERMEATION FUEL LINE HOSE

BARRICADE® MARINE FUEL LINES

- Marine fuel lines that outperform OE parts
- Compatible with multi-fuel & bio-fuel applications
- High temperature range tolerance: -20 °C to +100 °C (-4 °F to 212 °F)
- Nitrile tube with thermoplastic barrier and modified nitrile cover
- Synthetic fiber reinforcement
- 35 psi pressure rating
- Meet SAE J1527 standards
- Sold in 7,6 m (25') rolls



ID	PART #
7,6 M (25') LENGTH	
6,4 mm (1/4")	0706-0408

ID	PART #
7,6 M (25') LENGTH (CONT)	
7,9 mm (5/16")	0706-0409

ID	PART #
7,6 M (25') LENGTH (CONT)	
9,5 mm (3/8")	0706-0410

PARTS UNLIMITED

BLUE POLYURETHANE FUEL LINE

- High-quality, kink- and abrasion-resistant, transparent blue polyurethane line with exceptional chemical resistance including gasoline, grease and oil
- Strong, yet flexible and easily processed in assembly operations
- High tensile strength; withstands temperatures from -54 °C to 105 °C (-65 °F to 220 °F) without deterioration

NOTE: Not to be used with fuel over 10% alcohol.



DESCRIPTION	PART #
7,5 M (25')	
1,6 mm ID (1/16")	0706-0103
3,2 mm ID (1/8")	0706-0104
20,6 mm ID (3/16")	0706-0105
6,4 mm ID (1/4")	0706-0106

DESCRIPTION	PART #
7,5 M (25') (CONT)	
7,9 mm ID (5/16")	0706-0107
30,5 M (100')	
1,6 mm ID (1/16")	0706-0108
3,2 mm ID (1/8")	0706-0109

DESCRIPTION	PART #
30,5 M (100') (CONT)	
20,6 mm ID (3/16")	0706-0110
6,4 mm ID (1/4")	0706-0111
7,9 mm ID (5/16")	0706-0112

BOLD MAGENTA part numbers are new for 2022



Gray



Clear



Black

PREMIUM FUEL LINE

- Premium-quality fuel line
- Stronger and more durable than vinyl fuel line
- Use with any type of gasoline
- Resistant to swelling, direct sunlight, hardening and/or cracking
- Flexible in temperatures from -37 °C to +74 °C (-35 °F to +165 °F)
- Fuel line stretches easily over fittings or petcocks
- Sold in 7,6 m (25') rolls and 91 cm (3') lengths

NOTE: Not for use with fuel-injected models.

DESCRIPTION	PART #
3 MM ID - 91,5 CM LENGTH ($^1/_8$" - 3')	
Clear	0706-0138
5 MM ID X 8 MM OD - 91,5 CM LENGTH ($^3/_{16}$" X $^5/_{16}$" - 3')	
Gray	0706-0038
Clear	0706-0041
Black	0706-0044
6 MM ID X 11 MM OD - 91,5 CM LENGTH ($^1/_4$" X $^7/_{16}$" - 3')	
Gray	0706-0039
Clear	0706-0042
Black	0706-0045
8 MM ID X 13 MM OD - 91,5 CM LENGTH ($^5/_{16}$" X $^1/_2$" - 3')	
Gray	0706-0040
Clear	0706-0043
Black	0706-0046

DESCRIPTION	PART #
3 MM ID - 7,6 M ROLL ($^1/_8$" - 25')	
Clear	0706-0139
5 MM ID X 8 MM OD - 7,6 M ROLL ($^3/_{16}$" X $^5/_{16}$" - 25')	
Clear	0706-0021
Black	0706-0018
6 MM ID X 11 MM OD - 7,6 M ROLL ($^1/_4$" X $^7/_{16}$" - 25')	
Clear	0706-0022
Black	0706-0019
8 MM ID X 13 MM OD - 7,6 M ROLL ($^5/_{16}$" X $^1/_2$" - 25')	
Gray	MP12-033
Black	0706-0020

LP (LOW PERMEATION) PREMIUM FUEL LINE



- Certified to meet permeation emission standards of 15g/M2/day
- On emission-controlled vehicles, check with local and state agencies to determine suitability
- Robust multi-layer design and construction
- Fluoropolymer liner compatible with higher ethanol-blend gasoline up to 100%
- Highly flexible, easy to install and offers excellent fitting retention
- Resistant to swelling, hardening and cracking caused by hydrocarbon-based fluids
- Ozone and UV light resistant
- Wide temperature range from -28.9 °C to 73.9 °C (-20 °F to 165 °F)
- Yellow color for easy identification
- Use Stepless® Clamps

WARNING: Not for use with fuel injected engines.

DESCRIPTION	PART #
6 MM ID ($^1/_4$")	
91,5 cm L (3')	0706-0204

DESCRIPTION	PART #
8 MM ID ($^5/_{16}$")	
91,5 cm L (3')	0706-0205

DESCRIPTION	PART #
8 MM ID ($^5/_{16}$") (CONT)	
7,6 m L (25')	0706-0207

0711-0060



UNIVERSAL FUEL/OIL LINES

- Universal, black fuel/oil line in 7,6 m rolls (25')
- Reinforced line is fuel- and oil-resistant

NOTE: Do not use with fuel containing more than 10% alcohol.

DESCRIPTION	PART #
$^1/_4$" x 25'	0711-0060

DESCRIPTION	PART #
$^5/_{16}$" x 25'	0711-0061

DESCRIPTION	PART #
$^3/_8$" x 25'	0711-0062

BOLD MAGENTA part numbers are new for 2022

0706-0371



BLACK F.I. FUEL LINES

- Multi-layer rubber extension
- Safe for use with any fuel or blend containing up to 100% ethanol/methanol
- SAE 30R9 (fuel injection-rated)
- Maintains OEM look and performance
- Do not submerse in gasoline

DESCRIPTION	PART #
91 CM (3') LENGTH	
6,4 mm (1/4")	0706-0371
7,9 mm (5/16")	0706-0373
9,5 mm (3/8")	0706-0375
305 CM (10') LENGTH	
6,4 mm (1/4")	0706-0372
7,9 mm (5/16")	0706-0374
9,5 mm (3/8")	0706-0376

DESCRIPTION	PART #
762 CM (25') LENGTH	
6,4 mm (1/4")	0706-0421
7,9 mm (5/16")	0706-0427
9,5 mm (3/8")	0706-0422

0706-0417



SUBMERSIBLE RUBBER FUEL LINES

- Flexible multi-layer rubber extrusion meets SAE 30R10/EPA/CARB specifications for submersive fuel line
- Can be used for other fuel line applications including fuel injection and fuel containing alcohol
- Available in black

DESCRIPTION	PART #
6,3 mm W x 46 cm L (1/4" x 18")	0706-0417
6,3 mm W x 91 cm L (1/4" x 3')	0706-0418
6,3 mm W x 305 cm L (1/4" x 10')	0706-0419
6,3 mm W x 762 cm L (1/4" x 25')	0706-0420
8 mm W x 46 cm L (5/16" x 18")	0706-0423
8 mm W x 91 cm L (1/4" x 3')	0706-0424
8 mm W x 305 cm L (1/4" x 10')	0706-0425
8 mm W x 762 cm L (1/4" x 25')	0706-0426

0706-0413



TRI-LAYER SUBMERSIBLE FUEL LINES

- Semi-rigid tubing with a thin nylon layer, polyurethane middle layer and a thin nylon inner layer which allows more maximum space efficiency compared to other submersible tubing
- Very high chemical resistance to withstand almost any chemical exposure, especially fuels and oils
- Can be used for other fuel line applications including fuel injection and with fuel containing alcohol
- Available in translucent white

DESCRIPTION	PART #
6,3 mm W x 46 cm L (1/4" x 18")	0706-0413
6,3 mm W x 91 cm L (1/4" x 3')	0706-0414
6,3 mm W x 305 cm L (1/4" x 10')	0706-0415
6,3 mm W x 762 cm L (1/4" x 25')	0706-0416

DESCRIPTION	PART #
8 mm W x 46 cm L (5/16" x 18")	0706-0428
8 mm W x 91 cm L (1/4" x 3')	0706-0429
8 mm W x 305 cm L (1/4" x 10')	0706-0430
8 mm W x 762 cm L (1/4" x 25')	0706-0431

0706-0262



0706-0265



0706-0277



HIGH-PRESSURE FUEL LINES

- Premium transparent polyurethane tubing
- 85 durometer provides superior abrasion, kink, tear, oxidation and chemical resistance
- Includes a very strong nylon inner band, yet remains flexible
- Operating temperature -40 °C-68 °C (-40 °F-155 °F); melting temperature 188 °C (370 °F)
- Withstands up to 200 psi

NOTE: Do not use with fuel containing more than 10% alcohol.

DESCRIPTION	CLEAR PART #	RED PART #	BLUE PART #
6,4 mm ID x 9,5 mm OD x 0,9 m (1/4" x 3/8" x 3')	0706-0189	0706-0265	0706-0277
6,4 mm ID x 9,5 mm OD x 3,05 m (1/4" x 3/8" x 10')	0706-0262	0706-0266	0706-0278
7,9 mm ID x 12 mm OD x 0,9 m (5/16" x 0,473" x 3')	0706-0191	0706-0267	0706-0279
7,9 mm ID x 12 mm OD x 3,05 m (5/16" x 0,473" x 10')	0706-0263	0706-0268	0706-0280
9,5 mm ID x 14,3 mm OD x 0,9 m (3/8" x 9/16" x 3')	0706-0193	0706-0269	0706-0281
9,5 mm ID x 14,3 mm OD x 3,05 m (3/8" x 9/16" x 10')	0706-0264	0706-0270	0706-0282

BOLD MAGENTA part numbers are new for 2022



0706-0197



0706-0319



0706-0310



0706-0315

HOSE SPLICERS

- Use to route or repair fuel lines, oil lines and air lines
- Solid brass tubing and hose splicers, unless noted
- Barbed ends provide a secure fit
- Sold each

DESCRIPTION	PART #
IN-LINE SPLICERS (FIT HOSE ID)	
6,4 mm ($^1/_4$")	0706-0195
4,8 mm ($^3/_{16}$")	0706-0306
7,9 mm ($^5/_{16}$")	0706-0196
9,5 mm ($^3/_8$")	0706-0197

DESCRIPTION	PART #
IN-LINE REDUCERS (FIT HOSE ID)	
7,9 mm to 6,4 mm ($^5/_{16}$" to $^1/_4$")	0706-0319
9,5 mm to 7,9 mm ($^3/_8$" to $^5/_{16}$")	0706-0320
"L" SPLICERS (FIT HOSE ID)	
6,4 mm ($^1/_4$")	0706-0308
7,9 mm ($^5/_{16}$")	0706-0309
9,5 mm ($^3/_8$")	0706-0310

DESCRIPTION	PART #
"T" SPLICERS (FIT HOSE ID)	
3 mm ($^1/_8$")	0706-0311
4,8 mm ($^3/_{16}$")	0706-0312
6,4 mm ($^1/_4$")	0706-0313
7,9 mm ($^5/_{16}$")	0706-0314
9,5 mm ($^3/_8$")	0706-0315

P12-015



P12-019





FUEL LINE "Y" AND "T" FITTINGS

- Sturdy plastic fittings are used to run two hoses into one
- Sizes from 5 mm - 8 mm ($^3/_{16}$"-$^5/_{16}$")
- Sold in packs of 10

DESCRIPTION	PART #
6 mm ($^1/_4$") Y-connectors	P12-015
6 mm ($^1/_4$") T-connectors	P12-019

DESCRIPTION	PART #
8 mm ($^5/_{16}$") Y-connectors	P12-016
8 mm ($^5/_{16}$") T-connectors	P12-020

PLASTIC T-FITTINGS

- 2,3 mm ($^3/_{32}$") T-fitting
- Sold to dealer in 10-pack; sold to consumer as each

DESCRIPTION	PART #
Plastic T-fittings	0706-0009



HOSE PROTECTORS

- Protect vulnerable and exposed hoses from abrasion and heat
- Protectors like this are showing up on more and more OEM applications
- Sizes for fuel and radiator hoses on most bikes
- Made from stainless spring steel
- Sold each

SIZE	PART #
38 mm (fits 38,1 mm ($1^1/_2$") OD radiator hose)	1902-0030
25 mm (fits 25,4 mm (1") OD radiator hose)	1902-0031

SIZE	PART #
11 mm (fits 11,1 mm ($^7/_{16}$") OD fuel line)	1902-0032
9 mm (fits 6,4 mm ($^1/_4$") fuel line)	1902-0033



0707-0017



0707-0030



0707-0040



0707-0031

FUEL FILTERS

- In-line filters available for 6,4 mm tubing and 7,9 mm tubing ($^1/_4$" and $^5/_{16}$")
- PART #0707-0017 6,4 mm ($^1/_4$") clear cone shaped with bronze or copper element
- PART #0707-0030 6,4 mm ($^1/_4$") clear cone shaped with a polyester screen element
- PART #0707-0031 7,9 mm ($^5/_{16}$") clear thin wafer shape with stainless screen element
- PART #0707-0040 6,4 mm ($^1/_4$") clear cone shaped with bronze element and 90 degree elbow
- Sonic-welded housing
- Safe for all fuels

FUEL LINE	BODY LENGTH BETWEEN HOSES	DIAMETER	PART #
6,4 mm ($^1/_4$") tubing	51 mm (2")	22,5 mm (0,87")	0707-0017
6,4 mm ($^1/_4$") tubing w/ screen	51 mm (2")	22,5 mm (0,87")	0707-0030
6,4 mm ($^1/_4$") 90° tubing	51 mm (2")	22,5 mm (0,87")	0707-0040
7,9 mm ($^5/_{16}$") tubing w/ screen	60 mm (2,36")	21 mm (0,83")	0707-0031

BOLD MAGENTA part numbers are new for 2022


0707-0064


0707-0065


0707-0066


0707-0067

PARTS UNLIMITED

FUEL FILTERS

- Universal in-line fuel filters for 6,4 mm (1/4") and 7,9 mm (5/16") ID fuel lines
- Designed for low pressure fuel filter lines
- Compatible with standard, Race and E85 fuels
- Sold to dealer as a display card of 20; sold to consumer as each

DESCRIPTION	FUEL LINE	OVERALL LENGTH	ELEMENT	FILTRATION MICRONS	GRAVITY FLOW RATE ML/MIN.	PART #
Large 8 mm	7,9 mm (5/16")	44,5 mm (1 3/4")	Stainless steel	100	800	0707-0064
Slim 90 6 mm	6,4 mm (1/4")	60,3 mm (2 3/8")	Plastic	40	560	0707-0065
Large volume 6 mm	6,4 mm (1/4")	60,3 mm (2 3/8")	Paper	70	470	0707-0066
Slim 6 mm	6,4 mm (1/4")	50,8 mm (2")	Bronze	40	400	0707-0067

WSM PERFORMANCE PARTS



IN-TANK FILTER

- In-tank filter with a built-in check valve to keep gas from flowing back into the tank
- Keeps fuel system primed

DESCRIPTION	PART #
In-tank filter	30265

WSM PERFORMANCE PARTS

IN-TANK FILTER

- Large in-tank filter replaces Yamaha OEM #8H5-24590-00
- May be used as a universal filter for other brands
- 52 mm (2 1/16") long for 6 mm - 8 mm (1/4" - 5/16") fuel line



DESCRIPTION	PART #
In-tank filter	708

KIMPEX

FUEL FILTER

- Universal in-line fuel filter for 6,4 mm (1/4") flange
- Body diameter of 15,9 mm (5/8") with an overall length of 54 mm (2 1/8")
- Brass element filter for better filtration
- Easy to clean with backflushing
- Designed for low-pressure fuel filter lines



DESCRIPTION	PART #
Fuel filter	0707-0046

WSM PERFORMANCE PARTS


0706-0057


006-540


006-541

FUEL FILTER/WATER SEPARATORS

- In-line filter helps separate water from fuel

FITS MODEL	PART #
All Mikuni carb kits	0706-0057
SEA-DOO	
All 91-02 models	0706-0058

FITS MODEL	PART #
YAMAHA	
Yamaha	006-540[1]

FITS MODEL	PART #
YAMAHA (CONT)	
Yamaha late-style 800R/1200R	006-541

[1] Repl. OEM #6K8-24560.

WSM PERFORMANCE PARTS


006-600


0705-0125

FUEL VALVES WITH KNOB

FOR SEA-DOO

- Replacement fuel valve with three positions: on/off/reserve

DESCRIPTION	PART #
Fuel valve w/ knob	006-600[1]
Fuel valve for 8 mm (5/16") fuel line	0705-0125[2]

DESCRIPTION	PART #
Universal knob only	0705-0001

[1] Repl. OEM #7052155.
[2] Repl. OEM #275500400.

BOLD MAGENTA part numbers are new for 2022

LITHIUM ION BATTERIES

- Lithium ion Polymer $LiFePO_4$
- No heavy metals or hazardous acid
- Non-explosive and non-combustible
- Higher CCA's over lead acid batteries
- Lighter than lead acid batteries
- Includes built-in easy-to-read battery capacity indicator
- Mounts in any direction
- JIS standard sizes
- Up to 12 months shelf life before boosting is needed



YUASA REFERENCE #	DIMENSIONS	WEIGHT	PART #
YTX20-BS, YTX20H-BS, YTX20L-BS, YTX20HL-BS, YTX18L-BS, YTX24HL-BS, YTX15L-BS, YB16-B-CX, YB16HL-A-CX, YB16-B, YB16L-B, YB16C-B, YB16L-A2, YB16CL-B, YB18-A, YB18L-A, Y50N18A-A, SYB16L-B, Y50-N18L-A-CX, SY50-N18L-AT, Y50N18L-A, Y50N18L-A2 and Y50N18L-A3	175 mm L x 87 mm W x 130 mm H ($6^{7}/_{8}$" x $3^{7}/_{16}$" x $5^{1}/_{8}$")	0,59 kg (1,3 lb)	2113-0730
YIX30L, YIX30L-BS, YB30L-B, YB30CL-B, Y60N24-A, Y60N24AL-B, 52515, 53030, 53034 and YHD-12H	165 mm L x 124 mm W x 164 mm H ($6^{1}/_{2}$" x $4^{7}/_{8}$" x $6^{7}/_{16}$")	0,86 kg (1,9 lb)	2113-0733

BATTERY APPLICATION CHART

FITS MODEL	PART #
AQUA-JET CO.	
Aqua-Jet SX1 91	2113-0730
Aqua-Jet SX1 89-90	2113-0730
ARCTIC CAT	
640 Tiger Shark 93-96	2113-0730
Tiger Shark (all) 93-98	2113-0730
FAZER	
430 all models 88-89	2113-0730
HONDA	
1235 AquaTrax F/R-12, F/R-12X 02-09	2113-0730
1470 AquaTrax F-15, F-15X 03-13	2113-0730
KAWASAKI	
JS300 TS, SX 86-91	2113-0730
JS399-A 87-91	2113-0730
JS400 76	2113-0730
JS440 77-92	2113-0730
JS550 82-85	2113-0730
JS550, SX 86-95	2113-0730
JF650 TS 89-96	2113-0730
JF650 X2 86-95	2113-0730
JL650 SC 91-95	2113-0730
JS650 SX 87-95	2113-0730
Mate 91	2113-0730
650 SC	2113-0730
JH750 B1-B3 93-95	2113-0730
JH750 E1, F2, G1, G2 95-99	2113-0730
JH750 SS, ST, Xi, XiR 92-99	2113-0730
JH750 ST, Zxi 95-97	2113-0730
JH750 SX, ZX 92-95	2113-0730
JH750 XiR 94	2113-0730

FITS MODEL	PART #
KAWASAKI (CONT)	
JH750 Zxi 95-97	2113-0730
JS750 SX, ZX 92-95	2113-0730
JS750 Sxi, Sxi Pro 95-02	2113-0730
JT750 STS, STX 96-98	2113-0730
JT750 XiR, ST, STS 94-95	2113-0730
750 Super Sport Xi 93	2113-0730
750Xi Sport 99	2113-0730
JS800 SX-R 03-13	2113-0730
JH900 ZXi 95-97	2113-0730
JT900 STS, STX 97-05	2113-0730
JH1100 Zxi 96-03	2113-0730
JH1100-B Ultra 130 01-04	2113-0730
JT1100 STX 97-03	2113-0730
JT1100 Zxi 96-03	2113-0730
JH1200-A,B Ultra 150 99-05	2113-0730
JT1200-A-B, C, STX-R, STX-12F 02-07	2113-0730
JT1500-A, STX, STX-15F 04-19	2113-0730
1500 SXR 17-20	2113-0730
JT1500B, C ,250X, Ultra LX, 260(L)X, 300(L)X 07-20	2113-0730
1500 Ultra 310, LX, R, X 14-20	2113-0730
POLARIS	
All models	2113-0730
SEA-DOO	
780 3D 07	2113-0730
900 Spark 14-20	2113-0730
GTI 90 18-20	2113-0730
947 3D 947 DI 06-07	2113-0730

FITS MODEL	PART #
SEA-DOO (CONT)	
950 3D RFI 05	2113-0730
1300GTS 14-15	2113-0733
1500 GTI/GTX/RXP/RXT/Wake 05-15	2113-0733
1500 GTI/GTR/GTS/GTX/ RXT/RXP/Wake 16-19	2113-0730
1500 GTX 4-Tec/RXP 03-07	2113-0733
1500 all models 88-93	2113-0730
1500 all other models 94-07	2113-0730
1630 Fish Pro 19-20	2113-0730
S.O.S. MARINE MFG.	
All models	2113-0730
TIGER SHARK	
640/770 97-99	2113-0730
ULTRANAUTICS	
800 all models 87-92	2113-0733
Wet Bike 85-86	2113-0733
Jet Star 1250 (boat) 88-90	2113-0733
Jet Star 1260 (boat) 91	2113-0733
WET JET INTERNATIONAL	
All models	2113-0730
YAMAHA	
Wave Runner 87-08 (all)	2113-0730
SuperJet 700 09-17 (all)	2113-0730
1049 EX 17-19	2113-0730
1050 EX, Super Jet 21-22	2113-0730
1100 VX, V1 09-20 (all)	2113-0730
1200 Wave Runner 01-05	2113-0730
1300 Wave Runner 03-08	2113-0730
1800 FX/FZR/FZS/VXS/VXR 09-21 (all)	2113-0730

LITHIUM LIFEPO4 BATTERIES



- Innovative lithium-ion motorcycle and powersport batteries
- Designed for the most demanding riders looking for higher performance, safer performance, faster acceleration, reduced weight and a much longer battery life
- Very low self-discharge provide the possibility to start an engine after a very long period of storage; even in very cold temperature conditions
- Robust brass terminals for enhanced electrical performance
- Super fast charging capabilities
- Multi-position mounting (up to 180°)
- Very safe and environmentally friendly
- Up to 70% lighter than lead acid batteries
- Waterproof design
- Heat temperature resistance up to 230 °C
- Ready to use; no need for preparation, just plug and play



NOTE: Order by Yuasa reference #. See page 119-120 for battery application chart.

YUASA REFERENCE #	CAPACITY (AH/10HR)	POWER (WH)	CCA (EN)	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	TERMINAL CONFIGURATION		PART #
YTX14L, YB16CL-B, YTX14L-BS, YTX15L-BS, YB16L-B, YB16HL-A-CX, YB16CL-B, YB18L-A	5	60	300	148	86	105	-	+	2113-0789
YTX20, YTX20CH, YTX20A-BS	6	72	360	148	86	105	+	-	2113-0790
YTX20L, YTX20HL, YTX24HL, YTX20L-BS, YTX20HL-BS, YTX24HL-BS, Y50-N18L-A, Y50-N18L-A2/A3/AT, 51913, 51814	6	72	360	148	86	105	-	+	2113-0791
YIX30L, YIX30L-BS, YB30L-B, YB30CL-B, YB60-N30L-A, 12N24-3A, 52515, 53030	8	96	440	165	86	130	-	+	2113-0792

BOLD MAGENTA part numbers are new for 2022

YUASA BATTERY PARTS EUROPE BS BATTERY

BATTERY APPLICATIONS CHART

	YUASA			PARTS EUROPE			BS BATTERY
FITS MODEL	HIGH-PERFORMANCE AGM MAINTENANCE-FREE	AGM MAINTENANCE-FREE	YUMICRON	HIGH-PERFORMANCE AGM MAINTENANCE-FREE	AGM MAINTENANCE-FREE	BATTERY KITS	AGM MAINTENANCE-FREE
AQUA-JET CO.							
Aqua-Jet SX1 91	-	-	YB16-B	-	-	-	-
Aqua-Jet SX1 89-90	-	-	YB16-B	-	-	-	-
FAZER							
All models 88-89	-	-	YB16-B	-	-	-	-
HONDA							
1235 AquaTrax F/R-12, F/R-12X 02-09	YTX20HL-BS	YTX20L-BS[1]	-	2113-0426	2113-0424	-	2113-0640
1470 AquaTrax F-15, F-15X 03-13	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
KAWASAKI							
JS300-A SX 87-91	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
JS300-B TS 86-88	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
JS400-A 76	YTX20HL-BS[1]	YTX20L-BS[1]	YB16L-B	2113-0426[1]	2113-0424[1]	-	2113-0640[1]
JS440-A 87-92	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
JS440-A 77-86	YTX20HL-BS[1]	YTX20L-BS[1]	YB16L-B	2113-0426[1]	2113-0424[1]	-	2113-0640[1]
JS550-A 86-89	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
JS550-A 82-85	YTX20HL-BS[1]	YTX20L-BS[1]	YB16L-B	2113-0426[1]	2113-0424[1]	-	2113-0640[1]
JS550-B SX 90	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
JS550-C SX 91-95	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
X-2 86-95	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
TS 89-96	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
SC 91-95	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
650 SX 87-90	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
650 SX 91-95	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
750 SS 92-97	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
750 ST 96	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
750 ST 94-95	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
750 STS 95	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
750 STS/STX 96-98	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
750 STS/SXi/Pro 95-02	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
750 SX 92-95	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
750 SXi 95-98	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
Super Sport Xi 93-99	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
750 XiR 94-95	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
750 ZX 95	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
750 ZXi 95-97	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
JS800 SX-R 03-13	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
900 ZXi 95-97	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
900STS, STX 97-05	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
1100-B Ultra 130 01-04	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
1100ZXi 96-03	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
1100STX 97-03	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
1200-A Ultra 150 99-05/STX 02-07	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
1500-C STX-15F 04	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
JT1500-A/STX/STX-15F 04-19	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
JT1500B/C/250X/Ultra LX/ Ultra 260L/X 07-20	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
1500 SXR 17-20	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
1500 Ultra 310, LX, R, X 14-20	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
POLARIS							
All models 92-04	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
SEA-DOO							
All models (2-stroke) 88-93	YTX20HL-BS[1]	YTX20L-BS[1]	YB16L-B	2113-0426[1]	2113-0424[1]	-	2113-0640
All models (2-stroke) 94-07	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
GTI 90 18-20	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
1500 GTI/GTX/RXP/RXT/Wake 05-15	-	-	YB30CL-B	-	-	2113-0406	-
1500 GTX 4-Tec/RXP 03-07	-	-	YB30CL-B	-	-	2113-0406	-
1630 GTI, GTR, GTX, RXP, RXT, Wake 20	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
1630 Fish Pro 19-20	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
3D 05-07 (all)	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
S.O.S. MARINE MFG.							
All models 90-92	YTX20H-BS	YTX-20BS[3]	YB16-B	2113-0425	2113-0423	-	2113-0638
TIGER SHARK							
640/770 97-99	-	-	YB14L-A2	-	-	2113-0399	2113-0610
ULTRANAUTICS							
Sea Flash 89-92	-	-	53030	-	-	2113-0411	2113-0617
Wet Bike 85-86	-	-	YHD-12[2]	-	-	-	-
Wet Bike 87-92	-	-	53030	-	-	2113-0411	2113-0617
Jet Star 1250 (boat) 88-90	-	-	53030	-	-	2113-0411	2113-0617
Jet Star 1260 (boat) 91	-	-	53030	-	-	2113-0411	2113-0617

[1] May be used as an optional upgrade, but some modification to the hold down may be necessary.

[2] Yuasa Conventional battery.

[3] Optional Factory-Activated battery available; PART #2113-0761.

BATTERY APPLICATIONS CHART continued on next page.

BOLD MAGENTA part numbers are new for 2022

YUASA BATTERY PARTS EUROPE BS BATTERY

BATTERY APPLICATIONS CHART (CONT)

FITS MODEL	YUASA HIGH-PERFORMANCE AGM MAINTENANCE-FREE	YUASA AGM MAINTENANCE-FREE	YUASA YUMICRON	PARTS EUROPE HIGH-PERFORMANCE AGM MAINTENANCE-FREE	PARTS EUROPE AGM MAINTENANCE-FREE	PARTS EUROPE BATTERY KITS	BS BATTERY AGM MAINTENANCE-FREE
WET JET INTERNATIONAL							
Wet Jet 87	YTX20H-BS	YTX-20BS[3]	YB16-B	2113-0425	2113-0423	-	2113-0638
Wet Jet 432 88-93	YTX20H-BS	YTX-20BS[3]	YB16-B	2113-0425	2113-0423	-	2113-0638
Wet Jet SE 91-93	YTX20H-BS	YTX-20BS[3]	YB16-B	2113-0425	2113-0423	-	2113-0638
Wet Jet Sport 93	YTX20H-BS	YTX-20BS[3]	YB16-B	2113-0425	2113-0423	-	2113-0638
Wet Jet Sport II 90-93	YTX20H-BS	YTX-20BS[3]	YB16-B	2113-0425	2113-0423	-	2113-0638
Wet Jet Sport II Spirit 92-93	YTX20H-BS	YTX-20BS[3]	YB16-B	2113-0425	2113-0423	-	2113-0638
Wet Jet Duo 200 95	YTX20H-BS	YTX-20BS[3]	YB16-B	2113-0425	2113-0423	-	2113-0638
Wet Jet Duo 300 95	YTX20H-BS	YTX-20BS[3]	YB16-B	2113-0425	2113-0423	-	2113-0638
YAMAHA							
Wave Runner 87-16 (all)	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
SuperJet 700 09-17 (all)	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
1049 EX 17-19	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
1100 VX, V1 09-20 (all)	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
1800 FX/FZR/FZS/VXS/VXR 09-20 (all)	YTX20HL-BS-PW	-	YB16CL-B	-	-	2113-0404	2113-0613
1800 FX 21	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640
1050 EX, Super Jet 21	YTX20HL-BS	YTX20L-BS	-	2113-0426	2113-0424	-	2113-0640

[3] Optional Factory-Activated battery available; PART #2113-0761.

BS BATTERY

SLA MAX FACTORY-ACTIVATED AGM MAINTENANCE-FREE BATTERY

- Designed to offer maximum performance to big engine bikes equipped with lots of electronic accessories
- Superior capacity
- AGM construction (Absorbed Glass Material)
- VRLA battery (Valve Regulated Lead Acid)
- Sealed and factory activated
- Spillproof design
- Multi-positional fitment
- Ready and easy to use
- Increased power and extended life
- Extreme vibration resistance

NOTE: See pages 119-120 for battery application chart.





YUASA REFERENCE #	CAPACITY AH (10HR)	CAPACITY AH (20HR)	CCA (EN) A (-18 °C)	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	TERMINAL CONFIGURATION		PART #
YIX30HL	30	31,6	400	166	130	175 (includes bottom spacer to increase height to 197 mm)	-	+	2113-0645



2113-0610



2113-0638



2113-0617

BS BATTERY

SLA FACTORY-ACTIVATED AGM MAINTENANCE-FREE BATTERIES

- AGM construction (Absorbed Glass Material)
- VRLA battery (Valve Regulated Lead Acid)
- Sealed and factory activated
- Spillproof design
- Multi-positional fitment
- Ready and easy to use
- Increased power and extended life
- Extreme vibration resistance

NOTE: See pages 119-120 for battery application chart.



YUASA REFERENCE #	CAPACITY AH (10HR)	CAPACITY AH (20HR)	CCA (EN) A (-18 °C)	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	TERMINAL CONFIGURATION		PART #
YTX14AH	12	12,6	210	135	90	167	+	-	2113-0637
YB14L-A2	14	14,7	200	135	90	167	-	+	2113-0610
YB16CL-B	19	20	230	175	100	175	+	-	2113-0613
YTX20	18	18,9	270	175	87	155	+	-	2113-0638
YTX20CH	18	18,9	270	150	87	161	+	-	2113-0639
YTX20HL	18	18,9	310	175	87	155	-	+	2113-0640
53030	30	31,6	280	186	130	171	-	+	2113-0617

BOLD MAGENTA part numbers are new for 2022

HIGH PERFORMANCE AGM MAINTENANCE-FREE BATTERIES

- Parts Europe is proud to offer a premium-quality, high performance maintenance-free battery
- Deliver additional cranking amps for vehicles that require extra starting power
- Special absorbed-glass mat battery eliminates water loss, permitting the battery to be permanently sealed once it is filled with acid
- Battery seals to prevent water loss
- Hold charge three times longer than conventional batteries
- Battery kit includes battery, pre-measured acid pack and hardware kit

2113-0425



YUASA REFERENCE #	PART #
YTX20H-BS	2113-0425

YUASA REFERENCE #	PART #
YTX20HL-BS	2113-0426



AGM MAINTENANCE-FREE BATTERIES

- Parts Europe is proud to offer a premium-quality, maintenance-free battery
- Special absorbed-glass mat battery eliminates water loss, permitting the battery to be permanently sealed once it is filled with acid
- Battery seals to prevent water loss
- Holds charge three times longer than conventional batteries
- Battery kit includes battery, pre-measured acid pack and hardware kit

YUASA REFERENCE #	PART #
YTX20-BS	2113-0423

YUASA REFERENCE #	PART #
YTX20L-BS	2113-0424



HEAVY-DUTY BATTERY KITS

- Parts Europe Heavy-Duty batteries are built to the same exacting specifications and quality-control standards as OEM
- Rugged and provides more cranking power over standard batteries
- Lead calcium alloy reduces water loss and service by 66% compared to standard batteries
- Includes anti-sulfation chemical formulated to reduce sulfate crystal buildup on the battery plates
- Reduces self-discharge for longer time between charges
- Fiberglass separators improve acid flow
- Battery kit includes battery, pre-measured acid pack, red filler tube, hardware kit and clear vent tube

YUASA REFERENCE #	PART #
YB14L-A2	2113-0399
YB16CL-B	2113-0404

YUASA REFERENCE #	PART #
YB30CL-B	2113-0406
53030	2113-0411

BOLD MAGENTA part numbers are new for 2022

YUASA BATTERY



YTX20H-BS

HIGH-PERFORMANCE AGM MAINTENANCE-FREE BATTERIES

- This new generation of maintenance-free batteries delivers higher cranking amps for vehicles that require extra starting power
- Additional cranking amps make these one of the most powerful batteries on the market
- Acid pack included, except where noted as Factory-Activated

NOTE: Factory-Activated batteries should be charged once a month when not in service.

NOTE: See pages 119-120 for battery application chart.



YUASA REFERENCE #	CAPACITY AH (10H-R)	REGULAR CHARGE CURRENT (AMP)	COLD CRANKING AMPS @-18 °C (0 °F)	LENGTH	WIDTH	HEIGHT	APPROX. WEIGHT W/ ACID	TERMINAL CONFIGURATION		PART #
YTX20H-BS	18	1,8	310	175 mm ($6^{7}/_{8}$")	87 mm ($3^{7}/_{16}$")	156 mm ($6^{1}/_{8}$")	6,8 kg (15,1 lb)	+	-	YTX20H-BS
YTX20HL-BS	18	1,8	310	175 mm ($6^{7}/_{8}$")	87 mm ($3^{7}/_{16}$")	156 mm ($6^{1}/_{8}$")	6,8 kg (15,1 lb)	-	+	YTX20HL-BS
YTX20HL-BS-PW (includes 20mm height spacers for use in replacing YB16CL-B)	18	1,8	310	175 mm ($6^{7}/_{8}$")	87 mm ($3^{7}/_{16}$")	175 mm ($6^{7}/_{8}$")	6,8 kg (15,1 lb)	-	+	YTX20HL-BS-PW



YTX-20BS

AGM MAINTENANCE-FREE BATTERIES

- Special absorbed glass mat battery eliminates water loss, permitting the battery to be permanently sealed once it is filled with acid
- Truly the world's finest "install it and forget it" motorcycle battery
- Acid pack included, except where noted as Factory-Activated

NOTE: Factory-Activated batteries should be charged once a month when not in service.

NOTE: See pages 119-120 for battery application chart.



YUASA REFERENCE #	CAPACITY AH (10H-R)	COLD CRANKING AMPS @-18 °C (0 °F)	LENGTH	WIDTH	HEIGHT	APPROX. WEIGHT W/ ACID	TERMINAL CONFIGURATION		PART #
YTX20-BS	18	270	175 mm ($6^{7}/_{8}$")	87 mm ($3^{7}/_{16}$")	156 mm ($6^{1}/_{8}$")	6,3 kg (13,9 lb)	+	-	YTX-20BS
YTX20 (Factory-Activated)	18	270	175 mm ($6^{7}/_{8}$")	87 mm ($3^{7}/_{16}$")	156 mm ($6^{1}/_{8}$")	6,3 kg (13,9 lb)	+	-	2113-0761
YTX20L-BS	18	270	175 mm ($6^{7}/_{8}$")	87 mm ($3^{7}/_{16}$")	156 mm ($6^{1}/_{8}$")	6,3 kg (13,9 lb)	-	+	YTX20L-BS

BOLD MAGENTA part numbers are new for 2022

YUASA BATTERY



YB16-B



YUMICRON 12V BATTERIES

- The most powerful lead-acid battery of its size
- Appears as original equipment on more and more big bikes
- Shipped dry

NOTE: See pages 119-120 for battery application chart.

YUASA REFERENCE #	CAPACITY AH (10H-R)	REGULAR CHARGE CURRENT (AMP)	LENGTH	WIDTH	HEIGHT	APPROX. WEIGHT W/ OUT ACID	TERMINAL CONFIGURATION		PART #
YB14L-A2	14	1,4	135 mm ($5^5/_{16}$")	89 mm ($3^1/_2$")	167 mm ($6^9/_{16}$")	3,4 kg (7,6 lb)	-	+	YB14L-A2
YB16-B	19	1,9	175 mm ($6^7/_8$")	102 mm (4")	156 mm ($6^1/_8$")	4,8 kg (10,5 lb)	+	-	YB16-B
YB16L-B	19	1,9	175 mm ($6^7/_8$")	102 mm (4")	156 mm ($6^1/_8$")	4,8 kg (10,5 lb)	-	+	YB16L-B
YB16CL-B	19	1,9	175 mm ($6^7/_8$")	102 mm (4")	175 mm ($6^7/_8$")	4,6 kg (10,1 lb)	-	+	YB16CL-B
YB30CL-B (does not include a vent tube)	30	3,0	168 mm ($6^5/_8$")	132 mm ($5^3/_{16}$")	192 mm ($7^9/_{16}$")	6,6 kg (14,5 lb)	-	+	YB30CL-B
53030 (does not include a vent tube)	30 (DIN Standard @ 20 hr. rate)	3,0	189 mm ($7^7/_{16}$")	130 mm ($5^1/_8$")	175 mm ($6^7/_8$")	7,3 kg (16,1 lb)	-	+	53030



YHD-12



CONVENTIONAL 12V BATTERY

- Yuasa is the world's largest manufacturer of motorcycle batteries and has over 50 years of expertise behind its product
- Honda, Kawasaki, Suzuki, Yamaha and many others fit Yuasa batteries to their machines
- Shipped dry

NOTE: See pages 119-120 for battery application chart.

YUASA REFERENCE #	CAPACITY AH (10H-R)	REGULAR CHARGE CURRENT (AMP)	LENGTH	WIDTH	HEIGHT	APPROX. WEIGHT W/ OUT ACID (LB.)	TERMINAL CONFIGURATION		PART #
YHD-12H	29	2,8	206 mm ($8^1/_8$")	133 mm ($5^1/_4$")	165 mm ($6^1/_2$")	6 kg (13,3 lb)	+	-	YHD-12



2113-0079



2113-0084



YU04-5

SPARE PARTS

- Bolts and nuts sold in packs of five sets of two each
- Vent tube is 750 mm long; fits all Yuasa batteries; sold in packs of five

DESCRIPTION	PART #
Bolt/nut set (2 ea.) 6 x 11 mm (5-pk.)	2113-0079
Bolt/nut set (2 ea.) 6 x 12 mm/20 (5-pk.)	2113-0082
Bolt/nut set (2 ea.) 6 x 12 mm (top mount only) (5-pk.)	2113-0083
Bolt/nut set (2 ea.) 6 x 12 mm (5-pk.)	2113-0084
Bolt/nut set (2 ea.) 6 x 14 mm (5-pk.)	2113-0080

DESCRIPTION	PART #
Bolt/nut set (2 ea.) 6 x 22 mm (5-pk.)	2113-0081
Bolt/nut set for YB16CL-B (5-pk.)	2113-0078
Battery spacer for PART #s 2113-0320 and 2113-0094	2113-0321
Vent tube – 750 mm (5-pk.)	YU04-5

BOLD MAGENTA part numbers are new for 2022



tecMATE

OPTIMATE™ TEST

BATTERY AND CHARGING SYSTEM/ALTERNATOR TESTER

- Three-step tester checks battery charge level, records lowest start volts and verifies charging voltage
- Checks if alternator is compatible with LiFePO$_4$/LFP lithium batteries

DESCRIPTION	PART #
OptiMate Test	3807-0225



tecMATE

OPTIMATE™ TEST

BATTERY TESTER FOR ALL LEAD-ACID AND LITHIUM BATTERIES

- Microprocessor circuit draws very low power from the battery and displays status
- State-of-charge result in volts and percent
- Tests all 12V lead-acid and LiFePO$_4$/LFP lithium batteries

DESCRIPTION	PART #
OptiMate Test for lead-acid and lithium batteries	3807-0226

Deltran Battery Tender

LCD BATTERY METER

- LCD displays battery voltage when the button is pressed
- Displays voltage range of 3-16V
- Resolution of +/- 0,1V
- Flashes red when voltage is low
- Plugs directly into Deltran QDC battery harness



DESCRIPTION	PART #
LCD Battery Meter	3807-0232



3807-0271



3807-0272

MOOSE UTILITY DIVISION

OPTIMATE 3 AND OPTIMATE 6 BATTERY CHARGERS/MAINTAINERS (EU)

- OptiMate 3 and OptiMate 6 are suitable for all types of 12V lead-acid batteries of rated capacity from 3 to 50Ah
- Diagnoses sulfated battery condition
- Recovers severely neglected batteries from as low as 2 volts
- Automatic hourly test, advance warning of problems
- Interactive float charge, max 800mA possible
- No risk of overcharging; totally safe for vehicle electronics; sparks suppressed; safe for long-term battery maintenance; automatic shut-down if short-circuited or battery disconnected
- Global input (100-240V 50-60Hz), high efficiency (CEC listed), fully sealed
- Includes two detachable, interchangeable battery connectors: a connector with eyelets for permanent connection and battery clips for bench charging
- Meets all relevant EN and IEC norms and CE directives
- CE conformity
- Available with EU plug
- Manufactured by Optimate for Moose

DESCRIPTION	PART #
Moose OptiMate 3	3807-0271

DESCRIPTION	PART #
Moose OptiMate 6	3807-0272

BOLD MAGENTA part numbers are new for 2022

tecMATE



OPTIMATE™ 1 DESKTOP DUO

- Maintains any type of 12V lead-acid or 12,8V lithium battery from 2Ah-20Ah
- Four-step program
- Low-volt start of 4V
- Delivers a constant 600mA current
- Tests and delivers only what the battery needs without ever overcharging or undercharging
- Premium charge accessory cables are included with every charger

DESCRIPTION	PART #
OptiMate 1 Desktop Duo	3807-0488



3807-0127

OPTIMATE™ 2

- The OptiMate 2 smart charger-maintainer is a cost-effective solution for long-term maintenance of 12V batteries in any vehicle that is stored indoors or outdoors
- Weatherproof and very easy to use: simply connect to the battery and plug it into the nearest power socket; the rest is fully automatic
- With 0,8A constant current OptiMate 2 automatically brings the battery to full charge and then switches to the unique OptiMate battery-saving maintenance charge mode to keep the battery at 100% ready, and at the same time provides power to the on-board computer, display or anti-theft alarm
- Recommended for STD (with removable filler caps), sealed AGM (absorbed glass mat) and sealed gel 12V lead-acid batteries up to 50Ah
- Weighs in at 454 g (1 lb)
- Includes permanent ringlet connector with weatherproof cap and a set of battery clips
- Fully automatic operation that includes all safety features, such as reverse polarity protection and no spark connection; approved to UL and CSA safety standards for automatic battery chargers
- CE conformity

DESCRIPTION	PART #
EU plug	3807-0126

DESCRIPTION	PART #
UK plug	3807-0127



3807-0253

3807-0308

3807-0309

OPTIMATE™ 3

DESULFATING/MAINTAINING CHARGERS

- Smaller, lighter and more powerful than its predecessor
- Diagnoses, recovers, charges, checks and maintains batteries safely for months
- Advanced, fully automatic battery charger and maintainer for all 12V lead-acid batteries from 2,5A to 50A hours capacity
- Recommended for sealed and conventional batteries for motorcycles and similar vehicles, including dry-charged MF, sealed wet maintenance-free types, AGM and sealed deep-cycle gel batteries
- Features vent-free enclosure, SAE weatherproof connectors and includes wall mounts
- Unique diagnostic function automatically identifies deeply discharged (sulphated) batteries and applies a controlled high voltage with small fixed current for a limited period to recover them
- Includes two detachable, interchangeable battery connectors: a connector with eyelets for permanent connection and battery clips for bench charging
- Comes with global input (100V-240V)
- Meets all relevant EN and IEC norms and CE directives
- CE conformity
- EU plug

DESCRIPTION	PART #
Single	3807-0253

DESCRIPTION	PART #
2-bank	3807-0308

DESCRIPTION	PART #
4-bank	3807-0309

BOLD MAGENTA part numbers are new for 2022

tecMATE

OPTIMATE™ 6

- OptiMate 6 with 0-4,5 amps charging power is the ideal all-in-one tool to care for all 12V batteries
- Will diagnose, recover, charge, test and maintain your batteries automatically
- The Ampmatic microprocessor actively adjusts charge current to match battery characteristics to achieve a complete charge in the shortest possible time
- Features a short circuit/dead cell check that detects internal damage in a battery and prevents unnecessary charging of a battery that cannot be recovered
- Weatherproof, sealed enclosure
- Recommended for STD (with removable filler caps), sealed AGM (absorbed glass mat) and sealed gel 12V lead-acid batteries from 8Ah to 120Ah
- Will safely maintain the battery at 100%, never overcharging, thanks to its unique 30-minute charge/30-minute rest cycle during every hour of long-term maintenance charge
- Includes permanent ringlet connector with weatherproof cap and a set of battery clips



- Fully automatic operation that includes all safety features, such as reverse polarity protection and no-spark connection
- CE conformity
- EU plug

DESCRIPTION	PART #
OptiMate 6	3807-0152

OPTIMATE™ 7 AMPMATIC

- World's most advanced fully automatic 12V battery charger
- Saves batteries other chargers can't by recognizing the difference between a battery that needs charging and a dead flat sulphated battery that needs saving
- Perfect for months-long maintenance of any size 12V lead-acid battery
- Restores neglected batteries from as low as 0,5V
- Ampmatic charge control adjusts current to suit any battery size and condition for fastest and most complete charge
- Charging amps: 10A @ 14,4V
- Can be used in temperatures as low as -40 °C (-40 °F)
- Ideal for STD, AGM, gel and deep cycle 12V batteries from 3Ah – 400Ah
- Input: global (100V-240V 50Hz-60Hz), high-efficiency, fully sealed
- Weatherproof battery lead and standard battery clip set included
- No risk of overcharging; totally safe for vehicle electronics
- Sparks suppressed, safe for long-term battery maintenance, automatic shut-down if short-circuited or battery disconnected



DESCRIPTION	PART #
OptiMate 7 Ampmatic	3807-0546

OPTIMATE™ 7 SELECT BATTERY CHARGER

- Perfect for starter and deep cycle 12V batteries that demand accurate temperature-controlled charging and safe unsupervised long-term maintenance
- Voltage selection (14,4V/14,7V) to ensure the battery receives charge at the correct voltage
- Power supply mode delivers stable power for vehicle system reprogramming, showroom vehicle demo or retaining memorized settings when battery cables are disconnected to fit powered accessories or replace the battery
- 10A @ 14,4V/14,7V, 8A @ 13,6V charging amps
- For indoor/outdoor (lowest temperature: -40 °C / -40 °F)
- Ideal for STD, AGM, gel and deep cycle 12V batteries from 3Ah – 400Ah
- Weatherproof case with wall mounts, with 180 cm (6') AC supply lead and 180 cm (6') AC charge lead ending in SAE connector



DESCRIPTION	PART #
OptiMate 7 select battery charger	3807-0545

OPTIMATE™ DC TO DC 12V TO 12V 2A

- Charge and maintain your battery without AC power
- First in the range to be powered from a DC source or another 12V battery to remotely save, recharge and maintain your stored vehicle's 12V lead-acid battery
- Great option for emergency vehicle-to-vehicle charging
- Extended maintenance guaranteed by the high-efficiency electronics and processor control
- Built-in protection prevents deep discharge of the source battery



DESCRIPTION	PART #
OptiMate DC to DC	3807-0339

BOLD MAGENTA part numbers are new for 2022

tecMATE



OPTIMATE™ LITHIUM

- OptiMate Lithium, the first OptiMate to protect $LiFePO_4$ batteries in a way no other charger has
- Will protect your investment and keep your Lithium Iron Phosphate ($LiFePO_4$ / LFP) battery performing as advertised, for a very long time
- With 5 amps of charge current available, OptiMate Lithium's unique multi-step Ampmatic program recharges and balances cells within the battery quickly and efficiently
- OptiMate Lithium's maintenance program delivers current to the vehicle circuitry, protecting and keeping the battery at 100% charge
- Tests and displays battery condition before charging
- Voltage retention test is conducted for 30 minutes during which no charge current is delivered, and provides results indicating the battery's general state of health
- The 12-hour MAINTENANCE CHARGE CYCLE consists of 30-minute float charge periods at a voltage of 13,6V followed by and alternating with 30 minute "rest" (no charge current) periods
- During the float charge period, current is delivered only if the battery has lost charge due to connected vehicle circuitry; a refresh cycle may be performed if the charge level has dropped significantly
- Charge progress is tracked against the ideal $LiFePO_4$ charge curve; internal damage will be detected and unnecessary charging of a battery that cannot be recovered is prevented
- Includes permanent ringlet connector with weatherproof cap and a set of battery clips
- CE conformity
- EU plug

DESCRIPTION	PART #
Optimate Lithium	3807-0153



3807-0286



3807-0287

OPTIMATE LITHIUM 0,8 A

- Helps to maintain your lithium iron phosphate battery and ensure a long battery life
- Checks battery for short circuits, dead cells and voltage retention
- Battery maintainer's specific program efficiently recharges and balances energy cell levels
- Available in single and four-bank charger

DESCRIPTION	PART #
Single bank	3807-0286

DESCRIPTION	PART #
Four bank	3807-0287

OPTIMATE™ SOLAR CHARGERS

- The smart, 24-7 battery care solution powered by the sun
- Converts the low power from the solar panel to high current pulses for more effective charging and maintenance of a 12V battery
- OptiMate™ Solar does it differently: the solar panel is where the sun is and the smart pulse charger is where the battery is, so you have immediate information on battery condition at hand right where it matters most
- Low-volt start of 1V
- Ideal for EFB, STD, AGM and gel 12V batteries from 2Ah-240Ah
- 361 cm (14') of cable separates the charger from the panel, with SAE to SAE interconnection providing the option of extending further
- High-efficiency solar panel with 12V controller
- Can withstand temperatures down to -20 °C/-4 °F
- Standard battery clip set, solar panel, weatherproof charge controller case and battery lead included

3807-0542



DESCRIPTION	PART #
10W Duo	3807-0542[1]

DESCRIPTION	PART #
60W	3807-0489

DESCRIPTION	PART #
80W	3807-0490

[1] For lead-acid and lithium batteries.

BOLD MAGENTA part numbers are new for 2022

tecMATE



USB FAST CHARGER

- Fast charge your phone, GPS, camera or tablet
- For any device demanding 2100mA fast charge or two devices that accept up to 1000mA each
- Connects to a standard auto 21 mm power socket; power delivered via two USB sockets located directly on the charger

DESCRIPTION	PART #
USB fast charger	3807-0278



UNIVERSAL USB CHARGER

- Low-input (12,4V) auto-off protects vehicle battery from total discharge
- Works with all 5V USB-powered devices requiring at least 1000mA charge current
- Communicates with Apple devices, confirm maximum charge current delivery
- Compact USB charger includes micro and mini USB adapters with built-in resistors (including Garmin compatible)
- SAE 12V power connector (QDC compatible)

NOTE: Cables not included.

DESCRIPTION	PART #
Universal USB charger	3807-0539



OPTIMATE™ 3300mA DUAL-OUTPUT 180° USB CHARGER

- Ideal for plugging into power sockets that are in tight spots
- Delivers 3300mA USB charging power through two USB outlets
- Unique plug-and-seal design seals at insertion point during use and a ride-tested rubber cap keeps the unused USB socket watertight at speed
- Automatically shuts off three hours after parking vehicle and low-battery warning alerts rider and shuts down when voltage drops to 12,3V (+/-40% charge level)
- Lead-acid and lithium friendly standby mode

DESCRIPTION	PART #
Optimate 3300mA dual-output 180° USB charger	3807-0541



OPTIMATE™ 3300mA DUAL-OUTPUT USB CHARGER

- Delivers 3300mA USB charging power through two USB outlets with one outlet positioned with a side-mounted 12V DIN socket
- Protrudes only 38 mm ($1^1/_2$") away from the socket and 90° USB allows USB cable to be routed close to the side of the vehicle
- Unique plug-and-seal design seals at insertion point during use and ride-tested rubber cap keeps the unused USB socket watertight at speed
- Automatically shuts off three hours after parking vehicle and low-battery warning alerts rider and shuts down when voltage drops to 12,3V (+/-40% charge level)
- Low-battery warning
- Lead-acid and lithium friendly standby mode

DESCRIPTION	PART #
Optimate 3300mA dual-output USB charger	3807-0538



3807-0477

OPTIMATE™ USB O-108 KITS

- Charge your phone, GPS, camera or tablet on your motorcycle or up to 203 cm (80") away with this weatherproof charger
- Low-input (less than 12,3V) auto-off protects vehicle battery from total discharge
- 12V power through an industry standard SAE two-pin connector and a 102 cm (40") supply cable
- 5V 3300mA true output via a 102 cm (40") USB output cable with sealing cap for USB socket
- Short-circuit, overheat and over-voltage protection
- Apple 1A charge confirmation "handshake" built in
- PART #3807-0524 has reprogrammed battery status lights to work better with lithium batteries
- Includes O-13 battery lead with 10A fuse

DESCRIPTION	PART #
Optimate USB O-108 kit	3807-0477

DESCRIPTION	PART #
Optimate USB O-108 lithium	3807-0524

BOLD MAGENTA part numbers are new for 2022


3807-0394


3807-0323


3807-0325

BATTERY CHARGER ACCESSORIES

- State-of-charge monitors serve as on-board volt gauges for motorcycle charging systems
- Fit all chargers except old-style tecMate OptiMate™ Pro 4-5

DESCRIPTION	PART #
Battery clips and cable, 51 cm (20") L	3807-0165
SAE-TM adapter w/ 15 cm (6") cable (adapts charger w/ black SAE plug to a white TM cord)	3807-0167
TM-SAE adapter w/ 15 cm (6") cable (adapts charger w/ white TM plug to a black SAE cord)	3807-0168
12V battery eyelet connector w/ integrated state-of-charge monitor, 61 cm (24") L	3807-0317
12V battery eyelet connector w/ integrated state-of-charge monitor for lithium $LiFePO_4$ batteries, 61 cm (24") L	3807-0319
12V battery connector w/ auto plug and SAE connector ends and 4-LED display for any 12V, AGM and gel sealed batteries; 25,5 cm (10") L	3807-0394
Plug to 90 SAE short 30,5 cm (12")	3807-0323
Permanent battery lead w/ DC 2,5 mm socket, heavy-duty	3807-0325
Battery clips, fused	3807-0335

OPTIMATE™ 5/16" BATTERY LEADS

- Permanent battery lead with integrated battery status/ charge system monitor for 12V lead-acid batteries
- Monitor charge or confirm if the charging system is working correctly
- 5/16"/M8 ringlets
- Two automatic modes: battery charge level monitor and charging system test
- SAE charge port with weatherproof sealing cap
- 102 cm L (40")
- 15A fuse


3807-0394

DESCRIPTION	PART #
12V battery eyelet connector w/ integrated state-of-charge monitor; 61 cm (24") L	3807-0317
12V battery eyelet connector w/ integrated state-of-charge monitor for lithium $LiFePO_4$ batteries; 61 cm (24") L	3807-0319
12V battery connector w/ auto plug and SAE connector ends and 4-LED display for any 12V, AGM and gel sealed batteries; 25,5 cm L (10")	3807-0394


3807-0159


3807-0161


3807-0171


3807-0163


3807-0165


3807-0175


3807-0167


3807-0170

CHARGER ACCESSORIES

- For all tecMate chargers except OptiMate™ Pro 4-S and OptiMate Pro 8
- Sold each

SAE ACCESSORIES

DESCRIPTION	PART #
Repl. eyelet connector (ea.) (O1)	3807-0159
Repl. eyelet connector (4-pk.) (O1)	3807-0424
Repl. eyelet connector (jar of 20) (O1)	3807-0241
12V socket connector w/ 8A fuse, 51 cm L (20") (ea.) (O2)	3807-0161
12V DIN connector, 122 cm L (4') (ea.) (O9)	3807-0171
183 cm (6') charge cable extender (ea.) (O3)	3807-0163
4,6 m (15') charge cable extender (ea.) (O13)	3807-0172
Battery clips and cable, 51 cm L (20") (ea.) (O4)	3807-0165
SAE to cigarette lighter socket adapter, 51 cm L (20") (ea.) (O6)	3807-0175
SAE to cigarette lighter socket adapter, 30 cm L (12") (ea.) (O6)	3807-0176

DESCRIPTION	PART #
SAE-TM adapter w/ 15 cm (6") cable (adapts charger w/ black SAE plug to a white TM cord) (ea.) (O7)	3807-0167
TM-SAE adapter w/ 15 cm (6") cable (adapts charger w/ white TM plug to a black SAE cord) (ea.) (O17)	3807-0168
Weatherproof panel-mount DIN socket, 51 cm L (20") cable, rubber plug (ea.) (O8)	3807-0169
Weatherproof panel-mount DIN socket, 51 cm L (20") cable, spring cap (ea.) (O18)	3807-0170
Weatherproof panel-mount SAE socket, 102 cm L (40") cable spring spring cap (ea.) (O-40)	3807-0400
Weatherproof panel-mount DIN socket, rubber plug	3807-0465

CHARGER ACCESSORIES continued on next page.

BOLD MAGENTA part numbers are new for 2022

tecMATE


3807-0166


3807-0174


3807-0182


3807-0388


3807-0323


3807-0325


3807-0327


3807-0329


3807-0333


3807-0334


3807-0335


3807-0336


3807-0338

CHARGER ACCESSORIES (CONT)

DESCRIPTION	PART #
Weatherproof panel-mount DIN socket, spring cap	3807-0466
Weatherproof panel-mount SAE socket, w/ 15 cm L (6") cable	3807-0476
Y-splitter w/ fuse, 45,5 cm L (18") (ea.) (O5)	3807-0166
Y-splitter w/o fuse, 35,5 cm L (14") (ea.) (O15)	3807-0174
12V 6-LED flashlight with 102 cm (40") cable and SAE connector (O120)	3807-0182
SAE to SAE polarity converter (converts polarity of another SAE connector + to -/- to +), 15 cm L (6") (ea.) (O27)	3807-0244
SAE DC 2,5 mm socket adapter for battery charger/power cord accessory and PART #3807-0244 for custom adaptations	3807-0388
SAE DC 2,5 mm plug adapter for battery charger/power cord accessory and PART #3807-0244 for custom adaptations	3807-0389
USB Y-splitter 2-out	3807-0322

DESCRIPTION	PART #
Plug to 90 SAE short 30,5 cm (12")	3807-0323
SAE bulkhead connector, front mount	3807-0324
Permanent battery lead w/ DC 2,5 mm socket, heavy duty	3807-0325
90° plug to SAE long 102 cm (40")	3807-0327
Y-splitter, SAE IN to 2 x DC 2,5 mm OUT	3807-0329
90° plug to DC 2,5 mm socket	3807-0331
Adapter kit, 3-piece, SAE to DC 2,5 mm	3807-0333
Plug, Auto	3807-0334
Battery clips, fused	3807-0335
10 amp, waterproof charge cable extender, 4,6 m (15')	3807-0336
5 amp, waterproof charge cable extender, 102 cm (40")	3807-0337
Adapter, OBDII to SAE	3807-0338
Universal GPS charge cable USB mini	3807-0391


3807-0070


3807-0071


3807-0007


3807-0305

TM ACCESSORIES

DESCRIPTION	PART #
12V bike and car socket connector; combination connector for standard automotive cigar socket and 12V DIN socket as found on BMW and Triumph motorcycles	3807-0070
12V DC power outlet for electrical accessories that come fitted with cigarette lighter plugs	3807-0071

DESCRIPTION	PART #
Repl. water-resistant eyelet cable w/ fuse	3807-0007
Cable extension – 2,5 m	3807-0009
Repl. battery clip set	3807-0033
12V 6-LED flashlight with 102 cm (40") cable and KET connector	3807-0305


3807-0159

1/4" EYELET SAE BATTERY CONNECTION LEADS

- Premium quick-connect permanent battery lead with weather-protected connection system and cable
- 1/4"/M6 ringlets
- 51 cm (20") L
- Industry standard two-pin, heavy-duty SAE connector
- 15A fuse
- Cable max rating: 5 Amps
- Cable remains flexible at below freezing temperatures; rated for -40°F/-40°C


3807-0424



3807-0241

DESCRIPTION	PART #
Single battery connection lead	3807-0159
4-pk.	3807-0424

DESCRIPTION	PART #
20-pk.	3807-0241

BOLD MAGENTA part numbers are new for 2022

tecMATE

BATTERYMATE 150-9

LOAD TESTER/CHARGER

- This unique diagnostic load tester and constant current charger with automatic desulfating action saves valuable time in professional service workshops and prolongs battery life
- Six load test settings from 15A to 150A, suitable for all starter batteries from 2,5Ah to 45Ah
- Six charging amps settings, from 1A to 9A constant current, for correct and most time-effective charging of batteries 2,5 amp-hours and greater
- Also unique is the special MF program, essential for the correct and vital first "commissioning" charge of motorcycle-type dry-charged maintenance-free batteries
- The program terminates the important constant current "bulk charge" at the correct voltage appropriate for any one of the various types of MF batteries now available, according to their particular impedance characteristics
- Incorrect commissioning charging of motorcycle AGM type MF batteries is the single biggest cause of premature battery failure



- For all 12V lead-acid starter batteries of 2,5 amp-hours capacity or greater, as used in motorcycles, ATVs, snowmobiles, personal watercraft and garton tractors
- Recommended by most motorcycle OEMs
- CE conformity
- EU plug

DESCRIPTION	PART #
BatteryMate 150-9	3807-0120

ACCUMATE 6V/12V

- Ideal for older vehicles or deep cycle applications
- For standard filler cap and sealed AGM and gel starter and deep-cycle batteries from 4Ah to 75Ah
- 4-step program and 1,2 amp charge current
- Simple to use – make a voltage selection (6V or 12V), connect and 4-step program automatically completes the charge
- Leave connected for long-term maintenance
- No risk of overcharging – AccuMate's special monitoring circuits vary and regulate the current and voltage exactly according to the battery manufacturer's specifications
- Supplied with clips and fused battery fly-lead with waterproof SAE connector
- CE conformity
- EU plug



DESCRIPTION	PART #
AccuMate 6V/12V	3807-0066

OPTIMATE™ PRO 4

BATTERY DIAGNOSTIC CHARGER, DESULFATOR AND MAINTAINER

- Professional four-bank automatic six-stage charger initializes new sealed and filler cap batteries in one hour, plus desulfates and recovers neglected batteries – simply decide between a NEW or USED battery selection
- Incorporates diagnostic checks and an automatic special recovery mode for deep-discharged (sulfated) batteries, making it suitable for all different types of powersports vehicle batteries
- Four amps constant current for each of the four battery banks/stations
- Three battery-type selections: STD, deep cycle and MF for fully sealed, absorbed acid batteries
- Automatic detection and recovery of deep discharged or sulfated batteries
- Self-discharge test (following charging): voltage parameters set for the selected battery type
- Can be used for long-term storage charging
- Temperature-corrected testing and charging ensures accurate results and no damage to the battery



DESCRIPTION	PART #
OptiMate Pro 4	3807-0155

OPTIMATE™ PRO 8 6V/12V

- Desulfate, recover, charge, test and maintain up to eight batteries simultaneously
- Ideal for maintaining 6V and 12V batteries in the off-season
- Each bank/station operates independently and delivers 1,2 amps constant current
- Good for all batteries – standard, gel and AGM (MF)
- Automatic detection and recovery of deep-discharged or sulfated batteries
- Self-discharge test (following charging) according to a set voltage parameter
- Long-term storage charging
- Meets international OEM recommendations
- Voltage selection – 115V or 230V supply
- Includes eight sets of battery clips and eight extension cables
- Compatible with all SAE accessories



- CE conformity
- EU plug

DESCRIPTION	PART #
OptiMate Pro 8	3807-0122

BOLD MAGENTA part numbers are new for 2022

Deltran Battery Tender



HIGH EFFICIENCY BATTERY TENDER PLUS

- Uses less current than the original Battery Tender while producing the same output
- Perfect for all AGM (Absorbed Glass Matt) gel, sealed maintenance-free and flooded batteries
- Fully automatic and microprocessor controlled constant four-step charging system: qualification, bulk charge, absorption and float/maintenance
- Reverse polarity protection; no damage to charger or battery
- 72-hour safety timer to prevent damage to marginal batteries
- Temperature compensation sensor adjusts voltage for extreme heat or cold
- Lightweight and compact
- Quick-connect harness and alligator clips included
- UL/CSA/CE compliant

DESCRIPTION	PART #
12V, 5A	3807-0358

3807-0057



0810-0696



EC Type Approved

WATERPROOF BATTERY TENDER® 800

- 12V/800mA charger is 100% waterproof, lightweight and compact
- Fully automatic and microprocessor-controlled constant three-step charging system: qualification, bulk charge and float/maintenance
- Protects against sparks, short circuits and reverse polarity
- Water-resistant, lightweight and compact
- Quick-connect harness and alligator clips included

DESCRIPTION	PART #
Waterproof Battery Tender Junior (EU)	3807-0057
Waterproof Battery Tender Junior (UK)	3807-0087
Waterproof Battery Tender Lithium (EU)	3807-0363
Repl. snap cord, fused w/ black cover	0810-0696

BATTERY MANAGEMENT SYSTEMS

- Provide 12V-1,25A per channel
- Perfect for all AGM (Absorbed Glass Matt) gel, sealed maintenance-free and flooded batteries
- Fully automatic and microprocessor-controlled constant four-step charging system: qualification, bulk charge, absorption and float/maintenance
- Protect against sparks, short circuits and reverse polarity while also protecting marginal batteries with a 72-hour safety timer
- Temperature compensation sensor adjusts voltage for extreme heat or cold
- Quick-connect harness and alligator clips included (four sets each)

DESCRIPTION	PART #
Four-bank battery charger (EU)	3807-0088
Four-bank battery charger (UK)	3807-0089

3807-0088



DESCRIPTION	PART #
Repl. snap cord, fused w/ black cover	0810-0696

TWO-BANK CHARGER SYSTEM

- 4-step charging (qualification, bulk, absorption, float)
- Spark proof, short circuit protected
- Reverse polarity protected
- Temperature compensated
- Safety timer 72 hours (prevents damage to marginal batteries)

DESCRIPTION	PART #
Two-Bank charger system	3807-0364



BOLD MAGENTA part numbers are new for 2022

3807-0359





POWER TENDER™

- Lightweight, compact and durable charging system designed for the harshest conditions
- Fully encased and sealed in epoxy, making it resistant to water, shock and vibration
- Fully automatic and microprocessor controlled constant four-step charging system: qualification, bulk charge, absorption and float/maintenance
- Reverse polarity protection; no damage to charger or battery
- 72-hour safety timer to prevent damage to marginal batteries
- Quick-connect harness and alligator clips included
- UL/CSA/CE compliant

DESCRIPTION	PART #
12V, 5A	3807-0359

DESCRIPTION	PART #
24V, 2,5A	3807-0360



QDC PLUG USB CHARGER

- Plugs directly into Deltran QDC battery harness
- 2,1A maximum output current
- Allows for charging large tablets

DESCRIPTION	PART #
QDC plug USB charger	3807-0231



ATHENA GET

GET 12V JUMPSTARTER

- Light and compact multifunctional mini starter
- Allows restart of motorcycles, scooters, ATVs and snowmobiles when they are almost out of battery
- Can also be used as a power bank for electric devices thanks to the USB output port
- USB 5V/2,4A output allows connection to tablets, smartphones, MP3, etc.
- Has built-in LED flashlight
- Easy to use; provides special protection against overvoltage and inversion of power supply polarity
- Includes JumpStarter, Smart Cable, 3-in-1 USB cable and user instructions
- Start current: 200A, peak current: 400A, operating temperature range of -20 °C to 60 °C
- Measures 155 mm x 79 mm x 16 mm

DESCRIPTION	PART #
GET JumpStarter	3807-0558

3807-0053



SNAP CORD EXTENSION CABLES

- An easy way to get from your battery to your Battery Tender®
- Extend your range of charging from 3,5 m (12') (normal cable leads) by another 4 m (12,5')

DESCRIPTION	PART #
4 m (12,5') extension cable (ea.)	3807-0053
Repl. snap cord, black (has eyelet connectors)	0810-0696



PARTS UNLIMITED

JUMPER CABLE SETS

- 10-gauge battery jumper cable set
- Insulated color-coded terminal clamps for safe and secure handling
- Smaller clamps easily fit motorcycle, snowmobile, ATV and PWC batteries
- Available in 183 cm (6') or 244 cm (8') lengths

DESCRIPTION	PART #
183 cm (6')	0912-00-006

DESCRIPTION	PART #
244 cm (8')	0912-00-008

BOLD MAGENTA part numbers are new for 2022

NGK
IGNITION PARTS

IRIDIUM IX

IRIDIUM IX SPARK PLUGS

- The ultimate in the evolution of spark plug technology and performance from the industry leader
- The iridium electrode is 25% smaller than a platinum electrode, and it's just 1/4 the size of a conventional nickel electrode
- Ultra-small diameter center electrode reduces voltage requirement and extends ignition system life
- Metal shell plating has enhanced anticorrosion qualities



BR9EIX

PART #	PLUG #	THREAD	REACH
IRIDIUM			
2103-0163	BKR7EIX	14 mm	19 mm (3/4")
BPR7EIX	BPR7EIX	14 mm	19 mm (3/4")
BR7EIX	BR7EIX	14 mm	19 mm (3/4")
BR7HIX	BR7HIX	14 mm	13 mm (1/2")
BR8EIX	BR8EIX	14 mm	19 mm (3/4")
BR8HIX	BR8HIX	14 mm	13 mm (1/2")
BR9EIX	BR9EIX	14 mm	19 mm (3/4")

PART #	PLUG #	THREAD	REACH
IRIDIUM (CONT)			
BR9HIX	BR9HIX	14 mm	19 mm (3/4")
2103-0393	CR7EIA-9	10 mm	19 mm (3/4")
CR9EIX	CR9EIX	14 mm	19 mm (3/4")
DPR9EIX-9	DPR9EIX-9	12 mm	19 mm (3/4")
IRIDIUM PLATINUM			
2103-0011	IMR9D-9H	14 mm	19 mm (3/4")



BR8ES



CR9EB

SPARK PLUGS

- Superior construction for serious power
- NGK makes plugs for almost every application and riding style
- Versatile plugs with wide operating heat ranges prevent fouling from running too cool and preignition from running too hot
- Feature high alumina ceramics for improved heat dissipation and electrical insulation, deep-seated copper core for a wider heat range and a nickel alloy tip for longer life

STANDARD

PART #	THREAD	REACH
B7ES	14 mm	19 mm (3/4")
B7HS	14 mm	12,7 mm (1/2")
B8ES	14 mm	19 mm (3/4")
B8HS	14 mm	12,7 mm (1/2")
B9ES	14 mm	19 mm (3/4")
DPR5EA9	12 mm	19 mm (3/4")
2103-0389	12 mm	19 mm (3/4")
2103-0137	14 mm	19 mm (3/4")

PART #	THREAD	REACH
2103-0222	10 mm	26,5 mm (1,04")
2103-0360	14 mm	12,7 mm (1/2")
2103-0361	14 mm	12,7 mm (1/2")
2103-0368	14 mm	26,5 mm (1,04")
2103-0447	14 mm	9,5 mm (3/8")
2103-0465	14 mm	26,5 mm (1,04")
2103-0513	14 mm	9,5 mm (3/8")
2103-0544	14 mm	11,6 mm (.460")

SPECIAL DESIGN

PART #	PLUG #	THREAD	REACH
CR9EK	CR9EK	10 mm	19 mm (3/4")
DCPR8E	DCPR8E	12 mm	19 mm (3/4")
2103-0191	LFR6A	14 mm	26,5mm (1,04")
2103-0223	LFR7A	14 mm	26,5mm (1,04")
2103-0066[1]	PMR9B	10 mm	19 mm (3/4")

[1] Platinum plug.

RESISTOR TYPES

PLUG #	THREAD	REACH
BPR7ES	14 mm	19 mm (3/4")
BR7ES	14 mm	19 mm (3/4")
BR7ESSOLID	14 mm	19 mm (3/4")
BR7HS	14 mm	12,7 mm (1/2")
BPR8ES	14 mm	19 mm (3/4")
BR8ES	14 mm	19 mm (3/4")

PLUG #	THREAD	REACH
BR8ES-SOLID	14 mm	19 mm (3/4")
BR8ES-11	14 mm	19 mm (3/4")
BR8HS	14 mm	12,7 mm (1/2")
BR9ES	14 mm	19 mm (3/4")
BR9ES-SOLID	14 mm	19 mm (3/4")
BR9EY-A	14 mm	19 mm (3/4")

PLUG #	THREAD	REACH
BR9HS	14 mm	12,7 mm (1/2")
BR10ES	14 mm	19 mm (3/4")
CR6HS	10 mm	12,7 mm (1/2")
CR9EB	10mm	19 mm (3/4")
ZFR4F-11	14 mm	19 mm (3/4")

EG AND EGV RACING PLUGS

PLUG #	THREAD	REACH
B8EG	14 mm	19 mm (3/4")
B9EG	14 mm	19 mm (3/4")

PLUG #	THREAD	REACH
B10EG	14 mm	19 mm (3/4")

APPLICATIONS

FITS MODEL	REGULAR
KAWASAKI	
JS440 440SX 76-92	BR7ES
JS550 550SX (C2)	BR8ES
JB650 Jet Mate 89-92	BR7ES
JF650-A X2 86-95	BR7ES
JF650-B TS 89-96	BR7ES
JL650 SC 91-95	BR7ES
JS650 650SX 87-90	BR7ES
JS650 650SX 91-95	BR7ES
JH750-A Super Sport 92-94	BR8ES
JH750-B Super Sport Xi 93-95	BR8ES
JH750-C ZXi 95-97	BR8ES

FITS MODEL	REGULAR
KAWASAKI (CONT)	
JH750-D XiR 94	BR8ES
JH750-E Super Sport 96-97	BR8ES
JH750-F/G Super Sport Xi 96-99	BR8ES
JS750-A/B SX 92-97	BR8ES
JS750-C SXi Pro 98-02	BR8ES
JT750-A ST 94	BR8ES
JT750-B/C STS 95-99	BR8ES
JS800-A 800SXR 03-04	BR8ES
JH900-A ZXi 95-97	BR9ES
JT900-B STS 01-02	BR9ES
JT900-A/B/C/D/E STX 97-04	BR9ES

FITS MODEL	REGULAR
KAWASAKI (CONT)	
JH1100-A ZXi 96-03	BR9ES
JH1100-B Ultra 130 Di 01-04	BR9ES
JT1100-A/B STX 97-99	BR9ES
JH1200-A Ultra 150 (A2) 00-04	BR9ES
JT1200-A/C STX-R 02-04	BR9ES
POLARIS	
SL650 94-95	BPR7ES
Freedom 700 02	BPR8ES
Hurricane 700 97-97	BPR8ES
SL700 97-98	BPR8ES
SL700 Deluxe 96-98	BPR7ES

BOLD MAGENTA part numbers are new for 2022

IGNITION PARTS

SPARK PLUGS (CONT)

APPLICATIONS (CONT)

FITS MODEL	REGULAR
POLARIS (CONT)	
SLH 700 99-01	BPR8ES
SLTH 700 99	BPR8ES
Virage 700 00-02	BPR8ES
SL750 94-95	BPR7ES
SLT750 96	BPR7ES
SLX Pro 785 98-00	BR9ES
SL780 96-97	BPR8ES
SLT780 96-97	BPR8ES
SLX780 96-97	BPR8ES
Octane 800 02	BR9ES
SL900 96-97	BPR8ES
SL1050 97-98	BPR8ES
SLX 1050 99	BPR8ES
SLTX 1050 96-99	BPR8ES
Genesis 1200 99-01	BR9ES
Pro 1200 00-02	BPR8ES
SLX 1200 00-01	BPR8ES
Virage TX 1200 00-01	BR9ES
SEA-DOO	
GT 580 90-91	BR7ES
GTS 580 92-97	BR7ES
GTX 580 92-93	BR7ES
SP 580 88-96	BR7ES
SPI 580 93-97	BR7ES
SPX 580 93	BR7ES
XP 580 91-93	BR7ES
GTX 650 94-95	BR8ES
SPX 650 94-95	BR8ES

FITS MODEL	REGULAR
SEA-DOO (CONT)	
XP 650 93-94	BR8ES
GS 720 97-01	BR8ES
GSi 720 97-98	BR8ES
GTi 720 96-03	BR8ES
GTS 720 97-01	BR8ES
HX 720 95-97	BR8ES
SP 720 97-98	BR8ES
SPX 720 96-97	BR8ES
GSX 780 96-00	BR8ES
GTS 780 96-00	BR8ES
GTX 780 96-00	BR8ES
GTX RFi 78099-02	BR8ES
SPX 780 97-99	BR8ES
XP 780 95-00	BR8ES
GSX 950 Limited 97-99	BR8ES
GTX 950 99-02	BR8ES
GTX Di 950 00-03	ZFR4F-11
LRV Di 950 02-03	ZFR4F-11
RX 950 00-02	BR8ES
RX Di 00-03	ZFR4F-11
RXX 950 01-02	BR8ES
XP 950 99-02	BR8ES
YAMAHA	
WJ500 Wave Jammer 78-90	B7HS
WR500 Wave Runner 87-93	B7HS
WRA650 Wave Runner III 91-95	BR8HS
RA700 Wave Raider 94-96	BR8HS
RA700B Wave Raider 97	B7HS

FITS MODEL	REGULAR
YAMAHA (CONT)	
SJ700 Super Jet 97-01	BR7HS
SJ700 Super Jet 02-04	BR8HS
XL700 Wave Runner 90-04	BR8HS
WB700 Wave Blaster 93-96	BR8HS
WRA700 Wave Runner III 95-97	BR8HS
WRB700 Wave Runner Pro VXR 93-94	BR8HS
WVT700 Wave Venture 95-98	BR8HS
GP760 Wave Runner III GP 97-00	BR8HS
RA760 Wave Raider 96	BR8HS
WB760 Wave Blaster II 96-97	BR8HS
WVT760 Wave Venture	BR8HS
XL760 Wave Runner 98-99	BR8HS
GP800 Wave Runner 98-04	BR8ES
XL800 Wave Runner 00-01	BR8ES
XLT800 Wave Runner 02-04	BR8ES
FX140 Wave Runner 1000 02-04	CR9EB
FX160 1100 04	CR9EB
RA1100 Wave Raider II 95-96	BR8HS
WVT1100 Wave Venture 96-97	BR8HS
GP1200 Wave Runner III GP 97-99	BR8HS
GP1200R Wave Runner III GP 00-02	BR8ES-11
SUV1200 Wave Runner 99-04	BR8HS
XA1200 Wave Runner 98	BR8ES
XL1200 Wave Runner 98	BR8HS
XL1200 Wave Runner 99-00	BR8ES-11
XL1200 Wave Runner 01-04	BR8ES-11
GP1300 Wave Runner GP 03-04	BR8ES-11



IW27

DENSO

IRIDIUM SPARK PLUGS

BETTER METALS MEAN BETTER SPARK PLUG DESIGNS

- Six times harder than platinum, iridium doesn't melt in temperatures up to 2204 °C (4000 °F)
- 360° laser welding of electrode provides a seal that resists wear, even in the worst conditions
- Ground electrode features a tapered cut and U-groove that form a large volume area for the flame's center
- Use NGK reference chart to order spark plugs

PART #	THREAD	REACH
IWF22	14 mm	19,1 mm
IW24	14 mm	19,1 mm

PART #	THREAD	REACH
IWF24	14 mm	12,7 mm
IW27	14 mm	19,1 mm

IRIDIUM PLUG PART #	NGK CROSS-REFERENCE PLUG #
IWF22	B6HS, BP6HS, BP6HS-10, BPR6HS, BPR6HS-10, BPR6HSA, B7HS, BR7HS, BP7HS, BPR7HS, B7HVX, BP7EVX, BPR7HIX, BR7HIX
IW24	B8EG, B8ES, BR8ES, BR8ES-11, BR8EG, B8EGV, B8EV, BR8EVX, BP8ES, BPR8ES, BR8EV, BR8EVX, BR8EIX, R4118S-8
IWF24	B8HS, BR8HS, B8HV, B8HVX
IW27	B9ES, BR9ES, B9EG, BR9EG, B9EGV, B9EV, BR9EV, B9EVX, BR9EVX, BR9ECS, BPR9ES, BPR9EVX, BR9EYA, BR9EIX, R4118S-9



W22ES-U

DENSO

U-GROOVE SPARK PLUGS

STANDARD

PLUG PART #	THREAD	REACH
W22ES-U	14 mm	19,1 mm (3/4")
W24ES-U	14 mm	19,1 mm (3/4")

PLUG PART #	THREAD	REACH
W24FS-U	14 mm	12,7 mm (1/2")
W27ES-U	14 mm	19,1 mm (3/4")

RESISTOR

PLUG PART #	THREAD	REACH
W24ESR-U	14 mm	19,1 mm (3/4")

PLUG PART #	THREAD	REACH
W27ESR-U	14 mm	19,1 mm (3/4")

BOLD MAGENTA part numbers are new for 2022

Autolite

IRIDIUM XS SPARK PLUGS



2103-0419

- Engineered to withstand extreme operating temperatures
- Iridium-enhanced 0,6 mm finewire design provides improved ignitability, faster fuel combustion and more focused ignition versus standard plugs
- Also provides up to 26% quicker engine starts than standard, non-finewire spark plug
- Meets or exceeds OE specifications

PART #	AUTOLITE PLUG #	THREAD	REACH	HEX SIZE
2103-0416	XS4162	14 mm x 1,25	19,1 mm (3/4")	21 mm (13/16")
2103-0419	XS4302	10 mm x 1,0	19,1 mm (3/4")	16 mm (5/8")

NGK CROSS REFERENCE

PART #	NGK PLUG PART #
2103-0416	BP8EIX, BPR9EIX, DCPR8EIX, DCPR8EKP, DCPR8EVX, DCPR9EIX, DP9EIX-9, DP9EVX-9, DPR9EIX-9, DPR9EVX-9, DR9ECMIX
2103-0419	C9EHIX-9, C9EHVX-9, CR6EIA-9, CR9EHI-9, CR9EHIX-9, CR9EHVX-9, CR9EIA-9, CR9EIX, CR9EKPA, CR9EVX, CR9HIX-9, IMR8C-9H, IMR9A-9H, IMR9C-9H,IMR9C-9HE, IMR9C-9HES,IMR9D-9H, IMR9E-9HES, PMR9B

Autolite

SPARK PLUGS



2103-0118

- Designed for a sharper, leaner spark with tapered nickel/chrome alloy tip and copper center electrode
- Sold each

STANDARD TYPE

PART #	AUTOLITE PLUG #	THREAD	REACH
2103-0121	4054	14 mm	19,1 mm (3/4")

RESISTOR TYPE

PART #	AUTOLITE PLUG #	THREAD	REACH
2103-0113	4063	14 mm	19,1 mm (3/4")
2103-0118	4302	10 mm	19,1 mm (3/4")
2103-0123	3923	14 mm	19,1 mm (3/4")
2103-0069	4162	12 mm	19,1 mm (3/4")

NGK CROSS REFERENCE

PART #	NGK PLUG PART #
2103-0069	D9EA, DCPR8E, DCPR8EKP, DCPR8EVX, DP9EA-9, DP9EV-9, DP9EVX-9, DPR9EA-9, DPR9EIX-9, DPR9EV-9, DPR9EVX-9, DR8ES-L, J9A, KR8AI
2103-0113	B8EG, B8EGV, B8ES, B8EV, B8EVX, BPR9ES, BPR9EVX, BR8EA, BR8EG, BR8EIX, BR8ES, BR8ES SOLID, BR8ES-11, BR8ES-A, BE8EV, BR8EVX, BR9EYA, BR10ECS, BZ8ES, R5671-8
2103-0118	C9E, C9EHVX-9, C9EVX, CR6E, CR9E, CR9EB, CR9EH, CR9EH-9, CR9EHI-9, CR9EHIX-9, CR9EHVX-9, CR9EIA-9, CR9EIX, CR9EK, CR9EKPA, CR9EVX, CR9HIX-9, CR10E, CR10EK, IMR8C-9H, IMR9A-9H, IMR9C-9H, IMR9D-9H, PMR6B
2103-0121	B7ES, B7ES-11, B7EV, B7EVX, BR7EIX, BR7ES, BR7ES-11, BR7EVX, R4339-8, R5671-7
2103-0123	BKR6E, BKR6E-11, BKR6E-N-11, BKR6EK, BKR6EKU, BKR6EKUB, BKR6ES, BKR6ES-11, BKR6EY, BKR6EYA, BKR7EKC-N, BKUR6ET, BKUR6ET-10, BKUR6ETB

CHAMPION
PERFORMANCE DRIVEN

COPPER PLUS™ SPARK PLUGS

STANDARD AND RESISTOR TYPES



N-3-C

- Copper Plus™ spark plugs have a copper core center electrode that allows for accurate control of heat range, optimizing performance and increasing the longevity of the spark plug
- SAC-9 semi-conductor resistor provides maximum EMI and RFI suppression
- Ultraseal™-coated shell for rust prevention.

NOTE: Part numbers beginning with "R" are resistor type. Order by Champion numbers.

PART #	THREAD	REACH	PER BOX
N-3-C	14 mm	19,1 mm (3/4")	10

PART #	THREAD	REACH	PER BOX
RN-2-C	14 mm	19,1 mm (3/4")	10

PART #	THREAD	REACH	PER BOX
RN-3-C	14 mm	19,1 mm (3/4")	10

POWERMADD

E3 RESISTOR SPARK PLUG





- Unique electrode shape maximizes the power created by the spark plug – Diamond Fire technology
- Electrode is a combination of performance and technology that results in an improved flame kernel shape
- This flame front ignites the bulk air/fuel mixture faster, moves heat into the combustion chamber faster and creates a more localized pressure front for faster pressure rise during the cylinder power stroke
- The result is more complete combustion and an improvement in engine performance
- A truly premium performance plug
- Sold each

PART #	THREAD	REACH	E3 PART #	CHAMPION REF #	NGK REF #
2103-0125	14 mm	19,1 mm (3/4")	E3.31	N84, N84G, N86, N86G, N87, N87G, RN2, RN2C, RN2G, RN3, RN3C, RN3G, RN7GY	BR8EIX, BR8ES, BR8EV, BPR9EIX, BPR9ES, BPR9EVX, BR9EYA, BZ8ES, BZ9ES

BOLD MAGENTA part numbers are new for 2022

IGNITION PARTS

RESISTOR COVERS

- NGK spark plug resistor covers used with resistor spark plugs are the best combination against radio frequency interference
- Protects aging engines from cutting out in wet conditions
- For use with 7 mm diameter plug wires
- Sold each



PART #	COLOR
TB05EM	Red

PART #	COLOR
TB05EMA	Black

IGNITION PARTS

RACING WIRES

- Outer insulator of rugged, high-performance silicone and inner core of solid copper wire strands
- Connected with NGK resistor cover in either straight or 90° configurations
- Fits most applications for motorcycles, snowmobiles, watercraft and carts
- Resistor cover comes equipped with 5K-ohm ceramic resistance to defend against radio frequency interference that can disrupt electronic ignitions
- Wire/cover sets are available for plugs with removable terminals and for solid terminals in 50 cm (19$^{1}/_{2}$") and 100 cm (39") lengths





CAP TYPE	WIRE LENGTH	TERMINAL TYPE	PART #
Straight	50 cm	Removable	CR18035
Straight	50 cm	Solid	CR38089
90°	50 cm	Removable	CR28048

CAP TYPE	WIRE LENGTH	TERMINAL TYPE	PART #
90°	50 cm	Solid	CR48054
90°	100 cm	Removable	CR58515
90°	100 cm	Solid	CR68736



PARTS UNLIMITED

SPARK PLUG WIRE

- High-quality 7 mm Hypalon®-covered spark plug wire with 19-strand tinned copper core
- 30,5 m (100') roll

DESCRIPTION	PART #
Spark plug wire	01-114-1



MOOSE RACING

PLUG CARRIERS

- Impact-resistant plastic design fits snugly around spare spark plug
- Perfect for fanny pack or fender bag
- Keep plugs clean and gapped
- Sold in pairs

DESCRIPTION	PART #
Spark plug carriers	2103-0215



PARTS UNLIMITED

SPARK PLUG CADDY

- Dual-plug caddy holds two 14 mm spark plugs securely in place

DESCRIPTION	PART #
Spark plug caddy	2870368

BOLD MAGENTA part numbers are new for 2022

2102-0188



2112-0958



2112-0737



RICK'S MOTORSPORT ELECTRICS

STATORS

- Complete with all rubbers and OEM-style plug end
- No trigger/grommet

FITS MODEL	PART #
SEA DOO	
SP 800 97	2102-0188
GTX/SPX/GSX 800 96-99	2102-0188
XP 800 95-97	2102-0188
GSX/GTX Limited 951 98-99	2102-0188
GTX 951 00-02	2102-0188
LRV/RX/RXX/XP 951 00-02	2102-0188
1500 GTI/GTI SE 130 06-12	2112-0958
1500 GTI Rental 130 06-10	2112-0958
1500 GTI LTD 155 11-12	2112-0958
1500 GTS 130 11-12	2112-0958
1500 GTI SE 155 07-12	2112-0958
1500 GTR 215 12	2112-0958
1500 GTS Pro 130 11	2112-0958
1500 GTS Rental 99 11-12	2112-0958
1500 GTX 155 07-12	2112-0958
1500 GTX 215 08-09, 11-12	2112-0958
1500 GTX iS 215 10-11	2112-0958

FITS MODEL	PART #
SEA DOO (CONT)	
1500 GTX LTD 215 07-08	2112-0958
1500 GTX LTD iS 255 09	2112-0958
1500 GTX LTD iS 260 10-12	2112-0958
1500 GTX S 155 12	2112-0958
1500 RXP 155 07-08	2112-0958
1500 RXP 215 06-09	2112-0958
1500 RXP-X 255 08-11	2112-0958
1500 RXP-X 260 12	2112-0958
1500 RXP-X RS 255 09-11	2112-0958
1500 RXT 215 06-10	2112-0958
1500 RXT/ RXT aS X 260 11-12	2112-0958
1500 RXT aS X RS 260 11	2112-0958
1500 RXT iS 255 09	2112-0958
1500 RXT iS/RS 260 10-12	2112-0958
1500 RXT-X 255 08-09	2112-0958
1500 RXT-X 260 10-12	2112-0958
1500 RXT-X RS 255 09	2112-0958

FITS MODEL	PART #
SEA DOO (CONT)	
1500 RXT-X RS 260 10-11	2112-0958
1500 Wake 155 07-12	2112-0958
1500 Wake Pro 215 07-12	2112-0958
YAMAHA	
AR210 06-11	2112-0737
SR210 06-07	2112-0737
SX210 06-11	2112-0737
FX1000 05-08	2112-0737
FX1000 Cruiser 03-08	2112-0737
FX1000 FX140 02-04	2112-0737
FX1100 Cruiser 04-08	2112-0737
FX1100 H.O. 04-08	2112-0737
VX1100 Cruiser 07-11	2112-0737
VX1100 Sport 05-11	2112-0737
GP1300R 03-08	2112-0737

2102-0086





WSM PERFORMANCE PARTS

REPLACEMENT ARMATURES

- OEM-quality replacement parts at a low price

FITS MODEL	PART #
SEA-DOO	
580/650/720 95-04	2102-0113[1]
800 GSX 96-98	2102-0086
800 GSX LTD 98	2102-0086
800 GTX/GTX LTD 96-02	2102-0086
800 SPX 97-99	2102-0086
800 XP 95-97	2102-0086

FITS MODEL	PART #
SEA-DOO (CONT)	
951 GTS 98-01	2102-0086
951 LR/LRV 00-01	2102-0086
951 RX-X/XP 00-02	2102-0086
951 XP LTD. 98-99	2102-0086

[1] Complete stator assembly.

WSM PERFORMANCE PARTS

STATOR PLATE ASSEMBLY FOR YAMAHA

FITS MODEL	PART #
650 WaveRunner III 96	2112-0637
701 SuperJet 96-09	2112-0637
701 WaveBlaster 96	2112-0637
701 WaveRaider 94-97	2112-0637

FITS MODEL	PART #
701 WaveRunner III 97	2112-0637
701 WaveVenture 95-98	2112-0637
701 WaveRunner XL 99-03	2112-0637

2112-0458



2112-1219



2112-0461



RICK'S MOTORSPORT ELECTRICS

REGULATOR/RECTIFIERS

- Replacement-style regulator/rectifiers

FITS MODEL	PART #
KAWASAKI	
JS750 SX/SXI/SXI Pro 92-02	2112-0458
JS800 SX-R 03-08	2112-0458
SEA-DOO	
580 GT 90-91	2112-1219
580 GTS /GTX 92-95	2112-1219
580 SP 90-97	2112-1219
580 SPI 93-96	2112-1219
650 XP 93-94	2112-1219
650 XPI 94	2112-1219
720 GS 97-01	2112-1221
720 GS1 97	2112-1221
720 GTI 96-97	2112-1219
720 GTI 97-05	2112-1221

FITS MODEL	PART #
SEA-DOO (CONT)	
720 GTI LE 02-04	2112-1221
720 GTS 96-00	2112-1219
720 GTS 97	2112-1221
720 HX 95-97	2112-1219
720 SPX 93-96	2112-1219
720 XP 1995	2112-1219
800 GSX 96	2112-1220
800 GSX RFI 99-00	2112-1218
800 GTI LE RFI 03-04	2112-1218
800 GTI RFI 04	2112-1218
800 GTX 96-97	2112-1220
800 GTX RFI 98-02	2112-1218
800 SP 97	2112-1220

FITS MODEL	PART #
SEA-DOO (CONT)	
800 SPX 1997	2112-1219
800 SPX 97-99	2112-1220
800 XP 95-96	2112-1220
800 XP 97	2112-1221
951 GTX DI 00-03	2112-1218
951 LRV DI 02	2112-1218
951 RX DI 00-03	2112-1218
951 XP DI 03-04	2112-1218
GTX 1500 4-TEC/Wakeboard Ed. 02-03	2112-0460
YAMAHA	
GP1200 WaveRunner GP 97-99	2112-0461
SV1200 WaveRunner SUV 99-01	2112-0461
XA1200 WaveRunner XL 98	2112-0461

BOLD MAGENTA part numbers are new for 2022

REPLACEMENT COILS AND VOLTAGE REGULATORS

• OEM-quality replacement parts at a low price

004-155



2102-0111



CHARGE COILS

FITS MODEL	PART #
KAWASAKI	
JS440/SX 84-92	004-161
JS550/SX 82-95	004-161
650 (all)	004-165
SEA-DOO	
580 GTS 92-95	2102-0200
580 GTX 92-93	2102-0200
580 SP 92-96	2102-0200
580 SPI 93-96	2102-0200
580 SPX 93	2102-0200
580 XP 92	2102-0200
650 GTX 95	2102-0200

FITS MODEL	PART #
SEA-DOO (CONT)	
650 SPX 94-95	2102-0200
720 GS 97-01	2102-0200
720 GSI 97	2102-0200
720 GTI 96-05	2102-0200
720 GTI LE 02-04	2102-0200
720 GTS 96-01	2102-0200
720 HX 95-97	2102-0200
720 SP 97	2102-0200
720 SPX 96-97	2102-0200
720 XP 95	2102-0200

FITS MODEL	PART #
YAMAHA	
650 Super Jet 90-95	004-155
650 WaveRunner III 90-93/95	004-155
650 WaveRunner LX 91-92	004-155
650 WaveRunner VXR 91-93/95	004-155
701 FX1 94-95	004-155
701 Super Jet 94-95	004-155
701 WaveBlaster 93-95	004-155
701 WaveRaider	2102-0111
701 WaveRunner III 94-95	004-155
701 WaveRunner VXR Pro 93-94	004-155

004-163



004-162



PULSING COIL

FITS MODEL	PART #
KAWASAKI	
JS440/SX 84-92	004-163
JS550/SX 82-95	004-163

EXCITING COIL

FITS MODEL	PART #
KAWASAKI	
JS440/SX 84-92	004-162
JS550/SX 82-95	004-162

2102-0114



LIGHTING COILS

FITS MODEL	PART #
SEA-DOO	
580/650/720 95-04	2102-0114

FITS MODEL	PART #
YAMAHA	
701 WaveRaider 94-95	2102-0110

004-180



2102-0272



2102-0202



004-157



IGNITION COILS

FITS MODEL	PART #
KAWASAKI	
750 SX/SXI/SXI Pro 92-02	004-180
900 (all)	004-192
1100 (all except STX 1100 00-01)	004-192
POLARIS	
650/780 92-97	004-191
SEA-DOO	
580 XP 92	2102-0272
580 GTX 92-93	2102-0272
580 GTS 92-96	2102-0272
580 SP 92-96	2102-0272
580 SPI 93-96	2102-0272
650 SPX 93-95	2102-0272
650 XPI 94	2102-0272
650 GTX 94-95	2102-0272
650 XP 95	2102-0272
720 HX 95-97	2102-0272
720 GTI 96-97	2102-0272

FITS MODEL	PART #
SEA-DOO (CONT)	
720 SPX 96-97	2102-0272
720 GSi 97	2102-0165
720 SP 97	2102-0272
720 GTS 97-00	2102-0272
720 GS 97-01	2102-0165
720 GTi 97-05	2102-0165
720 GTi LE 02-04	2102-0165
720 GTS 97, 01	2102-0165
800 GSX 96-97	2102-0165
800 GTX 96-97	2102-0165
800 SPX 97-99	2102-0165
800 XP 95-96	2102-0165
951 GTX Limited 98	2102-0165
1500 GTI 06-09	2102-0201
	2102-0202[1]
1500 GTX 03-09	2102-0201
	2102-0202[1]

FITS MODEL	PART #
SEA-DOO (CONT)	
1500 RXP 04-09	2102-0201
	2102-0202[1]
1500 RXT 05-09	2102-0201
	2102-0202[1]
1500 Wake 08-09	2102-0201
	2102-0202[1]
YAMAHA	
650 (all)	004-157
701 (all)	004-157
1100 WaveRaider 95-96	2102-0085
1100 WaveRunner FX/VX 04-09	2102-0203
1100 WaveVenture 96-97	2102-0085
1200 WaveRunner GP 97-99	2102-0166
1200 WaveRunner SUV 99-04	2102-0166
1200 WaveRunner XL 98	2102-0166

[1] Replacement rubber boot; replaces OEM #420-460-830.

REPLACEMENT COILS AND VOLTAGE REGULATORS continued on next page.

BOLD MAGENTA part numbers are new for 2022

REPLACEMENT COILS AND VOLTAGE REGULATORS (CONT)

2112-0209



2112-0924



VOLTAGE REGULATORS

FITS MODEL	PART #
KAWASAKI	
750 ZXi 95-97	2112-0354
900 STS 01-02	2112-0354
900 STX 97-98, 00-06	2112-0354
900 ZXi 95-97	2112-0354
1100 STX 97-99	2112-0354
1100 ZXi 96-03	2112-0354
Ultra 150 99-05	2112-0355
SEA-DOO	
All 95 models (except 800 XP)	2112-0209
580 SP, SPI 96	2112-0209
720 GS/GSI 97-01	2112-0210
720 GTI 96-97	2112-0209
720 GTI/GTI LE 98-04	2112-0210
720 GTS 96-00	2112-0209
720 GTS 01	2112-0210
720 HX 96-97	2112-0209
720 SP 97	2112-0208

FITS MODEL	PART #
SEA-DOO (CONT)	
720 SPX	2112-0209
800 GSX 96	2112-0208
800 GSX RFI 00	2112-0211
800 GTI LE RFI 03-04	2112-0211
800 GTI RFI 04	2112-0211
800 GTX 97-98	2112-0208
800 SPX 97-99	2112-0208
800 XP 96	2112-0208
951 GTX DI 00-03	2112-0211
951 GTX RFI 00-02	2112-0211
951 LRV DI 02	2112-0211
951 RX DI 00-03	2112-0211
951 XP DI 03-04	2112-0211
951 3D 05-07	2112-0353
1500 GTI/GTI SE	2112-0353
1500 GTX 4-TEC/Supercharged/ Wakeboard 04-07	2112-0353

FITS MODEL	PART #
SEA-DOO (CONT)	
1500 RXP 07	2112-0353
1500 RXP Supercharged 04-07	2112-0353
1500 RXT 05-07	2112-0353
YAMAHA	
500 87-93 (all)	2112-0352
650 90-96 (all)	2112-0352
701 90-06 (all)	2112-0352
760 96-00 (all)	2112-0352
WaveRunner 1100 FX/Cruiser/ Cruiser HO 07-09	2112-0452
WaveRunner 1100 VX Deluxe/ Cruiser/Sport 05-09	2112-0452
WaveRunner 1200 GP 97-99	2112-0924
WaveRunner 1200 XL 98	2112-0924
WaveRunner 1200 SUV 99-03	2112-0924
WaveRunner 1200 SV 02-04	2112-0924

RECTIFIER/REGULATOR WIRING HARNESS CONNECTOR KIT



FOR YAMAHA

- When the rectifier/regulator burns out, it's no longer necessary to buy the entire wiring harness
- Kit consists of one plastic plug body and five high-quality brass connectors

FITS MODEL	PART #
AR210 06-09	2120-0782
SR210 06-07	2120-0782
SX21006-08	2120-0782
212SS/X 08-09	2120-0782
AR230/SRT1000 04-06	2120-0782

FITS MODEL	PART #
AR230/HO/SRT1100 05-09	2120-0782
SR230 03-07	2120-0782
SX230/HO 04-09	2120-0782
232 Limited/S 08-09	2120-0782
FX1000/FX140 (all models) 02-08	2120-0782

FITS MODEL	PART #
FX1100 HO (all models) 04-08	2120-0782
VX1100 Wave Runner (all models) 05-09	2120-0782
GP1300 Wave Runner 03-08	2120-0782

2102-0116



2102-0120



2102-0121



CDI BOXES

- OEM-quality replacement CDI boxes
- Noted models feature an adjustable rev limiter

FITS MODEL	PART #
KAWASAKI	
650	2102-0152
750 ST 94	2102-0116
750 SS 92-97	2102-0116
750 STX 98	2102-0116
750 STS 95-97	2102-0116
750 SX 94-95	2102-0117
750 SXI 95-97	2102-0119
750 SXI Pro 98-02	2102-0119

FITS MODEL	PART #
KAWASAKI (CONT)	
750 XI 93-97	2102-0116
750 XIR 94	2102-0119
800 SXR 03	2102-0119
SEA-DOO	
580 SP/SPI 93-94	2102-0154
580 SP/SPI 95	2102-0120[1]
580 SPX 93	2102-0154
650 GTX 94	2102-0154

FITS MODEL	PART #
SEA-DOO (CONT)	
720 GS 98-01	2102-0121[1]
720 GTI 01-05	2102-0121[1]
720 HX 95-96	2102-0120[1]
720 SP/SPX 96-97	2102-0120[1]
YAMAHA	
650/701 93-95	2102-0153

[1] Includes adjustable rev limiter.

BOLD MAGENTA part numbers are new for 2022


2106-0069


2106-0070

START/STOP SWITCHES

FOR SEA-DOO

• OEM replacement start/stop switches

FITS MODEL	PART #
580 SP 95-96	2106-0069
580 SPi 95-96	2106-0069
650 SP 95	2106-0069
650 SPX 95	2106-0069
720 GS 97-98	2106-0070
720 GSi 97	2106-0070
720 GTi 97-98	2106-0070
720 GTS 97	2106-0070
720 GTS 98-99	2106-0069
720 HX 95-97	2106-0069
720 SP 97	2106-0069
720 SPX 96	2106-0069
720 XP 95	2106-0069
800 GSX 96-98	2106-0069
800 GTi LE RFI 03-05	2106-0071
800 GTX 97	2106-0070
800 GTX 98	2106-0069
800 GTX RFI 02	2106-0142
800 XP 95-96	2106-0069
951 LRV 00-01	2106-0142
951 RX 02	2106-0142
951 RX DI 03	2106-0071
951 XP DI 03-04	2106-0071
951 XP LTD 99	2106-0142
1500 GTI 06-07	2106-0068
1500 GTX 4-TEC 02-09	2106-0068
1500 RXP 04-09	2106-0068
1500 RXT 05-09	2106-0068



OVERHEAT/KEY ALARM

FOR SEA-DOO

• Replaces OEM #278-000-978

FITS MODEL	PART #
720 GS 97-01	2130-0068
720 GSI 97	2130-0068
800 GSX 97	2130-0068
800 GSX RFI 99-01	2130-0068
800 GTX 97	2130-0068
800 GTX RFI 98-01	2130-0068
800 XP 97	2130-0068
951 GTX/GTX DI 01	2130-0068
951 GTX LTD 98-99	2130-0068
951 LRV 00-01	2130-0068
951 LRV DI 02	2130-0068
951 RX 00-01	2130-0068
951 RX DI/RX X 01	2130-0068
951 XP 01	2130-0068


2106-0072

KILL SWITCHES

FOR SEA-DOO

• OEM replacement safety/kill switches
• PART #2106-0072 is a four-wire switch; PART #2106-0073 is a three-wire

FITS MODEL	PART #
580 GTS 95-96	2106-0073
720 GTi 96-97	2106-0073
720 GTS 97-01	2106-0073
720 XP 95	2106-0073
800 GTi LE RFI 05	2106-0072
1500 GTi 07	2106-0072
1500 GTX 07	2106-0072
1500 RXP 07-08	2106-0072



SAFETY SWITCH

FOR SEA-DOO

• Direct replacement for OEM #278-000-638

FITS MODEL	PART #
580 GTS 95-96	2106-0208
650 GTX 95	2106-0208
720 XP 95	2106-0208
720 GTI 96-97	2106-0208
720 GTS 97-00	2106-0208


2106-0349

UNIVERSAL KILL SWITCHES

• OEM-type replacement kill switches designed to match stock units

FITS MODEL	PART #
Circuit open at normal position	2106-0349
Circuit closed at normal position	2106-0350



PANEL-MOUNT TETHER-LINE KILL SWITCH

• Kills engine when rider falls off
• Attaches easily
• Wire measures 235 mm (9,25")
• Tether measures 130 cm (51")
• Bolt thread diameter: 10,5 mm
• Normally closed

DESCRIPTION	PART #
Kill switch	2106-0357

KILL SWITCH HOW TO ORDER

NOTICE TO CUSTOMERS: There are two types of stop switches: (1) Normally Open (NO) or (2) Normally Closed (NC).

Switches in this catalog are typically of the Normally Open (NO) type. They work by GROUNDING the primary ignition lead when activated.

Note that they will not work on electrical systems requiring a Normally Closed (NC) switch, which works by OPENING the circuit when activated. NC switches are typically used on battery type ignitions, which may have an ignition key as an identifier. NC switches are generally found on newer machines. If in doubt, check your machine's wiring schematic.

BOLD MAGENTA part numbers are new for 2022

PARTS EUROPE



2110-0840



2110-0850



2110-0841



2110-0851



2110-0855

STARTERS

- Meet or exceed OEM specifications
- 100% OEM interchangeable with no modifications needed
- Double-sealed bearings
- Heavy-duty clutch drive
- Welded armatures that are heavy-duty epoxy sealed

FITS MODEL	PART #
ARCTIC CAT	
Barracuda 94-95	2110-0840
Daytona 93-94	2110-0840
Daytona 95	2110-0840
Monte Carlo 640 94-97	2110-0840
Montego 640/Deluxe 640 94-97	2110-0840
Tigershark 640 93	2110-0840
TS640 98-99	2110-0840
Daytona 770 96-97	2110-0840
Monte Carlo 770 96-97	2110-0840
TS770/L/R 98-99	2110-0840
Monte Carlo 900 96	2110-0840
Tigershark 900 95	2110-0840
Daytona 1000 97	2110-0840
Monte Carlo 1000 97	2110-0840
TS1000L/R 98	2110-0840
TS1100Li/R 99	2110-0840
KAWASAKI	
JS400 76	2110-0850
JS440 77-92	2110-0850
JS550 82-89	2110-0850
JS550 550 SX 90-95	2110-0850
JB650 Jet Mate 89-92	2110-0841
JF650 TS 89-96	2110-0841
JF650 X2 86-95	2110-0841
JL650 SC 91-95	2110-0841
JS650 650 SX 87-93	2110-0841
JH750 750 SS 92-97	2110-0841
JH750 750 Zxi 95-97	2110-0841
JH750 Super Sport XI 93-97	2110-0841
JH750 Xi Sport 98-99	2110-0841
JH750 XiR 94	2110-0841
JS750 750 SX 92-95	2110-0841
JS750 750 Sxi 95-97	2110-0841
JS750 750 SXi Pro 98-02	2110-0841
JT750 750 STX 98	2110-0841
JT750 ST 94-95	2110-0841
JT750 STS 95-97	2110-0841
JS800 SX-R 03-12	2110-0841

FITS MODEL	PART #
KAWASAKI (CONT)	
JH900 900 Zxi 95-97	2110-0841
JT900 900 STS 01-02	2110-0841
JT900 900 STX 97-06	2110-0841
JH1100 1100 Zxi 96-03	2110-0841
JH1100 Ultra 130 D.I. 01-04	2110-0841
JT1100 1100 STX 97-99	2110-0841
JT1100 1100 STX D.I. 00-03	2110-0841
JH1200 Ultra 150 99-05	2110-0844
JT1200 STX-12F 03-07	2110-0852
JT1200 STX-R 02-05	2110-0844
JT1500 STX 09-10	2110-0852
JT1500 STX-15F 04-19	2110-0852
JT1500 Ultra 250X 07-09	2110-0852
JT1500 Ultra 260LX 09-10	2110-0852
JT1500 Ultra 260X 09-10	2110-0852
JT1500 Ultra 300X/LX 11-13	2110-0852
JT1500 Ultra 310X/LX/R/SE 14-19	2110-0852
JT1500 Ultra LX 07-19	2110-0852
POLARIS	
Freedom 02-04	2110-0841
Genesis 99-02	2110-0841
Genesis FFI 00	2110-0841
Genesis Ficht 99	2110-0841
Genesis I 01-04	2110-0841
Hurricane 96-97	2110-0841
MSX 110 Turbo 04	2110-0500
MSX 140 03-04	2110-0841
MSX 150 Turbo 04	2110-0500
Octane 02-04	2110-0841
SL 650 92-95	2110-0841
SL 650 STD 95	2110-0841
SL 700 96-97	2110-0841
SL 700 Deluxe 97	2110-0841
SLT 700 96-97	2110-0841
SL 750 93-95	2110-0841
SLT 750 94-95	2110-0841
SL 780 96-97	2110-0841
SLT 780 96-97	2110-0841

FITS MODEL	PART #
POLARIS (CONT)	
SLX 780 95-96	2110-0841
Pro 785 99-00	2110-0841
SL 900 96-97	2110-0841
SL 1050 97	2110-0841
SLH 98-01	2110-0841
SLTH 98-99	2110-0841
SLTX 96-99	2110-0841
SLX 99	2110-0841
SLX 00-01	2110-0841
SLX Pro 785 97-98	2110-0841
SLXH 98	2110-0841
Virage 00-04	2110-0841
Virage I 02-04	2110-0841
Virage TX 00-02	2110-0841
Virage TXI 01-02	2110-0841
Pro 1200 00-01	2110-0841
Wave Runner (all)	2110-0841
SEA-DOO	
3D DI 04-05	2110-0851
3D DI 06-07	2110-0841
3D DI 07	2110-0843
GS 97	2110-0848
GS 98-01	2110-0848
GSI 97	2110-0848
GSX 96	2110-0849
GSX 97	2110-0849
GSX LTD 98-99	2110-0841
GSX RFI 99-01	2110-0851
GTI 96	2110-0848
GTI 96-97	2110-0848
GTI 98-03	2110-0848
GTI 04-05	2110-0848
GTI 06-08	2110-0843
GTI 09-11	2110-0843
GTI LTD 11	2110-0843
GTI LE 02-03	2110-0848
GTI LE 04	2110-0848
GTI LE 05	2110-0851

BOLD MAGENTA part numbers are new for 2022

PARTS EUROPE

STARTERS (CONT)

FITS MODEL	PART #
SEA-DOO (CONT)	
GTI RFI 03	2110-0851
GTI RFI 04-05	2110-0851
GTI SE 06-08	2110-0843
GTI SE 09-11	2110-0843
GTS 92	2110-0847
GTS 93-94	2110-0847
GTS 95-96	2110-0848
GTS 97	2110-0848
GTS 98-01	2110-0848
GTS 11	2110-0843
GTS Pro 11	2110-0843
GTX 92	2110-0847
GTX 93-94	2110-0847
GTX 95	2110-0848
GTX 96	2110-0849
GTX 97	2110-0849
GTX 98-02	2110-0841
GTX 07	2110-0843
GTX 08	2110-0843
GTX 09-11	2110-0843
GTX 4-TEC 02	2110-0843
GTX 4-TEC 03-08	2110-0843
GTX DI 00-03	2110-0841
GTX iS 09-11	2110-0843
GTX LTD 07-08	2110-0843
GTX LTD iS 09-11	2110-0843
GTX RFI 98	2110-0849
GTX RFI 99-02	2110-0851
GTX Wake 05-07	2110-0843
Wake 08	2110-0843
HX 95-97	2110-0848
LRV 00-01	2110-0841
LRV DI 02-03	2110-0841
RX 00-02	2110-0841
RX DI 00-03	2110-0841

FITS MODEL	PART #
SEA-DOO (CONT)	
RX X 01	2110-0841
RXP 04-08	2110-0843
RXP 09	2110-0843
RXP X 08-11	2110-0843
RXT 05-08	2110-0843
RXT 09-11	2110-0843
RXT iS 09-11	2110-0843
RXT X 09-11	2110-0843
RXT X aS 11	2110-0843
SP 92	2110-0847
SP 93-94	2110-0847
SP 95-96	2110-0848
SP 97	2110-0848
SPI 93-94	2110-0847
SPI 95-96	2110-0848
SPX 93	2110-0847
SPX 94	2110-0847
SPX 95	2110-0848
SPX 96	2110-0848
SPX 97	2110-0848
SPX 98-99	2110-0849
Wake 09-11	2110-0843
Wake Pro 09-11	2110-0843
XP 92-94	2110-0847
XP 95	2110-0848
XP 96-97	2110-0849
XP 98-02	2110-0841
XP DI 03-04	2110-0841
YAMAHA	
WR500 WaveRunner 87	2110-0855
WR500 WaveRunner 89-93	2110-0855
WJ500 Wave Jammer 87-91	2110-0855
WR650 WaveRunner LX 90-94	2110-0842
SJ650 Super Jet 90-93	2110-0842
WRA650 WaveRunner III 650 90-96	2110-0842

FITS MODEL	PART #
YAMAHA (CONT)	
WRB650 WaveRunner VXR 91-95	2110-0842
FX700 FX1 94-95	2110-0842
RA700 Wave Raider 94-97	2110-0842
SJ700 Super Jet 94-17	2110-0842
WB700 Wave Blaster 93-96	2110-0842
WRA700 WaveRunner III 700 96-97	2110-0842
WRA700 WaveRunner III GP 94-95	2110-0842
WRB700 WaveRunner Pro VXR 93-94	2110-0842
WVT700 Wave Venture 700 95-98	2110-0842
XL700 WaveRunner 99-04	2110-0842
WB760 Wave Blaster 96-97	2110-0846
WVT760 Wave Venture 760 97	2110-0846
XL760 WaveRunner 98-99	2110-0846
GP760 WaveRunner 97-00	2110-0846
RA760 Wave Raider 760 96	2110-0846
GP800 WaveRunner 98-05	2110-0839
XL800 WaveRunner 00-01	2110-0839
FX1000 FX WaveRunner 02-08	2110-0853
FX1100 FX WaveRunner 04-08	2110-0853
RA1100 Wave Raider 1100 95-96	2110-0839
VX1100 WaveRunner 05-15	2110-0845
WVT1100 Wave Venture 1100 96-97	2110-0839
GP1200 WaveRunner 97-02	2110-0839
SUV1200 99-04	2110-0839
XL1200 WaveRunner 98-00	2110-0839
XLT1200 WaveRunner 01-05	2110-0839
GP1300 WaveRunner 03-08	2110-0839
FX1800 FX WaveRunner 08-19	2110-0854
GX1800 FZR WaveRunner 09-13	2110-0854
GX1800 FZS WaveRunner 09-13	2110-0854
VX1800 WaveRunner VXR 11-19	2110-0854
VX1800 WaveRunner VXS 11-17	2110-0854
XLT800 WaveRunner 02-04	2110-0839



2110-0938



2110-1000



2110-0940

RICK'S MOTORSPORT ELECTRICS

STARTERS

- Affordable starters are constructed with longer-life bearings than OEM
- Many OEM starter motors have an unprotected output needle bearing on the outside of the output shaft's seal; moisture can and does enter the output cap of the electric motor and follows the armature shaft to the unprotected output needle bearing, which corrodes the bearing
- Rick's takes the extra step of installing a double-sealed ball bearing, with the output shaft seal on the outside of the bearing in their new aftermarket unit
- This simple application of common-sense engineering does two things: first, the outside bearing is now protected from damaging water entry, and second, the sealed ball bearing is replaceable

FITS MODEL	PART #
ARCTIC CAT	
Barracuda 640 94-95	2110-0938
Daytona 640 93-95	2110-0938
Monte Carlo 640 94-97	2110-0938
Montego/Deluxe 640 94-97	2110-0938
Tigershark 640 all models 93, 98-99	2110-0938
Daytona 770 96-97	2110-0938
Monte Carlo 770 96-97	2110-0938
Tigershark 770 all models 98-99	2110-0938
Monte Carlo 900 96	2110-0938
Tigershark 900 all models 95-99	2110-0938
Daytona 1000 97	2110-0938
Monte Carlo 1000 97	2110-0938

FITS MODEL	PART #
ARCTIC CAT (CONT)	
Tigershark 1000 all models 98-99	2110-0938
Tigershark 1100 99	2110-0938
KAWASAKI	
JS400 76	2110-0935
JS440 77-92	2110-0935
JS550/SX550 82-85, 89-95	2110-0935
JF650 TS 89-96	2110-0939
JF650 X2 86-95	2110-0939
JL650 SC 91-95	2110-0939
JS650 SX 87-93	2110-0939
JH750 SS 92-97	2110-0939
JH750 ZXi 95-97	2110-0939

STARTERS continued on next page.

BOLD MAGENTA part numbers are new for 2022

RICK'S MOTORSPORT ELECTRICS

STARTERS (CONT)

FITS MODEL	PART #
KAWASAKI (CONT)	
JH750 SS XI 93-97	2110-0939
JH750 Xi Sport 98-99	2110-0939
JH750 XiR 94	2110-0939
JS750 SX 92-95	2110-0939
JS750 SXi 95-96	2110-0939
JS750 SXi Pro 98-02	2110-0939
JT750 STX 98	2110-0939
JT750 ST 94-95	2110-0939
JT750 STS 95-97	2110-0939
JS800 SX-R 04-11	2110-0939
JH900 ZXi 95-97	2110-0939
JT900STX 97-06	2110-0939
JT1100 STX 97-99	2110-0939
JT1100 STX D.I. 00-03	2110-0939
JH1100 ZXi 96-03	2110-0939
JH1100 Ultra 130 01-04	2110-0939
JH1200 Ultra 150 99-05	2110-0942
JT1200 STX-R 02-05	2110-0942
JT1200 STX12F 03-07	2110-0934
JT1500 STX 04-15	2110-0934
JT1500 Ultra 250X 07-08	2110-0934
JT1500 Ultra 260 LX/X 09-10	2110-0934
JT1500 Ultra 300 LX/X 11-13	2110-0934
JT1500 Ultra 310 LX/R/X 14-15	2110-0934
JT1500 Ultra LX 07-15	2110-0934
POLARIS	
SL650/STD 92-95	2110-0939
SL750 93-95	2110-0939
SLT750 94-95	2110-0939
SLT780 96-97	2110-0939
SL780 96-97	2110-0939
SLX780 95-96	2110-0939
SLX Pro 785 97-98	2110-0939
Pro 785 99-00	2110-0939
SEA-DOO	
SP/GTS/GTX 580/650 92-94	2110-0932
XP580 92	2110-0932
SP/I581 95-96	2110-0933
GTS 2-Passenger 581/650 95	2110-0933
GTS 3-Passenger 581 95-96	2110-0933
SPX650 95	2110-0933
XP650 93-94	2110-0932
GTS 3-Passenger 650 95	2110-0933
GS718 97-01	2110-0933
GSI718 97	2110-0933
GTI718 96-05	2110-0933
GTS718 97-01	2110-0933
GTI LE 718 02-04	2110-0933
HX718 95-97	2110-0933
SP718 97	2110-0933
SPX718 96	2110-0933
XP718 95	2110-0933
SPX782 97	2110-0933
3D DI 782 04-05	2110-0941
GSX RFI 782 99-01	2110-0941
GTI LE 782 05	2110-0941
GTI RFI 782 03-05	2110-0941
GTX RFI 782 99-02	2110-0941
GSX/GTX800 96-97	2110-0937
GTX RFI 98	2110-0937
SPX800 98-99	2110-0937
Spark Ace/H.O. Ace 2-up/3-up 14-19	2110-1000
903 Trixx 17-19	2110-1000
GSX LTD 951 98-99	2110-0939
GTX 951 98-02	2110-0939
GTXDI951 00-03	2110-0939
LRV951 00-01	2110-0939
LRVDI951 02-03	2110-0939
RX951 00-02	2110-0939
RX DI 951 00-03	2110-0939
RX X 951 01	2110-0939
XP951 98-02	2110-0939
GTX S 155 12-15	2110-0944
GTX Wake 05-07	2110-0944
GTX Wake 155 05-08	2110-0944
GTX Wake 215 08	2110-0944

FITS MODEL	PART #
SEA-DOO (CONT)	
RXP 05-06	2110-0944
RXP 155 08	2110-0944
RXP 215 08-10	2110-0944
RXP X 255 08-11	2110-0944
RXP X 260 12-15	2110-0944
RXT 05-06	2110-0944
RXT 215 08-10	2110-0944
RXT 255 08	2110-0944
RXT 260 11-15	2110-0944
RXT IS 255 09	2110-0944
RXT IS 260 10-11	2110-0944
RXT X 255 08-09	2110-0944
RXT X 260 10-15	2110-0944
RXT X AS 11-15	2110-0944
Wake 155 08-15	2110-0944
Wake 215 08	2110-0944
Wake Pro 215 09-15	2110-0944
XP DI 951 03-04	2110-0939
Challenger 96-97	2110-0937
Challenger 98	2110-0933
Explorer 95-97	2110-0933
Speedster/Sportster 95-99	2110-0933
Sportster 00-06	2110-0939
YAMAHA	
AR210 270hp 3 cyl. 03-05	2110-0940
Exciter 135 3 Cyl. 98-99	2110-0940
LX210 03-05	2110-0940
Exciter 220 3 Cyl. 99	2110-0940
Exciter 270 3 Cyl. 98-99	2110-0940
WR650 LX 90-94	2110-0936
WRA650 III 90-96	2110-0936
WRB650 VXR 91-95	2110-0936
WRA700 III 96-97	2110-0936
WRA700 III GP 94-95	2110-0936
WRB700 Pro VXR 93-94	2110-0936
GP800 Wave Runner 98-05	2110-0940
XL800 Wave Runner 00-01	2110-0940
XLT800 Wave Runner 02-04	2110-0940
FX1000 FX140 998 03-04	2110-0945
FX1000 Waverunner FX 998 05-08	2110-0945
FX1000A FX140 Cruiser 998 02-08	2110-0945
SRT1000 03-05	2110-0945
FX1100 Waverunner FX HO 1052 04-06, 08	2110-0945
FX1100 Waverunner VX 1052 07	2110-0945
FX1100A Waverunner FX Cruiser HO 04-08	2110-0945
FX1100B Waverunner FX Cruiser HO 06	2110-0945
EXT1100 Exciter 96-98	2110-0940
RA1100 Wave Raider 95-96	2110-0940
WVT1100 Wave Venture 96-97	2110-0940
SRT1100 05	2110-0945
EXS1200 Exciter 98-99	2110-0940
EXT1200 Exciter 98-99	2110-0940
LST1200 99-05	2110-0940
SUV1200 99-04	2110-0940
XLT1200 Wave Runner 01-05	2110-0940
XL1200 Wave Runner 98-00	2110-0940
XRT1200 00-01	2110-0940
GP1200 Wave Runner 97-02	2110-0940
GP1200R Wave Runner 01-02	2110-0940
GP1300 Wave Runner 03-08	2110-0940
FX1800 (all models) 08-18	2110-0946
FZR/FZS1800 GX1800 (all models) 09-16	2110-0946
GP1800S 17	2110-0946
GP1800T 18	2110-0946
RM1800 13	2110-0946
RX1800 (all models) 12-13	2110-0946
SX 190 RX1800 (all models) 12	2110-0946
SXT1800 (all models) 10-13	2110-0946
XAT1800 (all models) 12-13	2110-0946
XR1800 3 Cyl. 00-01	2110-0940
VX1800 VC1800 (all models) 16-17	2110-0946
VXR1800 VX1800 (all models) 11-18	2110-0946
VXS1800 VX1800 (all models) 11-16	2110-0946
LS2000 3 Cyl. 99-03	2110-0940
LX2000 3 Cyl. 99-03	2110-0940

BOLD MAGENTA part numbers are new for 2022



2110-0196



2110-0408

STARTER SOLENOIDS/RELAYS

• OEM-quality replacement parts

FITS MODEL	PART #
KAWASAKI	
JS550SX 90-95	2110-0196
750 SXI Pro 98-02	2110-0196
750 ZXI 95-97	2110-0195
750 Xi Sport 98-99	2110-0196
800 SX-R 03-06	2110-0196
900 STS 01-02	2110-0196
900 STX 97-98	2110-0195
900 STX 99-06	2110-0196
900 ZXI 95-97	2110-0195
1100 STX 97-98	2110-0195
1100 STX 99	2110-0196
1100 ZXI 96-03	2110-0195
SEA-DOO	
580 GTX 93	004-120
580 GTS/SP/SPI/SPX/XP 93-94	004-120

FITS MODEL	PART #
SEA-DOO (CONT)	
580 GTS 95-96	2110-0194
580 SPI 95-96	2110-0194
650 GTX 95	2110-0194
650 XP/XPI 93-94	004-120
720 GS 97-98	2110-0194
720 GSI 97	2110-0194
720 GTI 96-98	2110-0194
720 HX 95-97	2110-0194
720 SP/SPX 96-97	2110-0194
720 XP 95	2110-0194
800 GSX 96-98	2110-0194
800 SPX 97-98	2110-0194
800 XP 95	2110-0194
YAMAHA	
87-01 (all)	2110-0408

FITS MODEL	PART #
YAMAHA (CONT)	
701 SuperJet 02-08	2110-0381
XL700 02-04	2110-0381
XLT800 02-04	2110-0381
GP800 02-05	2110-0381
FX1000 04	2110-0381
1100 FX/VX 04-08	2110-0442
FX140/Cruiser 02-04	2110-0381
GP1200 02	2110-0381
SUV1200 03	2110-0381
SV1200 02, 04	2110-0381
XLT1200 02-05	2110-0381
XLT1200 02-05	2110-0381
GP1300 03-08	2110-0381
1800 FZR/FZS 09	2110-0442



REPLACEMENT BRUSHES FOR 2-BRUSH MITSUBA STARTER MOTOR BRUSHES

• Replacement brushes for 2-brush starter motors
• Sold in pairs

DESCRIPTION	PART #
Replacement brushes for 2-brush starter motors	CSMB4



2110-0113

STARTER SOLENOIDS

• New starter solenoids complete with connection hardware

FITS MODEL	OEM #	PART #
SEA-DOO		
03-06 models	278-001-802	2110-0112

FITS MODEL	OEM #	PART #
YAMAHA		
87-01 models	6GI-81941-10	2110-0113



PD-88750KYS



PD-88800SSD

STARTER DRIVES/BENDIX GEARS

• Life-tested drives meet or exceed OEM specifications
• 100% interchangeable with OEM parts

FITS MODEL	PART #
KAWASAKI	
650/750/1100 (all)	PD-88750KYS
POLARIS	
650/750/780/900/1050 (all)	PD-88750KYS

FITS MODEL	PART #
SEA-DOO	
580/650/720 (all)	PD-88800SSD
760/800 (all)	PD-88800SSD
951 (all)	PD-88750KYS

FITS MODEL	PART #
TIGER SHARK	
(19-tooth)	PD-88750KYS
YAMAHA	
701/760/1100/1200 (all)	PD-88750KYS

BOLD MAGENTA part numbers are new for 2022



2212-0026



2212-0405

HOUR METER AND HOUR/TACH METER

- Hour meter keeps track of important maintenance times for oil changes, valve adjustments, spark plugs and more
- Usable with any gas engine
- Records and displays up to 9,999.9 hours; hours automatically roll over
- Includes log book to note oil changes, service intervals, etc.
- Peel and stick or attach with supplied hardware
- Connects to spark plug wire, so no batteries are needed
- Safely and completely encased in 100% epoxy
- Hour/tach meter adds the ability to check engine rpm; works with any gas engine up to two cylinders at speeds up to 20,000 rpm
- Firing pattern: 1 spark = 1 rpm; resolution in 10-rpm increments

DESCRIPTION	PART #
Hour meter	2212-0026

DESCRIPTION	PART #
Hour meter w/ tachometer	2212-0405



RESETTABLE HOUR METER

- For use with motorcycles, ATVs, UTVs, snowmobiles and PWC
- Track the service of your vehicle's oil changes, valve adjustments, spark plugs, etc.
- Easy installation: peel and stick, no wiring necessary, or attach with enclosed hardware
- No battery required, connects to the spark plug wire
- Works on any gas engine

DESCRIPTION	PART #
Resettable hour meter	2212-0406



WIRELESS HOUR METER

- The most advanced, accurate, reliable hour meter made and the quickest and easiest to install
- There are no connections required
- Automatically starts and stops from the running of your engine by sensing the resonance of the motor
- No wiring required; no power, ground or pick-up wire required – just peel and stick
- Includes resettable trip, as well as total hours accumulated modes
- Includes double-sided tape and mounting screws
- Waterproof; shock-resistant
- Built-in battery has 5-7 year lifespan
- Comes with log book to track the service life, oil changes, valve adjustments, spark plugs, settings, etc.
- Records and displays to 9.999,9 hours
- Hourglass symbol automatically appears when engine is running and flashes on/off to indicate counting time
- Push button to display data when engine is not running
- Resolution 0,1 hour
- Works on any motorcycle, ATV/UTV or PWC automatically, 2- or 4-stroke
- Made with solid-state electronics, modern LCD; has superb environmental durability and enhanced functionality, making it the best choice of all possibilities without sacrificing performance, operation or budget
- Made with ROHS-compliant components
- IP-68 Rating

DESCRIPTION	PART #
Wireless hour meter	2212-0426

BOLD MAGENTA part numbers are new for 2022





GET

SETTABLE SOS ALARM AND WIRELESS HOURMETER

- Resistant to water, mud and dust
- Applied to the bike without the need for sensors or cables
- Performance App available for iOS and Android
- Detects when the bike falls and sends notifications to the selected accounts
- Sends alerts on service intervals
- Can be used as an hour counter to view total or partial intervals
- Easily replaceable battery for unlimited use
- IP67 certified

DESCRIPTION	PART #
Hour meter	2212-0787

GET

WIRELESS HOUR METER

- Resettable wireless device
- Durable plastic housing
- Partial and total counting possibilities
- Easily affixes to the watercraft using double-sided tape

DESCRIPTION	PART #
Wireless hour meter	2212-0821



2212-0557



2212-0642



2212-0643

SCAR

WIRELESS VIBRATION HOUR METERS

- Uses vibrations to monitor the life of your engine
- Waterproof
- Adjustable sensitivity

COLOR	PART #
Black	2212-0557
Blue	2212-0642

COLOR	PART #
Orange	2212-0643



SCAR

HOUR METER

- Connects to spark plug; no batteries are needed
- Simple way to monitor service life of bike
- Easy to install

COLOR	PART #
Black	2212-0396

BOLD MAGENTA part numbers are new for 2022



RESETTABLE HOUR METER/TACHOMETER WITH LOG BOOK

- Resettable timer and service modes that flash service messages at 5, 10 and 20 hours of operation
- Real time reading of Tach up to 20k rpm; records max rpm
- Also keeps track of total time accumulated
- Keeps track of important maintenance times for your machine including oil changes, valve adjustments, spark plugs, etc.
- Includes log book to write down oil changes, valve service, chassis lubrication, clutch service and suspension setting notes
- Usable with any gas engine
- Records and displays up to 9999,9 hours
- Just peel and stick or attach with enclosed hardware
- Connects to spark plug wire; no batteries are needed
- Hours automatically roll over
- Safely and completely encased in 100% epoxy

DESCRIPTION	PART #
Resettable hour meter	2212-0399



iMETER™ WIRELESS HOUR METER

- The most advanced, accurate, reliable hour meter made and the quickest and easiest to install
- There are no connections required
- Automatically starts and stops from the running of your engine by sensing the resonance of the motor
- No wiring required; no power, ground or pick-up wire required – just peel and stick
- Includes resettable trip as well as total-hours-accumulated modes
- Includes double-sided tape and mounting screws
- Waterproof; shock-resistant
- Built-in battery has 5-7 year lifespan
- Comes with log book to track the service life – oil changes, valve adjustments, spark plugs, settings, etc.
- Records and displays to 9999,9 hours
- Hour-glass symbol automatically appears when engine is running and flashes on/off to indicate counting time
- Push button to display data when engine is not running
- Resolution 0,1 hour
- Works on any motorcycle, ATV/UTV, snowmobile or PWC automatically; 2- or 4-stroke
- Made with solid-state electronics, modern LCD; iMETER has superb environmental durability and enhanced functionality, making it the best choice of all possibilities without sacrifice to performance, operation or budget
- Made with ROHS-compliant components
- IP-68 Rating

DESCRIPTION	PART #
iMeter	2212-0425



HOUR/TACH METER WITH LOG BOOK

- Tracks service time and rpm of your machine; perfect for timely oil changes, valve adjustments, spark plug replacements, etc.
- Resettable maximum rpm
- Usable with any gasoline engine
- Adjustable input for dual or single spark ignition systems
- Includes log book for writing down oil changes, valve service, and more
- Real time reading of tach up to 20k rpm
- Record total hours accumulated up to 9999,99 hours; not resettable/erasable
- Peel and stick or attach with enclosed hardware
- Connects to spark plug wire; no batteries are required
- Safely and completely encased in 100% epoxy

DESCRIPTION	PART #
Hour/tach meter w/ log book	2130-0102



HOUR METER WITH LOG BOOK

- Keeps track of important maintenance times including oil changes, valve adjustments, spark plugs, etc.
- Includes log book to record oil changes, valve service and more
- Usable with any gas engine
- Records and displays up to 9999,9 hours; total hours are not resettable/erased
- Just peel and stick or attach with enclosed hardware
- Connects to spark plug wire; no batteries are needed
- Hours automatically roll over
- Safely and completely encased in 100% epoxy

DESCRIPTION	PART #
Hour meter w/ log book	2130-0103

BOLD MAGENTA part numbers are new for 2022



WISECO Performance Products

ENGINE HOUR/TACH METER

- Measures engine operating hours
- Includes log book to track service intervals and a universal mounting bracket
- For all gasoline engines

DESCRIPTION	PART #
Engine hour meter	2212-0733

2212-0276



2212-0284



KOSO® Feel The Speed

WATER TEMPERATURE SENSOR ADAPTERS

- Inline water temperature sensors
- Mounting clamps included

DESCRIPTION	PART #
14 mm	2212-0276
16 mm	2212-0277
18 mm	2212-0278
22 mm	2212-0279
26 mm	2212-0280

KOSO® Feel The Speed

OIL TEMPERATURE SENSORS

- Available in a multitude of sizes for any application

DESCRIPTION	PART #
M10 x P1,0	2212-0284
M12 x P1,5	2212-0285
M14 x P1,25	2212-0286
M14 x P1,5	2212-0287
M16 x P1,5	2212-0288



WSM PERFORMANCE PARTS

TEMPERATURE SENSOR

FOR SEA-DOO 1500 GTX/RXP 4-TEC 02-09

- Replacement coolant temperature sensor

DESCRIPTION	PART #
Temperature sensor	2130-0052



KOSO® Feel The Speed

AC/DC CONVERTER

- Compact aluminum unit with strong resistance

DESCRIPTION	PART #
AC/DC converter	2130-0048

BOLD MAGENTA part numbers are new for 2022



2120-1048



2120-1053



2120-0954



2120-0955

K&S TECHNOLOGIES INCORPORATED

SOLDERLESS WIRE CONNECTORS

- No soldering gun required
- Low-heat solder melts with just a heat gun and shrinks the tubing for a watertight seal
- Waterproof, solderless heat shrink wire connectors come in four different sizes: yellow (AWG 10-12), blue (AWG 14-16), red (AWG 18-22) and white (AWG 24-26)
- PART #2120-0954 is a reclosable plastic box including 40 pieces red AWG 18-22, 40 pieces blue AWG 14-16, 10 pieces white AWG 24-26 and 10 pieces yellow AWG 10-12
- PART #2120-0955 contains 100 individual retail packs of the connectors: 15 packs (6 pcs./pack) white AWG 24-26, 32 packs (6 pcs./pack) red AWG 18-22, 35 packs (5 pcs./pack) blue AWG 14-16 and 5 packs (5 pcs./pack) yellow AWG 10-12
- Perfect for the service department or checkout counter in a wide-mouth, clear plastic jar
- Packs are individually labeled with bar codes to make it easy to deal with at the counter or for the service department; no individual pieces
- Available in single packs, or packs of 20 or 100 (each pack includes 5- or 6-piece bags); see chart for options

DESCRIPTION	PART #
100 PACKS	
White AWG 24-26 (6pcs./pack)	2120-0969
Red AWG 18-22 (6pcs./pack)	2120-0970
Blue AWG 14-16 (5pcs./pack)	2120-0971
Yellow AWG 10-12 (5pcs./pack)	2120-0972
20 PACKS	
White AWG 24-26 (6pcs./pack)	2120-1048
Red AWG 18-22 (6pcs./pack)	2120-1049
Blue AWG 14-16 (5pcs./pack)	2120-1050
Yellow AWG 10-12 (5pcs./pack)	2120-1051

DESCRIPTION	PART #
SINGLE PACKS	
White AWG 24-26 (6pcs./pack)	2120-1052
Red AWG 18-22 (6pcs./pack)	2120-1053
Blue AWG 14-16 (5pcs./pack)	2120-1054
Yellow AWG 10-12 (5pcs./pack)	2120-1055
ASSORTMENT KITS	
100 Individual pcs. assortment kit in reclosable plastic box	2120-0954
Connector assortment jar, 100 total packs of four sizes	2120-0955



3807-0076



2120-0349

RICK'S MOTORSPORT ELECTRICS

WIRE CRIMPER AND CONNECTORS

- High-quality crimper used by professionals
- Wire connector/terminal kit contains an assortment of male and female connectors, matching terminals and wire sleeving often used on imported motorcycles
- Kit includes (8) 6-place male/female connectors, (4) 4-place male/female connectors, (8) 2-place (parallel) male/female connectors, (6) 2-place (perpendicular) male/female connectors, (4) 8-place male/female connectors, (10) 3-place male/female connectors, (25) plastic sleeves, (50) male spade connectors, (50) female spade connectors

DESCRIPTION	PART #
Crimper tool	3807-0076
Connectors/terminals kit	2120-0349



NAMZ Custom Cycle Products

MAXI FUSE HOLDER CONNECTOR AND TERMINAL KIT

- Protects larger and more sensitive electronics such as amplifiers and heavy duty lighting
- Unlike molded fuse holders, this kit comes with two crimp terminals that will install virtually anywhere and on any wire you choose

DESCRIPTION	PART #
Maxi fuse holder	2130-0246

BOLD MAGENTA part numbers are new for 2022


2120-0904


2120-0905


2120-0906


2120-0907


2120-0908


2120-0909


2120-0910


2120-0911

NAMZ Custom Cycle Products

BRAIDED FLEX SLEEVING

- 10 mm (3/8") ID flex sleeving
- Comes in 305 cm (10') section
- Available in eight colors

COLOR	PART #
Blue	2120-0904
Green	2120-0905
Red	2120-0906
Yellow	2120-0907

COLOR	PART #
Orange	2120-0908
Violet	2120-0909
Pink	2120-0910
White	2120-0911

NAMZ Custom Cycle Products


2120-0912 2120-0913 2120-0914

ADHESIVE LINED HEAT SHRINK

- Keep splices dry
- Heavily walled and adhesive lined
- Works well for battery lugs or aftermarket ignition switch terminals
- Comes in 122 cm (4') lengths
- Sold in 4-pack

DIAMETER	PART #
5 mm (3/16")	2120-0912

DIAMETER	PART #
8 mm (5/16")	2120-0913

DIAMETER	PART #
13 mm (1/2")	2120-0914


2120-1081 2120-1077 2120-1079

DESIGN ENGINEERING, INC.

HI-TEMP SHRINK TUBES

- Professional grade, military spec, flexible polyolefin tubing
- Provides excellent protection from dirt, dust, solvents and foreign materials
- Also provides strain relief
- 3:1 shrink ratio without reduction to original length
- Use to insulate wires, connections, terminals, wire splicing and more
- Works for -55 °C (-67 °F) to 135 °C (275 °F) temperatures
- Apply at 49 °C (120 °F) to 82 °C (180 °F) with a heat gun


2120-1086

DESCRIPTION	PART #
SHRINK TUBES	
3 mm x 122 cm (4')	2120-1081
6 mm x 122 cm (4')	2120-1082
3 mm/6 mm/9 mm x 122 cm (4')	2120-1083
9 mm x 122 cm (4')	2120-1076
12 mm x 122 cm (4')	2120-1077
18 mm x 122 cm (4')	2120-1078
24 mm x 122 cm (4')	2120-1079
9 mm/12 mm/18 mm/24 mm x 61 cm (2')	2120-1080

DESCRIPTION	PART #
SHRINK TUBE SPOOLS	
3 mm x 15,2 m (50')	2120-1088
6 mm x 15,2 m (50')	2120-1089
9 mm x 15,2 m (50')	2120-1084
12 mm x 15,2 m (50')	2120-1085
18 mm x 15,2 m (50')	2120-1086
24 mm x 15,2 m (50')	2120-1087

BOLD MAGENTA part numbers are new for 2022



LUBES
TRANSPORT & TRAILER

PARTS EUROPE

FORMULA K2

3602-0022



- 100% synthetic, triple ester 2-stroke, high-performance premix oil
- Race track-developed with factory race teams
- Ultimate hardware protection for even the most aggressive riders
- Optimal ring seal ensures maximum power output
- Very clean-burning, high rpm formula reduces powervalve maintenance
- Proprietary additive system and esters combine to virtually eliminate wear
- Race-proven formula has won titles around the world
- 473 ml (16 US fl oz.) bottles, 12 per case; liter bottles, 12 per case; sold each

DESCRIPTION	PART #
473 ml (16 US fl oz.)	3602-0022

DESCRIPTION	PART #
Liter	22901

CASTOR 927

RACING 2-CYCLE OIL

23916



- Castor-based, ester-fortified 2-stroke engine oil
- Unique blend of highly-refined castor oil, a specially prepared synthetic and an additive system that reduces carbon and gum formation and is biodegradable
- Provides excellent rust and corrosion protection
- Exotic esters and highly-refined castor oil maintain oil film thickness
- Also contains an exclusive additive that keeps power valves cleaner and working properly
- Provides extra protection at the highest temperatures on cylinder walls, bearing journals and other critical areas
- Available in 473 ml (16 US fl oz.) bottles or liter bottles

DESCRIPTION	PART #
473 ml (16 US fl oz.)	23916

DESCRIPTION	PART #
1 liter	23901

SUPER M OIL

2-STROKE PREMIX



- Semi-synthetic, ester-based 2-stroke engine oil
- Ultimate hardware protection for all critical engine parts
- Low-ash, smokeless, ester-fortified synthetic blend premix oil with high thermal stability, better load-carrying capacity and excellent rust and corrosion protection
- Ultra-clean burning, smokeless formulation ensures maximum engine cleanliness
- Advanced, low-ash additive system reduces carbon deposits and prevents ring stick, corrosion and wear
- Exceeds JASO FD/ISO-L-EGD/API TC specifications
- Available in liter bottles

DESCRIPTION	PART #
Liter	20901

SUPER M 2-CYCLE INJECTOR OIL



- Semi-synthetic, ester-based 2-stroke engine oil
- Low-ash, smokeless, ester-fortified synthetic blend for use in injector systems
- Ultimate hardware protection for all critical engine parts
- Surface-active esters and anti-wear additives combine to ensure anti-scuff protection
- Ultra-clean burning, smokeless formulation ensures maximum engine cleanliness
- Surface-active chemistry aggressively attaches to engine surfaces, keeping them clean and protected
- Exceeds JASO FD/ISO-L-EGD/API TC specifications
- Available in liter bottles

DESCRIPTION	PART #
Liter	28901

HI TEST OCTANE BOOSTER



- Concentrated octane booster increases pump gas octane rating
- Suppresses detonation and preignition
- Organic, contains no metal (lead, manganes or phosphorus) compounds
- Mix either with straight gas or with alcohol and nitrous mixtures
- For 2- or 4-stroke engines
- Legal for all racing applications
- Won't harm or discolor plastic gas tanks
- Cleans fuel delivery systems and eliminates pinging and knocking from low-quality gasolines
- Each 30 ml (1 US fl oz.) of octane booster per 3,8 liters (1 US gal.) of gas raises octane rating by four points
- Available in 473 ml (16 US fl oz.) bottles

DESCRIPTION	PART #
473 ml (16 US fl oz.)	83916

QUICK 2 MIX™



- Oil/gas ratio mixing bottle
- Easy calibration; accurately mix ratios 24:1 to 100:1
- Made of durable polypropylene; accurate, convenient, easy, compact
- Available in 591 ml (20 US fl oz.) bottles

DESCRIPTION	PART #
591 ml (20 US fl oz.)	10120

BOLD MAGENTA part numbers are new for 2022

MARINE SYNTHETIC GEAR OIL



- High-performance full synthetic gear oil
- Engineered specifically for marine applications
- Uses the highest extreme pressure additives to deliver superior protection for high torque/ high horsepower marine engines
- Utilizes an industry first Antimony free formula for an eco-friendly solution to your gear oil needs
- GL-5 performance rated and exceeds the requirements of all major OEM marine engine manufactures
- Liter bottles, 12 per case; sold each

DESCRIPTION	PART #
Marine synthetic gear oil	3606-0012

6-IN-1 LUBRICATING FLUID



- Multi-purpose lubricant
- Cleans, lubricates, protects, displaces water, reduces friction and penetrates rust
- Safe for use on electrical contacts, vinyl, wood and paint
- 400 ml aerosol can, 12 per case

DESCRIPTION	PART #
6-in-1 lubricating fluid	3607-0021



3607-0020

WATERPROOF GREASE

- Waterproof grease for all bearing and bushing applications
- Corrosion protection (even in salt water)
- Wear protection extends bearing life
- Will not melt or run
- Available in 454 g (16 oz.) net wt. tub or 397 g (14 oz.) net wt. cartridge, 12 per case

DESCRIPTION	PART #
454 g (16 oz.) net wt. tub	3607-0020
397 g (14 oz.) net wt. cartridge	3607-0023



RUST PREVENTATIVE COATING

- Formulated to provide maximum protection against corrosion in the harsh marine environment
- Easily applied, durable barrier rust preventive
- Prevents the corrosive environment from direct contact with marine equipment
- A waxy, dry-to-the-touch compound in an easy-to-use solvent carrier
- Apply by dipping, spraying or painting
- A thin film will fully protect the part from rust when stored in an adverse environment
- 4 liter bottle, 4 per case

DESCRIPTION	PART #
Rust preventative coating	3706-0047

RECHARGER FILTER CARE SERVICE



- A six-step maintenance system designed to recharge any K&N Filtercharger Air Filter
- Completely restores airflow efficiency
- Kit includes filter oil 204 ml (7,18 GB fl oz.) aerosol spray oil, 355 ml (12,49 GB fl oz.) filter cleaner and service decal

DESCRIPTION	PART #
Care kit, aerosol (EU certified)	3704-0074

3610-0023



AIR FILTER OIL

- Formulated to work in combination with the cotton fabric in K&N Air Filter elements to provide a superior air filtration system
- Quickly penetrates the filter pleats; remains suspended in the filter pleats

DESCRIPTION	PART #
204 ml (7,18 GB fl oz.) aerosol can (EU certified)	3610-0023
408 ml (14,36 GB fl oz.) aerosol can (EU certified)	3610-0024

AIR FILTER CLEANER



- Formulated to clean K&N Filtercharger air filter elements
- Dissolves dirt buildup and old filter oil; washes away with water
- Biodegradable; safe on paint, plastic, cast aluminum and rubber
- Instructions included

NOTE: Do not use on polished or anodized aluminum.

DESCRIPTION	PART #
355 ml (12,49 GB fl oz.) pump spray (EU certified)	3704-0073

BOLD MAGENTA part numbers are new for 2022

LOCTITE



3711-0017



3711-0011



3711-0012



3711-0013

THREADLOCKER

222 LOW STRENGTH

- For use with adjustment screws up to 7 mm ($^1/_4$")
- Removable
- Available in 10 ml or 50 ml bottles
- For applications where disassembly is not required

243™ MEDIUM STRENGTH

- A general-purpose, medium strength Threadlocker with improved temperature resistance
- Does not require most fasteners to be pre-cleaned or primed before use
- Suitable for 6,4 mm to 19 mm ($^1/_4$" to $^3/_4$") fasteners
- Works on all metals, including passive substrates (e.g. stainless steel, aluminum, plated surfaces)
- Proven to tolerate slight contamination of industrial oils, e.g. engine oils, corrosion prevention oils and cutting fluids
- Prevents loosening on vibrating parts, e.g. pumps, gear boxes or presses
- Permits disassembly with hand tools for servicing
- 5 ml, 10 ml or 50 ml bottle

248™ MEDIUM STRENGTH BLUE STICK

- Same features as the 243™ medium strength Threadlocker but in a convenient 19 g stick

262 MEDIUM TO HIGH STRENGTH

- Permanent Red Threadlocker
- For use on fasteners up to 19 mm ($^3/_4$") in diameter
- Effective on metals such as stainless steel, brass, and zinc dichromate
- Available in a 50 ml bottle

DESCRIPTION	PART #
222 Threadlocker, 10 ml bottle	3711-0023
222 Threadlocker, 50 ml bottle	3711-0024
243 Threadlocker, 50 ml bottle	3711-0017
243 Threadlocker, 10 ml bottle	3711-0010
243 Threadlocker, 5 ml bottle	3711-0009
248 Threadlocker blue stick, 19 g stick	3711-0011

268™ HIGH STRENGTH RED STICK

- Same features as the 270™ high strength Threadlocker but in a convenient 19 g stick

270™ HIGH STRENGTH

- Permanent, high strength, red Threadlocker that is applied to fasteners up to 19 mm ($^3/_4$") in size before assembly
- Suitable for all metal fasteners, including stainless steel, aluminum, plated surfaces and chrome-free coatings
- Tolerates slight contamination of industrial oils, e.g. engine oils, corrosion prevention oils, and cutting fluids
- Ideal for permanently locking studs on engine blocks and pump housings
- Available in 10 ml or 50 ml bottle

GREEN 290 THREADLOCKER

- Locks metal fasteners 3 mm to 12 mm ($^1/_{12}$" to $^1/_2$") in diameter
- Wicks between engaged threads to lock preassembled nuts and bolts
- Dries in six minutes
- Available in 10 ml or 50 ml bottle

DESCRIPTION	PART #
262 Threadlocker, 50 ml bottle	3711-0020
268 Threadlocker red stick, 19 g stick	3711-0012
270 Threadlocker, 10 ml	3711-0013
270 Threadlocker, 50 ml	3711-0026
290 Threadlocker, 10 ml	3711-0021
290 Threadlocker, 50 ml	3711-0022

5920™ SILICONE GASKET SEALANT



- Loctite® 5920™ is a premium silicone for 4-cylinder, turbo-charged or high-performance engines
- Sensor-safe, low odor, non-corrosive, low volatility and non-conductive
- A low-strength sealant designed for flexible flanges, and for machined or casted surfaces
- Superior adhesion and oil resistance
- Temperature range -55 °C to +350 °C intermittent; resists auto and shop fluids and vibration
- 80 ml tube

DESCRIPTION	PART #
80 ml	3710-0011

5699™ GREY FLANGE SEALANT



- Loctite® 5699™ Grey Flange Sealant is a one-part RTV silicone that remains flexible and withstands high vibration
- Designed for high-torque applications
- Withstands temperatures from -55 °C to 329 °C intermittent
- Outstanding oil and shop fluid resistance
- Non-corrosive; low odor
- 80 ml tube

DESCRIPTION	PART #
80 ml	3710-0010

BOLD MAGENTA part numbers are new for 2022

LOCTITE®



5910 FLANGE SEALANT

- For use with flexible flanges
- Good resistance to oil and joint movement
- Reduces migration of liquid after application
- Suitable for gaps up to 1 mm

DESCRIPTION	PART #
Flange sealant	3710-0023

574™ FLANGE SEALANT



- Loctite® 574™ Flange Sealant seals close-fitting joints between rigid metal faces and flanges
- Ideal for use on rigid metal parts such as cast iron components and pump housings
- Because it is fast curing, it provides resistance to low pressures immediately after assembly of flanges
- Service temperature range of -55 °C to +150 °C
- Excellent oil and water/glycol resistance
- 50 ml paste tube

DESCRIPTION	PART #
50 ml	3710-0012

O-RING KIT

- Loctite® O-Ring Kit makes custom O-rings on the spot
- Eliminates the need to disassemble parts and components
- Includes adhesive waterproofing solution, cleanup solvent, cutting blade, splicing fixture and 3,66 m of Buna-N cord stock
- Loctite® 404™ Quickset™ Instant Adhesive should be removed and stored in refrigeration at 4 °C (40 °F) or lower



DESCRIPTION	PART #
O-ring kit	0935-0464



7200 GASKET REMOVER

- Removes cured gasket sealants and traditional gaskets in 10 to 15 minutes
- Minimal scraping
- Usable on most types of surfaces
- 400 ml aerosol can

DESCRIPTION	PART #
400 ml	3704-0137



8201 FIVE-WAY OIL

- Frees assemblies
- For light lubrication of metals
- Cleans parts, displaces moisture and prevents corrosion
- H1 NSF Reg. No.: 141642
- Service temperature range: -20 °C to +120 °C
- 400 ml aerosol can

DESCRIPTION	PART #
400 ml	3620-0004

8040 FREEZE & RELEASE



- Loctite® Freeze & Release instantly freezes seized and rusted parts (bolts, nuts, studs) down to -43 °C
- The exceptional shock-freeze effect causes microscopic cracks in the layer of rust, allowing the lubricant ingredient to wick directly into the rust by capillary action
- The assembly can be easily dismantled after allowing only one or two minutes penetration time
- Released parts remain lubricated and protected from corrosion
- Typical applications: seized and corroded assemblies of threaded and cylindrical parts; any applications where a threadlocker or anti-seize has not been previously used, and rust corrosion has formed
- 400 ml aerosol can

DESCRIPTION	PART #
400 ml	3701-0005

BOLD MAGENTA part numbers are new for 2022

LOCTITE





3450 EPOXY

- Structural bonding – 2K Epoxy
- Ideal for metal repair
- Cures in 15 minutes
- 25 ml tube

DESCRIPTION	PART #
25 ml	3714-0002







480 PRISM INSTANT ADHESIVE

- For applications where shock resistance is required, or where shock or peel loads are present
- Ideal for bonding metal to metal, rubber or magnets
- Good resistance in humid environments
- Fixture time is 20-50 seconds
- Service temperature range: -40 °C to 100 °C
- 20 g bottle

DESCRIPTION	PART #
20 g	3711-0025

401 INSTANT UNI ADHESIVE

- Loctite® 401 bonds porous materials such as plastics, rubber, paper/card, wood and metals
- Bonds difficult surfaces like fabric, leather, wood and paper
- 3 g bottle

DESCRIPTION	PART #
3 g	3711-0014

561 SEALANT STICK

- Semi-solid stick formula offers added convenience and portability
- Immediate low-pressure sealing eases disassembly and will not contaminate or clog lines
- The semi-solid formula also means it won't spill or leak, making it great for overhead applications or carrying in a pocket or toolbox
- 19 g sealant stick



DESCRIPTION	PART #
19 g	3710-0008

8065 ANTI-SEIZE STICK

- Loctite® Silver Grade Anti-Seize stick is a heavy-duty, temperature-resistant, petroleum-based lubricant compound fortified with graphite and metallic flake
- Will not evaporate or harden in extreme cold or heat
- Use during assembly to prevent seizing, galling and corrosion
- For use in assemblies up to 871 °C
- 20 g stick



DESCRIPTION	PART #
20 g	3701-0006

BOLD MAGENTA part numbers are new for 2022

Muc-Off



MULTI VALUE PACK

- Everything your motorcycle needs in one simple kit
- Includes protectant spray (500 ml), degreaser (500 ml) and Endurance ceramic chain lube (400 ml)
- Also includes Muc-Off's versatile claw brush with three nylon brush heads and mud scraper

DESCRIPTION	PART #
Multi value pack	3704-0247



CLEAN, PROTECT AND LUBE KIT

- The perfect kit for keeping your motorcycle clean and running smooth
- Includes cleaner spray (1 liter), protectant spray (500 ml) and dry PTFE chain lube (400 ml)

DESCRIPTION	PART #
Clean, protect and lube kit	3704-0248



MOTORCYCLE CARE DUO KIT

- Award-winning nanotech motorcycle cleaner cuts through dirt, mud and grime quickly and safely without the need for acids or dangerous chemicals
- Unique formula is 100% biodegradable so it's safe for your bike and the planet
- Motorcycle protectant rids your bike's frame and components of moisture and leaves a non-sticky layer of protective PTFE to prevent rust and corrosion
- Includes 500 ml can of protectant and 1 liter bottle of cleaner

DESCRIPTION	PART #
Motorcycle care duo kit	3704-0253

3704-0236

3704-0237



MOTORCYCLE CLEANER

- Revolutionary nanotech cleaning formula cuts through grime, while protecting your bike's finish
- Spray on and wipe off
- Fully biodegradable and alkaline based
- Safe on carbon fiber, paintwork, anodized surfaces, aluminum, titanium, rubber, plastic, seals and disc brake pads

DESCRIPTION	PART #
1 liter	3704-0236

DESCRIPTION	PART #
5 liter	3704-0237



TWO-PRONG BRUSH

- Features twin heads that can be altered or repositioned to reach tight areas like spokes, discs, shocks, footpegs, linkages, etc.
- Features a tough impact-resistant dual-density handle and durable nylon bristles

DESCRIPTION	PART #
Two-prong brush	3850-0170



WHEEL AND COMPONENT BRUSH

- Shaped and contoured to clean rims and sprockets; features a tough impact-resistant dual-density handle and durable nylon bristles

DESCRIPTION	PART #
Wheel and component brush	3850-0168



MICROFIBER POLISHING CLOTH

- Features "split-fiber" technology that increases the surface area for maximum absorbency
- Leaves the surface clean and shiny

DESCRIPTION	PART #
Microfiber polishing cloth	3713-0026

BOLD MAGENTA part numbers are new for 2022



3920-0338



3920-0339

SWIVEL CARABINER TIE-DOWNS

- 38 mm x 183 cm (1 1/2" x 6')
- Oversized high-strength rubber-coated hook on one end
- Swivel carabiner hook means no more twisted straps
- Standard weight capacity; 839 kg (1850 lb)
- Ratchet weight capacity; 907 kg (2000 lb)
- Sold in pairs; available in black only

DESCRIPTION	PART #
Standard	3920-0338

DESCRIPTION	PART #
Ratchet	3920-0339



3920-0305



3920-0355



3920-0356



3920-0357

CARABINER TIE-DOWNS

- Make securing your machine an easier job
- Each tie-down features one high-strength rubber-coated hook and one high-strength carabiner
- 25 mm (1") wide straps are printed with the Moose Racing logo and identification tag
- Built-in soft tie helps prevent damage to your machine
- 213 cm long (7'), (30,5 cm (12") longer than industry standard)
- 612 kg (1350 lb) break strength
- Sold in pairs

COLOR	PART #
Black	3920-0305

COLOR	PART #
Red	3920-0355

COLOR	PART #
Blue	3920-0356

COLOR	PART #
Orange	3920-0357



3920-0294



3920-0297



3920-0295



3920-0298



3920-0296



3920-0299

HEAVY-DUTY TIE-DOWNS

- High-quality tie-downs that last
- Two oversized, high-strength rubber-coated hooks
- 25 mm W x 183 cm L (1" x 6') straps are printed with Moose Utility Division logo
- Available in standard and ratchet styles

COLOR	STANDARD TIE-DOWNS	RATCHETING TIE-DOWNS
Black	3920-0294	3920-0297
Red	3920-0295	3920-0298
Blue	3920-0296	3920-0299

BOLD MAGENTA part numbers are new for 2022



3920-0302



3920-0303



3920-0304

MOOSE RACING

HEAVY-DUTY TIE-DOWNS

- High-quality tie-downs from a brand you trust
- Built-in soft strap extension
- 25 mm W x 213 cm L (1" x 7') straps are a foot longer than standard
- Durable rubber-coated hooks
- Exclusive Moose Racing imprinted webbing
- 612 kg (1350 lb) strength
- Sold in pairs
- Available in black, red, blue and orange



3920-0358

COLOR	PART #	COLOR	PART #	COLOR	PART #	COLOR	PART #
Black	3920-0302	Red	3920-0303	Blue	3920-0304	Orange	3920-0358



3920-0307



3920-0308

MOOSE RACING

SOFT TYES

- Measure 25 mm x 45,5 cm (1" x 18") with loops at each end
- Used to extend tie-down reach or for added protection of handlebars, frames, swingarms, etc.
- 1360 kg (3000 lb) assembly strength
- Sold in pairs



3920-0309

COLOR	PART #	COLOR	PART #	COLOR	PART #
Black	3920-0307	Red	3920-0308	Blue	3920-0309

AIRHEAD

244 CM (8') TRIPLE-HOOK RATCHET TIE-DOWN WITH SOFT HOOK

- Ratchet secures entire machine with only one tie-down
- Three coated hooks, a soft hook and the 244 cm (8') length make this the universal tie-down
- Great for ATVs, snowmobiles, personal watercraft and motorcycles
- Available in black only



DESCRIPTION	PART #
Triple-hook ratchet strap	TDR-38

FULTON

TRANSOM RETRACTABLE RATCHET TIE-DOWNS

- 51 mm W x 109 cm L (2" x 43") strap with 378 kg (833 lb) load capacity and 1134 kg (2500 lb) break strength
- Straps retract for storage without tangling
- Vinyl-coated J-hook
- Include hardware for easy bolt-on function
- Sold in pairs



DESCRIPTION	PART #
Transom retractable ratchet tie-downs	3920-0320

BOLD MAGENTA part numbers are new for 2022

PARTS UNLIMITED



HEAVY-DUTY CAM BUCKLE TIE-DOWNS WITH BUILT-IN ASSIST

- 38 mm x 183 cm (1 1/2" x 6') with built-in assist
- Webbing is rated at 2268 kg (5000 lb) strength
- Nonslip cam buckles are made of strong cast aluminum with twice the strength of foreign buckles to promote longer life for the tie-down
- Hooks are 10 mm (3/8") in diameter and rated at 544 kg (1200 lb) strength
- 272 kg (600 lb) working load limit
- Full vinyl coating to protect chrome and paint
- Available in red, blue or black
- Packaged and sold in pairs

COLOR	PART #
Red	TD00100

COLOR	PART #
Blue	TD00200

COLOR	PART #
Black	TD00300



HEAVY-DUTY CAM BUCKLE TIE-DOWNS

- 38 mm x 183 cm (1 1/2" x 6') webbing is rated at 2268 kg (5000 lb) strength
- Nonslip cam buckles are made of strong cast aluminum
- Hooks are 10 mm (3/8") in diameter and rated at 544 kg (1200 lb) strength
- 272 kg (600 lb) working load limit
- Full vinyl coating to protect chrome and paint
- Packaged and sold in pairs

COLOR	PART #
Black	3920-0077
Blue	3920-0079



HEAVY-DUTY RATCHETING TIE-DOWNS

- 38 mm x 183 cm (1 1/2" x 6') webbing is rated at 2268 kg (5000 lb) strength
- Ratcheting for easy cinching
- Vinyl-coated hooks rated at 544 kg (1200 lb) straight-pull strength
- 454 kg (1000 lb) working load limit
- Packaged and sold each

COLOR	PART #
Black	3920-0080

COLOR	PART #
Red	3920-0081

COLOR	PART #
Blue	3920-0082



HEAVY-DUTY CAM BUCKLE TIE-DOWNS WITH BUILT-IN ASSIST

- Heavy-duty nylon web strap, 25 mm W x 168 cm L (1" x 66") with built-in assist; rated at more than 544 kg (1200 lb) straight pull strength
- 181 kg (400 lb) working load limit
- Cam action buckle
- Vinyl-coated 10 mm (3/8") hooks
- Easy operation with maximum holding power
- Packaged and sold in pairs

COLOR	PART #
Black	3920-0071

COLOR	PART #
Red	3920-0072

COLOR	PART #
Blue	3920-0073

BOLD MAGENTA part numbers are new for 2022

PARTS UNLIMITED

HEAVY-DUTY 213 CM (7') CAM BUCKLE TIE-DOWNS

- 25 mm (1") nylon web strap, 213 cm (84") long, heavy-duty hooks; rated at more than 544 kg (1200 lb) straight-pull strength
- Feature a cam action buckle with maximum holding power
- 181 kg (400 lb) working load limit
- Vinyl-coated, 10 mm ($^3/_8$") heavy-duty hooks
- Easy operation with large hand loop for pulling tight
- Packaged and sold in pairs

3920-0422



COLOR	PART #
Red	3920-0422

3920-0423



COLOR	PART #
Blue	3920-0423

3920-0424



COLOR	PART #
Black	3920-0424

HEAVY-DUTY RATCHETING TIE-DOWNS WITH BUILT-IN ASSIST

- 25 mm (1") nylon web strap, 183 cm (6') long with built-in assist; rated at more than 544 kg (1200 lb) straight-pull strength
- 181 kg (400 lb) working load limit
- Ratchet for easy cinching
- Vinyl-coated 10 mm ($^3/_8$") hooks
- Available in black, red or blue; packaged and sold each

3920-0074



COLOR	PART #
Black	3920-0074

3920-0075



COLOR	PART #
Red	3920-0075

3920-0076



COLOR	PART #
Blue	3920-0076

HEAVY-DUTY RATCHETING TIE-DOWNS

- 25,4 mm (1") nylon web strap, 183 cm (6') long, rated at 680 kg (1500 lb) strength
- Ratchet for easy cinching
- Vinyl-coated 10 mm ($^3/_8$") hooks rated at 544 kg (1200 lb)
- 181 kg (400 lb) working load limit
- Packaged and sold each

131021



COLOR	PART #
Red	131021

131022



COLOR	PART #
Black	131022

131023



COLOR	PART #
Blue	131023

TIE-DOWN EXTENSIONS

- 38 mm wide ($1^1/_2$"); 45,5 cm long (18") looped nylon straps
- Use to extend tie-down reach or for added protection of handlebars, seat rails, etc.
- 1360 kg (3000 lb) assembly strength
- Sold in pairs

3920-0083



COLOR	PART #
Black	3920-0083

3920-0084



COLOR	PART #
Red	3920-0084

BOLD MAGENTA part numbers are new for 2022

25 MM (1") CAM BUCKLES WITH SOFT-TYE SEWN-IN

- Secure latch hook with vinyl-coated S-hook
- 25 mm (1") wide cam buckle
- Integrated hand loop for easy adjustment
- 2.041 kg (4500 lb) test nylon webbing
- 181 kg (400 lb) working load
- Double security stitching
- 168 cm (5 1/2') length
- Sold in pairs



3920-0291 | 3920-0292 | 3920-0293

COLOR	PART #
Red	3920-0291

COLOR	PART #
Black	3920-0292

COLOR	PART #
Blue	3920-0293

25 MM (1") RATCHET WITH SOFT-TYE

- Intended for middle-weight snowmobiles, bikes, ATVs, PWC and shop equipment
- Industrial-grade PowerTye ratchet
- Sewn-in Soft-Tye
- 2.041 kg (4500 lb) test nylon webbing
- 10 mm (3/8") heavy-duty vinyl-coated hooks
- 317 kg (700 lb) working load
- Double security stitching
- 198 cm (6 1/2') length
- Sold in pairs



DESCRIPTION	PART #
25 mm (1") ratchet with soft-tye	3920-0048

25 MM (1") RATCHETS

- Intended for middle-weight bikes, snowmobiles, ATVs, PWC and shop equipment
- Industrial-grade PowerTye ratchet
- 2.041 kg (4500 lb) test nylon webbing
- 10 mm (3/8") heavy-duty vinyl-coated hooks
- 317 kg (700 lb) working load
- Double security stitching
- 183 cm (6' length)
- Sold in pairs



COLOR	PART #
Black	3920-0047

25 MM (1") STANDARD TIE-DOWNS

- 2.041 kg (4500 lb) test nylon webbing
- Industrial-grade PowerTye cam buckle
- 10 mm (3/8") heavy-duty vinyl-coated hooks
- 181 kg (400 lb) working load
- Hand loops for pulling tight
- 168 cm (5 1/2') length
- Double security stitching
- Sold in pairs



3920-0035 | 3920-0036 | 3920-0037

COLOR	PART #
Black	3920-0035

COLOR	PART #
Red	3920-0036

COLOR	PART #
Blue	3920-0037

BOLD MAGENTA part numbers are new for 2022



3920-0038 3920-0039 3920-0040 3920-0041 3920-0042 3920-0043

25 MM (1") SOFT-TYE TIE-DOWNS

- Original PowerTye design features sewn-in Soft-Tye
- 2.041 kg (4500 lb) test nylon webbing
- 10 mm (3/8") heavy-duty vinyl-coated hooks
- Industrial-grade PowerTye cam-buckle
- 181 kg (400 lb) working load
- Hand loop for pulling tight
- 168 cm (5 1/2') length plus Soft-Tye
- Double security stitching
- Sold in pairs

COLOR	PART #
Black	3920-0038
Red	3920-0039

COLOR	PART #
Blue	3920-0040
Silver	3920-0041

COLOR	PART #
Green	3920-0042
Yellow	3920-0043



3920-0049 3920-0050 3920-0051

25 MM (1") SOFT-TYE/EXTENSIONS

- Perfect for bars or secure areas too thick for hooks
- Won't scratch paint or chrome
- 2.041 kg (4500 lb) test nylon webbing
- 45,5 cm L (18")
- Sold in pairs

COLOR	PART #
Black	3920-0049
Red	3920-0050
Blue	3920-0051



PLUSH SOFT-TYE COVERS

- Slide over existing 25 mm (1") or 38 mm (1 1/2") tie-down extensions to guard against scratching paint or chrome
- Strap not included
- 30,5 mm (12") long
- Sold in pairs

DESCRIPTION	PART #
Plush Soft-Tye covers	3920-0136



NEOPRENE RATCHET COVERS

- Keep the metal ratchet from damaging paint and chrome
- Also keep excess webbing together
- Make the ratchet stay in the locked position
- Will fit 25 mm to 51 mm strap (1" to 2")
- PowerTye logo
- Sold in pairs

DESCRIPTION	PART #
Neoprene ratchet cover	3920-0052



QUICK TIE-DOWN PIN FOR YAMAHA

- Easy way to tie down any PWC, tow a skier, tow another PWC or boat, attach a docking line or winch your PWC onto a trailer or landing
- A clean look with quick attachment
- For all Yamaha models with front or rear bow eyes

DESCRIPTION	PART #
Quick tie-down pin	A-8112

BOLD MAGENTA part numbers are new for 2022

DRAW-TITE®

SWIVEL JACKS

- High-quality jacks with bolt-through or retaining ring swivel mounts
- Factory-assembled mounting bracket provides for quick-and-easy trailer installation
- Heavy-gauge steel stampings and proprietary bushing material for maximum support with minimal deflection
- Fits trailer tongues up to 76,2 mm x 127 mm (3" x 5")
- 1:1 sidewind gear ratio makes operation simple
- 25,5 cm (10") of screw travel; total lift of 58 cm (22,75")
- Constructed of heavy-duty zinc-plated steel tubing with 15 cm (6") reinforced poly wheel; 680 kg (1500 lb) swivel jack features a 20,5 cm (8") wheel



3902-0061

LIFT CAPACITY	SERIES	PART #
RETAINING RING SWIVEL		
453 kg (1000 lb)	Value	3902-0061

LIFT CAPACITY	SERIES	PART #
BOLT-THROUGH SWIVEL		
544 kg (1200 lb)	High-performance	XP10S
680 kg (1500 lb)	High-performance	XP150

KIMPEX

SWIVEL JACKS

- 680 kg (1500 lb) single-wheel or 907 kg (2000 lb) dual-wheel design
- 15 cm (6") swivel for easy maneuvering
- Lifts from 35,5 cm to 61 cm (14" to 24")
- Fits up to 76 mm x 12,5 cm (3" x 5") trailer tongue
- Easy toggle when pulling pin
- Protective finish for corrosion resistance
- Mounting hardware included



3902-0185





3902-0186



DESCRIPTION	PART #
680 kg (1500 lb) swivel jack	3902-0185

DESCRIPTION	PART #
907 kg (2000 lb) dual-wheel swivel jack	3902-0186



KIMPEX

MANUAL TRAILER WINCH

- Quality non-corrosive material and meticulous workmanship on all components
- 453 kg (1000 lb) capacity

DESCRIPTION	PART #
Manual trailer winch	3902-0047

FULTON

TRAILER WINCH WITH STRAP

- Comfortable grip handle makes cranking a snap
- 900-lb capacity
- Zinc-plated finish for superior corrosion protection
- 3.1:1 gear ratio lowers handle effort for smooth, easy operation
- Two-way ratchet, offset handle and nylon strap with hook-and-loop fastener
- Meets or exceeds SAE Standard J1853
- Replacement winch strap with hook measures 51 mm x 366 cm (2" x 12') and features an 816 kg (1800 lb) maximum working load; sold separately



T903Z

DESCRIPTION	PART #
Trailer winch w/ strap	T903Z

DESCRIPTION	PART #
Repl. winch strap	WSP12

FULTON

TRAILER HITCH CHAINS WITH HOOKS

- Rated at 2268 kg (5000 lb)
- Measure 61 cm (24") long
- Sold as a pair

DESCRIPTION	PART #
Trailer hitch chain w/ hooks	3902-0062



BOLD MAGENTA part numbers are new for 2022



1706-0138

FULTON

FAS-LOK™ COUPLERS

- Straight-tongue stamped couplers with the Fas-Lok™ mechanism that enables quick and easy hookup
- Coupler lock hole provided for additional trailer security
- Choose from 47,6 mm (1 7/8") and 50,8 mm (2") ball models

BALL SIZE, CHANNEL WIDTH	SAE CLASS	PART #
47,6 mm/50,8 mm (1 7/8"/2")	I	1706-0138
50,8 mm/50,8 mm (2"/2")	II	1706-0141
50,8 mm/76,2 mm (2"/3")	II	1706-0142



KIMPEX

RECEIVER TUBE

- Dropdown receiver tube matches value and quality
- Solid one-piece forged construction
- For receiver hitches with 50,8 mm x 50,8 mm (2" x 2") box opening
- 51 mm (2") drop
- For hitch balls with 25,4 mm (1") shank diameter

DESCRIPTION	PART #
Receiver hitch tube	3902-0046



3902-0248



3902-0063



3902-0252



3902-0257

DRAW-TITE®

BALL MOUNTS

- There is a Draw-Tite® ball mount for just about every application
- From lightweight Class II hitches to heavy-duty Class V workhorse products
- Available for 38,1 mm (1 1/4"), 50,8 mm (2"), 63,5 mm (2 1/2") and 76,2 mm (3") square tube receivers
- Reducer sleeves also available



3902-0259

BALL MOUNTS

BALL HOLE SIZE	GTW/TW RATING (LB)	LENGTH	RISE	DROP	PART #
31,8 MM (1 1/4") CLASS II					
19 mm (3/4")	3.500/300	248 mm (9 3/4")	15,9 mm (5/8")	31,8 mm (1 1/4")	3902-0248[1]
19 mm (3/4")	3.500/300	248 mm (9 3/4")	79,4 mm (3 1/8")	-	3902-0249[1]
19 mm (3/4")	3.500/300	182,5 mm (7 3/16")	66,6 mm (2 5/8")	82,6 mm (3 1/4")	3902-0250[1]
51 MM (2") CLASS III					
25 mm (1")	7.500/750	216 mm (8 1/2")	19 mm (3/4")	50,8 mm (2")	3902-0063
25 mm (1")	7.500/750	229 mm (9")	69,9 mm (2 3/4")	102 mm (4")	3902-0064
25 mm (1")	7.500/750	241 mm (9 1/2")	121 mm (4 3/4")	152 mm (6")	3902-0251
63,5 MM (2 1/2") CLASS V					
31,8 mm (1 1/4")	18.000/2.000	254 mm (10")	38,1 mm (1 1/2")	76,2 mm (3")	3902-0252
31,8 mm (1 1/4")	13.000/1.300	254 mm (10")	88,9 mm (3 1/2")	127 mm (5")	3902-0253
31,8 mm (1 1/4")	18.000/2.000	254 mm (10")	88,9 mm (3 1/2")	127 mm (5")	3902-0254
76 MM (3") CLASS V					
31,8 mm (1 1/4")	21.000/2.100	267 mm (10 1/2")	50,8 mm (2")	102 mm (4")	3902-0255
31,8 mm (1 1/4")	21.000/2.100	267 mm (10 1/2")	102 mm (4")	152 mm (6")	3902-0256
31,8 mm (1 1/4")	21.000/2.100	292 mm (11 1/2")	152 mm (6")	203 mm (8")	3902-0257

[1] Includes pin and clip.

SLEEVE REDUCERS

SLEEVE REDUCTION	PART #
63,5 mm - 50,8 mm (2 1/2" - 2")	3902-0131
76,2 mm - 63,5 mm (3" - 2 1/2")	3902-0258
76,2 mm - 50,8 mm (3" - 2")	3902-0259



3902-0058

DRAW-TITE®

TRAILER BALLS

- Solid steel hitch balls engineered to meet all safety requirements of SAE J684
- Forged for superior strength
- Chrome finish for corrosion prevention and lasting good looks

HITCH BALL DIAMETER	SHANK DIAMETER	SHANK LENGTH	CAPACITY	PART #
47,6 mm (1 7/8")	19,1 mm (3/4")	38,1 mm (1 1/2")	907 kg (2000 lb)	3902-0058
50 mm (1,9")	19,1 mm (3/4")	38,1 mm (1 1/2")	1587 kg (3500 lb)	3902-0222
50,8 mm (2")	19,1 mm (3/4")	38,1 mm (1 1/2")	1587 kg (3500 lb)	3902-0059
50,8 mm (2")	25,4 mm (1")	53,8 mm (2 1/8")	2721 kg (6000 lb)	3902-0060
58,7 mm (2 5/16")	31,8 mm (1 1/4")	63,5 mm (2 1/2")	11.339 kg (25.000 lb)	3902-0247



KIMPEX

TRAILER BALL

- Solid steel construction; chrome-plated

HITCH BALL DIAMETER	SHANK DIAMETER	SHANK LENGTH	CAPACITY	PART #
50,8 mm (2")	19 mm (3/4")	41,3 mm (1 5/8")	1587 kg (3500 lb)	3902-0050

BOLD MAGENTA part numbers are new for 2022





FULTON

SPARE TIRE CARRIERS

- For rim and tire combinations from 20,5 cm to 38 cm (8" to 15"); fit both 4- and 5-hole rims
- Even hold 51 cm x 20,5 cm x 25,5 cm (20" x 8" x 10") wheel when mounted on 61 cm x 91 cm (2' x 3') or 91 cm x 91 cm (3' x 3') trailer frames

DESCRIPTION	PART #
Spare tire carrier	1706-0115

DESCRIPTION	PART #
Spare tire carrier w/ lock	1706-0163



KIMPEX

HIGH-MOUNT SPARE TIRE CARRIER

- Heavy-duty welded and reinforced steel plate construction with galvanized finish
- Adjustable bolt circle to fit both 4- and 5-lug wheels
- Fits all tongues up to 76,2 mm W x 102 mm H (3" x 4")
- Easy bolt-on installation
- Styles may vary

DESCRIPTION	PART #
High-mount spare tire carrier	3902-0055



FULTON

BEARING PROTECTORS WITH BRA

- Two great features in one product: wheel bearing protector with bra that captures any grease released by pressure relief
- No more grease on wheels
- Measure inner diameter of hub to obtain proper size; sold in pairs

DESCRIPTION	PART #
50,8 mm (2") protector	1706-0132
50,8 mm (2") protector cover	0213-0002



FULTON

BUNK CARPET

- 30,5 cm x 3,7 m (12" x 144") marine-grade carpeting
- Allows the do-it-yourselfer to replace worn and dirty carpet on bunk trailers
- Protects PWC or boat from scratches on the hull
- Keeps investment in like-new condition
- Individual rolls are shrink-wrapped

DESCRIPTION	PART #
Bunk carpet	3902-0008



DRAW-TITE®

GORILLA® COUPLER LOCK

- Revolutionary design shields lock from tampering devices
- Heavy-duty cast construction
- Fits 50,8 mm (2") couplers

DESCRIPTION	PART #
Gorilla® coupler lock	TP20X





DRAW-TITE®

RECEIVER LOCKS, PINS AND CLIPS

- Bent pin locks (PART #s 1703-0005 and 1703-0006) are easy-access models featuring a side key entry and sliding dust cap; lock housing rotates 360°
- Combo lock set (PART #4010-0274) features a dual self-locking and high-security square key design
- PART #4010-0417 is designed primarily for towing and features a ball-bearing pick-proof design
- See chart for additional details

DESCRIPTION	PART #
Combo lock set, 15,9 mm ($^5/_8$") Dogbone receiver and coupler; class III and IV	4010-0274
Receiver lock, 15,9 mm ($^5/_8$") for 76,2 mm (3") square receivers, sleeved to 19,1 mm ($^3/_4$"), ball-bearing pick-proof design; class V	4010-0417
Bent pin lock for 31,8 mm ($1^1/_4$") square receivers, 12,7 mm ($^1/_2$") dia.	1703-0005
Bent pin lock for 50,8 mm (2") and 63,5 mm ($2^1/_2$") square receivers, 15,9 mm ($^5/_8$") dia.	1703-0006
Class V pin and clip for 63,5 mm ($2^1/_2$") square receiver, $^5/_8$", groove style	4010-0415
Class V pin and clip for 76,2 mm (3") square receiver, 19,1 mm ($^3/_4$") dia., 102 mm (4") span	4010-0416

BOLD MAGENTA part numbers are new for 2022



UNIVERSAL CHOCK LOCK

- Ideal for motorcycles, trailers, ATVs, snowmobiles, etc.
- Easy two-step installation: just push lock around the wheel and slide lock tight
- Comes with three keys

DESCRIPTION	PART #
Universal chock lock	4010-0085



ALARM CHAIN LOCK

- 10 mm hardened chain links
- 91 cm (36") length
- Push-button activation and weather-resistant housing
- Alarm will reset itself
- Includes three keys and batteries

DESCRIPTION	PART #
Alarm chain lock	4010-0186



ALARM CABLE LOCK

- 25 mm Quadra-braid cable
- 183 cm (72") length
- Push-button activation and weather-resistant housing
- Alarm will reset itself

DESCRIPTION	PART #
Alarm cable lock	4010-0187



MULTI-USE CABLE LOCK

- Features 305 cm (10') x 10 mm Trimaflex™ ultra-tough braided cable
- Great for use on trailers, snowmobiles, ATVs, bikes or watercraft

DESCRIPTION	PART #
305 cm (10') x 10 mm cable w/ resettable combination MAG series lock	4010-0049

4010-0010



4010-0011



4010-0012



GLADIATOR SERIES ARMORED CABLES

- Indestructible, maximum-security armor-plated cable locks
- Plastic-covered, braided stainless steel covers with hardened armor-plated steel cups that repel saw cuts and bolt cutters
- Flexible for easy transport
- Ballistic-grade polymer lock housing cover resists hammer strikes; protects lock mechanism
- Key cover resists grime and moisture

DESCRIPTION	PART #
122 cm (48") x 26 mm dia.	4010-0010

DESCRIPTION	PART #
183 cm (72") x 26 mm dia.	4010-0011

DESCRIPTION	PART #
91 cm (36") x 22 mm dia.	4010-0012

BOLD MAGENTA part numbers are new for 2022

4010-0015



4010-0016



4010-0017



TRIMAFLEX™ COILED CABLE LOCKS

- High-strength Trimaflex™ quadra-braid cable with PVC protective coating to prevent surface scratching
- Lock mechanisms are covered in rugged plastic for durability and trouble-free use

DESCRIPTION	PART #
183 cm (72") cable w/ U-lock	4010-0015
183 cm (72") cable w/ combination lock	4010-0016

DESCRIPTION	PART #
183 cm (72") cable w/ quick-release lock	4010-0017

4010-0013



4010-0014



4010-0052



4010-0053



4010-0055



TRIMAFLEX™ MAX SECURITY BRAIDED CABLES

- Quadra-braid cables
- Available with integrated lock or for use with Tri-max™ disc and U-locks

DESCRIPTION	PART #
WITH KEYED CABLE LOCK	
81 cm (32") x 15 mm	4010-0013
183 cm (72") x 20 mm	4010-0014

DESCRIPTION	PART #
DUAL-LOOP CABLES	
9,2 m (30') x 10 mm	4010-0052
4,6 m (15') x 10 mm	4010-0053

DESCRIPTION	PART #
DUAL-LOOP CABLES (CONT)	
366 cm (12') x 12 mm	4010-0054
244 cm (8') x 15 mm	4010-0055



VERSA-CABLE™ LOCK

- Multi-use Versa-Cable™ lock
- Trimaflex cable with locking cinching feature
- 183 cm (6') x 10 mm

DESCRIPTION	PART #
Versa cable lock	4010-0071



RETRACTABLE CABLE LOCK

- Rugged three-digit, resettable combination lock
- 91 cm (36") L x 3 mm dia. retractable cable

DESCRIPTION	PART #
Retractable cable lock	4010-0050

BOLD MAGENTA part numbers are new for 2022



4010-0020



4010-0025

STAINLESS STEEL HIGH-SECURITY SHIELDED PADLOCKS

- 70 mm round padlock with 10 mm hardened shackle and exclusive armor-plated key core for additional security
- Ultra-high-security 73 mm ($2^{7}/_{8}$") lock with solid steel body and hidden 10 mm ($^{3}/_{8}$") diameter internal shackle
- Ideal for enclosed trailers, forks, cases with T-Hex™ chain and cargo boxes

DESCRIPTION	PART #
70 mm stainless steel round padlock	4010-0020

DESCRIPTION	PART #
73 mm ($2^{7}/_{8}$") solid steel body padlock	4010-0025



MAXIMUM SECURITY PADLOCK

- Hardened-chrome steel padlock
- Commercial grade
- Ideal for enclosed trailers, forks, cases with T-Hex™ chain and cargo boxes
- Measures 64 mm round body, 32 mm (1,25") x 11 mm shackle, rekeyable

DESCRIPTION	PART #
Maximum security padlock	4010-0023



RESETTABLE COMBINATION PADLOCK

- Easy-to-use, resettable combination padlock features 51 mm W (2") solid brass body
- 32 mm (1,25") x 8 mm ($^{5}/_{16}$") diameter shackle

DESCRIPTION	PART #
Resettable combination padlocks	4010-0018



4010-0001



4010-0002

WEATHERPROOF PADLOCKS

- Rugged weather-resistant PVC housing covers laminated solid brass lock body
- Dual-locking 29 mm ($1^{1}/_{8}$") x 8 mm ($^{5}/_{16}$") diameter hardened shackle

DESCRIPTION	PART #
Single padlock	4010-0001

DESCRIPTION	PART #
Set of three keyed-alike padlocks	4010-0002



UMAX50 UNATTENDED TRAILER LOCK

- Aluminum body with corrosion-resistant, powdercoat finish
- Hardened steel 16 mm ($^{5}/_{8}$") hasp secures unattended trailer
- Reinforced shoulder guard resists hammer strikes and saw cuts
- Universal size, fits all coupler types from 47,6 mm ($1^{7}/_{8}$") to 59 mm ($2^{5}/_{16}$")
- Keyhole cover seals out dirt and grime

DESCRIPTION	PART #
UMax 50 trailer lock	4010-0066



UNIVERSAL COUPLER LOCK

- Fits all coupler types and sizes from 47,6 mm ($1^{7}/_{8}$") to 59 mm ($2^{5}/_{16}$")
- Made of high-quality hardened steel
- Ballistic-grade polymer lock housing cover resists hammer strikes and protects lock mechanism
- AMS (Absolute Maximum Security) for your trailer with 360° of solid steel security
- Dual-ratchet locking system
- Dual-force coupler lock can be used with cable or chain to secure trailer to ground anchor or fence
- Attractive package for grid rack or counter display

DESCRIPTION	PART #
Universal coupler lock	4010-0038

BOLD MAGENTA part numbers are new for 2022



4010-0039



4010-0042



4010-0045



4010-0047

PREMIUM COUPLER LOCKS

- Choice of stainless steel or triple-chrome-plated hardened steel
- Easy quarter-turn locks and unlocks head
- Can't pop open or be falsely locked
- Design incorporates O-ring and watertight cap to help seal out dirt and corrosion from the lock head mechanism
- Full-length solid forged lock pin can't pull out
- Available individually or in keyed-alike sets

DESCRIPTION	PART #
INDIVIDUAL HARDENED STEEL LOCKS	
For couplers w/ up to 19 mm (3/4") span	4010-0039
For couplers w/ up to 64 mm (2 1/2") span	4010-0041
For couplers w/ up to 89 mm (3 1/2") span	4010-0042

DESCRIPTION	PART #
KEYED-ALIKE HARDENED STEEL LOCK SET	
One 16 mm (5/8") dia. lock and one 64 mm (2 1/2") span lock	4010-0045
KEYED-ALIKE STAINLESS STEEL LOCK SET	
One 16 mm (5/8") dia. lock and one 14 mm (9/16") span lock	4010-0047

ADJUSTABLE COUPLER LOCK

- Features an adjustable locking pin
- The coupler has a 22 mm (7/8") to 89 mm (3 1/2") span
- Triple-plated with a chrome finish



DESCRIPTION	PART #
Adjustable coupler lock	4010-0086

SOLID STAINLESS 16 MM (5/8") STEEL RECEIVER LOCKING PIN

- Polished 100% stainless steel
- Symmetrical design adds that classic finishing touch
- Head pull strength rated at over 2.268 kg (5.000 lb)
- Quarter-turn lock and unlock
- Dual-lock lug design
- Internal O-ring cap helps seal out grime for trouble-free use
- Test specifications exceed 18.143 kg (40.000 lb)



DESCRIPTION	PART #
Steel receiver locking pin	4010-0034



4010-0031



4010-0032

MACHINED-HARDENED STEEL LOCKING PINS

- Quarter-turn locks/unlocks head
- Lock can't pop open or false lock

DESCRIPTION	PART #
Chrome, 13 mm (1/2") for all Class II receiver hitches	4010-0030
Chrome, 16 mm (5/8") for all Class III, IV and V receiver hitches	4010-0031
Black, 16 mm (5/8") for all Class III, IV and V receiver hitches	4010-0032



RESETTABLE COMBINATION RECEIVER LOCKING PIN

- Easy-to-read numbers
- Forged steel lock tip
- Triple-chrome-plated steel pin
- Heavy-duty collar overlaps hitch pin for unmatched strength and security
- For 51 mm (2") x 51 mm (2") receivers (Class III, IV, V)
- Protective lock head cover included

DESCRIPTION	PART #
Resettable combination receiver locking pin	4010-0033



4010-0036

DELUXE RECEIVER PINS AND CLIPS

- Triple-chrome-plated

DESCRIPTION	PART #
13 mm (1/2") for Class I and II receivers	4010-0036
16 mm (5/8") for Class III, IV and V receivers	4010-0037



FLIP-TIP RECEIVER PIN

- Polished stainless steel
- 16 mm (5/8") pin for all Class III, IV and V receivers
- Easy operation – tip snaps firmly into place to install or remove
- Sold each

DESCRIPTION	PART #
Flip-tip receiver pin	4010-0035

BOLD MAGENTA part numbers are new for 2022

2040-1031



2040-1032



2040-1033



CHRIS PRODUCTS

LED LIGHT BARS

- 3-function LED light bars that emit red when activated (running light, stop light, right and left turn signals)
- 139,5 cm (55") wire length
- 38 cm x 38 mm x 22 mm (15" x 1,5" x 7/8")
- Polycarbonate base

DESCRIPTION	PART #
Red lens/black base	2040-1031

DESCRIPTION	PART #
Red lens/white base	2040-1032

DESCRIPTION	PART #
Clear lens/white base	2040-1033

2060-0081



2060-0082



2060-0085



2060-0086



2010-0640



2060-0118



2060-0119



2060-0237



2060-0120



Get Lit' Up! BRITE-LITES!

TRAILER LED BRITE LITES

- Works with any enclosed, open, steel or aluminum trailer
- Hi-output LEDs are made with the highest quality LED components and have built-in reflectors
- Includes bullet wire leads for plug-in applications
- Works with rubber gasket or metal bezel mounts
- All units are waterproof sealed
- Replaces any standard trailer light
- DOT/SAE compliant

2060-0087



2060-0088



2060-0089



2010-0639



DESCRIPTION	PART #
Oval 10 LED, red	2060-0081
Oval 10 LED, amber	2060-0082
Round 51 mm (2"), 8 LED, red	2060-0083
Round 51 mm (2"), 8 LED, amber	2060-0084
Round 64 mm (2,5"), 10 LED, red	2060-0085
Round 64 mm (2,5"), 10 LED, amber	2060-0086
Oval 64 mm (2,5"), marker light, clear lens/2 red LED	2010-0640
Oval 64 mm (2,5"), marker light, clear lens/2 amber LED	2010-0641
Rectangle 34,5 cm (13,5"), 13 LED dual function, red	2060-0118[1]

DESCRIPTION	PART #
Rectangle 10 cm (4"), 6 LED, red w/ clear lens	2060-0119[1]
Rectangle 15 cm (6"), 12 red LED dual function	2060-0237[1]
Rectangle 95 mm (3,75"), 12 LED, red	2060-0120
Rectangle 95 mm (3,75"), 12 LED, amber	2060-0121
Rectangle 3 LED, red	2060-0087
Rectangle 3 LED, amber	2060-0088
Rectangle 3 LED, clear	2060-0089
35,5 cm (14") long strip light, clear/11 red LED dual function	2010-0639[1]

[1] Dual-function run and brake light.

Get Lit' Up! BRITE-LITES!

LED TAILLIGHT BULBS

- Revolutionary 360° design of LEDs around the base of the bulb
- Only LED taillight that will function in any mounting position and on any application
- Made of the highest quality LEDs to emit the most light possible
- LEDs draw extremely little electricity, are vibration-resistant and last up to 10.000 hours of use
- 1156 and 1157 have round metal bases, and the 3156 and 3157 have flat plastic bases
- Sold each

2060-0074



2060-0070



2060-0073



2060-0071



DESCRIPTION	PART #
1156	
Clear	2060-0150
Red	2060-0072
Amber	2060-0074
1157	
Clear	2060-0068
Red	2060-0070

DESCRIPTION	PART #
1157 (CONT)	
Red	2060-0351[1]
Amber	2060-0153
3156	
Clear	2060-0350
Red	2060-0073
Amber	2060-0075

DESCRIPTION	PART #
3157	
Clear	2060-0069
Red	2060-0071
Amber	2060-0154

[1] This bulb is 7,9 mm (5/16") longer than standard 1157 bulb with 20 LEDs for maximum brightness.

BOLD MAGENTA part numbers are new for 2022



TOOLS MERCHANDISING

PARTS EUROPE



4101-0390



4101-0390



4101-0390



4101-0391



4120-0047

EAZYMOVE

HEAVY-DUTY ADJUSTABLE WATERCRAFT STAND

- Watercraft stand (PART #4101-0390) measures 37 cm (14 1/2") tall, floor-to-center of carpeted bunk and can be adjusted in for stand-up watercraft (43 cm (17") center-to-center of one bunk to the other), or adjusted out to 58,5 cm (23") wide for runabout models with 1,400 lb capacity
- Extension kit (PART #4101-0391) has four 24 cm (9 1/2") long pieces to raise height of watercraft for shop use (52 cm (20 1/2") tall, floor to center of bunk), or stagger on one side to angle watercraft for showroom/sales
- Replacement wheels and carpeted bunk sold separately

DESCRIPTION	PART #
Watercraft stand	4101-0390
Extension kit	4101-0391

DESCRIPTION	PART #
Wheel w/ brake	4101-0392
Wheel	4101-0393

DESCRIPTION	PART #
Carpeted bunk	4120-0047

MOTORSPORT PRODUCTS

PWC SHORELINE SCISSOR STAND/RUNABOUT

- Elevates PWC off shoreline, preventing rocks, soil and debris from washing into pump
- Helps keep PWC from floating away due to wave action
- Stabilizes PWC for maintenance while on shore
- Folding scissor design is very compact for easy transportation and storage; folds flat to 119 cm x 12,5 cm x 51 cm (47" x 5" x 20")
- Strong 38 mm (1 1/2") nylon straps incorporated with heavy duty aluminum buckles for extra strength
- Made of high-quality aircraft aluminum
- Stainless steel hardware used for assembly; won't rust
- Silver anodized for a long-lasting protective finish



DESCRIPTION	PART #
PWC folding stand	4101-0349

MOTORSPORT PRODUCTS

PWC SHORELINE SCISSOR STAND/STAND UP

- Elevates PWC off shoreline, preventing rocks, soil and debris from washing into pump
- Helps keep PWC from floating away due to wave action
- Stabilizes PWC for maintenance while on shore
- Folding scissor design is very compact for easy transportation and storage; folds flat to 97 cm x 12,5 cm x 51 cm (38" x 5" x 20")
- Strong 38 mm (1 1/2") nylon straps incorporated with heavy duty aluminum buckles for extra strength
- Made of high-quality aircraft aluminum
- Stainless steel hardware used for assembly; won't rust
- Silver anodized for a long-lasting protective finish



DESCRIPTION	PART #
Shoreline scissor stand	4101-0348

BOLD MAGENTA part numbers are new for 2022



MOOSE RACING

UNIVERSAL METRIC AND SAE 270-PIECE O-RING ASSORTMENT

- High-temperature (371 °C (700 °F)), oil-, gas-, coolant- and chemical-resistant
- Used to seal oil lines, fuel system components and coolant passages on motorcycles, ATV, UTV, PWC and snowmobiles

DESCRIPTION	PART #
270-piece O-ring assortment	2402-0163



Motion Pro

PINCER TOOL

- Used to install O-clips or Stepless® clamps
- Side jaw tool is designed for use where space is restricted

DESCRIPTION	PART #
Side jaw pincer tool	3801-0182



2402-0132

Motion Pro

STEPLESS® EAR CLAMP KIT FOR FUEL SYSTEM

- Convenient kit includes 80 pieces of hardware, a Motion Pro Side Jaw Pincher tool and a convenient fuel line clamp size chart
- Narrow 5 mm wide band provides concentrated seal compression
- 360° Stepless® design with no gaps on inner surface
- Specially formed strip edges reduce the risk of damage to the part being clamped
- Lightweight design
- Tampering is visible
- Kit includes 10 each of the clamps listed below in a convenient storage box
- Individual clamp sizes available separately in 10-pack for restocking
- Side jaw clamp pincher tool PART #3801-0182 also available separately

DESCRIPTION	PART #
Fuel system Stepless clamp kit	2402-0132
Stepless clamps; 7,8-9,5 mm (fit Motion Pro Premium and clear vinyl 4,8 mm (3/16") ID fuel line) (10-pk.)	2401-0557
Stepless clamps, 8,8-10,5 mm (fit Motion Pro Low Permeation yellow fuel line w/ 6,4 mm (1/4") ID) (10-pk.)	2401-0819
Stepless clamps; 9,6-11,13 mm (fit Motion Pro Premium and clear vinyl 4,8 mm (3/16") ID fuel line) (10-pk.)	2401-0716
Stepless clamps; 10,3-12,8 mm (fit Motion Pro Premium 6,4 mm (1/4") ID fuel line) (10-pk.)	2401-0558



2401-0559

DESCRIPTION	PART #
Stepless clamps; 10,8-13,3 mm (fit Motion Pro clear vinyl 6,4 mm (1/4") ID fuel line) (10-pk.)	2401-0559
Stepless clamps; 12,0-14,5 mm (fit Motion Pro Premium and clear vinyl 7,9 mm (5/16") ID fuel line) (10-pk.)	2401-0560
Stepless clamps; 13,2-15,7 mm (10-pk.)	2401-0717
Stepless clamps; 14,8-18,0 mm (fit Motion Pro Premium and clear vinyl 9,5 mm (3/8") ID fuel line) (10-pk.)	2401-0561



2402-0110

Motion Pro

COOLING SYSTEM STEPLESS® CLAMP KIT

- 85-piece Stepless® clamp kit with an assortment of commonly used clamp sizes for cooling systems
- Stepless clamps provide secure 360° clamping with no gaps
- Specially formed edges reduce risk of damage to hose and hose barb
- Narrow 9 mm band provides concentrated seal compression
- Tampering is visible
- Durable partitioned plastic box with snap lid keeps your stock of clamps organized and ready to use
- Please follow factory service manual recommendations for selecting correct clamp size for each engine
- Clamps require use of Motion Pro pincer tool PART #s 3801-0034 or 3801-0182 (sold separately)
- Individual clamp sizes available separately for restocking

DESCRIPTION	PART #
Cooling system Stepless clamp kit	2402-0110
Stepless clamps; 17,0 mm-21,0 mm (10-pk.)	2401-0548
Stepless clamps; 20,9 mm-24,1 mm (10-pk.)	2401-0549
Stepless clamps; 23,9 mm-27,1 mm (10-pk.)	2401-0550
Stepless clamps; 26,9 mm-30,1 mm (10-pk.)	2401-0551



2401-0548

DESCRIPTION	PART #
Stepless clamps; 29,9 mm-33,1 mm (10-pk.)	2401-0552
Stepless clamps; 32,9 mm-36,1 mm (10-pk.)	2401-0553
Stepless clamps; 36,4 mm-39,6 mm (5-pk.)	2401-0554
Stepless clamps; 40,8 mm-44,0 mm (5-pk.)	2401-0555
Stepless clamps, 7,8 mm-9,5 mm (10-pk.)	2401-0557

BOLD MAGENTA part numbers are new for 2022

PARTS UNLIMITED

EMBOSSED STAINLESS STEEL HOSE CLAMPS

- 316 SS corrosion-resistant; appropriate for multiple applications including marine
- Smooth concave-convex stamped band and flared edge prevents hoses from damage during installation
- Slim 9 mm band with low-profile head design is perfect for those tight applications
- Material and clamping range are stamped on band for easy identification
- In accordance with DIN 3017 standard under RoHS & REACH standard
- Sold in 10-pk





2402-0279

ASSORTED KIT

- Seven popular sizes of 316 SS hose clamps included
- Sold as 60-piece kit, packed in a segregated plastic storage box

HOSE CLAMP ASSORTED KIT

DESCRIPTION	PART #
Hose clamp assorted kit	2402-0279

10-PK HOSE CLAMPS

SIZE (MM)	SIZE (INCH)	PART #
8-12 mm	5/16"-1/2"	2402-0266
10-16 mm	3/8"-5/8"	2402-0267
12-22 mm	1/2"-7/8"	2402-0268
16-27 mm	5/8"-1 1/16"	2402-0269
20-32 mm	3/4"-1 1/4"	2402-0270

SIZE (MM)	SIZE (INCH)	PART #
25-40 mm	1"-1 5/8"	2402-0271
32-50 mm	1 1/4"-2"	2402-0272
40-60 mm	1 1/2"-2 3/8"	2402-0273
50-70 mm	2"-2 3/4"	2402-0274
60-80 mm	2 3/8"-3 1/8"	2402-0275

SIZE (MM)	SIZE (INCH)	PART #
70-90 mm	2 3/4"-3 1/2"	2402-0276
80-100 mm	3 1/8"-3 29/32"	2402-0277
100-120 mm	3 29/32"-4 11/16"	2402-0278

ASSORTED KIT SIZE CHART

SIZE (MM)	SIZE (INCH)	QUANTITY
08-12 mm	5/16"-1/2"	20
10-16 mm	3/8"-5/8"	10
12-22 mm	1/2"-7/8"	10
16-27 mm	5/8"-1 1/16"	8

SIZE (MM)	SIZE (INCH)	QUANTITY
20-32 mm	3/4"-1 1/4"	4
25-40 mm	1"-1 5/8"	4
32-50 mm	1/4"-2"	4

MOOSE RACING

GEAR DRIVE HOSE CLAMPS

- 100% stainless steel, marine-grade high-nickel 316 stainless steel construction that will not rust
- Thin band, low-profile head make these clamps perfect for motorcycle applications
- Slim design allows for applications in tight, hard-to-reach places
- Simply the best clamp you can buy
- Available in 4-packs in multiple sizes



2402-0170



2402-0174

SIZE	PART #
6-16 mm	2402-0166
7-17 mm	2402-0167
8-22 mm	2402-0168
10-25 mm	2402-0169
10-27 mm	2402-0170
13-32 mm	2402-0171

SIZE	PART #
13-38 mm	2402-0172
19-44 mm	2402-0173
26-51 mm	2402-0174
32-58 mm	2402-0175
58-83 mm	2402-0176

WSM PERFORMANCE PARTS

STAINLESS STEEL MINI CLAMPS

- Stainless steel mini clamps for many applications
- Sold each



161 161A 2404-0033 2404-0034 2404-0035 161B

SIZE	PART #
6 mm - 16 mm (1/4" - 5/8")	161
8 mm - 22 mm (5/16" - 7/8")	161A
10 mm - 27 mm (3/8" - 1 1/16")	2404-0033

SIZE	PART #
13 mm - 38 mm (1/2" - 1 1/2")	2404-0034
19 mm - 44 mm (3/4" - 1 3/4")	2404-0035
25 mm - 51 mm (1" - 2")	161B

MOOSE RACING

NYLON RATCHET CLAMPS

- One-piece, space saver, quick release and no special tools needed
- Black in color
- Available in 16- and 100-packs
- 16-pack includes four 8 mm clamps, four 9 mm clamps, four 10 mm clamps and four 12 mm clamps
- 100-pack includes 25 8 mm clamps, 25 9 mm clamps, 25 10 mm clamps and 25 12 mm clamps



2402-0164

DESCRIPTION	PART #
16-pack	2402-0164

DESCRIPTION	PART #
100-pack	2402-0165

BOLD MAGENTA part numbers are new for 2022



SNAP RING PLIERS

- Economical pliers easily work with both inside- and outside-opening snap rings or clips
- Includes three extra sets of tips: one additional straight tip and two offset or angle tips

DESCRIPTION	PART #
Snap Ring Pliers	MP08-0186



SNAP RING TOOL

- Removal of internal snap rings used on hydraulic master cylinders
- Right angle allows up to 50 mm deep in reach
- Can be used on fork seal retaining rings also

DESCRIPTION	PART #
Snap ring tool	3808-0019



HOSE SHEARS

- Scissor-action cutter
- Fast cutting of thin wall and small diameter PVC or Tygon®-type tubing
- Replaceable, PTFE-coated tool steel blades
- Blades can be re-sharpened

DESCRIPTION	PART #
Hose Shears	3801-0033



18 CM (7") WIRE PLIERS

- Time-saving 18 cm long (7") safety wire pliers give consistent and professional results without hand cramping
- Built-in wire cutter allows pliers to complete the job
- Return spring built into the handle allows quick and easy wire twisting repeatedly

DESCRIPTION	PART #
18 cm (7") wire pliers	84-03816

M112-0028



3850-0126



STAINLESS STEEL WIRE

- Stainless steel wire
- Spooled on a convenient plastic casing
- Spool perfect size for storage compartment or fanny pack
- 454 g (1 lb) can perfect for shop or garage use
- Available in two different diameters

DIAMETER X LENGTH	PART #
0,71 mm x 36,6 m (0,028" x 120')	M112-0028
0,81 mm x 22,9 m (0,032" x 75')	M112-0032

DIAMETER X LENGTH	PART #
0,71 mm (0,028") x 454 g (1 lb) can	3850-0210
0,81 mm (0,032") x 454 g (1 lb) can	3850-0126

BOLD MAGENTA part numbers are new for 2022



2120-0145

STAINLESS STEEL CABLE TIES

- Perfect for high-temperature applications
- Ball bearing and barb fastening assembly locks tightly and will not slip
- Use anywhere a normal cable tie isn't strong enough or can't take the heat
- Two lengths available; sold in packs of five

DESCRIPTION	PART #
20,5 cm (8")	2120-0144
35,5 cm (14")	2120-0145



2120-0642



2120-0645

LADDER-STYLE CABLE TIES

- Self-locking design for fast and secure installation
- Ideal for applications that involve corrosion, vibration and high temperatures
- Compatible and look great when used to install exhaust and header wraps
- Available in two colors: silver 316 stainless steel and polyester powdercoated black
- Available in 20,3 cm (8") and 35,6 cm (14") lengths
- Sold in 8-packs

DESCRIPTION	PART #
20,3 cm (8") silver	2120-0642
20,3 cm (8") black	2120-0643
35,6 cm (14") black	2120-0645



2404-0587



2404-0588



2404-0589

CABLE TIES

- These ties are made of strong 6/6 nylon
- They have UV additive so they will not fade or get brittle
- Available in 30-packs in an assortment of sizes: 10 cm (4"), 15 cm (6") and 20,5 cm (8") lengths
- Available in black, gray, orange and white



2404-0586

COLOR	PART #
Black	2404-0587
Gray	2404-0588
Orange	2404-0589
White	2404-0586

BULK CABLE TIES

- Top-quality ties now available in bulk quantities
- Built strong with the highest tensile-strength nylon
- Available in black
- 100 per bag



DESCRIPTION	PART #
10 cm (4")	LCT4
14 cm (5,5")	LCT5
19 cm (7,5")	LCT7
28 cm (11")	LCT11
38 cm (15")	LCT15

BOLD MAGENTA part numbers are new for 2022





LOCTITE

5080 FIX & REPAIR TAPE

- Loctite® 5080 Fix & Repair Tape is a permanent, super strong, double-sided tape for fast, clean and durable mounting applications indoors and outdoors
- An entire roll can mount a 50 kg object
- Waterproof and has high resistance to UV light, plasticizers and aging
- Available in 25 m or 50 m; sold each

DESCRIPTION	PART #
25 m	3711-0015

DESCRIPTION	PART #
50 m	3711-0016

DEI DESIGN ENGINEERING, INC.

BOOM MAT TAPE

- 2 mm thick butyl with 0,004" black finish
- Easy to remove clear release liner
- Perfect for covering seams/gaps, spot coverage for vibration and securing/protecting cables, wires and lines
- 50,8 mm x 6,1 m (2" x 20') roll

DESCRIPTION	PART #
Boom mat tape	0521-1879

Get Lit' Up! BRITE-LITES!

X-TREME TAPE

- Resists extreme environments; won't melt up to 260 °C (500 °F); remains flexible to -51 °C (-60 °F)
- No adhesive; fuses only to itself
- Forms a water- and air-tight seal
- Tensile strength of 600 psi
- Insulates to 400 volts/mil
- Tight insulating tape is 25 mm W x 305 cm L (1" x 10') and stretches to three times its length



9201-0013



9201-0014

COLOR	PART #
Black	9201-0013

COLOR	PART #
Red	9201-0014

Motion Pro

NITRO TAPE

- Self-fusing silicone tape
- Easy to remove
- Leaves no residue
- Stretches 300%
- Withstands a temperature range of -54 °C to 260 °C (-65 °F to 500 °F)
- Insulates 8.000 volts per layer
- Waterproof
- Resists UV, oil, salt and corrosive chemicals
- 20 mil thick x 25 mm (1") wide x 305 cm (10') roll





DESCRIPTION	PART #
Nitro tape	9201-0029







Get Lit' Up! BRITE-LITES!

EMERGENCY LED FLASHLIGHT

- Emergency flashlight with three bright LEDs
- On/off/flash mode switch
- Clips to the top of any 9V battery (battery not included)
- Ideal for survival packs, tank bags, fanny packs, etc.
- Sold in 2-pack

DESCRIPTION	PART #
Emergency LED flashlight	3850-0101

tecMATE

12V LED FLASHLIGHT

- Reliable, powerful 6-LED emergency flashlight that checks battery status and if the vehicle charging system is working correctly
- Also works great in the workshop to light up those hard-to-see places on your machine
- SAE connector for connection to an SAE battery charging cord
- 102 cm (40") L cable

DESCRIPTION	PART #
12V LED flashlight	3807-0182

BOLD MAGENTA part numbers are new for 2022



3-IN-1 TRUING STAND

- Check cranks for runout and fork tubes for straightness
- Also use to true spoke wheels and balance spoke and cast wheels
- 28 cm (11") between balance points
- Handles crankshafts up to 28 cm (11") between centers, rims up to 53,5 cm (21")
- Indicator arm assembly included (for PART #35-8428)
- Dial indicator (PART #35-8428) not included; available separately

DESCRIPTION	PART #
3-in-1 truing stand	35-9573



DIAL INDICATOR GAUGE WITH MAGNETIC BASE

- Reads 25 mm (1,0") in increments of 0, 02 mm (0,001")
- Gauge can be locked for a zero setting
- Includes magnetic base stand that has an adjustable dial indicator mounting arm for a wide range of applications

DESCRIPTION	PART #
Dial indicator w/ magnetic base	3850-0013



MAGNETIC BASE FOR DIAL INDICATORS

- For use with dial indicator gauge
- Features an easy-to-use on/off knob
- Flexible indicator mounting arm locks into place to make any job easy

DESCRIPTION	PART #
Magnetic base stand	3850-0014



DIAL INDICATOR GAUGE FOR 3-IN-1 TRUING STAND

- Dial indicator gauge features 57 mm ($2^1/_4$") face with 25 mm (1") sweep in 0,02 mm (0,001") increments
- Use with 3-in-1 Truing Stand PART #35-9573

DESCRIPTION	PART #
Dial indicator gauge	35-8428



2-STROKE LEAK-DOWN TESTER

- Designed to check for air leaks in 2-stroke engines
- Includes air pressure gauge, pump-up bulb and most fittings and adapters for single- and twin-cylinder 2-stroke engines
- Packed in a convenient carrying box, complete with instructions

DESCRIPTION	PART #
2-Stroke Leak-Down Tester	P538

COMPRESSION TESTER SET

- Helps you to quickly and easily inspect engine compression on both 4-stroke and 2-stroke engines
- Redesigned and improved billet gauge manifold with integrated pressure release valve
- Easy-to-read precision 0-300psi analog gauge with protective rubber boot
- Hose and adapters included for 10 mm, 12 mm and 14 mm spark plugs
- Integrated quick-disconnect fitting for easy hose installation and removal
- Nylon storage pouch



DESCRIPTION	PART #
Compression Tester Set	3801-0414

BOLD MAGENTA part numbers are new for 2022



DEGREE WHEEL

- Manufactured from 1,3 mm (0,052") thick aluminum with a 17 cm (6,75") outside diameter and a 6 mm center hole
- Black anodized finish with easy-to-read numbers
- Check or set ignition and/or cam timing
- Can be used on 2- and 4-stroke engines

DESCRIPTION	PART #
Degree wheel	MP08-092



ENGINE DEGREE WHEEL

- Plastic degree wheel made exclusively for engines
- A must for anyone modifying or repairing engines

DESCRIPTION	PART #
Engine degree wheel	8050-1010

TIMING KIT

FOR 2-STROKE WATER-COOLED ENGINES

- Kit includes a dial indicator with extensions and a 14 mm spark plug thread adapter
- Allows inspection and adjustment of ignition timing
- Designed to clear frame tubes on most recent water-cooled models
- Gauge face size 38,1 mm (1 1/2")
- Adapter kit (sold separately) allows kit to be used on air-cooled engines; includes an extended thread adapter and dial indicator extension



3801-0030



3801-0029

DESCRIPTION	PART #
Timing kit for water-cooled 2-stroke engines	3801-0030

DESCRIPTION	PART #
Adapter kit for air-cooled engines	3801-0029

TOP DEAD CENTER TOOL

- Made from 304 stainless steel and uses O-rings to prevent shaft from falling into combustion chamber
- Easily determine true top dead center when setting valves, timing and other top end work
- Can be used into conjunction with a dial indicator (not included) for accurate top dead center measurements
- Easily threads into 14 mm spark plug threads



DESCRIPTION	PART #
Top dead center tool	3801-0279

CRANKCASE SPLITTER V2

- The fastest and easiest to use case splitter ever devised
- Unique design makes it easy to center puller over crankshaft
- Grooved puller studs are fast and simple to install
- Captured retaining collars in puller arms allow quick adjustment and setup
- Durable tool steel body with protective black finish
- Billet 6061 aluminum arms with blue anodized finish
- Includes 5 mm, 6 mm and 8 mm threads on puller studs to fit various engine case sizes
- Includes molded tray for storage and organization
- Designed by Motion Pro



DESCRIPTION	PART #
Crankcase Splitter V2	3801-0282

BOLD MAGENTA part numbers are new for 2022









CRANKSHAFT PULLER

- Precision tool used to install press-in crankshafts in an engine case
- Time-saving method maintains crankshaft true during installation
- Universal steel nut adapter works on virtually all crankshafts
- 22 mm and 40 mm billet aluminum face plate adapters ensure the crankshaft is pulled perfectly straight into bearings
- Reversible pull stud with both M10 x 1,25 and M12 x 1,25 threads
- Eliminates the need for a shop press to install a crankshaft
- Machined brass thrust washer for extra durability

DESCRIPTION	PART #
Crankshaft puller	3801-0306





DOWEL PIN PULLER SET

- Collets come in 8 mm, 10 mm, 12 mm and 14 mm
- Puller rod helps to remove slightly stuck pins, while slide hammer works on more difficult pins
- Made from hardened steel
- Includes tray for storage and organization

DESCRIPTION	PART #
Dowel pin puller set	3801-0272





MAXIMUM-DUTY FLYWHEEL PULLER

FOR POLARIS WATERCRAFT, SNOWMOBILES AND ATVS

- Pulls tough flywheels with ease
- The strongest and most durable puller available
- Supplied with high-quality grade 10,9 bolts: six 6 mm short, six 6 mm long and three 8 mm long

DESCRIPTION	PART #
Flywheel puller	20-142

UNIVERSAL FLYWHEEL PULLER

- For most motorcycle, ATV, watercraft and snowmobile engines
- Complete with hardware kit and adapter for male or female removal

DESCRIPTION	PART #
Universal flywheel puller	855

BOLD MAGENTA part numbers are new for 2022

PWC DRIVE COUPLER TOOLS
FOR YAMAHA



SS-60-3



SS-61-5

- Necessary for pulling engine from boat
- Available with three or five lugs

ENGINE SIZE	DESCRIPTION	PART #
Wave Runner 650 LX, 650III, 650 Special Jet, 650VXR, VXR PRO 701, 701 Deluxe, 701 Venture, Super Jet 701, Wave Venture 701, XL700	3-lug drive coupler tool	SS-60-3

ENGINE SIZE	DESCRIPTION	PART #
Wave Rider 760/1100, Wave Rider II 760/1100, Wave Rider GP760/800/1200, Wave Rider XL760/1200LTD, Wave Rider SUV 1200	5-lug drive coupler tool	SS-61-5

PWC PULLERS



SS-37



SS-29

- Consult the descriptions first to find a tool or puller

NOTE: Internal threads in the engine part take a male-threaded tool or puller; external threads on the engine part take a female-threaded tool or puller.

NOTE: Lubricate heavily before use.

FITS ENGINE SIZE	SPECIFICATIONS	DESCRIPTION	PART #
KAWASAKI			
Universal	12-hole disc, 6 mm and 8 mm puller bolts	Flywheel/magneto puller	SS-37
	35 mm x 1,5, right-hand, external, female (10 cm (4") depth)	Flywheel/rotor puller	SS-29
POLARIS			
Universal	12-hole disc, 6 mm and 8 mm puller bolts	Flywheel/magneto puller	SS-37
SEA-DOO			
Universal	12-hole disc, 6 mm and 8 mm puller bolts	Flywheel/magneto puller	SS-37
	35 mm x 1,5, right-hand, external, female (10 cm (4") depth)	Flywheel/rotor puller	SS-29
YAMAHA			
Universal	12-hole disc, 6 mm and 8 mm puller bolts	Flywheel/magneto puller	SS-37



PARTS UNLIMITED

PISTON PIN PULLER

- Removes pins from sizes 12-20 mm
- Won't damage piston or connecting rod

DESCRIPTION	PART #
Piston pin puller	865



DELUXE PISTON PIN PULLER

- Interchangeable piston adapters
- Made of durable 6061 aluminum
- Fits all piston pins pins from 13 mm-24 mm (0,511"-0,94")
- Works on both full skirt and short skirt (slipper) pistons
- Non-marring aluminum pin adapters
- Durable blue anodized finish with laser-engraved logo

DESCRIPTION	PART #
Deluxe Piston Pin Puller	3801-0147

VALVE SEAL INSTALL TOOLS

- Properly aligns valve stem seal to valve guide so seal snaps on straight every time
- Holds four valve guide seals at one time for quick and easy installation on multi-valve cylinders
- Contoured design in bottom of handle cradles and protects the delicate inner lip of the valve stem seal while directing tool force to the sturdy outer rim
- Slim profile allows easy access to valve guides even on modern compact heads with deep lifter bores

DESCRIPTION	PART #
4,0 mm	3801-0211
4,5 mm	3801-0212
5,0 mm	3801-0213

3801-0215



- Rounded tip will not damage inner lip of valve stem seal or valve guide bore
- Anodized aluminum handles with stainless steel pilot shafts

DESCRIPTION	PART #
5,0 mm for Hayabusa	3801-0214
4 pc. set (4,0 mm, 4,5 mm, 5,0 mm and 5,0 mm Hayabusa)	3801-0215

BOLD MAGENTA part numbers are new for 2022



tecMATE

CARBMATE

- Electronic two-channel synchronizer for carburetors and fuel injection
- The cost-effective electronic replacement for mercury sticks
- Easily converted to synchronize three or four carburetors/ throttle bodies (accessory sold separately)
- Bright-color LED graph display reacts to even minor adjustments quickly
- Precision instrument that is accurate to 0,5 cmHg (meets or exceeds OEM specifications)
- Solid-state electronics are shock resistant and extremely durable
- CarbMate displays the difference in vacuum intake settings of two carburetors or throttle bodies very precisely on a single transverse "East-West" 9 LED display – visual estimation errors, common to the traditional approach which is to visually compare the individual values on separate columns of mercury or dial gauges are eliminated as two pressures are compared and one value is displayed
- A single green LED at the center mark indicates that the compared manifold vacuums are perfectly equal to within the selected resolution
- A ZERO adjustment knob provides easy and quick pre-calibration prior to synchronizing; with no tubes connected, simply adjust the knob until the center LED is on
- Instrument powered by any 12V battery source (cord with clips supplied)

DESCRIPTION	PART #
CarbMate	3804-0023



3804-0005

PARTS UNLIMITED

CARBURETOR SYNCHRONIZERS

- Complete kits with vacuum gauges, hoses, adapters, mounting plate and instructions
- Available in 2-carb or 4-carb sets

DESCRIPTION	PART #
2-carb set	3804-0004

DESCRIPTION	PART #
4-carb set	3804-0005



K&L GENUINE

CARB CLEANER KIT

- 14-piece wire set with spiral knurling for cleaning popular sized jets and carb body holes

DESCRIPTION	PART #
Carb cleaner kit	35-3498

BOLD MAGENTA part numbers are new for 2022



IGNITION SYSTEM TESTER

- Test the integrity and strength of your ignition system
- Spark gap is adjustable from 0 to 10 mm
- The larger the gap your ignition will jump, the stronger your system is
- Will test the ignition on most motorcycles, watercraft, ATVs and snowmobiles

DESCRIPTION	PART #
Ignition System Tester	MP08-122



REPLACEMENT BACKPROBE SET

- For IgnitionMate and IgnitionMate Duo

DESCRIPTION	PART #
Repl. backprobe set	3807-0079



STANDARD SPARK PLUG WRENCH

- Handle can be custom bent to better fit your application
- Fits standard $^{3}/_{16}$" plug size

DESCRIPTION	PART #
Spark plug wrench	M204



P08-147



3801-0284

RATCHET SPARK PLUG WRENCH

- Designed to fit in limited space on many water-cooled 2-stroke engines
- Ratchet mechanism works one way; turn over to reverse
- Fits standard $^{13}/_{16}$" plugs
- $^{13}/_{16}$" extension socket allows the ratcheting spark plug wrench to be used on recent models where the water neck prevents the use of the wrench alone

DESCRIPTION	PART #
Ratchet Spark Plug Wrench	P08-147

DESCRIPTION	PART #
$^{13}/_{16}$" extension socket	3801-0284



SPARK PLUG GAP TOOL

- Ideal tool for checking and setting spark plug gap on almost any spark plug
- Includes 0,5 mm; 0,6 mm; 0,7 mm; 0,8 mm; 0,9 and 1,0 mm gap gauges
- Machined from billet 6061 aluminum
- Includes bottle opener on opposite end
- Durable blue anodizing
- Laser-etched markings for easy identification
- Designed by Motion Pro

DESCRIPTION	PART #
Spark plug gap tool	3805-0126



SHOCK SPRING COMPRESSOR

- Safely removes the spring on most coilover shocks
- Includes adapters for both clevis and eyelet type shocks
- Adapter plates adjust to fit spring retaining collars from 56 mm to 96 mm
- Innovative, compact, easy-to-use design
- Low-friction radial thrust bearing

DESCRIPTION	PART #
Shock spring compressor	3805-0137

BOLD MAGENTA part numbers are new for 2022



HEAVY-DUTY SPRING PULLER

- Its heavy-duty handle provides extra leverage for pulling off stiff pipe springs
- Larger handle allows for better grip and longer hook area to get into hard-to-reach areas

DESCRIPTION	PART #
Heavy-duty spring puller	3850-0486



SPRING PULLER

- Compact, lightweight, strong 0,102" diameter spring-tempered wire
- Urethane-covered handle
- 18 cm (7") long

DESCRIPTION	PART #
Spring puller	3850-0187



TUFF HOOK™

- Heavy-duty design for use on large exhaust and kickstand springs
- Multi-function tip easily pulls or pushes large springs on and off mounts
- Flexing shaft is ideal for hard to reach springs with minimal working space
- Locking shaft slider allows the center of the shaft to be rigid or flex
- A must-have for UTV and snow machine exhaust systems
- Billet aluminum construction handle and locking shaft slider
- Steel shaft with heavy-duty stainless steel flex insert

DESCRIPTION	PART #
Tuff Hook™	3850-0560



SPRING HOOKS

- Used to remove exhaust pipe springs, seat or tank holding springs, cotter pins, sidestand springs and other parts
- Mini spring hook tool's ergonomic handle provides a secure grip at every angle, and compact size provides easy access

DESCRIPTION	PART #
Heavy-duty spring hook	MP08-127

DESCRIPTION	PART #
Mini spring hook	3850-0212



CABLE LUBER V3

- Original Motion Pro design seals completely around cable housing
- Makes it easy to clean and lubricate control cables
- Less mess and less wasted lubricant
- Unique design makes it the best sealing cable luber on the market
- Works on most control cables with 4 mm to 8 mm OD housing
- Seals over free-spinning end fittings
- Adjustable plunger ensures efficient use of cable lube
- Easy to use and clean
- Best if used with Motion Pro Cable Lube (PART #3607-0024, not included)



DESCRIPTION	PART #
Cable luber V3	3850-0386



CABLE LUBER

- Allows a solid seal to the cable without having to remove from lever and perch

DESCRIPTION	PART #
Cable luber	3850-0487



CABLE LUBER

- Used to inject lubricant into cable housing
- Clamps over housing and wire, allowing an aerosol can to be connected
- Once lube runs out the far end, the cable is lubricated

DESCRIPTION	PART #
Cable Luber	MP08-0182

BOLD MAGENTA part numbers are new for 2022

MOOSE RACING

METRIC TAP AND DIE SET



- Works great for cutting new threads as well as chasing threads that may have been damaged
- Manufactured from quality, uncoated high-speed steel for durability and precision cutting
- 40-piece set includes taps and dies along with correct tap and die wrenches, screwdriver for die wrench, pitch gauge, thread-drill size chart and durable plastic case
- Sizes listed below

NOTE: Not intended to be used with power tools.

DESCRIPTION	PART #
Metric tap and die set	3801-0280

INCLUDED SIZES

SIZES	SIZES	SIZES	SIZES	SIZES	SIZES
M3 x 0,5	M4 x 0,75	M6 x 0,75	M7 x 1,00	M10 x 1,25 mm	M12 x 1,75
M3 x 0,6	M5 x 0,8	M6 x 1,00	M8 x 1,00	M10 x 1,50	1/8" NPT
M4 x 0,7	M5 x 0,9	M7 x 0,75	M8 x 1,25	M12 x 1,5	

CruzTOOLS

DELUXE ECONOKIT® METRIC TOOL KIT



- Convenient, easy-to-carry tool kit
- Deluxe kit includes combination wrenches (10 mm, 12 mm, 14 mm), 8" adjustable wrench, 8 mm combination wrench, 6-in-1 screwdriver, 2-in-1 spark plug socket (5/8" x 3/16"), gap gauge, locking pliers, electrical tape, cable ties, mechanic's wire, tire pressure gauge and shop towel
- Econokit® includes a heavyweight reinforced polyester shell with YKK zipper
- Closed dimensions are: 152 mm L x 229 mm W x 38 mm H (6" x 9" x 1 1/2")

DESCRIPTION	PART #
Metric tool kit	DS-196205

CruzTOOLS

DMX™ FANNY PACK TOOL KIT



- Complete, ready-to-ride tool kit
- Includes pliers, hex keys, screwdriver, three-way PackWrench™, flashlight, tire levers, tire gauge and multiple wrenches
- Tough 5040-denier nylon camo carry pouch is designed to handle heavy abuse
- High-quality hardware and mounting strap
- Measures 18 cm x 25,5 cm (7" x 10")

DESCRIPTION	PART #
Fanny pack tool kit	3812-0002

CruzTOOLS

OUTBACK'R™ FOLDING METRIC TOOL SET



- 15 tools in one 89 mm (3 1/2"), 255 g (9 oz.) package
- Made of heat-treated steel and chrome vanadium, it's built to last
- Includes 3 mm, 4 mm, 5 mm and 6 mm Allen wrenches, slotted and Phillips screwdrivers, 1/4" socket driver with 8 mm, 10 mm and 12 mm sockets, 13 mm and 14 mm open-end wrenches, plus three of the most common-sized spoke wrenches

DESCRIPTION	PART #
Outback'r folding tool set	MTM-1

BOLD MAGENTA part numbers are new for 2022

3812-0046



MP01-113



08-114X



3801-0114





Assembled rack and wall mount

METRIC SOCKET T-HANDLES

- Great for shop and home mechanics alike
- Durable nickel-pewter finish T-handle with deep six-point metric socket attached
- Hex only extends part of the way into the socket to allow the nut to be held flush with the end
- Socket has very slim OD so it will fit in the tightest of places
- Sold individually or in sets
- Sets include vinyl storage pouch
- One-piece quick-release storage rack with built in bottle opener and wall bracket for storage rack sold separately

DESCRIPTION	PART #
SETS	
Four-piece metric socket set (8 mm, 10 mm, 12 mm, 14 mm)	3812-0045
Six-piece metric socket set (8 mm, 10 mm, 12 mm, 14 mm, 17 mm, 19 mm)	3812-0046
Seven-piece metric socket set (8 mm, 10 mm, 12 mm, 13 mm, 14 mm, 17 mm, 19 mm)	MP01-113
INDIVIDUAL METRIC SOCKET T-HANDLES	
8 mm socket; 19,5 cm L (7 3/4")	P08-093
10 mm socket; 19 cm L (7 1/2")	P08-094
INDIVIDUAL METRIC SOCKET T-HANDLES (CONT)	
12 mm socket; 22 cm L (8 3/4")	P08-095
13 mm socket; 22 cm L (8 3/4")	P08-096
14 mm socket; 22 cm L (8 3/4")	P08-097
17 mm socket; 26 cm L (10 1/4")	P08-098
19 mm socket; 26 cm L (10 1/4")	P08-099
T-HANDLE ACCESSORIES	
Storage rack	08-114X
Wall bracket for rack	3801-0114







T-HANDLE BIT DRIVER SPINNER

- Bearing-mounted spinner provides faster and easier removal and installation of bolts and nuts
- 1/4" hex drive head accepts most common driver bits
- Magnet inside drive head holds drive bits firmly in place
- Narrow drive head profile fits into tight spaces
- Padded grip handle
- Chrome vanadium handle and shaft
- Durable chrome finish on shaft and handle
- Blue anodized spinner with laser-engraved Motion Pro logo
- Shaft is 20,5 cm (8") long
- Bits not included

DESCRIPTION	PART #
T-handle bit driver spinner	3812-0047

T-HANDLE BIT DRIVER WITH #1, 2, 3 JIS CROSS-HEAD BITS

- High-quality Motion Pro standard bit driver T-handle
- Features three 1/4" drive heads, one at end of shaft and two at each end of handle with magnets to hold drivers firmly in place
- Includes high-grade S2 tool steel JIS (Japanese Industrial Standard) cross-head bits no. 1, no. 2, and no. 3, but also accepts all common driver bits
- Use of traditional Phillips driver on JIS cross-head screws will damage screw head
- Narrow drive-head profile fits into tight spaces
- Chrome vanadium handle and shaft
- Durable chrome finish on shaft and handle
- Shaft is 21,5 cm (8,5") long

DESCRIPTION	PART #
T-handle bit driver with JIS bits	3812-0049

BOLD MAGENTA part numbers are new for 2022



SPINNER II T-HANDLE WITH SWIVEL (ROCKER) DRIVE

- High-quality Motion Pro T-handle
- Unique two-step drive head offers swivel (rocker) or fixed drive
- Bearing mounted spinner provides faster and easier removal and installation of bolts and nuts
- Padded grip handle
- Chrome vanadium handle and shaft
- Shaft is 30,5 cm (12") long
- Durable chrome finish on shaft and handle
- Blue anodized spinner with laser-engraved Motion Pro logo

DESCRIPTION	PART #
3/8" drive	3812-0052
1/4" drive	3812-0054



MINI PRO T-HANDLE SET

- Compact size for easy access and easy transport
- 17 cm (6 3/4") shaft length
- Set of three (8 mm, 10 mm, 12 mm)
- Chrome-vanadium tool steel shafts
- Durable hard nickel-pewter finish

DESCRIPTION	PART #
Mini Pro T-handle set	MP08-131





3/8" DRIVE SOCKET BIT SETS

- Top-grade metric hex and Torx bit socket sets include all the sizes you'll need
- Each set includes a socket rail with handle for quick organization
- Easy-to-read sizes with reverse laser imprint on each socket for quick identification
- Mechanic-grade with a heat-treated chrome vanadium alloy that exceeds ANSI specifications

DESCRIPTION	PART #
8-pc. Metric hex bit set	3812-0033
10-pc. Torx bit set	3812-0034



1/4" AND 3/8" DRIVE T-HANDLE DRIVERS

- Use any 1/4" or 3/8" drive attachments such as sockets, hex drives, crow's foot or swivels
- Chrome-vanadium tool steel shafts
- Feature a durable hard nickel-pewter finish

SIZE	PART #
1/4" drive (21,5 cm L (8,5"))	P08-158
3/8" drive (26,5 cm L (10,5"))	P08-159



POWERDRIVE™ SLIDING T-DRIVER WITH EIGHT-PIECE SOCKET SET

- Sliding T-handle with 3/8" socket driver
- Professional mechanics' grade tool constructed with heat-treated chrome vanadium with a polished-chrome finish
- Includes 8 mm, 10 mm, 12 mm, 14 mm and 17 mm six-point sockets, 5 mm and 6 mm hex bits and a #2 Phillips bit
- Sockets store on a clip that attaches to the T-driver handle

DESCRIPTION	PART #
T-driver socket set	3812-0001







6,4 MM (1/4") JIS CROSS-HEAD HEX-DRIVE BITS

- Designed to fit JIS cross-head screws commonly found on Japanese bikes
- Made from high-grade S2 tool steel
- Hardened for maximum durability
- JIS cross-head bits are a must-have for most Japanese-made bikes and work equally well on traditional Philips-head screws
- Sold in pairs

NOTE: Use of traditional Philips driver on JIS cross-head screws will damage screw head.

DESCRIPTION	PART #
#1 JIS bit	3850-0286
#2 JIS bit	3850-0287
#3 JIS bit	3850-0288

BOLD MAGENTA part numbers are new for 2022



COMBO Y-DRIVE WRENCH

- Innovative dual-use design combines six tools into one
- 8 mm, 10 mm and 12 mm hex sockets
- 4 mm, 5 mm and 8 mm hex drive
- Padded Y-shape for excellent grip and leverage
- Compact design is ideal for trail tool packs
- Chrome-vanadium tool steel



DESCRIPTION	PART #
Combo Y-drive wrench	3850-0211



TORQUE WRENCH ADAPTER

- Chrome-vanadium tool steel with hard nickel pewter finish
- Properly torque 2-stroke cylinder base nuts and hard-to-reach fasteners
- Fits 12 mm and 14 mm nuts and bolts
- Extends the reach of any $^{3}/_{8}$"-drive torque wrench by 76 mm (3")
- Chart supplied for torque conversions
- Check owner's manual for proper torque specifications

DESCRIPTION	PART #
Torque Wrench Adapter	MP08-134



METRIC MP TOOL

- A must-have for on-the-trail repairs or adjustments
- Can be used to remove 8 mm, 10 mm, 12 mm and 14 mm bolts, #2 and #3 Phillips screws, small and medium straight-slot screws and 5 mm and 6 mm hex bolts
- Includes a $^{1}/_{4}$" and $^{3}/_{8}$" socket driver
- 10 mm and 12 mm $^{1}/_{4}$" drive sockets included
- Enhance it by adding your own $^{1}/_{4}$" or $^{3}/_{8}$" drive socket attachments
- Includes convenient carrying case
- Hard nickel-pewter finish
- Perfect for any tool pack
- Replacement bits available separately

DESCRIPTION	PART #
Metric MP tool	MP08-161



MAGNETIC NUT DRIVER SET

- High-quality nine-piece $^{1}/_{4}$" hex-drive metric-socket bit set
- Includes 5 mm, 5,5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 12 mm and 13 mm sizes
- Constructed from Chrome-Vanadium (CR-V) alloy steel for excellent strength and durability
- Magnet inside the sockets holds bolt heads or nuts in place
- Durable black finish
- Includes convenient holder to keep bits organized
- For use with quick-release drivers only

DESCRIPTION	PART #
Magnetic nut driver set	3850-0275



BALL-END ALLEN SET

- Made of chrome-vanadium tool steel
- Sizes available: 1,5 mm, 2 mm, 2,5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm and 10 mm
- Ball ends allow better access to Allen-head bolts (up to 25° working angle)
- Convenient holder included

DESCRIPTION	PART #
Ball-End Allen Set	MP08-0185

10-PIECE HEX WRENCH SET

- Made from high-quality chrome vanadium
- Comes with plastic holder
- Includes sizes 1,5 mm thru 10 mm

DESCRIPTION	PART #
10-piece hex wrench set	3812-0043



BOLD MAGENTA part numbers are new for 2022


1030-0043


1030-0044


1030-0073


1030-0042


1030-0050

TUFF JUG

- Wide-mouth design for easy pouring of additives and observing fuel level when filling
- Spill-proof, self-sealing spout automatically pours and shuts off as fuel level in tank fills to end of spout
- Spout also works with Space Saver, Jaz, VP and Scribner jugs
- Jug bottom is designed to prevent sliding and spilling in your truck bed
- Spill-proof spout also available separately
- Optional adapter snaps onto spill-proof spout and lets you use the Tuff Jug with karts, marine, lawn mowers and autos

DESCRIPTION	PART #
20 LITER (5 US GAL.)	
White	1030-0043
Red	1030-0044
Blue	1030-0045
Yellow	1030-0051
Orange	1030-0052
Kawi green	1030-0074

DESCRIPTION	PART #
10 LITER (2,7 US GAL.)	
White	1030-0046
Red	1030-0047
Blue	1030-0048
Orange	1030-0053
Kawi green	1030-0073
OPTIONAL/REPL. COMPONENTS	
Extra Spout	1030-0016

DESCRIPTION	PART #
OPTIONAL/REPL. COMPONENTS (CONT)	
Adapter	1030-0042
Standard cap and plug	1030-0050
Standard cap, black	1030-0082
Auto shut-off spout for 20 liter (5 US gal.) container	1030-0071[1]
Auto shut-off spout for 10 liter (2,7 US gal.) container	1030-0072[1]

[1] Requires standard cap PART #1030-0050.



PROFUNNEL™

- Integrated shut-off valve allows a very precise amount of fluid to be dispensed
- Graduation marks for cubic centimeters, fluid ounces and premix ratios
- 1 liter capacity
- Easy-to-understand premix ratio graduations for 32:1, 40:1, 50:1 and 60:1 for 3,8-11,4 liters (1-3 US gal.)
- Adjustable ball-pivot spout allows easy, spill-free filling
- Top cover keeps dust and dirt out when not in use
- Magnet allows funnel to be stored on the side of the tool box
- Large molded handle for secure grip
- Reduced neck keeps funnel from dripping residue when funnel is laid on its side
- Made from ultra-durable HDPE plastic
- Tip size can be trimmed to fit your application

DESCRIPTION	PART #
Pro Funnel	3850-0240



TWO-PIECE FUNNEL

- Multi-use two-piece funnel
- 30,5 cm (12") detachable flexible spout
- Includes easy-grip handle
- 38 cm (15") overall length
- 15 cm (6") diameter
- 19 mm ($^3/_4$") OD tip

DESCRIPTION	PART #
Two-Piece Funnel	3850-0202



EASY POUR FLEX SPOUT

- Multi-purpose flexible funnel spout
- Double threads to fit most containers
- Complete with stopper cap and hang tab
- 23,5 cm (9,25") length
- 19 mm ($^3/_4$") OD tip

DESCRIPTION	PART #
Two-Piece Funnel	3850-0201



SUPER SIPHON

- Dangerous liquids and chemicals can be transferred without fear of injury
- Works with almost all liquids including water, gas, diesel, kerosene, paint and thinners
- 12,7 mm ($^1/_2$") diameter

DESCRIPTION	PART #
Super Siphon	0706-0226



PRO FILL AIR CHUCK

- Pivoting angled head design allows access to difficult-to-reach tire valves
- Unique design provides added hand clearance between filler and hot brake rotors
- Billet aluminum construction for light weight and precise fit and function
- $^1/_4$" NPT female inlet allows use of common air hose couplings and fittings
- Blue anodized finish with laser-engraved Motion Pro logo
- Perfect complement for Motion Pro air gauges

DESCRIPTION	PART #
Pro Fill air chuck	3810-0073

BOLD MAGENTA part numbers are new for 2022



PARTS EUROPE

PARTS EUROPE COLLAPSIBLE CANOPY

- Top-quality 305 cm x 305 cm (10′ x 10′) shelter is great for indoor and outdoor events
- Durable powdercoated steel collapsible frame
- Canopy top made of heavy-duty PVC-coated fabric; water- and UV-resistant and flame retardant
- Quick-release folding frame makes it fast and easy to set up anywhere
- Hook-and-loop inner straps ensure a tight canopy fit
- Nylon composite fittings
- Includes carrying bag, instructions and stakes
- Box size is 157 cm L x 25,5 cm W x 25,5 cm H (62″ x 10″ x 10″) and weighs approximately 24,9 kg (55 lb)

DESCRIPTION	PART #
Parts Europe collapsible canopy	9904-0840







PARTS EUROPE

REPLACEMENT PARTS FOR COLLAPSIBLE CANOPY

- For Parts Europe canopy PART #9904-0840

DESCRIPTION	PART #
(A) Plastic top corner fitting for std. corner leg	4030-0014
(B) Plastic bottom fitting for std. corner leg (pull)	4030-0015
(C) Plastic top cap for std. center pole	4030-0016
(D) Plastic bottom fitting for std. center pole	4030-0017
(E) Plastic fitting for std. or HD crosspiece	4030-0018

DESCRIPTION	PART #
(F) Plastic foot for std. canopy leg	4030-0019
(G) Plastic pull pin fitting for std. leg bottom collar	4030-0020
(H) Plastic top fitting for std. center pole	4030-0021
(I) Replacement sides; set of three	4030-0033
Plastic cross piece	4030-0046



PARTS EUROPE

PARTS EUROPE BAR STOOL

- Features bright color logo on seat top
- Highly polished chrome-plated pedestal
- Great for store counters or for the shop
- Some assembly required

DESCRIPTION	PART #
Bar stool	9905-0162

BOLD MAGENTA part numbers are new for 2022



SLIPPERY

BANNER

- Printed on durable vinyl
- Features grommets for easy hanging
- Great for shop displays or race events
- Measures 91 cm x 244 cm (3′ x 8′)

DESCRIPTION	PART #
Slippery banner	9905-0050



9903-0333

9903-0390

BEL-RAY TOTAL PERFORMANCE LUBRICANTS

DISPLAYS

- High-quality, long-lasting product displays
- Eye-catching design creates high traffic and high profit in low square footage displays
- PART #9903-0333 features heavy-duty wheels for easy mobility and measures 180 cm H x 68,5 cm W x 48,5 cm D (71″ x 27″ x 19″)
- PART #9903-0390 features a rotating base for 360° access and measures 40,5 cm H x 38 cm W x 37,5 cm D (16″ x 15″ x 14,8″)

DESCRIPTION	PART #
Bel-Ray product display rack	9903-0333
Bel-Ray counter display	9903-0390



RACING BANNER

- K&N racing banner
- World's Best Air Filter banner 183 cm x 107 cm (72″ X 42″)

DESCRIPTION	PART #
K&N racing banner	9901-1406



SLIPPERY

PIT MAT

- Designed to not only dress up your pit area but is also environmentally friendly
- The bike mat absorbs up to 6 liters of fluid like radiator coolant along with other solvent-based products that can harm the environment by containing within the mat
- Not only lightweight but can be easily washed and reused
- Measures: 80 cm x 200 cm ($31^1/_2$″ W x $78^3/_4$″)

DESCRIPTION	PART #
Slippery	9905-0114



tecMATE

OPTIMATE METAL SIGN

DESCRIPTION	PART #
OptiMate metal sign	3807-0480

9901-0777





9901-0778

9901-0779



DECALS

- K&N logo decals

DESCRIPTION	PART #
LOGO DECALS	
White; 11,5 cm x 35 mm ($4^1/_2$″ x $1^3/_8$″)	9901-0777
HIGH-TEMPERATURE DECALS	
Black; 11 cm x 32 mm ($4^1/_4$″ x $1^1/_4$″)	9901-0778
White; 11 cm x 32 mm ($4^1/_4$″ x $1^1/_4$″)	9901-0779

BOLD MAGENTA part numbers are new for 2022

INDEX

A

AC/DC converters 149
Accel
High-temperature sleeving kits 58
ACCESSORIES 26-38
Adhesive, instant 157
Air chucks 191
Air filter cleaner 154
Air filter oil 154
Air filters/air filter kits 110
Air pumps 28
AirHead
Aqua Towels 36
Alarms, overheat/key 141
Allen wrenches 190
Anchor stakes 33
Anchors/anchor bags 32-33
Anti-seize stick 157
APPAREL 4-12
Apparel & Helmet safety warning 4
AQUA boxes 25
Armatures 138
Atlantis
Anchor bag 33
Anchor stake 33
Anchors w/ bags 33
Back flush kits 48
Docking lines 31
Duckbill drain kits 47
Floating drain plug 47
Flush kits 48
Key floats 38
Lanyards 36-37
Lanyards w/ whistle 37
Mushroom anchor system 33
Sand stake kit 33
Tie-down pin 164
Tow rope 30
Tube rope 30
Waterproof utility pouches 35
Whistles 38
Wrist lanyards 36
Wrist strap, floating 37
AUDIO/VIDEO & MOUNTS 13-25
Autolite
Spark plugs 136

B

Back flush kits 48
Bailer fittings 69
Ball bearings with bellow 99
Ball joints, trim rod/ steering cable 67
Ball mount adapters/bases/ socket arms for RAM Mounts 14, 2-24
Ball mounts, trailer 166
Banners/signs 193
Bar end plugs 56
Bar ends 56
Bar stools 192
Base gaskets 89
Batteries 118-123
Battery application chart 119-120
Battery charger accessories 129-130
Battery charger eyelet connectors 129-130
Battery chargers 124-127, 131-133
Battery jumpers, portable 133
Battery spare parts 123
Battery Tender
Battery chargers 132-133
LCD battery meter 124
QDC plug to USB charging port 133
Snap cord extension cables 133
Battery testers 124
Beach/shore stands 174
Bearing grease 154
Bearing protectors 167
Bearings with bellow 99
Bearings, top-end 79-81
Bearings/thrust washers, impeller 69
Bel-Ray
Displays 193
Gear oil 154
Rust preventative coating 154
6-in-1 lubricating fluid 154
Waterproof grease 154
Bendix gears 145
Beverage holders 19
Bilge fittings 45
Bilge pump hoses 45
Bilge pump mounts 47
Bilge pumps 46
Bilge switches 45
Blowsion
Base gaskets 89
Bilge fittings 45
Bilge pump mounts 47
Bilge switches 45
Bow eyes 45
Bypass fittings 45
Cylinder heads 87
Engine keepers 95
Flame arrestors 108-109
Fuel caps 45
Fuel pickup internal fillers 110
Handlebar clamps 51
Handlebars 50-51
Handlepole bolts 52
Handlepole limiting straps 53
Handlepole mount reinforcing plates 53
Blowsion (CONT)
Handlepole springs 52
Hood hooks 43
Hood seal gaskets 43
Hood straps 43
Intake ducts 77
Mat kits 40
O-ring head kits 92
Pivot bolt bushings 52
Pump cones 67
Rail caps 42
Shortened turnplates 52
Side molding 42
Steering cables 57
Steering system rebuild kits 52
Steering systems 51
T-screw kits 107
Throttle levers 53
Vacate valves 47
Boardshorts 12
BODY & HULL 39-49
Boom mat tape 179
Boots, riding 11
Bottle holders 19
Bottom end rebuild kits 85
Bow eyes 45
Boyesen
Reeds 111
Braided flex wire sleeving 151
Brite Lites
Emergency LED flashlight 179
LED taillight bulbs 172
Trailer LED Brite Lites 172
X-treme tape 179
Brushes, cleaning 158
Brushes, starter motor 145
BS Battery
Batteries 118, 120
Bulk gasket material 89
Bumpers 30
Bumpers, drive shaft 69
Bungee dock lines 31
Bunk carpets 167
Buoys 31
Bypass fittings 45

C

Cable locks 168-169
Cable lubers 186
Cable ties 178
Cables, control 57-58
Cam buckle tie-downs 163-164
Cam chains 87
Camera/camcorder adapters 23
Canopies/replacement parts 192
Carburetor adapters 107
Carburetor cleaner kits 184
Carburetor intake gaskets 103

Carburetor jet/ needle carriers 105
Carburetor jets 106-107
Carburetor manuals 105
Carburetor primer kits 105
Carburetor rebuild kits 102-104
Carburetor springs 107
Carburetor sync gauges 184
Carburetor vent lines 112
Carburetors 101
Cargo nets 35
Carpets, bunk 167
CDI boxes 140
Chain locks 168
Chain lube 158
Chains, cam 87
Champion
Spark plugs 136
Charge coils 139-140
Chargers 18
Chargers, battery 125-127, 131
Chargers, USB 128
Child/youth life vests 9
Chris Products
LED light bars 172
Cipa
Mirrors 34
Circlips, piston 79-81
Clamps, grip 56
Clamps, mini 176
Clamps, ratchet 176
Cleaners/polishes 158
Cleaning brushes 158
Cleaning kits 158
Clutch flywheel rubber boots 68
Clutch flywheels 73
Coils, charging 139-140
Coils, exciting 139-140
Coils, ignition 139-140
Coils, lighting 139-140
Coils, pulsing 139-140
Collapsible canopies/ replacement parts 192
Cometic
Gaskets/gasket kits 87
Composite tracks 24
Compression bags 35
Compression testers 180
Connecting rod kits 85
Connectors, electrical 150
Control cables 57-58
Control switches 141
Coolant temperature sensors 149
Cooling system clamp kits 175
Coupler dampers 70
Coupler locks 167, 170-171
Coupler shafts 75
Couplers 70, 166
Coupling kits 102
Covers for oil pump 99
Covers, shock 49
Crank truing stands 180
Crankcase block-off plates 92
Crankcase splitters 181
Crankseal sets 86
Crankshaft assemblies 85-86
Crankshaft oil seals 90
Crankshaft pullers 182
Cruz Tools
Drive socket bit sets 189
Outback'r folding metric tool set 187
T-handle sets/socket, sliding 189
Tool kits 187
Tool pouches 187
Cup holders 19
Current converters 149
Cycle protectant 158
Cylinder heads 87
Cylinder/piston kits 84

D

Decal positioning spray 44
Decal remover spray 44
Decals/stickers 44, 193
Degreaser 158
Degree wheels 181
DEI
Boom mat tape 179
Hi-temp shrink tubes 151
Dennis Stubblefield
Drive coupler tools 183
Flywheel pullers 183
Impeller tools 66
Magneto pullers 183
Denso
Spark plugs 135
Device chargers 18
Dial indicator gauges and magnetic base 180
Diaphragm repair kits 102
Displays 193
Dock lines 31
Dowel pin puller sets 182
Drain kits 47
Drain plugs 47
Draw-Tite
Coupler lock 167
Receiver locks 167
Trailer ball mounts 166
Trailer balls 166
Drink holders 19
Drive coupler tools 183
Drive shaft bellows 69
Drive shaft bumpers 69
Drive shaft repair kits 71
Drive shaft seal kits 71
Drive shafts 74
Drive socket bit sets 189
Dry bags/packs/saddlebags 35
Dry Pak
Storage bags 35
Waterproof iPhone/ smartphone pack 35
Dual carburetor coupling kits 102
Duckbill drain kits 47
Dynojet
Power Commander V map switch 101
Power Commanders 101

E

E3 spark plugs 136
Eazymove
Stand, roller 174
Electric air pumps 28
ELECTRICAL 118-151
Electrical connectors/ wire terminals 150
Electrical tape 179
Electronics chargers 18
Electronics cradles 16
Electronics mounts 14-18, 20, 22-25
Emergency LED flashlights 179
Emgo
Fuel/oil line 114
Oil filters 96
Wire pliers 177
ENGINE 78-99
Engine base gaskets 89
Engine degree wheels 181
Engine gaskets 88
Engine keepers 95
Engine kill switches 141
Engine leak-down testers 180
Engine oil 153
Engine oil filters 97
Engine rebuild kits, top end 79-81, 84
Engine timing kits 181
Engine valve stem seal installation tools 183
Epoxy 157
Exciting coils 139-140
Exhaust pickup envelopes 94
Exhaust pipe hoses 94
Exhaust spring hooks/pullers 186
Eyelet connectors, battery charger 129-130

F

Fas-Lok couplers 166
Filters, fuel 117
Filters, oil 96-99

Finger throttle levers 53
First aid kits 35
Fishing rod mounts 20
Five-way oil 156
Flags, skier down 32
Flame arrestors 108-109
Flange sealant 156
Flashlights 179
Flo
Oil filters 96
Floating drain plugs 47
Floor stands, rolling 174
Flush kits 48
Flywheel pullers 182-183
Folding metric tool sets 187
Freeze and release 156
FUEL/AIR SYSTEMS 100-117
Fuel caps 45
Fuel filter/water separators 117
Fuel filters 116-117
Fuel funnels/pour spouts 191
Fuel injection modules/controllers 101
Fuel jugs 191
Fuel knobs 117
Fuel line clamps 175
Fuel line fittings 116
Fuel lines 112-115
Fuel lines, submersible 115
Fuel pickup internal fillers 110
Fuel pump rebuild kits 104
Fuel pumps 104
Fuel valves 117
Fulton
Bearing protectors 167
Bunk carpet 167
Fas-Lok couplers 166
Spare tire carriers 167
Swivel jacks 165
Tie-downs 160
Trailer hitch chains 165
Trailer winch 165
Funnels/spouts, fuel 191
Fuse holders 150

G

Gas cap vent hose tubs 112
Gas funnels/pour spouts 191
Gas jugs 191
Gasket kits 89
Gasket material, bulk 89
Gasket remover 156
Gasket sealant 155
Gaskets, engine 88
Gates
Fuel lines 113
Gauges 147
Gear oil 154
GET
Hour meters 147
Jumpstarter, portable 133
Gloves 10
Glue brushes 44
GoPro camera mount adapters 23
GPS AQUA boxes 25
GPS holders/ mounts/cradles 14-18, 20, 22-25
Grapnel anchor systems 33
Grease 154
Grip clamps 56
Grips 54-56
Guards, splash 42

H

Hand air pumps 28
Handlebar clamps 51, 56
Handlebar end plugs 56
Handlebar ends 56
Handlebar grips 54-56
Handlebars 50-51
HANDLEBARS & HAND CONTROLS 50-58
Handlepole bolts 52
Handlepole limiting straps 53
Handlepole mount reinforcing plates 53
Handlepole pivot bolt bushings 52
Handlepole springs 52
Hardline
Decal positioning spray 44
Decal remover spray 44
Hour meters 148
I.D. kits 44
Heat shrink tubing 151
Helix Racing
Bilge pump hoses 45
Bulk gasket materials 89
Fuel lines 115
Hose splicers 116
Helmet & Apparel safety warning 4
Hex wrenches 190
Hi-temp shrink tubes 151
Hiflofiltro
Oil filters 98
High-temperature sleeving kits 58
Hood hooks 43
Hood seal gaskets 43
Hood straps 43
Hood/storage compartment latches 43
Hose clamps/assortments 176
Hose protectors 116
Hose protectors, trim 52
Hose shears 177
Hose sleeving, high-temperature 58
Hose splicers 116
Hot Cams
Cam chains 87
Hot Rods
Bottom end rebuild kits 85
Connecting rod kits 85
Crankshaft assemblies 85
Hour meters 146-149
Hydro-Turf
Glue brushes 44
Hood seal gaskets 43
Kicktails 42
Pole shock pads 43
Ride mat materials 41
Ride mats 40-41
Seat covers 49
Side lifter wedges 42
Splash guards 42

I

I.D. kits 44
Ignition coils 139-140
Ignition diagnostic tools 185
Ignition testers 185
Impeller installation tools 65
Impeller pump shafts 75
Impeller seal/nose cones 65
Impeller shaft through-hull repair fittings 69
Impeller thrust washers/bearings 69
Impeller tools 66
Impellers 60-64
In-line fuel filters 116
In-tank fuel filters 117
Inflatable towables 26-27
Insulating tape 179
Intake ducts 77
Intake grates 77
Internal snap ring pliers 177
iPhone AQUA boxes 25
iPhone mounts/ holders/cradles 14-18, 20, 22-25
iPhone waterproof packs 35

J

JE Pistons
Pistons 79
Jet carriers 105
Jet Logic
Air pumps 28
Anchor bag w/ buoy 33
Bungee dock line 31
Buoys 31
Dock lines 31
Grapnel anchor system 33
Lanyard 38

Jet Logic (CONT)
PWC bumpers 30
PWC fender 30
Skier down flag 32
Snap hook 32
Telescoping paddle 31
Tie-downs 160
Tow ropes 29
Tow strap w/ bag 30
Towables/inner tubes 26-27
Tube keeper tie-downs 32
Waterproof first aid kit 35
Jet pump assemblies 70
Jet pump fittings 69
Jet pump housings 67, 75
Jet pump impeller shaft bearing housings and assemblies 74
Jet pump repair kits 73
Jet pump seal kits 72
Jet pump stators 66
Jet pump trim seals 76
Jet pump wear rings 76-77
Jet pumps 66
Jets 106
JIS cross-head hex-drive bits 188-189
Jugs 191
Jumper cables 133
Jumpers, portable 133

K

K&L
Carburetor cleaner kit 184
Dial indicator gauges and magnetic base 180
Truing stand 180

K&N
Air filter care kits 154
Air filter cleaner 154
Air filter oil 154
Banner 193
Decals 193
Oil filters 97

K&S
Kill switches 141
Wire connectors 150
Key alarms 141
Key floats 38
Kicktails 42
Kill switch lanyards 36
Kill switches 141
Kimpex
Fuel filter 117
Receiver tubes 166
Spare tire carrier 167
Swivel jacks 165
Trailer balls 166
Trailer winch 165
Koso
AC/DC converter 149
Oil temperature sensors 149
Water temperature sensor adapters 149

L

Lanyards 36-38
Lanyards w/ whistle 37
Latches, hood/storage compartment 43
LCD battery meter 124
Leak-down testers 180
LED flashlights 179
LED light bars 172
LED taillight bulbs 172
LED trailer lighting 172
Levers, throttle 53
Life vests 7-9
Lighting coils 139-140
Lithium batteries 118
Lithium ion battery chargers 127
Lock-on grips 55
Locking knobs 24
Locking pins 171
Locking pins, receiver 167
Locks, coupler 167
Locks, receiver 167
Locks, seat 49
Loctite
Adhesive, instant 157
Anti-seize stick 157
Epoxy 157
Five-way oil 156
Flange sealant 156
Freeze and release 156
Gasket remover 156
Gasket sealant 155
Mounting tape 179
O-ring kit 156
Sealant stick 157
Threadlocker 155
Low permeation fuel lines 113-114
LUBES 152-158

M

Magnetic base mounts 23
Magnetic nut driver sets 190
Magneto pullers 183
Main jets 106
Map switches for Power Commander V 101
Marine fuel lines 113
Mat kits 40
Maxima
Engine oil 153
Octane booster 153
Quick 2 Mix mixing bottle 153
Measuring cups 191
Men's T-shirts 12
Men's tank tops 12
MERCHANDISING 192-193
Metric tap and die sets 187
Metric tool kits 187
Microfiber cloth 158
Mikuni
Carburetor rebuild kits 102
Carburetors 101
Coupling kits 102
Diaphragm repair kits 102
Fuel pump repair kits 104
Fuel pumps 104
Main jets 106
Needle valve springs 106
Needles and seats 106
Pilot jets 106
Pop-off gauge 105
Super BN carburetor manual 105
Super BN valve kits 106
Mini clamps 176
Mirrors 34
Moose Racing
ADV1 ultra light bags 35
Cable lubers 186
Cable ties 178
Easy pour flexible spout 191
Fuel filters 116
Fuel/carburetor vent lines 112
Funnel, two-piece 191
Gasket material 89
Grips 54
Hex key sets 190
Hose clamps 176
Hose protectors 116
Ladder-style cable ties 178
Metric tap and die set 187
Nylon ratchet clamps 176
O-ring assortment 175
Plug carriers 137
Snap ring tool 177
Soft-Tyes by PowerTye 160
Spark plug wrench 185
Spring pullers 186
Stainless steel cable ties 178
Stainless steel wire 177
Tie-downs 159-160
Top dead center tools 181
Vent hose tub 112
Moose Utility Division
Battery chargers 124
Grips 54
Hour meters/tachometers 146
Super Siphon 191
Tie-downs 159

Motion Pro
Ball-end Allen set 190
Cable lubers 186
Compression tester set 180
Cooling system Stepless clamp kit 175
Crankcase splitter 181
Crankshaft puller 182
Dowel pin puller set 182
Engine degree wheel 181
Fuel line fittings 116
Fuel lines 114
Hose shears 177
Ignition system tester 185
JIS cross-head hex-drive bits 188-189
Leak-down testers 180
Low permeation fuel lines 114
Magnetic nut driver set 190
Metric MP Tool 190
Nitro tape 179
Pincer tools 175
Piston pin puller 183
Pro Fill air chuck 191
Pro funnel 191
Ratchet spark plug wrenches 185
Shock spring compressor 185
Snap ring pliers 177
Spark plug gap tool 185
Spring hooks 186
Stepless ear clamp kit for fuel lines 175
T-handle drivers/ wrenches/socket sets 188-189
Torque wrench adapters 190
2-stroke engine timing kit 181
Valve stem seal installation tools 183
Y-drive wrenches 190
Motor mounts 95
Motor oil 153
Motorcycle cleaner 158
Motorcycle fork stem bases 21
Motorsport Products
Stands, scissor 174
Mount tethers 15
Mounting tape 179
Muc-Off
Cleaning brushes 158
Cleaning kits 158
Motorcycle cleaner 158
Polishing cloth 158
Multi-bank battery chargers 125, 127, 131
Multi-purpose tool, metric 190

N

NAMZ
Braided flex sleeving 151
Fuse holder 150
Heat shrink 151
Wiring connectors/terminals 150
Needle carriers 105
Needle valve springs 106
Needles and seats 106
NGK
Spark plug covers 137
Spark plug wires 137
Spark plugs 134-135
Nut driver sets, magnetic 190
Nylon ratchet clamps 176

O

O-ring head kits 92
O-ring injector kits 91
O-rings, oil filter 99
O-rings/O-ring kits 156, 175
Octane boosters 153
ODI
Bar end plugs 56
Grips 55
Lock Jaw clamps 56
Lock-on grips 55
Oil drain plugs 92
Oil filter caps 99
Oil filter O-rings 99
Oil filters 96-99
Oil injection block-offs/removals 92
Oil lines 114
Oil pump covers 99
Oil pump shaft, outer rotor, cover plate 92
Oil seal kits 90
Oil seals 90
Oil temperature sensors 149
Oil, engine 153
Oil, motor 153
Oil, 2-stroke 153
Optimate battery chargers 124
Overheat alarms 141

P

Paddles 31
Padlocks 170
Parts Europe
Batteries 118, 121
Canopy 192
Lithium batteries 118
Parts Unlimited
Anchor bags 32
Bar stool 192
Parts Unlimited (CONT)
Bilge pumps 46
Cable ties 178
Carburetor synchronizer 184
Collapsible canopy replacement parts 192
Flywheel puller 182
Fuel filters 117
Fuel lines 113
Hose clamps 176
Jet and needle carrier 105
Jumper cables 133
Mirrors 34
Oil filter O-rings 99
Oil filters 97
Piston pin puller 183
Primer kits 105
Spark plug caddy 137
Spark plug wire 137
Starter drives/Bendix gears 145
Starter solenoids 145
Starters 142-143
Tie-downs/extension 161-162
Passenger handles 34
Pet life vests 9
PFD vests 7-9
Pilot jets 106
Pincer tools 175
Pins, tie-down 164
Piston circlips 79-81
Piston pin pullers 183
Piston rings 78-83
Pistons/piston kits 78-84
Pit mats 193
Pivot bolt bushings 52
Pliers 177
Pliers, wire 177
Pole shock pads 43
Polishes/cleaners 158
Polishing cloth 158
Pop-off gauges 105
Pouches, storage 35
Power Commander fuel injection controllers 101
Power Commander V map switches 101
Power valve rubber boots and pistons 86
Power valves w/ safety link 86
PowerMadd
Rider Hold-Tight 34
Spark plugs 136
Powertye
Cargo nets 35
Ratchet covers 164
Soft-Tye covers 164
Soft-Tye tie-downs 164
Soft-Tyes 164
Tie-downs 163

Powertye (CONT)
- Tow strap w/ pouch 30

Primer kits 105

Pro Grip
- Grips 56

PROPULSION, DRIVELINE & HANDLING 59-77

ProX
- Crankseal sets 86
- Piston kits 78

Pullers, flywheel 182-183
Pullers, magneto 183
Pullers, piston pin 183
Pullers, rotor 183
Pulsing coils 139-140
Pump cones 67
Pump shafts 75
PWC bumpers 30
PWC dock lines 31
PWC stands 174
PWC tow straps 30

Q

QDC plug to USB charging ports 133
Quick 2 Mix mixing bottle 153

R

Race pumps/stators 66
Racing wire pliers 177
Rail caps 42

RAM Mounts
- AQUA Boxes 25
- Ball accessory base adapter for B-size socket arm 22
- Ball-mount adapter bases 20, 23
- Beverage holders 19
- Brake/clutch reservoir ball mount/base 21-22
- Camera/camcorder mounts/adapters 23
- Double ball mount adapter 24
- Double socket arms 22
- GoPro camera mount adapter 23
- Handlebar bases 20
- iPhone/smartphone/GPS mounts/accessories 14-18, 24-25
- Locking knob 24
- Male threaded ball base 24
- Male threaded base ball mounts 22
- Motorcycle fork stem bases 21
- Mount arm w/ swivel 22
- Quick-Grip charging holders 18
- Ram mounting systems/bases/accessories 14

RAM Mounts (CONT)
- Ram Rod double ball mount 20
- Security knob 24
- Spine clip holder 22
- Suction base ball mount 23
- Tough-Charge charging holders 18
- Tough-Claw mounts 14, 21
- Tough-mag magnetic base mounts 23
- Tough-Track composite track 24
- Tough-tube rod holder 20
- Track ball w/ T-bolt attachment 23
- X-Grip cradles 14, 16-17
- X-Grip tether 15

Ratchet clamps, nylon 176
Ratchet covers 164
Ratchet tie-downs 160-163
Ratcheting spark plug wrenches 185
Receiver locking pins 167
Receiver pins 171
Receiver tubes 166
Rectifier/regulator wiring kits 140
Rectifiers 138
Reed valves 110
Reeds 111
Regulator/rectifier wiring kits 140
Regulators 138-140
Relays 145
Retaining ring pliers 177
Reverse cables 57-58
Ribbon removers 107

Rick's Motorsport
- Regulator/rectifier wiring harness kits 140
- Regulator/rectifiers 138
- Starter motor brushes 145
- Starters 143-144
- Stators 138
- Wire connectors/terminals kit 150

Ride mat materials 41
Ride mats 40-41
Rider Hold-Tight 34
Riding boots/shoes 11
Riding gloves 10
Ring carbones 68
Ring sets, piston 78
Rings, piston 79-81
Rod mounts 20
Rolling floor stands 174
Ropes, towing 29-30
Rotary valve shaft, shaft spring and shaft gear 86
Rotor pullers 183
Rubber boots, clutch flywheel 68

Rule
- Bilge pumps 46

Rust preventative coating 154

S

Safety switches 141
Safety warning, helmet & apparel 4
Sand stake kits 33

Scar
- Hour meters 147

Scissor stands 174
Screwdriver bit sets 189
Screwdrivers 188-189
Seal carrier rings 68
Seal carriers 69
Seal/nose cones, impeller 65
Sealant sticks 157
Seat covers 49
Seat locks 49
Security knobs 24
Sensors, coolant temperature 149
Sensors, oil temperature 149
Service stands 174
Shock covers 49
Shock spring tools 185
Shoes, riding 11
Shore/beach stands 174
Shortened turnplates 52
Shorts, watercraft 12
Side lifter wedges 42
Side molding 42
Signs/banners 193
Siphons/pumps 191
6-in-1 lubricating fluid 154
Skier down flags 32
Sleeving kits, high temperature 58

Slippery
- Anchor bag 32
- Banner 193
- Boardshorts 12
- Bumper 30
- Decals 44
- Finger throttles 53
- Gloves 10
- Handlebars 50
- Key float 38
- Lanyard 36
- Life vests 7-9
- Men's T-shirts 12
- Men's tank top 12
- Pet life vest 9
- Pit mat 193
- Shoes/boots, riding 11
- Stickers 44
- Storage pouch 35
- Tour coat 6
- Wetsuits 5-6
- Whistle 38
- Women's life vests 9

Slippery (CONT)
Youth/child life vests 9

SLP
Flywheel puller 182
Smartphone AQUA boxes 25
Smartphone mounts/ holders/cradles 14-18, 20, 22-25
Smartphone waterproof packs 35
Snap cord extension cables 133
Snap hooks 32
Snap ring pliers 177
Snap ring tools 177
Soft tie covers 164
Soft ties/extensions 160, 162, 164
Solar-powered battery chargers 127
Solas
Impeller installation tools 65
Impeller seal/nose cones 65
Impellers 60-64
Intake grates 77
Jet pump housings 67
Jet pump stators 66
Jet pumps 66
Stator/race pump 66
Wear rings 77
Solderless wire connectors 150
Solenoids 145
Spare tire carriers 167
Spark plug caddies/carriers 137
Spark plug covers 137
Spark plug gapping tools/gauges 185
Spark plug wires 137
Spark plug wrenches 185
Spark plugs 134-136
Spark testers 185
Spine clip holders 22
Spinner drivers, T-handle 188-189
Splash guards 42
Spouts/funnels, fuel 191
Spray-on cleaner 158
Spring compressors, shock 185
Spring hooks 186
Springs, handlepole 52
Stainless steel tie wraps 178
Stainless steel wire 177
Stake kits 33
Stands, scissor 174
Stands, service 174
Stands, shore/beach 174
Stands, truing 180
Start/stop switches 141
Starter drives 145
Starter motor brushes 145
Starter relays 145
Starter solenoids 145
Starter/stop switches 141
Starters 142-144
State of charge monitors 129
Stator plate assemblies 138
Stators 138
Stators, jet pump 66
Stators/race pumps 66
Steering cable/ trim rod ball joints 67
Steering cables 57-58
Steering system rebuild kits 52
Steering systems 51
Stem bases 21
Stepless cooling system clamp kits 175
Stepless ear clamp kit for fuel lines 175
Sticker Off! 44
Sticker On! 44
Stickers/decals 44
Stop/start switches 141
Storage bags 35
Storage pouches 35
Straps, tie-down 161
Submersible fuel lines 115
Super BN carburetor manual 105
Super BN valve kits 106
Super Siphon 191
Switches, start/stop 141
Swivel jacks 165
Sync gauges 184

T

T-handle drivers/wrenches/ socket sets 188-189
T-screw kits 107
T-shirts 12
Tachometers 146, 149
Taillight bulbs 172
Tank tops 12
Tap and die sets 187
TDC tools 181
tecMate
Battery charger accessories 129-130
Battery chargers 125-127, 131
Battery testers 124
Carb sync gauges 184
Ignition diagnostic tools 185
LED flashlights 179
Optimate metal sign 193
Solar-powered battery chargers 127
USB chargers 128
Telescoping paddles 31
Tether kill switches 141
Tethers for Ram Mounts 15
30R submersible fuel lines 115
Thread repair/restore kits 187
Threadlocker 155
Throttle body sync gauges 184
Throttle cables 57-58
Throttle levers 53
Thrust washers/bearings, impeller 69
Tie wraps, stainless steel 178
Tie-down extensions/ soft ties 160, 162, 164
Tie-down pins 164
Tie-downs 159-164
Tie-downs w/ ratchets 160-162
Tie-downs, tube keeper 32
Tire carriers 167
TOOLS 173-191
Tool pouches 187
Tool sets/kits 187
Top dead center tools 181
Top-end bearings 79-81
Top-end engine rebuild kits 79-81, 84
Torque wrench adapters 190
Tour coats 6
Tow ropes 29-30
Tow straps 30
Towables 26-27
Towels, wash/polish 36
Track mounts 24
Trailer balls and mounts 166
Trailer coupler locks 167
Trailer hitch chains 165
Trailer jacks 165
Trailer lighting 172
Trailer receiver locks 167
Trailer receiver tubes 166
Trailer winches 165
TRANSPORT & TRAILER 159-172
Trim cables 57-58
Trim hose protectors 52
Trim rod/steering cable ball joints 67
Trim seals 76
Trimax
Cable locks 168-169
Chain locks 168
Coupler/trailer locks 170-171
Locking pins 171
Padlocks 170
Receiver pins 171
Wheel chock lock 168
Truing stands 180
Tube keeper tie-downs 32
Tubes 26-27
Tuff Jug
Jugs 191
2-stroke leak-down testers 180
2-stroke oil 153

U

USB chargers 128
USB charging ports 133
Utility jugs 191

V

V-Force
Reed valves 110
Reeds 111
Vacate valves 47
Valve stem seal installation tools, engine 183
Vent hose tubs 112
Vent lines 112
Vertex
Carburetor intake gaskets 103
Carburetor rebuild kits 103
Crankshaft oil seals 90
Drive shaft seal kits 71
Engine gaskets 88
Fuel pump repair kits 104
Gasket kits 89
Jet pump seal kits 72
O-ring injector kits 91
Oil seal kits 90
Water pump rebuild kits 93
Water pump seals 94
Voltage regulators 138-140

W

Water pump rebuild kits 93
Water pump seals 94
Water temperature sensor adapters 149
Water/fuel separators 117
Watercraft stands 174
Waterproof bags/packs/saddlebags 35
Waterproof battery chargers 132
Waterproof compression bags 35
Waterproof first aid kits 35
Waterproof grease 154
Wear rings, jet 76
Wear rings, pump 77
Weather-resistant AQUA boxes 25
Wetsuits 5-6
Wheel chock locks 168
Whistles 38
Winches, trailer 165
Winderosa
See Vertex 90, 103-104
Wire pliers 177
Wire sleeving 58, 151
Wire terminals/connector kits 150
Wire, stainless steel 177
Wiring connectors 150
Wiring harnesses for regulators/rectifiers 140
Wiring kits for regulators/rectifiers 140
Wiseco
Hour meter/tachometer 149
Piston circlips 81
Piston rings 78-81
Pistons 79-81
Top-end bearings 79-81
Wrist pins 79-81
Women's life vests 9
Wrenches 190
Wrenches/drivers/socket set, T-handle 188-189
Wrist lanyards 36
Wrist pins 79-81
WSM
Air filters 110
Armatures 138
Bailer fittings 69
Ball bearing with bellow 99
Carburetor adapters 107
Carburetor jets 107
Carburetor rebuild kits 102, 104
Carburetor springs 107
CDI boxes 140
Charging coils 139-140
Clutch flywheel rubber boot 68
Clutch flywheels 73
Coils 139-140
Control cables 57-58
Coolant temperature sensor 149
Coupler dampers 70
Coupler shafts 75
Couplers 70
Crankcase block-off plate 92
Crankshaft assemblies 86
Cylinder/kits 84
Drive shaft bellows 69
Drive shaft bumpers 69
Drive shaft repair kits 71
Drive shafts/upgrade kits 74
Engine degree wheel 181
Exciting coils 139-140
Exhaust pickup envelope 94
Exhaust pipe hoses 94
Fuel filter/water separators 117
Fuel filters 117
Fuel valves 117
Hood/storage compartment latches 43
Ignition coils 139-140
Impeller pump shafts 75
WSM (CONT)
Impeller shaft through-hull repair fitting 69
Impeller thrust washers/bearings 69
In-tank fuel filters 117
Jet pump assemblies 70
Jet pump fitting 69
Jet pump housings 75
Jet pump impeller shaft bearing housings and assemblies 74
Jet pump repair kits 73
Jet pump trim seals 76
Jet pump wear rings 76
Kill switch lanyard 36
Kill switches 141
Lighting coils 139-140
Mini clamps 176
Motor mounts 95
Oil drain plugs 92
Oil filter 99
Oil filter cap 99
Oil injection removal kits 92
Oil pump cover 99
Oil pump parts 92
Overheat/key alarms 141
Piston rings 82-83
Pistons 82-83
Power valve parts 86
Pulsing coils 139-140
Ribbon remover 107
Ring carbones 68
Safety switches 141
Seal carrier rings 68
Seal carriers 69
Seat lock 49
Shaft, shaft spring and shaft gear 86
Shock cover 49
Start/stop switches 141
Starter solenoids/relays 145
Stator plate assembly 138
T-fittings 116
Top-end engine rebuild kits 84
Trim hose protector 52
Trim rod/steering cable ball joints 67
Voltage regulators 139-140

Y

Youth/child life vests 9
Yuasa
Batteries 122-123
Battery spare parts 123

Z

Zip ties 178

ECE TYPE APPROVED

This logo symbolizes that the article conforms to applicable UN ECE regulations. Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.

EC TYPE APPROVED

This logo symbolizes that the article conforms to applicable EU EC directives. Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.

ECE R90 TYPE APPROVED

This logo symbolizes that the article conforms to applicable UN ECE R90 regulations. Type approved means that a product meets a minimum set of regulatory, technical and safety requirements.

PPE (Personal Protective Equipment)

This logo indicates the article's conformity with the Basic Health and Safety Requirements of Regulation (EU) 2016/425.

ABE

This logo symbolizes the article has been approved by KBA (German Federal Motor Transport Authority) for specific vehicle application.

ECE 22.05

This logo symbolizes that a helmet has been tested and certified to ECE 22.05 Regulation.

PPE APPROVED

This logo indicates the article's conformity with the Essential Health and Safety Requirements of Regulation (EU) 2016/425 (non-motorcycle articles e.g., Watercraft articles)

ELECTRICAL WIRING

WIRE GAUGE CONVERTER

GAUGE	MM²	MM Ø	GAUGE	MM²	MM Ø	GAUGE	MM²	MM Ø	GAUGE	MM²	MM Ø
22	0,33	0,65	16	1,0	1,3	10	5,0	2,6	4	19,0	5,2
20	0,5	0,8	14	2,0	1,7	8	8,0	3,3	2	32,0	6,5
18	0,8	1,0	12	3,0	2,1	6	13,0	4,1	0	52,0	8,3



WIRE GAUGE SELECTOR

It's important to match up wire diameter and current properly. To choose the right gauge wire, you will need to know how much Wattage (or Amperage) you will draw and what the length of the cable will be.

NOTE: The chart below is based on a 12V system. To find the appropriate wire for 6V systems, the Amp and Watt numbers should be divided in half.

AMP.	WATT	91 CM (3 FT)	152 CM (5 FT)	213 CM (7 FT)	305 CM (10 FT)	457 CM (15 FT)
5A	30W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG
6A	36W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG
7A	42W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG
8A	48W	18 AWG	18 AWG	18 AWG	18 AWG	18 AWG
10A	60W	18 AWG	18 AWG	18 AWG	18 AWG	16 AWG
11A	66W	18 AWG	18 AWG	18 AWG	18 AWG	16 AWG
12A	72W	18 AWG	18 AWG	18 AWG	18 AWG	16 AWG
15A	90W	18 AWG	18 AWG	18 AWG	18 AWG	14 AWG
18A	108W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG

AMP.	WATT	91 CM (3 FT)	152 CM (5 FT)	213 CM (7 FT)	305 CM (10 FT)	457 CM (15 FT)
20A	120W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG
22A	132W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG
24A	144W	18 AWG	18 AWG	16 AWG	16 AWG	12 AWG
30A	180W	18 AWG	16 AWG	16 AWG	14 AWG	10 AWG
40A	240W	18 AWG	16 AWG	14 AWG	12 AWG	10 AWG
50A	300W	16 AWG	14 AWG	12 AWG	12 AWG	10 AWG
100A	600W	12 AWG	12 AWG	10 AWG	10 AWG	6 AWG
150A	900W	10 AWG	10 AWG	8 AWG	8 AWG	4 AWG
200A	1200W	10 AWG	8 AWG	8 AWG	6 AWG	4 AWG

METRIC AND U.S. STANDARD CONVERSIONS

METRIC TO U.S.	
METRIC	**U.S.**
VOLUME	
Milliliter (ml)	0,0338 fluid ounce (fl oz.)
Milliliter (ml)	0,001057 quart
Milliliter (ml)	0,06102 cubic inch
Liter	0,264 gallon (gal.)
Liter	61,02 cubic inch
Liter	0,0353 cubic feet
LENGTH	
Millimeter (mm)	0,039 inch
Centimeter (cm)	0,393 inch
Centimeter (cm)	0,0328 feet (ft.)
Meter (m)	3,28 feet (ft.)
Kilometer (km)	0,62 mile (mi)
WEIGHTS	
Gram (g)	0,035 ounce net weight (oz.) net wt.
Kilogram (kg)	2,2 pounds (lb)
PRESSURE	
Bar	14,5 psi
TEMPERATURE	
Degrees Celsius (°C)	Degrees Fahrenheit (°F -32) x 5/9
POWER	
Kilowatt (kw)	1,34 horsepower (hp)
SPEED	
Kilometers per hour (km/h)	0,62 miles per hour (mph)
TORQUE	
Newton meters	8,85 inch force-pounds (in.-lbs)
Newton meters	0,738 foot force-pounds (ft.-lbs)
ENGINE CAPACITY	
Cubic centimeters (cc) (cm^3)	0,06102 cubic inches
FUEL CONSUMPTION	
Kilometers per liter (km/l)	2,35 miles per gallon (mpg)
Liters per kilometer (l/km)	0,425 gallons per mile (gpm)

U.S. TO METRIC	
U.S.	**METRIC**
VOLUME	
Fluid ounce (fl oz.)	29,57 milliliter (ml)
Quart	946,4 milliliter (ml)
Cubic inch	16,39 milliliter (ml)
Gallon (gal.)	3,785 liter
Cubic inch	0,01639 liter
Cubic feet	28,3169 liter
LENGTH	
Inch	25,4 milimeters (mm)
Inch	2,54 centimeters (cm)
Foot (ft.)	30,5 centimeters (cm)
Foot (ft.)	0,305 meter (m)
Mile (mi.)	1,609 kilometer
WEIGHTS	
Ounce net weight (oz.) net wt.	28,35 grams (g)
Pound (lb.)	0,45 kilograms (kg)
PRESSURE	
PSI	0,0689 Bar
TEMPERATURE	
Degrees Fahrenheit (°F)	Degrees Celsius (°C x 1,8) + 32
POWER	
Horsepower (hp)	0,7457 kilowatt (kw)
SPEED	
Miles per hour (mph)	1,6093 kilometers per hour (km/h)
TORQUE	
Inch force-pounds (in.-lbs)	0,113 newton meters (nm)
Foot force-pounds (ft.-lbs)	1,356 newton meters (nm)
ENGINE CAPACITY	
Cubic Inch Displacements (CID)	16,39 cubic centimeters (cc) (cm^3)
FUEL CONSUMPTION	
Miles per gallon (mpg)	0,425 kilometers per liter (km/l)
	2,35 liters per kilometer (l/km)



We Support The Sport®!

DEALER POLICIES
Please visit: www.partseurope.eu

CATALOG CONTENTS
We believe the contents and specifications of this catalog are correct. We assume no liability for errors in listings, specifications, part numbers, prices or model applications. We reserve the right to change specifications, product descriptions, product quality, pricing and application at any time without further notice and without further obligation. The reproduction of any material from this catalog is forbidden without our written approval.

iPad®, iPhone®, iPhoto®, iPod®, iPod classic®, iPod nano®, iPod shuffle®, iPod touch®, MacBook®, MacBook Air® and PowerBook® are registered trademarks of Apple Inc.

DuPont™ and Kevlar® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company. Supplex® and Cordura® are registered trademarks of Invista North America S.A.R.L. D30® is a registered trademark of Design Blue Limited. YKK® Vision® and AquaGuard® are registered trademarks of YKK Corporation.

All model designations and applications used herein are determined by the manufacturer as USA and/or European specific. Contact the individual manufacturer for additional international model information.

WARRANTIES AND GUARANTEES
We do not guarantee the items sold by us or warrant the merchantability or fitness of purpose. Manufacturers supply their own warranties and guarantees and most of them do not permit a wholesaler or distributor to make any adjustment, replace any part or accept for return or exchange any defective or unsatisfactory item. Please follow the guarantee instructions when provided by the manufacturer. Any damages arising from the design or manufacturing of any item are the sole responsibility of the manufacturer.

DRAG Specialties

dragspecialties.eu

PARTS EUROPE

partseurope.eu

Parts Europe GmbH
Conrad-Röntgen-Strasse 2
54332 Wasserliesch/Trier, Germany

Sales..... +49 6501 9695-2000
Fax..... +49 6501 9695-2650
Reception..... +49 6501 9695-0

info@partseurope.eu

A DIVISION OF LEMANS CORPORATION
PO Box 5222, Janesville, WI 53547-5222 • 608-758-1111

COPYRIGHT 2022 • LeMans Corporation • ALL RIGHTS RESERVED
These materials may not be copied or reproduced in any manner without written permission of LeMans Corporation.



2022

WATERCRAFT

PARTS EUROPE

9901-3102
PRINTED IN GERMANY