

CLUTCH KITS

- Designed specifically for trail riding
- Increases low-end and mid-range torque
- Increases low-end smoothness
- Eliminates harsh engagement of clutches
- Eliminates belt slippage
- Provides better back shift/down shift
- Improves throttle response
- Reduces clutch temperature
- Heat-resistant DUMAX drive belt increases strength 30% compared to OEM and other aftermarket belts
- Kit includes belt, springs, and weights



FITS MODEL	DESCRIPTION	PART #
CAN-AM		
Maverick X3 17	Stock tires for 0-914 m (0-3000') elevation for trail riding	1131-3199
	Stock tires for 914 m-1829 m (3000'-6000') elevation for trail riding	1131-3200
	30"-32" tires for 0-914 m (0-3000') elevation for trail riding	1131-3201
	30"-32" tires for 914 m-1829 m (3000'-6000') elevation for trail riding	1131-3202
	Stock tires for 0-914 m (0-3000') elevation for sand duning	1131-3203
	Stock tires for 0-914 m (0-3000') elevation for sand duning	1131-3204
	30"-32" tires for 0-914 m (0-3000') elevation for sand duning	1131-3205
30"-32" tires for 914 m-1829 m (3000'-6000') elevation for sand duning	1131-3206	
POLARIS		
RZR XP Turbo 16	Stock tires for 0-914 m (0-3000') elevation	1131-3211
	Stock tires for 914 m-1829 m (3000'-6000') elevation	1131-3212
	30"-32" tires for 0-914 m (0-3000') elevation	1131-3213
	30"-32" tires for 914 m-1829 m (3000'-6000') elevation	1131-3214
RZR XP Turbo 17	Stock tires for 0-914 m (0-3000') elevation	1131-3223
	Stock tires for 914 m-1829 m (3000'-6000') elevation	1131-3224
	30"-32" tires for 0-914 m (0-3000') elevation	1131-3225
RZR XP Turbo S 18-19	30"-32" tires for 914 m-1829 m (3000'-6000') elevation	1131-3226
	Stock tires for 0-914 m (0-3000') elevation	1131-3451
	Stock tires for 914 m-1829 m (3000'-6000') elevation	1131-3452

FITS MODEL	DESCRIPTION	PART #
POLARIS (CONT)		
RZR XP Turbo S 18-19 (CONT)	30"-32" tires for 0-914 m (0-3000') elevation	1131-3453
	30"-32" tires for 914 m-1829 m (3000'-6000') elevation	1131-3454
RZR XP Turbo 18-19	Stock tires for 0-914 m (0-3000') elevation	1131-3447
	Stock tires for 914 m-1829 m (3000'-6000') elevation	1131-3448
	30"-32" tires for 0-914 m (0-3000') elevation	1131-3449
	30"-32" tires for 914 m-1829 m (3000'-6000') elevation	1131-3450
RZR 1000 14-15	Stock tires for 0-914 m (0-3000') elevation	1131-3215
	Stock tires for 914 m-1829 m (3000'-6000') elevation	1131-3216
	30"-32" tires for 0-914 m (0-3000') elevation	1131-3217
RZR 1000 16	30"-32" tires for 914 m-1829 m (3000'-6000') elevation	1131-3218
	Stock tires for 0-914 m (0-3000') elevation	1131-3219
	Stock tires for 914 m-1829 m (3000'-6000') elevation	1131-3220
RZR 1000 17-18	30"-32" tires for 0-914 m (0-3000') elevation	1131-3221
	30"-32" tires for 914 m-1829 m (3000'-6000') elevation	1131-3222
	Stock tires for 0-914 m (0-3000') elevation	1131-3207
RZR 1000 17-18	Stock tires for 914 m-1829 m (3000'-6000') elevation	1131-3208
	30"-32" tires for 0-914 m (0-3000') elevation	1131-3209
	30"-32" tires for 914 m-1829 m (3000'-6000') elevation	1131-3210

SANDSTORM DRIVE BELTS

- Four times stronger than any other belt on the market for cord pop-out resistance
- High-temperature, heat-resistant polymer DUMAX™
- Handle the power heat/friction for maximum power transfer through clutches
- Help retain cord line position; won't expand or bulge out under top cog under squeeze pressure



FITS MODEL	PART #
CAN-AM	
Maverick Sport 18	1142-0766
Outlander 500/570/650/800/850/1000 06-19	1142-0768
Renegade 500/570/800/850/1000 07-19	1142-0768
Commander 800/1000 11-19	1142-0768
Trail 800/1000 18	1142-0766
X3 900	1142-0766
X3 Maverick/Max 17-19	1142-0766
Maverick/Max 1000 13-19	1142-0768
Maverick/Max 1000 Turbo 16-19	1142-0768

FITS MODEL	PART #
POLARIS	
General/General 4 16-19	1142-0764
RZR RS1 18-19	1142-0765
RZR Turbo XP/XP4 16-19	1142-0765
RZR Turbo S XP/XP4 18-19	1142-0765
ACE 570 w/EBS 15-19	1142-0764
ACE 900 16-19	1142-0764
Ranger 900 XP/XP4 13-19	1142-0764
RZR 900 XP/XP4 11-14	1142-0764
RZR 900 S XP/XP4 15-19	1142-0764

FITS MODEL	PART #
POLARIS (CONT)	
Ranger 1000 XP 17	1142-0764
Ranger 1000 XP 18-19	1142-0765
Ranger 1000 XP4 17-18	1142-0764
Ranger 1000 XP Crew 19	1142-0765
RZR 1000 XP/XP4 14-19	1142-0764
RZR S 1000 16-19	1142-0764
TEXTRON	
Wildcat XX (all)	1142-0769

DRIVE BELTS

- Carbon fiber with superior cord tensile strength and DUMAX™ top cog compound to retain cord rigidity and better adhesion of top cog to cord construction
- Engineered to keep maximum under-cord stiffness across the belt while giving stable cord construction base and allowing the belt to flex for efficiency and cool running temperatures
- Belts won't expand or bulge out under top cog under squeeze pressure



FITS MODEL	DESCRIPTION	PART #
CAN-AM		
Outlander 500/570/650/800/850/1000 06-19	Extreme	1142-0767
Renegade 500/570/800/850/1000 07-19	Extreme	1142-0767
Commander 800/1000 11-19	Extreme	1142-0767
Maverick/Max 1000 13-19	Extreme	1142-0767

FITS MODEL	DESCRIPTION	PART #
CAN-AM (CONT)		
Maverick/Max 1000 Turbo 16-19	Extreme	1142-0767
Maverick X3 (all)	Standard	1142-0737
POLARIS		
RZR XP Turbo 14-18	Extreme	1142-0736
RZR XP 1000 14-18	Standard	1142-0734
	Extreme	1142-0735

RADIAL BOOTS

- Pre-curved injection molded components throughout
- Radial hinge component adds structure and reduces over extension
- Injection-molded, positive-lock buckle system
- Adjustable straps allow for a custom and secure fit
- Injection-molded medial-abrasion plate with integrated shift protection
- Fully synthetic calf overlays deliver premium durability and optimal grip
- Low-profile toe box for unhindered shifting
- Uni-directional outsole with steel shank for rigidity
- Replaceable outsole inserts for extended wear
- Mesh liner promotes airflow while interior EVA panels enhance comfort
- Tested and certified to standard EN 13634: 2017



SIZE	(A) RED/BLACK	(B) BLACK	(C) FLO ORANGE/FLO YELLOW	(D) WHITE
7	3410-2244	3410-2253	3410-2262	3410-2271
8	3410-2245	3410-2254	3410-2263	3410-2272
9	3410-2246	3410-2255	3410-2264	3410-2273
10	3410-2247	3410-2256	3410-2265	3410-2274
11	3410-2248	3410-2257	3410-2266	3410-2275
12	3410-2249	3410-2258	3410-2267	3410-2276
13	3410-2250	3410-2259	3410-2268	3410-2277
14	3410-2251	3410-2260	3410-2269	3410-2278
15	3410-2252	3410-2261	3410-2270	3410-2279



COMBAT GOGGLES

- Drilled frame ports for increased ventilation and fog resistance
- Anti-fog, scratch-resistant lens with UV protection
- Optically correct polycarbonate lens for clear vision
- Clear lens mounted; replacement lenses available
- Dual post tear-off system ready; tear-off packs available
- Single layer 12 mm face foam for secure seal
- Adjustable woven strap with silicone grip for secure fit
- Plush goggle bag included for safe storage
- Supports Total Vision System; sold separately
- Tested and certified according to standard EN 1938:2010

COLOR	PART #	COLOR	PART #
(E) Black/white	2601-2075	(L) Flo pink/black	2601-2082
(F) Blue/white	2601-2076	(M) Web black/white	2601-2363
(G) Red/black	2601-2077	(N) Web white/orange	2601-2364
(H) Yellow/black	2601-2078	(O) Cap black/lime	2601-2365
(I) White/black	2601-2079	(P) Cap red/white	2601-2366
(J) Flo green/black	2601-2080	(Q) Cap pink/white	2601-2367
(K) Flo orange/black	2601-2081		



COMBAT SAND GOGGLES

- Sand-resistant, high-density foam to prevent fine particles from entering
- Drilled frame ports for increased ventilation and fog resistance
- Anti-fog, scratch-resistant lens with UV protection
- Optically correct polycarbonate lens for clear vision
- Smoke lens mounted; replacement lenses available
- Dual post tear-off system ready; tear-off packs available
- Single layer 12 mm face foam for secure seal
- Adjustable woven strap with silicone grip for secure fit
- Plush goggle bag included for safe storage
- Supports Total Vision System; sold separately
- Tested and certified according to standard EN 1938:2010



COLOR	PART #
(A) Black/white	2601-2083
(B) Red/black	2601-2084

COLOR	PART #
(C) White/black	2601-2085
(D) Flo green/black	2601-2086

COLOR	PART #
(E) Flo orange/black	2601-2087
(F) Flo pink/black	2601-2088

COLOR	PART #
(G) Sandblast, sand	2601-2369
(H) Sandblast, black	2601-2368

YOUTH COMBAT GOGGLES

- Drilled frame parts for increased ventilation and fog resistance
- Anti-fog, scratch-resistant lens with UV protection
- Optically-correct polycarbonate lens for clear vision
- Clear lens mounted
- Dual post tear-off system ready
- Single layer 12 mm face foam for secure seal
- Adjustable woven strap with silicone grip for secure fit
- Plush goggle bag included for safe storage
- Supports Total Vision System (sold separately)
- Tested and certified according to European Standard EN 1938:2010



GOGGLES

COLOR	PART #
(I) Black/white	2601-2357
(J) Blue/white	2601-2358

COLOR	PART #
(K) Red/black	2601-2359
(L) White/black	2601-2361



BREAKER JOHN & JACKET

- Designed for active riders
- Breaker John & Jacket combo offers performance and mobility while providing a lightweight layer of protection between the rider and the watercraft
- This versatile suit allows the rider to take control of the elements by utilizing the pieces individually or together for maximum warmth and coverage
- Material is 2 mm neoprene with flat-stitched seams for ultimate comfort
- Hook-and-loop shoulder closure on suit
- Front-zip jacket



Back view

Back view

COLOR	S	M	L	XL	2X	3X
(A) Charcoal/black	3201-0258	3201-0259	3201-0260	3201-0261	3201-0262	3201-0263
(B) Black/lime	3201-0264	3201-0265	3201-0266	3201-0267	3201-0268	3201-0269

MEN'S SIZE GUIDE

MEASUREMENT	S	M	L	XL	2X	3X
Height	168 cm - 175 cm (5' 6" - 5' 9")	173 cm - 180 cm (5' 8" - 5' 11")	178 cm - 185 cm (5' 10" - 6' 1")	180 cm - 191 cm (5' 11" - 6' 3")	185 cm - 193 cm (6' 1" - 6' 4")	188 cm - 196 cm (6' 2" - 6' 5")
Chest	89 cm - 94 cm (35" - 37")	94 cm - 99 cm (37" - 39")	99 cm - 104 cm (39" - 41")	104 cm - 109 cm (41" - 43")	109 cm - 114 cm (43" - 45")	114 cm - 119 cm (45" - 47")
Weight	54,5 kg - 63,5 kg (120 lb - 140 lb)	63,5 kg - 77 kg (140 lb - 170 lb)	77 kg - 86 kg (170 lb - 190 lb)	81,5 kg - 95 kg (180 lb - 210 lb)	91 kg - 102 kg (200 lb - 225 lb)	97,5 kg - 109 kg (215 lb - 240 lb)

MEN'S BREAKER PRO WETSUIT

- Designed with the serious competitor in mind
- Maximized to provide comfort, flexibility and breathability
- Coupled with a glide-skin chest panel to keep the rider's core temperature optimal
- Feature 1,5 mm airprene, 1,5 mm glide-skin at chest for added comfort and 1,5 mm latex at knee for abrasion-resistance
- Hook-and-loop shoulder closure



Back view

SIZE	BLACK	SIZE	BLACK	SIZE	BLACK
S	3201-0252	L	3201-0254	2X	3201-0256
M	3201-0253	XL	3201-0255	3X	3201-0257

MEN'S SIZE GUIDE

MEASUREMENT	S	M	L	XL	2X	3X
Height	168 cm - 175 cm (5' 6" - 5' 9")	173 cm - 180 cm (5' 8" - 5' 11")	178 cm - 185 cm (5' 10" - 6' 1")	180 cm - 191 cm (5' 11" - 6' 3")	185 cm - 193 cm (6' 1" - 6' 4")	188 cm - 196 cm (6' 2" - 6' 5")
Chest	89 cm - 94 cm (35" - 37")	94 cm - 99 cm (37" - 39")	99 cm - 104 cm (39" - 41")	104 cm - 109 cm (41" - 43")	109 cm - 114 cm (43" - 45")	114 cm - 119 cm (45" - 47")
Weight	54,5 kg - 63,5 kg (120 lb - 140 lb)	63,5 kg - 77 kg (140 lb - 170 lb)	77 kg - 86 kg (170 lb - 190 lb)	81,5 kg - 95 kg (180 lb - 210 lb)	91 kg - 102 kg (200 lb - 225 lb)	97,5 kg - 109 kg (215 lb - 240 lb)



MEN'S BREAKER SPRING SUIT

- Perfect for those times when a full suit is too much, but shorts aren't enough
- 2 mm neoprene construction for supreme fit and flexibility
- Flat-stitched seams for ultimate comfort
- Rear ³/₄ zip closure for added lower-back flex and ease of entry

SIZE	BLACK/LIME	SIZE	BLACK/LIME
S	3210-0081	XL	3210-0084
M	3210-0082	2X	3210-0085
L	3210-0083	3X	3210-0086

MEN'S SIZE GUIDE

MEASUREMENT	S	M	L	XL	2X	3X
Height	168 cm - 175 cm (5' 6" - 5' 9")	173 cm - 180 cm (5' 8" - 5' 11")	178 cm - 185 cm (5' 10" - 6' 1")	180 cm - 191 cm (5' 11" - 6' 3")	185 cm - 193 cm (6' 1" - 6' 4")	188 cm - 196 cm (6' 2" - 6' 5")
Chest	89 cm - 94 cm (35" - 37")	94 cm - 99 cm (37" - 39")	99 cm - 104 cm (39" - 41")	104 cm - 109 cm (41" - 43")	109 cm - 114 cm (43" - 45")	114 cm - 119 cm (45" - 47")
Weight	54,5 kg - 63,5 kg (120 lb - 140 lb)	63,5 kg - 77 kg (140 lb - 170 lb)	77 kg - 86 kg (170 lb - 190 lb)	81,5 kg - 95 kg (180 lb - 210 lb)	91 kg - 102 kg (200 lb - 225 lb)	97,5 kg - 109 kg (215 lb - 240 lb)



TOUR COAT

- The ideal addition for cold days on the water
- Oversized cut allows coat to be worn over PFD (personal flotation device)
- 2 mm neoprene construction
- Heavy-duty, two-way front zip
- Flat-stitched seams
- Two front zip pockets with mesh drainage ports
- Removable hood

SIZE	BLACK	SIZE	BLACK
S/M	3270-0047	L/XL	3270-0048



BOARD SHORTS

- 100% polyester for durability
- Knee-length shorts with draw-string closure at waist
- Features a cargo pocket with key keeper and pocket drain eyelets for drainage

SIZE	BLACK/CAMO	SIZE	BLACK/CAMO
28	3230-0232	38	3230-0237
30	3230-0233	40	3230-0238
32	3230-0234	42	3230-0239
34	3230-0235	44	3230-0240
36	3230-0236		



CIRCUIT GLOVES

- Perforated palm
- TPR hook-and-loop closure
- Anti-slip gel print on palm and fingertips; integrated neoprene finger padding for added coverage
- Innospan backhand for ultimate flexibility
- Flat-stitch seams for comfort



SIZE	(A) BLACK	(B) BLACK/RED	(C) BLACK/LIME	(D) CHARCOAL
XS	3260-0402	3260-0408	3260-0414	3260-0420
S	3260-0403	3260-0409	3260-0415	3260-0421
M	3260-0404	3260-0410	3260-0416	3260-0422
L	3260-0405	3260-0411	3260-0417	3260-0423
XL	3260-0406	3260-0412	3260-0418	3260-0424
2X	3260-0407	3260-0413	3260-0419	3260-0425



FLEX LITE GLOVES

- Hook-and-loop wrist closure
- Four-way stretch mesh
- Sublimated fade-free graphics
- Perforated palm
- Anti-slip gel print on palm and fingertips
- Reinforced thumb overlay

MEN'S T-SHIRT AND TANK TOP

- 100% cotton construction
- Feature screen-printed graphics on front and heat transfer-style neck label
- Transfer-style neck labels for maximum comfort

SIZE	(E) CHARCOAL	(F) NAVY/ORANGE	(G) BLACK/LIME	(H) BLACK
XS	3260-0378	3260-0384	3260-0390	3260-0396
S	3260-0379	3260-0385	3260-0391	3260-0397
M	3260-0380	3260-0386	3260-0392	3260-0398
L	3260-0381	3260-0387	3260-0393	3260-0399
XL	3260-0382	3260-0388	3260-0394	3260-0400
2X	3260-0383	3260-0389	3260-0395	3260-0401

MEN'S T-SHIRT	
SIZE	(I) BLACK
S	3030-17962
M	3030-17963
L	3030-17964
XL	3030-17965
2X	3030-17966

MEN'S TANK	
SIZE	(J) WHITE
S	3030-17957
M	3030-17958
L	3030-17959
XL	3030-17960
2X	3030-17961



CORE MANUAL CLUTCH KITS

- Reduces clutch fade
- Consistent and improved lever modulation
- Components are lighter, stronger and perform better than stock clutches
- Strategic engineering increases oil flow, decreases operating temperatures and extends clutch life
- Installation does not require modification of stock parts
- Includes proprietary anti-drag steel drive plates



OFFROAD APPLICATIONS

FITS MODEL	PART #
BETA	
250/350 RR 13-17, XTrainer 300 15-17	1130-0332
250/300/350/390/430/500 RR/RR-S/XTrailer 18-19	1130-0320
350 RR 11-17 (except Factory Edition 11-14), 350 RR-Race Edition 15-17, 350 RR-S 17, 390 RR 15, 390 RR-S 17, 390 RS 15, 400 RR Factory 11, 400 RR 10-14, 400 RS 13-14, 430 RR 15-17, 430 RR-Race Edition 15-17, 430 RR-S 17, 430 RS 15, 450 RR Factory 11, 450 RR 10-14, 450 RS 13-14, 480 RR 15-17, 480 RR-Race Edition 15-17, 498 RR 12-14, 500 RR-S 17, 500 RS 15, 520 RR Factory 11, 520 RR 10-11, 520 RS 13-14	1130-0333
COBRA	
CX65 16-18	1130-0321
GAS GAS	
EC 200 00-11/17, EC 200R 12/17, XC 200 00-02/10-12	1130-0317
DE 250 03-06, EC 250 00-15/17, MC 250 00-09, XC 250 00-02/11-13	1130-0317
EC250F 10-15, EC300F 13-15	1130-0346
DE 300 03-06, EC 300 00-15/17, EC 300R 12/12, MC 300 00-05/07-08, XC 300 00-02/11-13	1130-0317
EC 450F 12-15	1130-0348
HONDA	
CRF150R 07-19	1130-0330
CR250R 92-07	1130-0325
CRF250R 04-09, CRF250X 04-09/12-17	1130-0324
CRF250R 10-17	1130-0329
CRF250R 18-19, CRF250RX 19	1130-0318
CRF450R 02-08	1130-0325
CRF450R 09-12	1130-0327
CRF450R 13-16	1130-0323
CRF450R/RX 17-18	1130-0322
CRF450R/X/L/RX	1130-0319
CRF450X 05-09/12-18	1130-0331
HUSABERG	
TE125 14	1130-0336
FE250 13	1130-0337
FE 250 14	1130-0353
TE250/300 13-14	1130-0353
FE350/450/501 13-14	1130-0353
HUSQVARNA	
TC65 17-19	1130-0354
TC85 14-17	1130-0335
TC 125 14-18, TE125 14-15, TX125 17-18, TE 150 17-18	1130-0336
FC250/350 14-15	1130-0355
FC250/350 16-18, FX350 17-18	1130-0351

ATV APPLICATIONS

FITS MODEL	PART #
HONDA	
TRX450R 04-09/13-14	1130-0328
KAWASAKI	
KFX450R 08-14	1130-0338


FITS MODEL	PART #
HUSQVARNA (CONT)	
FC250/350, FX350 19	1130-0326
FE250/350 14-16	1130-0353
FE250/350 17-19, FE450/501 16	1130-0352
TC250, TE250/300 14-16	1130-0353
TC250 17-19, TE250/i, 300/i 17-19, TX300 17-19	1130-0352
FC/FE450 14-15, FE 501 14-15	1130-0353
FC450 16-19, FE/FX450 17-19, FE501 17-19, FR450 16	1130-0350
KAWASAKI	
KX65 00-18	1130-0340
KX80/85/100 98-18	1130-0339
KX250F 04-19	1130-0342
KX450F 06-18, KLX450R 08-11	1130-0341
KTM	
65 SX/SXS/CV 09-19	1130-0354
85/105 SX/SXS/XC 03-17	1130-0335
125/144/150/200 SX/SXS/EXC/XC/XCW 98-18	1130-0336
250 EXC-F/XCF-W 08-13, 250 SX-F 06-12, 250 XC-F 07-12	1130-0337
250/350 EXC-F 17-19,	1130-0352
250 SX-F/XC-F 13-15, 350 SX-F/XC-F 11-15, 350 Freeride 14-17	1130-0355
250 SX-F FE 15-16, 250/350 SX-F/XC-F 16-18, 350 SX-F FE 15	1130-0351
250 SX/XC/EXC/XC-W/TPI 17-19, 300 XC/XC-W/EXC/TPI 17-19	1130-0352
250/350 SX-F/XC-F 19, Freeride 250F 18	1130-0326
250/300 SX/EXC/XC/XC-W 13-16	1130-0353
250 EXC-F 14-16, 250 XCF-W 14-16, 350 EXC-F/XCF-W 12-16, 450 XC-F 13-15, 450 EXC/XC-W 12-15, 500 EXC/XC-W 12-15	1130-0353
450/500 EXC/XC-W 16, 450 Rally Factory Repl. 15-16	1130-0352
450 SX-F FE 12-14, 450 SX-F 13-14	1130-0353
450 SX-F FE 15-18, 450 SX-F/XC-F 16-19, 450 XC-W 17, 450/500 EXC-F 17-19	1130-0350
SHERCO	
250/300 SEF/SEF-R 14-19, 250i/350i, 250i-R/300i-R 12-13	1130-0334
SUZUKI	
RM65 00-07	1130-0340
RM-Z250 04-06	1130-0342
RM-Z250 07-18	1130-0344
RM-Z450 08-18, RMX450 10-11/17	1130-0343
YAMAHA	
YZ65 18-19, YZ85 02-19	1130-0347
YZ250 99-19, YZ250X 16-19	1130-0345
YZ250F 01-18, WR250F 01-19, YZ250FX 15-19	1130-0346
YZ450F 05-19, YZ450FX 16-19, WR450F 03-18	1130-0348

FITS MODEL	PART #
YAMAHA	
YFZ450 04-09/12-13, YFZ450R 09-13, YFZ450X 10-11	1130-0349



RADIUSX CLUTCH KITS

- With RadiusX a high-performance auto clutch is just a clutch pack swap away
- RadiusX combines TorqDrive friction disk technology with Rekluse's innovative EXP (auto clutch) disk
- TorqDrive provides more clutch disks in less space, delivering high performance auto function within the framework of the stock clutch
- The RadiusX clutch prevents engine stalls so you can focus on the ride and let the auto clutch do the rest
- RadiusX delivers increased power transfer over OEM and longer clutch life with less adjustment over time
- Standard clutch lever function is retained and full override
- Some configurations include Rekluse basket sleeves to prolong basket life



1130-0403



1130-0412

FITS MODEL	PART #
BMW	
F650/700 GS Twin 09-18	1130-0404
G650 X-Moto/X-Country/X-Challenge 07	1130-0405
G650 GS 08-16/GS Sertao 12-15, X-Country 08-09	1130-0408
F800 GS/Adventure 09-18	1130-0404
F800GT 13-16, F800S 07-10, F800R 09-17, F800ST 07-12	1130-0404
HONDA	
CRF1000L Africa Twin 16-18	1130-0401
HUSQVARNA	
TR650 Strada/Terra 13-14	1130-0408
701 Supermoto/Enduro 16-19	1130-0414
KAWASAKI	
KLR650 96-18	1130-0407
Versys 650 07-18, Ninja 650 06-16, Vulcan S 15-18	1130-0403
KTM	
690 SMC R 12-15, 690 Enduro 08-09, 690 Enduro R 09-15, 690 SMC	1130-0410
690 Enduro R 16-19, 690 SMC R 16-1	1130-0414

FITS MODEL	PART #
KTM (CONT)	
950/990 Adventure 02-13, 990 SMR 10-13, 950 Super Enduro 06-09	1130-0411
1050 Adventure 15	1130-0412
1050 Adventure 16	1130-0413
1090 Adventure R 18	1130-0413
1190 Adventure/R 13-15	1130-0412
1190 Adventure/R 16-17	1130-0413
1190 RC 08-10, RC8 R 09-10/12	1130-0402
1190 RC8 R 13-16	1130-0412
1290 Super Adventure 15, Super Duke R 14-15	1130-0412
1290 Super Adventure/R/S/T 16-18, 1290 Super Duke R/GT 16-18	1130-0413
SUZUKI	
DS650 V-Strom 04-18 (all)	1130-0409
SV650/SFV650 03-18 (all)	1130-0409
YAMAHA	
FZ-07 14-17, XSR700 15-18, Tenere 700 19, MT-07 14-18	1130-0406

CORE EXP CLUTCH KIT

FOR YAMAHA WR250R 08-18, WR250X 08-11

- Core EXP 3.0 is a centrifugal auto clutch featuring Rekluse's EXP (auto clutch) technology
- Full clutch control and use of the lever is retained for a no-compromise riding experience
- Core EXP 3.0 offers dead-on clutch engagement every time and allows riders to take off and stop in gear without using clutch lever
- With Core EXP 3.0, you'll confidently navigate traffic and slow-speed conditions
- Rekluse's billet center hub and pressure plate convert the clutch to six coil springs which improves lever feel, clutch performance, and durability
- Increased oil passages in the center hub and pressure plate move more oil through the clutch, decreasing operating temperatures and increasing clutch life
- Installing Core EXP 3.0 does not require modification to stock components
- Shifting the transmission remains unchanged (clutch lever use is recommended for shifting)



1130-0400


DESCRIPTION	PART #
Clutch kit	1130-0400



TORQDRIVE® CLUTCH PACKS

- A high-performance manual clutch is now more accessible than ever with the TorqDrive Clutch Pack
- It's as easy as changing your clutch plates into your OEM components
- Proven at the highest levels of racing, TorqDrive thin friction disk technology allows more disks to fit in your OEM clutch's footprint, decreasing slip and unlocking the full power of your engine
- TorqDrive Technology also provides increased clutch life and decreased clutch fade
- The additional friction disks provide an average of a 25% gain in torque capacity over stock, while reducing lever pull by an average of 10% (figures vary by model)
- TorqDrive delivers stronger drive throughout the powerband, unlocking the bike's power without any expensive motor mods
- Rekluse basket sleeves eliminate basket wear and notching

NOTE: Not a replacement clutch pack for RadiusX, RadiusCX, or Core Manual TorqDrive.



1131-3465

OFFROAD APPLICATIONS

FITS MODEL	PART #
HONDA	
CR250R 02-07	1131-3463
CRF250R 10-17	1131-3464
CRF250R 18-19, CRF250X 19	1131-3457
CRF450R 02-08	1131-3460
CRF450R 09-12	1131-3462
CRF450R 13-16	1131-3459
CRF450R/RX 17-19, CRF450X/L 19	1131-3458
CRF450X 05-09/12-18	1131-3461
HUSABERG	
FE250 14, FE350/450/501 13-14, TE250/300 13-14	1131-3481
HUSQVARNA	
FC250/ 14-15	1131-3482
FC250 16-18	1131-3480
FC250 19	1131-3483
FC/FX350 19	1131-3483
FE250 14-19	1131-3481
TC/TE250/i, TE/TX300/i 14-19	1131-3481
FC350 14-15	1131-3482
FC350 16-18, FX350 17-18	1131-3480
FE350/450/501 14-19	1131-3481
FC450 14-19, FR450 16, FX450 17-19	1131-3481
KAWASAKI	
KX125 03-05	1131-3467
KX250F 09-19	1131-3466
KX450F 06-15, KLX450R 08-09	1131-3469
KX450F 16-19	1131-3468

STREET APPLICATIONS

FITS MODEL	PART #
BMW	
F650/700 GS Twin 09-18	1130-0397
F800 R 09-17, F800 ST 07-12, F800GT 13-16, F800S 07-10	1130-0397
F800 GS 09-18, F800 GS Adventure 14-18	1130-0397
HONDA	
CRF1000L Africa Twin 16-18	1130-0392
HUSQVARNA	
701 Supermoto/Enduro 16-19	1130-0398
KAWASAKI	
Ninja 650 06-16 Versys 650 07-18, Vulcan S 15-18	1130-0394
KTM	
690 Enduro/Enduro R/SMC/SMC R 08-19	1130-0398

ATV APPLICATIONS

FITS MODEL	PART #
HONDA	
TRX450R 04-09/13-14	1131-3465
KAWASAKI	
KFX450R 08-14	1131-3469

FITS MODEL	PART #
KTM	
250/300 SX/XC/XC-W/EXC/TPI 13-19	1131-3481
250 EXC-F/XCF-W 14-19	1131-3481
250 SX-F/XC-F 13-15	1131-3482
250 SX-F FE 15-16, 250 SX-F/XC-F 16-18	1131-3480
250 SX-F/XC-F 19, Freeride 250F 18	1131-3483
350 SX-F/XC-F 11-15	1131-3482
350 SX-F/XC-F 16-18, 350 SX-F FE 15	1131-3480
350 SX-F/XC-F 19	1131-3483
350 EXC-F/XCF-W 12-19, 350 Freeride 12-13	1131-3481
450 SX-F FE 12-18, 450 SX-F 13-19, 450/500 EXC/EXC-F/XC-W/XC-F 12-19	1131-3481
SUZUKI	
RM-Z250 07-18	1131-3471
RM-Z450 08-18, RMX450 10-11/17	1131-3470
YAMAHA	
YZ125 05-19	1131-3474
YZ250/250X 02-18	1131-3473
YZ250F 14-18, YZ250FX 15-19, WR250F 15-19	1131-3477
YZ250F 19	1131-3472
WR450F 05-15	1131-3476
WR450F 16-18, YZ450FX 16-18	1131-3478
YZ450F 10-19, YZ450FX 19	1131-3475

FITS MODEL	PART #
KTM (CONT)	
1050 Adventure 15-16	1130-0393
1090 Adventure R 18, 1190 Adventure/R 13-17	1130-0393
1190 RC8/R 08-12	1130-0399
1190 RC8 R 13-16	1130-0393
1290 Super Duke R 14-18, Super Adventure R/S/T 17-18	1130-0393
SUZUKI	
SV650/SFV650 03-18 (all)	1130-0395
DS650 V-Strom 04-18 (all)	1130-0395
YAMAHA	
MT-07 14-18, Tenere 700 19, XSR700 15-18, FZ07 14-17	1130-0396

FITS MODEL	PART #
YAMAHA	
YZF450 04-09/12-13, YZF450X 10-11, YZF450R 09-13	1131-3475
Raptor 700/700R 06-18	1131-3479

CORE MANUAL TORQDRIVE® CLUTCHES

- The Core Manual TorqDrive clutch delivers unprecedented performance, tuning and durability
- TorqDrive provides more disks in less space, allowing up to four additional friction disks over stock
- More frictions = more torque capacity, thus unlocking the full power of your engine without the need to add stiffer pressure plate springs
- Provides more consistent clutch lever feel and behavior
- Can be set up to maintain a stock, or lighter than stock, lever pull depending on engine tuning
- Rekluse sleeves eliminate basket wear and notching
- Proven in racing at the highest levels

**OFFROAD APPLICATIONS**

FITS MODEL	PART #
BETA	
250/350 RR 13-17, XTrainer 300 15-17	1130-0358
250/300 RR/XTrainer 18-19	1130-0359
350/390/400/430/480/498/500 RR/RR-S 10-17	1130-0360
350/390/430/500 RR/RR-S/XTrainer 18-19	1130-0361
HONDA	
CR250R 92-01	1130-0378
CR250R 02-07	1130-0365
CRF250R 10-17	1130-0377
CRF250R 18-19, CRF250RX 19	1130-0356
CRF450R 02-08	1130-0366
CRF450R 09-12	1130-0375
CRF450R 13-16	1130-0364
CRF450R/RX 17-18	1130-0363
CRF450R/XL/RX	1130-0357
CR500R 94-01	1130-0378
HUSABERG	
TE250/300 13-14	1130-0370
FE350/450/501 13-14	1130-0369
HUSQVARNA	
TC85 18-19	1130-0391
FC250/350 14-15	1130-0371
FC250/350 16-18, FX350 17-18	1130-0368
FC250/350, FX350 19	1130-0374
FE250/350 17-19	1130-0372
TC250, TE250/300 14-16	1130-0370
TC250 17-19, TE250/i, 300/i 17-19, TX300 17-19	1130-0373
FC/FE450 14-15, FE 501 14-15	1130-0369
FC450 16-19, FE/FX450 17-19, FE 501 17-19	1130-0367

CLUTCH BASKETS

- Constructed from billet aluminum and hard anodized to deliver enhanced clutch modulation
- Extreme durability resists notching and extends clutch life
- Exclusive replaceable cushions protect your transmission from damage even in the most extreme conditions
- Tightly controlled tolerances ensure smooth operation, less drag and reduced clutch noise
- Think of a clutch basket as the backbone of your entire clutch system
- Precision CNC-machining combined with innovative world-class engineering allows Rekluse clutch baskets to safeguard your vital internal components, keeping you on the track or trail longer

**OFFROAD APPLICATIONS**

FITS MODEL	PART #
COBRA	
CX65 16-18	1132-1347
GAS GAS	
XC/EC/MC/DE/GO 200/250/30000-18	1132-1344
EC450F 12-15	1132-1365
HONDA	
CR125R 00-07	1132-1349
CR250R 92-07	1132-1350
CRF250R 04-09, CRF250X 04-09/12-17	1132-1349
CRF250R 10-17	1132-1352
CRF250R 18-19, CRF250X 19	1132-1346
CRF450R 02-16, CRF450X 05-09/12-18	1132-1350
CRF450R/RX 17-19	1132-1348
HUSABERG	
TE125 14	1132-1348
FE250 13	1132-1357
TE250/300 11-12	1132-1355
FE390/450/570 09-12, FS 570 09-12, FX450 09-12	1132-1353
HUSQVARNA	
TC85 14-17	1132-1354
TC125 14-18, TE125 14-16, TX125 17-18, TE150 17-18	1132-1356
TC/TE/TXC 250/310 10-13	1132-1361
KAWASAKI	
KX65 00-18	1132-1358
KX250F 09-19	1132-1359
KX450F 06-18, KLX450R 08-11	1132-1360

FITS MODEL	PART #
KAWASAKI	
KX250F 09-19	1130-0379
KX450F 06-15	1130-0381
KX450F 16-18	1130-0380
KX450F 19	1130-0362
KTM	
85 SX 18-19	1130-0391
250/350 EXC-F 17-19	1130-0372
250 SX-F/XC-F 13-15, 350 SX-F/XC-F 11-15	1130-0371
250 SX-F FE 15-16, 250/350 SX-F/XC-F 16-18, 350 SX-F FE 15	1130-0368
250 SX/XC/EXC/XC-W/TPI 17-19, 300 XC/XC-W/EXC/TPI 17-19	1130-0373
250/350 SX-F/XC-F 19, Freeride 250F 18	1130-0374
250/300 SX/EXC/XC-W 13-16	1130-0370
450/500 EXC/XC-W 12-15	1130-0369
450 SX-F FE 12-14, 450 SX-F 12-15, 450 XC-F	1130-0369
450 SX-F FE 15-18, 450 SX-F/XC-F 16-19, 450 XC-W 17, 450/500 EXC-F 17-19	1130-0367
SUZUKI	
RM-Z250 07-18	1130-0383
RM-Z450 08-18, RMX450 10-11/17	1130-0382
YAMAHA	
YZ125 05-19	1130-0388
YZ250 99-18, YZ250X 16-18	1130-0384
YZ250F 01-13, WR250F 01-14	1130-0385
YZ250F 14-18, WR250F/YZ250FX 15-19	1130-0390
YZ450F 05-09, WR450F 08-15	1130-0386
YZ450F 10-19, YZ450FX 16-19, WR450F 16-18	1130-0389

ATV APPLICATIONS

DESCRIPTION	PART #
HONDA	
TRX450R 04-09/13-14	1130-0376
YAMAHA	
YZF450 04-09/12-13/17, YFZ450X 10-11, YFZ450R 09-19	1130-0387

FITS MODEL	PART #
KTM	
85/105 SX/XC	1132-1354
125/150/200 SX/XC/XC-W/EXC 98-18	1132-1356
250/300/360/380 EXC/MXC/SX/XC/XC-W 95-12	1132-1355
250 SX-F 06-12, 250 XC-F 07-12, 250 EXC-F, XCF-W 07-13	1132-1357
400 EXC/XC-W 09-11	1132-1353
450 EXC 08-11, 450 EXC-R 08, 450 XCR-W 08, 450 XC-F 08-09, 450 XC-W 09-12	1132-1353
450 SX-F 07-11	1132-1353
505 SX-F 07-08, 505 XC-F 08-09	1132-1353
530 EXC 09-11, 530 EXC-R 08, 530 XCR-W 08, 530 XC-W 09-11	1132-1353
SUZUKI	
RM 65 00-07	1132-1358
RM-Z 250 07-09	1132-1363
RM-Z 250 10-18	1132-1364
RM-Z450 08-18, RMX450 17	1132-1362
YAMAHA	
YZ450F 04-19, YZ450FX 16-19, WR450F 04-18	1132-1365

ATV APPLICATIONS

FITS MODEL	PART #
HONDA	
TRX450R 04-09/13-14	1132-1351
YAMAHA	
YZF450R 09-13, YFZ450X 10-11	1132-1365



CLUTCH COVERS

- Rekluse clutch covers are specifically engineered to provide unparalleled durability and performance in a single, stylish component
- Covers are ready to ride whenever you are, standing up against rocks, logs, boots and whatever else you may encounter in your adventures
- Billet aluminum construction provides incredible strength
- Clutch covers are double hard anodized to further enhance durability and wear resistance
- Rekluse covers have a greater depth than OEM designs, allowing increased oil capacity



0940-1777



0940-1788

OFFROAD APPLICATIONS

FITS MODEL	PART #
BETA	
250/300 RR/Race Edition 13-17, XTrainer 300 15-17	0940-1787
250/300 RR/Race Edition 18-19, XTrainer 300 18	0940-1788
350-520 RR/RS 10-17	0940-1789
350-480 RR/S/Race Edition 18-19	0940-1791
GAS GAS	
EC 200/R 00-17, XC 200 00-02/10-12	0940-1778
EC 250F 10-15, EC300F 10 13-15	0940-1834
EC 250 00-17, DE 250 00-06, XC 250 00-02, 11-13, MC 250 00-09	0940-1778
EC/GP/XC 250/300 18	0940-1777
EC 300/R 00-17, DE 300 00-06, MC 300 00-05/07-08, XC 300 00-02/11-13	0940-1778
EC 450F 12-15	0940-1835
HONDA	
CR250R 92-01	0940-1809
CRF250R 10-17	0940-1827
CRF250R 18-19, CRF250RX 19	0940-1823
CRF450R 09-16	0940-1825
CRF450R/RX 17-18	0940-1824
CR500R 94-01	0940-1809
HUSABERG	
FE 250 13	0940-1800
TE 250/600 11-12	0940-1798
FE 390/450/570 09-12, FX 450 09-12, FS 570 09-12	0940-1792
HUSQVARNA	
TC 65 17-19	0940-1818
TC 85 14-17	0940-1794
TC125 14-15, TE125 14-16	0940-1799
TC125 16-19, TX125/TE150 17-18	0940-1819
FC 250/350 14-15, FE 250/350 14-16	0940-1797
FC250/350 16-19, FE250/350 17-19, FX350 17-19	0940-1821
TC250, TE250/300 14-16	0940-1817
TC/TE/TX250/250i/300/300i 17-19	0940-1822
TXC/TE/TC 250/310 10-13	0940-1805
FC 450 14-16, FR 450 16, FE 450/501 14-16	0940-1796
FC450 16-19, FE/FX 450/501 17-19	0940-1816
TE/TXC/TC 450/510 08-10	0940-1806

ATV APPLICATIONS

FITS MODEL	PART #
HONDA	
TRX450R 04-09/13-14	0940-1826
KAWASAKI	
KFX450R 08-14	0940-1830

FITS MODEL	PART #
KAWASAKI	
KX80/85/100 98-18	0940-1802
KX250F 09-19	0940-1828
KX450F 06-15	0940-1830
KX450F 16-18	0940-1829
KTM	
65 SX/XC 09-19	0940-1818
85 SX/SXS/CV 03-17, 105 SX/XC 06-11	0940-1794
125/144/150 SX 98-15, 125-150 XC/EXC 98-16	0940-1799
125/150 SX 16-19, 150 XC-W 17-18	0940-1819
200 EXC/MXC/XC/XC-W/SX 98-16	0940-1799
250 SX 03-12, 250 EXC/XC 04-12, 250 XC-W 06-12	0940-1798
250/300 SX/EXC/XC/XC-W 13-16	0940-1817
250/300 SX/EXC/XC/XC-W/XCW TPI 17-19	0940-1822
250 SX-F 06-12, 250 EXC-F/XCF-W 07-13, 250 XC-F 07-12	0940-1800
250 SX-F 13-15, 250 EXC-F 14-16, 250 XC-F 13-15, 250 XCF-W 14-16	0940-1797
250 SX-F FE 15-16, 250 SX-F 16-19, 250 EXC-F/XC-F 17-19	0940-1821
300 XC/XC-W 06-12, 300 MXC 04-05, 300 EXC 04-12	0940-1798
350 SX-F/XC-F 11-15, 350 EXC-F/XCF-W 12-16	0940-1797
350 SX-F/EXC-F 16-19	0940-1821
400/450/530 EXC/XCW 09-11, 450/530 EXC-R/XCR-W 08	0940-1795
450 SX-F 07-12, 450 XC-F 08-09, 505 SX-F 07-08, 505 XC-F 08-09	0940-1793
450 SX-F FE 12-14, 450 SX-F 13-15, 450/500 XC-F/XC-W/EXC/SMR 12-16	0940-1796
450 SX-F FE 15-18, 450 SX-F/XC-F16-19, 450 EXF-F 17-19, 450 XC-W 17, 500 EXC-F 17-19	0940-1816
SHERCO	
250/300/i SEF/R 13-19	0940-1790
SUZUKI	
RM-Z250 07-18	0940-1832
RM-Z450 08-18, RMX450 10-11, 17	0940-1831
YAMAHA	
YZ125 05-19	0940-1820
YZ250 99-19, YZ250X 16-19	0940-1833
YZ250F 01-13, WR250F 01-14	0940-1834
YZ250F 14-18, YZ250FX/WR250F 15-19	0940-1837
YZ450F 05-09, WR450F 03-15	0940-1835
YZ450F 10-19, YZ450FX 16-19, WR450R 16-18	0940-1836

FITS MODEL	PART #
KTM	
450/505 SX 09	0940-1793
YAMAHA	
YFZ450 04-09/12-13/17, YFZ450R 09-19, YFZ450X 10-11	0940-1835