



COMMANDER III CRUISER FRONT/REAR

## COMMANDER III

### COMMANDER® III CRUISER/TOURING TIRES

- Excellent mileage for touring bikes
- Designed to deliver more wet grip and durability for cruiser bikes
- Patented velvet sidewall designs and distinctive tread patterns enhance the styling of V-Twin motorcycles
- The commitment to Michelin® Total Performance™ makes the Michelin® Commander III tire line a trusted choice for all-season riding
- Blackwall
- Tubeless (TL) or Tubeless (TL)/Tube type (TT)
- H-rated for speeds up to 210 km/h (130 mph) or V-rated for speeds up to 240 km/h (149 mph)



COMMANDER III TOURING FRONT/REAR



POWER 5 FRONT



POWER 5 REAR

### POWER 5 TIRES

- A next generation sportbike tire for ultimate sportbike performance and enjoyment
- Improves upon the already exceptional wet grip of Power RS tire for all-season riding
- Optimized 2CT and 2CT+ silca compounds with 11% void ratios front and rear deliver tremendous grip in wet conditions
- Patented velvet sidewall styling enhances sportbike styling
- Blackwall
- Tubeless (TL)
- (W)-rated for speeds to 270+ km/h (168+ mph)

### CRUISER

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
<b>FRONT BIAS</b>			
130/90 B 16	73H	TL/TT	0305-0680
100/90 B 19	57H	TL/TT	0305-0678
110/90 B 19	62H	TL/TT	0305-0679
80/90 - 21 (reinforced)	54H	TL/TT	0305-0676
90/90 - 21	54H	TL/TT	0305-0677
<b>FRONT RADIAL</b>			
140/75 R 17	67V	TL	0301-0827
<b>REAR BIAS</b>			
140/90 B 15 (reinforced)	76H	TL/TT	0306-0695
150/90 B 15	74H	TL/TT	0306-0698
170/80 B 15	77H	TL/TT	0306-0700
180/70 B 15	76H	TL/TT	0306-0701
130/90 B 16 (reinforced)	73H	TL/TT	0306-0694
140/90 B 16 (reinforced)	77H	TL/TT	0306-0696
150/80 B 16 (reinforced)	77H	TL/TT	0306-0697
160/70 B 17	73V	TL/TT	0306-0699
<b>REAR RADIAL</b>			
200/55 R 17	78V	TL	0302-1407

### TOURING

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
<b>FRONT BIAS</b>			
130/90 B 16	73H	TL/TT	0305-0685
MT90 B 16	72H	TL/TT	0305-0687
130/80 B 17	65H	TL/TT	0305-0684
130/70 B 18	63H	TL/TT	0305-0683
130/60 B 19	61H	TL/TT	0305-0682
MH90 - 21	54H	TL/TT	0305-0686
120/70 B 21 (reinforced)	68H	TL/TT	0305-0681
<b>FRONT RADIAL</b>			
120/70 R 19	60V	TL/TT	0301-0828
<b>REAR BIAS</b>			
MT90 B 16	74H	TL/TT	0306-0704
MU85 B 16	77H	TL/TT	0306-0705
180/65 B 16	81H	TL/TT	0306-0703
180/55 B 18	80H	TL/TT	0306-0702

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
<b>FRONT</b>			
120/70 ZR 17	(58W)	TL	0301-0829
<b>REAR</b>			
160/60 ZR 17	(69W)	TL	0302-1408
180/55 ZR 17	(73W)	TL	0302-1409
190/50 ZR 17	(73W)	TL	0302-1410
190/55 ZR 17	(75W)	TL	0302-1411
200/55 ZR 17	(78W)	TL	0302-1412

### ENDURO XTREM TIRE

- Outstanding performance on a wide range of challenging surfaces
- Proven performance for Hard/Extreme Enduro competitions
- Extremely pliable tread rubber compound derived from legendary Michelin Trials tire
- Blackwall
- Tube type (TT)
- M-rated for speeds up to 81 mph



ENDURO XTREM REAR

SIZE	LOAD/SPEED INDEX	TL/TT	PART #
<b>REAR</b>			
140/80 - 18	70M	TT	0317-0508

## PISTONS

- Machined from 2618-T6 high-tensile forged aluminum
- Dome/dish features smooth flowing radii; require no deburring or preparation
- JE designs are specifically engineered for extreme applications including professional competition
- Pro Series pistons available for select models: features include internal and external bracing, dedicated embossed forgings for weight reduction, specialized processes such as internal milling the internal struts, along with dedicated accumulator groove and forged side relief
- Pins, pin fitment, lock and rings included



## OFFROAD APPLICATIONS

FITS MODEL	DISPLACEMENT	BORE	OVERSIZE	COMPRESSION RATIO	WEIGHT (GRAMS)	SKIRT	PART #
<b>HONDA</b>							
CRF150R 07-12	149cc	STD	66 mm	12,5:1	112	FSR	<b>0910-5873</b>
	170cc	+4 mm	70 mm	13,0:1	126	FSR	<b>0910-5878</b>
XR250 86-04, XR250L 91-96 250	277cc	+4 mm	77 mm	10,5:1	215	Round	<b>0910-5836</b>
CRF250R 04-09, CRF250X 04-17	249cc	STD	78 mm	13,2:1	150	FSR	<b>0910-5852</b>
Pro Series	249cc	STD	78 mm	13,7:1	150	FSR	<b>0910-5879</b>
CRF250R 10-15	249cc	STD	76,8 mm	13,8:1	149	FSR	<b>0910-5904</b>
Pro Series	249cc	STD	76,8 mm	14,2:1	151	FSR	<b>0910-5905</b>
CRF250R 16-17 - Pro Series	249cc	STD	76,8 mm	14,5:1	NEW	FSR	<b>0910-5942</b>
XR400R 96-04	406cc	+1 mm	86 mm	10,6:1	294	Round	<b>0910-5837</b>
	415cc	+2 mm	87 mm	10,8:1	294	Round	<b>0910-5838</b>
	415cc	+2 mm	87 mm	12,0:1	285	Round	<b>0910-5829</b>
	426cc	+3 mm	88 mm	11,0:1	298	Round	<b>0910-5841</b>
	426cc	+3 mm	88 mm	13,0:1	318	Round	<b>0910-5840</b>
	435cc	+4 mm	89 mm	10,8:1	273	Round	<b>0910-5853</b>
CRF450R 02-08, CRF450X 05-17	449cc	STD	96 mm	12,5:1	273	FSR	<b>0910-5886</b>
	449cc	STD	96 mm	13,5:1	282	FSR	<b>0910-5887</b>
	488cc	+4 mm	100 mm	12,5:1	303	FSR	<b>0910-5888</b>
CRF450R 02-08, CRF450X 05-17	449cc	STD	96 mm	13,5:1	255	FSR	<b>0910-5872</b>
Pro Series	449cc	STD	96 mm	14,0:1	256	FSR	<b>0910-5903</b>
CRF450R 09-12 - Pro Series	449cc	STD	96 mm	13,5:1	253	FSR	<b>0910-5890</b>
CRF450R 13-16 - Pro Series	449cc	STD	96 mm	13,5:1	257	FSR	<b>0910-5923</b>
CRF450R, CRF450RX 17	449cc	STD	96 mm	13,5:1	NEW	FSR	<b>0910-5943</b>
Pro Series	449cc	STD	96 mm	14,0:1	NEW	FSR	<b>0910-5944</b>
	449cc	STD	96 mm	14,5:1	NEW	FSR	<b>0910-5945</b>
XR600R 85-01	629cc	+3 mm	100 mm	10,5:1	380	Round	<b>0910-5831</b>
	640cc	+4 mm	101 mm	10,6:1	397	Round	<b>0910-5832</b>
	654cc	+5 mm	102 mm	10,8:1	395	Round	<b>0910-5833</b>
XR650L 93-16	650cc	+1 mm	101 mm	9,0:1	389	Round	<b>0910-5906</b>
	644cc	STD	100 mm	10,5:1	398	Round	<b>0910-5912</b>
	650cc	+1 mm	101 mm	10,5:1	396	Round	<b>0910-5913</b>
	657cc	+2 mm	102 mm	10,5:1	408	Round	<b>0910-5914</b>
	644cc	STD	100 mm	11,25:1	399	Round	<b>0910-5834</b>
	657cc	+2 mm	102 mm	11,25:1	406	Round	<b>0910-5839</b>
<b>HUSABERG</b>							
FE 450 13-14	450cc	STD	95 mm	13,5:1	259	FSR	<b>0910-5934</b>
<b>HUSQVARNA</b>							
FC450 14-15, FE 450 14-16, FX 450 17	450cc	STD	95 mm	13,5:1	259	FSR	<b>0910-5934</b>
<b>KAWASAKI</b>							
KX250F 10-14 - Pro Series	249cc	STD	77 mm	14,0:1	148	FSR	<b>0910-5907</b>
KX250F 17-18 - Pro Series	249cc	STD	77 mm	14,0:1	NEW	FSR	<b>0910-5948</b>
KLX 400 03	398cc	STD	90 mm	12,0:1	287	Round	<b>0910-5842</b>
	434cc	+4 mm	94 mm	12,0:1	303	FSR	<b>0910-5843</b>
KX450F 06-14/16-18 (does not fit 15)	449cc	STD	96 mm	12,8:1	272	FSR	<b>0910-5899</b>
	449cc	STD	96 mm	13,5:1	275	FSR	<b>0910-5900</b>
	449cc	STD	96 mm	12,8:1	258	FSR	<b>0910-5901</b>
	449cc	STD	96 mm	13,5:1	264	FSR	<b>0910-5902</b>
<b>KTM</b>							
450 SX-F 13-15, 450 EXC / XC-F / XC-W 12-16	450cc	STD	95 mm	13,5:1	259	FSR	<b>0910-5934</b>
<b>SUZUKI</b>							
RM-Z250 10-18 - Pro Series	249cc	STD	77 mm	14,2:1	151	FSR	<b>0910-5908</b>
DR-Z 400 00-18	398cc	STD	90 mm	12,0:1	287	Round	<b>0910-5842</b>
	434cc	+4 mm	94 mm	12,0:1	303	FSR	<b>0910-5843</b>
RM-Z 450 13-18	449cc	STD	96,0 mm	13,5:1	258	FSR	<b>0910-5929</b>
Pro Series	449cc	STD	96,0 mm	14,5:1	266	FSR	<b>0910-5930</b>
DR 650 96-11	650cc	STD	100 mm	10,5:1	375	Round	<b>0910-5759</b>
<b>YAMAHA</b>							
YZ250F 05-13, WR250F 05-13	249cc	STD	77 mm	13,5:1	167	FSR	<b>0910-5857</b>
	270cc	+3 mm	80 mm	13,0:1	178	FSR	<b>0910-5858</b>
YZ250F 14-18, YZ250FX 15-18, WR250F 15-17	250cc	STD	77 mm	13,5:1	149	FSR	<b>0910-5931</b>
Pro Series 2-ring	250cc	STD	77 mm	14,0:1	152	FSR	<b>0910-5932</b>
	250cc	STD	77 mm	14,5:1	154	FSR	<b>0910-5933</b>
YZ450F 05-09, WR450F 05-15	478cc	+3 mm	98 mm	13,0:1	288	FSR	<b>0910-5859</b>
YZ450F 14-17, YZ450FX 16-17, WR450F 06-17 - Pro Series 3-ring	450cc	STD	97 mm	12,8:1	268	FSR	<b>0910-5938</b>
YZ450F 14-17, YZ450FX 16-17, WR450F 06-17 - Pro Series 2-ring	450cc	STD	97 mm	14,0:1	268	FSR	<b>0910-5939</b>
XT/TT600 76-81	540cc	+3 mm	97 mm	11,0:1	342	Round	<b>0910-5835</b>



## PISTONS (CONT)

### STREET MOTORCYCLE APPLICATIONS

FITS MODEL	DISPLACEMENT (CC)	BORE (MM)	OVERSIZE	COMPRESSION RATIO	WEIGHT (GRAMS)	SKIRT	PART #
<b>BMW</b>							
S1000RR 14	999	80	Std	13,5:1	-	-	<b>0910-5824</b>
<b>DUCATI</b>							
900SS 91-02	900	92	STD	11,5:1	361	Round	<b>0910-5768</b>
	944	94	+2 mm	11,5:1	396	Round	<b>0910-5769</b>
<b>HONDA</b>							
CBR500R 13-18	500	67	Std	12,0:1	-	-	<b>0910-5825</b>
CBR600F2/F3 90-98	637	67	+2 mm	13,5:1	150	Round	<b>0910-5762</b>
CBR600RR 07-16	600	67	STD	12,6:1	135	FSR	<b>0910-5793</b>
	636	69	+2 mm	13,5:1	143	FSR	<b>0910-5794</b>
CB750 69-78 (SOHC)	836	65	+3 mm	10,5:1	151	Round	<b>0910-5763</b>
CBR900RR 92-95	945	72	+2 mm	12,0:1	175	Round	<b>0910-5761</b>
CBR900RR 96-99	945	72	+1 mm	12,0:1	175	Round	<b>0910-5761</b>
VTR1000 97-01	996	98	Std	11,5:1	385	Round	<b>0910-5764</b>
CBR1000RR 04-07	998	75	Std	13,5:1	177	FSR	<b>0910-5782</b>
	1053	77	+2 mm	13,5:1	188	FSR	<b>0910-5781</b>
CBR1000RR 08-16	999	76	Std	13,5:1	184	FSR	<b>0910-5800</b>
	1052	78	+1 mm	13,5:1	195	FSR	<b>0910-5801</b>
CBR1000RR 17-19	999	76	Std	13,5:1	-	-	<b>0910-5826</b>
CBR1100XX 97-03	1195	81	+2 mm	11,5:1	220	Round	<b>0910-5767</b>
<b>KAWASAKI</b>							
Ninja 300 13-17	300	62	Std	12,5:1	-	-	<b>0910-5827</b>
ZX6R 03-06	636	68	Std	13,2:1	134	FSR	<b>0910-5785</b>
	674	70	+2 mm	13,5:1	144	FSR	<b>0910-5820</b>
Ninja 650R/ER6 06-12	649	83	Std	13,5:1	222	FSR	<b>0910-5806</b>
ZX7R 91-95	770	74	+1 mm	12,0:1	180	Round	<b>0910-5766</b>
ZX7R 96-03, RR 96	770	74	+1 mm	13,0:1	188	Round	<b>0910-5765</b>
KZ900/1000 (all, except J model)	1075	72	+2 mm	10,25:1	201	Round	<b>0910-5755</b>
ZX10R 04-07	998	76	Std	13,5:1	175	FSR	<b>0910-5780</b>
	1078	79	+2 mm	13,5:1	185	FSR	<b>0910-5789</b>
ZX10R 08-12	998	76	Std	13,5:1	178	FSR	<b>0910-5812</b>
ZRX1200 01-06	1164	79	Std	12,5:1	224	Round	<b>0910-5807</b>
	1224	81	+2 mm	12,5:1	236	Round	<b>0910-5808</b>
ZX12R 00-05	1198	83	Std	9,8:1	229	Round	<b>0910-5779</b>
	1198	83	Std	13,0:1	234	FSR	<b>0910-5792</b>
	1287	86	+3 mm	13,0:1	260	FSR	<b>0910-5772</b>
ZX14 06-11	1352	84	Std	13,5:1	232	FSR	<b>0910-5783</b>
	1417	86	+2 mm	13,5:1	245	FSR	<b>0910-5784</b>
<b>SUZUKI</b>							
GSX-R600 06-07	636	69	+2 mm	13,0:1	143	FSR	<b>0910-5791</b>
GSX-R600 08-12	599	67	Std	13,0:1	136	FSR	<b>0910-5816</b>
	636	69	+2 mm	13,2:1	141	FSR	<b>0910-5817</b>
DR650 96-11	650	100	Std	10,5:1	375	Round	<b>0910-5759</b>
SV 650 99-10, DL650 07-09/11	650	81	Std	12,0:1	223	FSR	<b>0910-5822</b>
	650	81	Std	13,0:1	225	FSR	<b>0910-5823</b>
	677	83	+2 mm	13,0:1	224	FSR	<b>0910-5809</b>
GSX-R1000 01-04	988	73	Std	9,8:1	182	Round	<b>0910-5778<sup>1</sup></b>
	988	73	Std	13,5:1	156	FSR	<b>0910-5775</b>
	1070	76	+3 mm	13,5:1	177	FSR	<b>0910-5777</b>

<sup>1</sup> Accepts turbo and nitrous.



## PISTONS (CONT)

### STREET MOTORCYCLE APPLICATIONS (CONT)

FITS MODEL	DISPLACEMENT (CC)	BORE (MM)	OVERSIZE	COMPRESSION RATIO	WEIGHT (GRAMS)	SKIRT	PART #
<b>SUZUKI (CONT)</b>							
GSX-R1000 05-08	998	73,4	Std	10,1:1	179	FSR	<b>0910-5790<sup>1</sup></b>
	998	73,4	Std	13,8:1	158	FSR	<b>0910-5786</b>
	1043	75	+1,6 mm	13,5:1	167	FSR	<b>0910-5787</b>
	1070	76	+2,6 mm	13,5:1	173	FSR	<b>0910-5788</b>
GSX-R1000 09-11	999	74,5	Std	13,8:1	171	FSR	<b>0910-5810</b>
	1053	76,5	+2 mm	13,8:1	173	FSR	<b>0910-5811</b>
TL1000R 98-03	996	98	Std	13,0:1	338	FSR	<b>0910-5818</b>
	1036	100	+2 mm	13,0:1	346	FSR	<b>0910-5819</b>
GS1100 81-83	1260	78	+6 mm	13,5:1	239	Round	<b>0910-5757</b>
	1428	83	+11 mm	13,5:1	248	Round	<b>0910-5758</b>
	1500	85	+13 mm	14,0:1	272	Round	<b>0910-5760</b>
GSX-R1100 86-88, GSX1100F Katana/Bandit 88-92	1127	78	Std	13,0:1	232	Round	<b>0910-5756</b>
	1216	81	+3 mm	11,0:1	235	Round	<b>0910-5773</b>
GSX1300R 99-07	1299	81	Std	13,5:1	241	Round	<b>0910-5795</b>
	1299	81	Std	12,3:1	234	Round	<b>0910-5770</b>
	1397	84	+3 mm	12,8:1	244	Round	<b>0910-5771</b>
	1397	84	+3 mm	13,5:1	234	FSR	<b>0910-5796</b>
	1429	85	+4 mm	13,5:1	241	FSR	<b>0910-5797</b>
GSX1300R 99-07	1299	81	Std	8,7:1	222	Round	<b>0910-5774<sup>1</sup></b>
Turbo tall deck 0,080" base spacer needed							
GSX1300R 99-07	1299	81	Std	8,7:1	246	FSR	<b>0910-5813<sup>1</sup></b>
	1363	83	+2 mm	8,7:1	260	FSR	<b>0910-5814<sup>1</sup></b>
"Big Boost" applications							
GSX1300R 08-14	1340	81	Std	13,5:1	225	Round	<b>0910-5802</b>
	1407	83	+2 mm	13,5:1	225	FSR	<b>0910-5803</b>
	1441	84	+3 mm	13,5:1	234	FSR	<b>0910-5804</b>
	1441	84	+3 mm	14,5:1	228	FSR	<b>0910-5805</b>
GSX1300R 99-07	1340	81	Std	9,0:1	247	FSR	<b>0910-5815<sup>1</sup></b>
Turbo tall deck 0,080" base spacer needed							
"Big Boost" applications							
<b>TRIUMPH</b>							
Rocket 3 04-13	2249	101,6	Std	10,5:1	361	FSR	<b>0910-5821</b>
<b>YAMAHA</b>							
YZF-R3 16-19	321	67,87	Std	13,0:1	-	-	<b>0910-5828</b>
YZF-R6 01-05	637	67,5	+2 mm	12,5:1	142	FSR	<b>0910-5776</b>
YZF-R6 06-14	599	67	Std	13,1:1	130	FSR	<b>0910-5798</b>
	635	69	+2 mm	13,1:1	142	FSR	<b>0910-5799</b>

<sup>1</sup> Accepts turbo and nitrous.

### PWC APPLICATIONS

FITS MODEL	DISPLACEMENT	BORE	OVERSIZE	COMPRESSION RATIO	WEIGHT (GRAMS)	SKIRT	PART #
<b>YAMAHA</b>							
FX SHO 1800 09-13	1812cc	86 mm	STD	10,5:1	330	Round	<b>0910-5918</b>
	1812cc	86 mm	STD	11,0:1	336	Round	<b>0910-5919</b>
	1832cc	86,5 mm	+0,5 mm	8,6:1	323	Round	<b>0910-5920</b>
	1832cc	86,5 mm	+0,5 mm	10,5:1	334	Round	<b>0910-5921</b>
	1832cc	86,5 mm	+0,5 mm	11,0:1	342	Round	<b>0910-5922</b>



## PISTONS (CONT)

## ATV/UTV APPLICATIONS

FITS MODEL	DISPLACEMENT	BORE	OVERSIZE	COMPRESSION RATIO	WEIGHT (GRAMS)	SKIRT	PART #
<b>ARCTIC CAT</b>							
Wildcat 1000i 12-14	994cc	94 mm	+2 mm	11,5:1	310	FSR	0910-5926
<b>CAN-AM</b>							
DS650 02-03	651cc	100 mm	STD	11,5:1	373	FSR	0910-5844
<b>HONDA</b>							
TRX400EX 99-08/TRX400X 09-17	406cc	+1 mm	86 mm	10,6:1	294	Round	0910-5837
	415cc	+2 mm	87 mm	10,8:1	294	Round	0910-5838
	415cc	+2 mm	87 mm	12,0:1	285	Round	0910-5829
	426cc	+3 mm	88 mm	11,0:1	298	Round	0910-5841
	435cc	89 mm	+4 mm	10,8:1	273	Round	0910-5853
	435cc	89 mm	+4 mm	12,0:1	268	Round	0910-5830
TRX450R 04-05	449cc	94 mm	STD	13,0:1	317	FSR	0910-5846
	449cc	94 mm	STD	12,0:1	300	FSR	0910-5876
	449cc	94 mm	STD	11,5:1	311	FSR	0910-5847
TRX450R 04-05 Pro Series 3-ring	449cc	94 mm	STD	12,5:1	279	FSR	0910-5891
	449cc	94 mm	STD	13,0:1	290	FSR	0910-5892
	449cc	94 mm	STD	13,8:1	297	FSR	0910-5893
TRX450R 04-05 Pro Series 2-ring	449cc	94 mm	STD	12,5:1	269	FSR	0910-5869
	449cc	94 mm	STD	13,8:1	279	FSR	0910-5870
TRX450R 06-14	449cc	96 mm	STD	12,8:1	291	FSR	0910-5854
	449cc	96 mm	STD	13,5:1	295	FSR	0910-5855
	487cc	100 mm	+4 mm	13,0:1	312	FSR	0910-5856
TRX450R 06-14 Pro Series 3-ring	449cc	96 mm	STD	12,8:1	274	FSR	0910-5880
	449cc	96 mm	STD	13,5:1	276	FSR	0910-5881
	477cc	99 mm	+3 mm	13,5:1	294	FSR	0910-5941
TRX450R 06-14 Pro Series 2-ring	449cc	96 mm	STD	12,8:1	254	FSR	0910-5874
	449cc	96 mm	STD	13,5:1	260	FSR	0910-5875
<b>KAWASAKI</b>							
KFX 400 03-06	398cc	STD	90 mm	12,0:1	287	Round	0910-5842
	434cc	+4 mm	94 mm	12,0:1	303	FSR	0910-5843
KFX450 08-1 – Pro Series 3-ring	449cc	96 mm	STD	12,8:1	284	FSR	0910-5894
KVF750 Brute Force 05-11, KRF750 Teryx 11	749cc	85 mm	STD	11,5:1	254	Round	0910-5882
	840cc	90 mm	+5 mm	11,5:1	297	Round	0910-5883
KVF750 Brute Force 12-13 KRF750 Teryx 12-13	749cc	85 mm	STD	11,5:1	270	Round	0910-5924
	749cc	85 mm	STD	12,0:1	270	Round	0910-5925
<b>POLARIS</b>							
Predator 500 03-07	560cc	105 mm	+5,8 mm	12,5:1	399	FSR	0910-5851
RZR 800 07-14, Sportsman 800 05-12	760cc	80 mm	STD	10,75:1	231	Round	0910-5889
RZR 900 XP 11-14	932cc	96 mm	+3 mm	11,0:1	288	FSR	0910-5915
	932cc	96 mm	+3 mm	11,5:1	293	FSR	0910-5916
	971cc	98 mm	+5 mm	11,0:1	299	FSR	0910-5917
<b>SUZUKI</b>							
LT-Z400 03-17	398cc	STD	90 mm	12,0:1	287	Round	0910-5842
	434cc	+4 mm	94 mm	12,0:1	303	FSR	0910-5843
LT-R450 06-13	450cc	95,5 mm	STD	13,5:1	299	FSR	0910-5863
	450cc	95,5 mm	STD	12,8:1	297	FSR	0910-5864
	474cc	98 mm	+2,5 mm	12,8:1	311	FSR	0910-5865
	474cc	98 mm	+2,5 mm	13,9:1	317	FSR	0910-5866
LT-R450 06-13 – Pro Series 2-ring	493cc	100 mm	+4,5 mm	13,5:1	297	FSR	0910-5909
<b>YAMAHA</b>							
YFM250 Raptor 08-11	249cc	74 mm	STD	12,0:1	192	FSR	0910-5884
YFM350 Warrior 87-04, YFM350 Raptor 05-13, YFM350 Grizzly 07-14	366cc	85 mm	+2 mm	12,0:1	289	Round	0910-5845
	366cc	85 mm	+2 mm	10,5:1	279	Round	0910-5849
YFZ450 04-05	439cc	95 mm	STD	13,5:1	282	FSR	0910-5848
	470cc	98 mm	+3 mm	13,0:1	310	FSR	0910-5850
YFZ450 06-13, YFZ450R 09-17	449cc	95 mm	STD	12,5:1	293	FSR	0910-5862
	449cc	95 mm	STD	13,5:1	299	FSR	0910-5861
	480cc	98 mm	+3 mm	13,0:1	316	FSR	0910-5860
YFZ450 06-13, YFZ450R 09-17 Pro Series 2-ring	449cc	95 mm	STD	13,5:1	250	FSR	0910-5871
YFZ450 06-13, YFZ450R 09-17 Pro Series 3-ring	449cc	95 mm	STD	12,5:1	266	FSR	0910-5895
	449cc	95 mm	STD	13,5:1	260	FSR	0910-5885
	478cc	98 mm	+3 mm	13,5:1	287	FSR	0910-5940
YFM660R Raptor 01-05, YFM660 Grizzly 02-07, YXR660 Rhino 06-07 – Pro Series	673cc	102 mm	+2 mm	10,0:1	380	FSR	0910-5867
	686cc	102 mm	+2 mm	11,0:1	382	FSR	0910-5868
YFM660R Raptor 01-05, YFM660 Grizzly 02-07, 660 Rhino 06-07 – Pro Series (4mm Stroker piston)	719cc	102 mm	+2 mm	11,0:1	353	FSR	0910-5877
YFM700 Raptor 06-14, YFM700 Grizzly 07-13, YXR700 Rhino 08-14	686cc	102 mm	STD	11,0:1	336	FSR	0910-5910
	686cc	102 mm	STD	12,5:1	358	FSR	0910-5911
	735cc	105,5 mm	+3,5 mm	10,0:1	346	FSR	0910-5896
	735cc	105,5 mm	+3,5 mm	11,0:1	366	FSR	0910-5897
	735cc	105,5 mm	+3,5 mm	12,5:1	385	FSR	0910-5898
YXZ1000 16-17	998cc	80 mm	STD	9,5:1	-	FSR	0910-5946
	998cc	80 mm	STD	11,5:1	-	FSR	0910-5947





A



C

Back view



B

D

### PRIME PRO JERSEYS

- Hybrid fit with set-in style tailored sleeves
- Tapered collar and cuffs
- Minimal seams for maximum comfort
- Fully ventilated arms and back panel
- Moisture-wicking material keeps you dry
- Tail silicone print helps keep jersey tucked in
- Flat-stitched seams minimize irritation
- See size chart on page 8 before ordering

### TREND JERSEYS

SIZE	(A) BLACK	(B) CHARCOAL/GRAY
S	2910-5796	2910-5801
M	2910-5797	2910-5802
L	2910-5798	2910-5803
XL	2910-5799	2910-5804
2X	2910-5800	2910-5805

### PRIME PRO PANTS

- Ultra-lightweight pre-curved chassis design
- Inner compression short
- Abrasion-tolerant, poly/spandex blend
- Premium-grade, full-grain leather inner knee panels
- Aramid fiber backed inner knee panels
- Engineered small expansion stretch panels on waist
- Strategically-placed vented mesh panels
- Laser-cut holes for ventilation
- Inner waist silicone band
- Interior hip pocket (easily removable)
- Ratchet-style waist closure
- See size chart on page 8 before ordering

### TREND PANTS

SIZE	(C) BLACK	(D) CHARCOAL/GRAY
Europe 44 (USA 28)	2901-8430	2901-8437
Europe 46 (USA 30)	2901-8431	2901-8438
Europe 48 (USA 32)	2901-8432	2901-8439
Europe 50 (USA 34)	2901-8433	2901-8440
Europe 52 (USA 36)	2901-8434	2901-8441
Europe 54 (USA 38)	2901-8435	2901-8442
Europe 56 (USA 40)	2901-8436	2901-8443



Back view

### PULSE JERSEYS

- Cut and finish allow for an exceptional fit that minimizes unnecessary material, without hindering mobility
- Moisture-wicking material designed to complement the tailored fit pulls the moisture away from skin to keep rider cool and dry
- No-fade sublimated graphics
- Heat transfer neck label
- See size chart on page 8 before ordering

### FIRE JERSEYS

SIZE	(A) MIDNIGHT/POWDER BLUE	(B) BLACK/MAROON
S	2910-5806	2910-5812
M	2910-5807	2910-5813
L	2910-5808	2910-5814
XL	2910-5809	2910-5815
2X	2910-5810	2910-5816
3X	2910-5811	2910-5817

### GLOW JERSEYS

SIZE	(C) BLACK
S	2910-5818
M	2910-5819
L	2910-5820
XL	2910-5821
2X	2910-5822
3X	2910-5823

### PULSE PANTS

- Abrasion-resistant polyester and nylon are bound together with double- and triple-stitched seams to ensure durability
- Purpose built TPR features
- Athletic mesh inner liner
- Interior hip pocket
- See size chart on page 8 before ordering

### FIRE PANTS

SIZE	(D) MIDNIGHT/POWDER BLUE	(E) BLACK/MAROON
Europe 44 (USA 28)	2901-8444	2901-8453
Europe 46 (USA 30)	2901-8445	2901-8454
Europe 48 (USA 32)	2901-8446	2901-8455
Europe 50 (USA 34)	2901-8447	2901-8456
Europe 52 (USA 36)	2901-8448	2901-8457
Europe 54 (USA 38)	2901-8449	2901-8458
Europe 56 (USA 40)	2901-8450	2901-8459
Europe 58 (USA 42)	2901-8451	2901-8460
Europe 60 (USA 44)	2901-8452	2901-8461

### GLOW PANTS

SIZE	(F) BLACK
Europe 44 (USA 28)	2901-8462
Europe 46 (USA 30)	2901-8463
Europe 48 (USA 32)	2901-8464
Europe 50 (USA 34)	2901-8465
Europe 52 (USA 36)	2901-8466
Europe 54 (USA 38)	2901-8467
Europe 56 (USA 40)	2901-8468
Europe 58 (USA 42)	2901-8469
Europe 60 (USA 44)	2901-8470



### PULSE AIR JERSEY

- Fully vented mesh panels maximize airflow throughout and keep rider cool
- Set-in style sleeves are tailored to the body's shape and form while accenting all riding styles
- 100% polyester jersey material wicks away sweat and helps keep rider cool
- Four-way stretch panels in the cuffs and collar provide an excellent feel and minimal chafing
- Sublimated, no-fade graphics
- Heat-transferred neck label
- See size chart below before ordering

#### FIRE JERSEYS

SIZE	(A) LIGHT GRAY/BLACK
S	2910-5824
M	2910-5825
L	2910-5826
XL	2910-5827
2X	2910-5828
3X	2910-5829

### MEN'S RIDING GEAR SIZE CHARTS

**NOTE:** Prime Pro jerseys have a tighter fit. Pulse jerseys have a traditional fit.

#### MEN'S JERSEYS

SIZE	CHEST GIRTH
XXS	70 cm-78 cm (27,5"-30,7")
XS	78 cm-86 cm (30,7"-33,9")
S	86 cm-94 cm (33,9"-37,0")
M	94 cm-102 cm (37,0"-40,2")
L	102 cm-110 cm (40,2"-43,3")
XL	110 cm-118 cm (43,3"-46,5")
2X	118 cm-128 cm (46,5"-50,4")
3X	128 cm-141 cm (50,4"-55,5")

### PULSE AIR PANTS

- Fully perforated vented panels maximize airflow throughout and keep rider cool
- Pre-curved chassis shape provides maximum comfort while in the rider attack or sitting positions
- Adjustable hip side cinches and ratchet-style closure are tailored to the unique build of every rider for a versatile fit
- Polyester and nylon are combined with double and triple stitching for a pant that is made to last
- Abrasion-tolerant materials, durable construction and full-grain leather knee panels provide coverage in crucial areas
- Purpose-built TPR features
- Athletic mesh liner
- Interior hip pocket
- See size chart below before ordering

#### FIRE PANTS

SIZE	(B) LIGHT GRAY/BLACK
Europe 44 (USA 28)	2901-8421
Europe 46 (USA 30)	2901-8422
Europe 48 (USA 32)	2901-8423
Europe 50 (USA 34)	2901-8424
Europe 52 (USA 36)	2901-8425
Europe 54 (USA 38)	2901-8426
Europe 56 (USA 40)	2901-8427
Europe 58 (USA 42)	2901-8428
Europe 60 (USA 44)	2901-8429

#### MEN'S OFFROAD PANTS

SIZE	WAIST	INSEAM
Europe 44 (USA 28)	68,5 cm-71 cm (27"-28")	75 cm (29,5")
Europe 46 (USA 30)	73,5 cm-76 cm (29"-30")	76 cm (30")
Europe 48 (USA 32)	79 cm-81 cm (31"-32")	77,5 cm (30,5")
Europe 50 (USA 34)	84 cm-86 cm (33"-34")	79 cm (31")
Europe 52 (USA 36)	89 cm-91 cm (35"-36")	81 cm (32")
Europe 54 (USA 38)	94 cm-97 cm (37"-38")	81 cm (32")
Europe 56 (USA 40)	99 cm-102 cm (39"-40")	81 cm (32")
Europe 58 (USA 42)	104 cm-107 cm (41"-42")	81 cm (32")
Europe 60 (USA 44)	109 cm-112 cm (43"-44")	81 cm (32")





### SNIPER PRO GOGGLES

- Injection-molded, optically-correct polycarbonate lens for clear vision
- Injection-molded outrigger positioning system ensures perfect fit
- Drilled frame ports for increased ventilation and for resistance
- Anti-fog, scratch-resistant lens with UV protection
- Triple post tear-off system compatible
- Removable roost nose guard cover
- Dual-layer, 14 mm face foam with soft, micro-fleece liner
- Adjustable woven 45 mm strap with silicone grip for secure fit
- "Visiglow" lens enhances visible color
- Unique, flush-mounted strap covers for added retention
- Plush goggle bag included for safe storage
- Goggle and lens tested and certified to standard EN 1938:2010

COLOR	PART #
<b>GOGGLES</b>	
(A) Divide - Lime/blue	<b>2601-2221</b>
(B) Splatta - Flo pink/black	<b>2601-2222</b>
(C) Woody - Brown	<b>2601-2223</b>
(D) Rampant - Orange/black	<b>2601-2226</b>
(E) Solid - Gold/black	<b>2601-2227</b>
(F) Solid - Flo acid	<b>2601-2572</b>
(G) Solid - Black	<b>2601-2573</b>
(H) Fader - Red	<b>2601-2575</b>

COLOR	PART #
<b>LENSES/TEAR-OFFS</b>	
(I) Clear lens	<b>2602-0801</b>
(J) Smoke lens	<b>2602-0802</b>
(K) Mirrored lens	<b>2602-0803</b>
(L) Blue lens	<b>2602-0804</b>
(M) Green lens	<b>2602-0805</b>
(N) Iridium lens	<b>2602-0807</b>
(O) Gold lens	<b>2602-0838</b>
(P) Tear-offs (10 pk.)	<b>2602-0869</b>
(Q) Laminated tear-offs (14 pk.)	<b>2602-0870</b>