# PARTS Product News

STREET • OFFROAD • ATV/UTV • SNOWMOBILE • WATERCRAFT • TIRE & SERVICE • SCOOTER

## **EVOLUTION LINE COMPLETE EXHAUST SYSTEM**

## FOR HONDA CBR1000RR-R FIREBLADE/SP 20

- The flagship of the Akrapovic exhaust systems, used and tested by top factory teams in racing
- Unique and dedicated to maximising engine performance while reducing overall weight for optimised handling of the whole motorcycle
- Significantly lighter compared to the stock exhaust system
- Headpipes/ collector/ link pipe are made of titanium
- Muffler sleeve and end cap are constructed from titanium
- Carbon fiber muffler bracket (needed for mounting if passenger footrests are removed) is already included with the system

NOTE: ECU remapping is recommended for perfect performance, throttle response and durability.

NOTE: Country restrictions apply. Please check our website if these products can be shipped to your country.



| DESCRIPTION  | PART #    |
|--|-----------|
| 4-into-1 header w/ titanium muffler and titanium end cap | 1810-2786 |



- Unique design enables it to obtain the maximum output for each specific model of motorcycle while significantly reducing overall weight for top performance in everyday riding or even in the most challenging races
- Headpipes/collector/link pipe are made of stainless steel
- Muffler sleeves and end caps are constructed from titanium

NOTE: Country restrictions apply. Please check our website if these products can be shipped to your country.

| FITS MODEL  | DESCRIPTION   | PART #    |
|---|---|-----------|
| HONDA   |   |           |
| CBR1000RR-R 4-into-1 header w/ titanium muffler and titanium end cap  |   | 1810-2785 |
| CRF1100L Africa Twin 20  2-into-1 header w/ titanium muffler and titanium end cap (ECU re-mapping is recommended) |   | 1810-2787 |
| CRF1100L Africa<br>Twin Adventure<br>Sports 20  | 2-into-1 header w/ titanium muffler<br>and titanium<br>end cap (ECU re-mapping<br>is recommended) | 1810-2788 |



## **X** AKRAPOVIĆ

#### **SLIP-ON SERIES MUFFLERS**

- Slip-on mufflers represent the first step in the exhaust system tuning process
- Easy to install and offers a great balance between price and performance
- More power, more torque, less weight and the unique Akrapovic sound
- Muffler sleeves constructed from titanium or carbon fiber
- End caps constructed from titanium or carbon fiber
- Optional available stainless steel or titanium headers (sold separately) offer an upgrade to a full system when used with the Akrapovic slip-on muffler

NOTE: Country restrictions apply. Please check our website if these products can be shipped to your country.







| FITS MODEL DESCRIPTION                         |   | PART #    |
|--|---|-----------|
| BMW  |   |           |
| S1000XR 20                                     | Single carbon muffler/carbon end cap  | 1811-4018 |
|  | 4-into-1 stainless headpipe (special developed mapping is recommended for perfect performance, throttle response and durability)  | 1812-0485 |
|  | 4-into-1 titanium headpipe (special<br>developed mapping is recommended for<br>perfect performance, throttle response<br>and durability)  | 1812-0486 |
| HONDA  |   |           |
| CBR1000RR-R<br>Fireblade/SP 20                 | Single carbon muffler/titanium end cap<br>(if passenger pegs are removed optional<br>aluminium bracket (Akrapovic #P-X257)<br>or carbon fiber muffler bracket<br>(Akrapovic #P-MBH10S02) is needed) | 1811-4016 |
|  | 4-into-1 titanium headpipe<br>(ECU re-mapping is recommended)   | 1812-0482 |
|  | 4-into-1 stainless headpipe<br>(ECU re-mapping is recommended)  | 1812-0483 |
| CRF1100L Africa<br>Twin 20                     | Single titanium muffler/carbon end cap  | 1811-4019 |
|  | 2-into-1 stainless headpipe<br>(ECU re-mapping is recommended)  | 1812-0487 |
| CRF1100L Africa<br>Twin Adventure<br>Sports 20 | Twin Adventure Single titanium muffler/carbon end cap   |           |
|  | 2-into-1 stainless headpipe (ECU remapping is recommended)  | 1812-0488 |

| PINGEL     |
|------------|
| Since 1967 |

## POWER-FLO™ FUEL VALVE WITH 16 MM ADAPTER NUT

#### **FOR VINTAGE MOTORCYCLES**

- Single outlet; 16 mm x 38 mm (1,5") inlet
- Hex design with a polished-aluminum finish
- Universal configuration, can be used in almostany tank location
- Can be installed with the 7,9 mm (0,31") hose barb pointing in any direction that leaves the on/res/off lever accessible

| DESCRIPTION  | PART #    |
|--|-----------|
| Power-Flo <sup>™</sup> fuel valve w/ 16 mm adapter nut | 0705-0523 |

| FITS MODEL                     | TITS MODEL DESCRIPTION  |           |
|--------------------------------|---|-----------|
| KAWASAKI                       |   |           |
| Ninja 1000SX 20                | 4-into-1 stainless headpipe<br>(ECU re-mapping is recommended)                      | 1812-0477 |
| Z H2 20                        | Z H2 20 Single black titanium muffler/carbon end cap (catalytic converter included) |           |
|                                | Single black titanium muffler/carbon end cap (ECU re-mapping is recommended)        | 1811-3999 |
| MOTO GUZZU                     |   |           |
| V85 TT 19-20                   | Single titanium muffler/black titanium end cap                                      | 1811-3988 |
| SUZUKI                         |   |           |
| V-Strom 1050 20                | Single titanium muffler/carbon end cap (will fit w/ side cases and central stand)   | 1811-3989 |
| TRIUMPH                        |   |           |
| Street Triple 765<br>S/R/RS 20 | Single carbon muffler/carbon end cap  | 1811-3992 |
| Street Twin 16-20              | Dual black titanium<br>mufflers/titanium end caps                                   | 1811-3993 |



## **CHROME LOWER ENGINE SIDE COVERS**

#### FOR HONDA GL1500 GOLD WING 88-00

- Replace colored pieces found between the upper engine side cover and rear step cover
- Installation is easy just remove stock covers and replace them with new covers
- Use existing hardware to mount
- Sold in pairs


| DESCRIPTION                     | PART #    |
|---------------------------------|-----------|
| Chrome lower engine side covers | 0940-1928 |



#### **DIABLO SUPERBIKE**

- · A tire exclusively for racetrack use, it constitutes a direct link between sporting users and the world of professional riders
- The official tire of the world Superbike championship, dedicated to professional riders and to sporting users who are looking for top performance on racetracks all over the world
- Improved SC compounds and materials of the carcass are the result of innovative technological solutions developed on the most demanding racetracks in the world
- SCX compound, extra-soft rear for Superpole<sup>®</sup> Race; SC3 compound designed to deliver remarkable performance consistency over multiple and diverse track sessions
- Profile designed to ensure incomparable handling and maximum support at high angles of inclination
- · Excellent traction and stability at high speeds, with high and constant performance lap after lap
- Blackwall
- Tubeless (TL)

| SIZE            | LOAD/SPEED<br>INDEX | TL/TT | PART #    |
|-----------------|---------------------|-------|-----------|
| FRONT SC1 COMPO | DUND                |       |           |
| 125/70 R 17     | NHS                 | TL    | 0301-0882 |
| FRONT SC2 COMPO | DUND                |       |           |
| 125/70 R 17     | NHS                 | TL    | 0301-0883 |
| REAR SCO COMPOU | JND                 |       |           |
| 190/60 R 17     | NHS                 | TL    | 0302-1511 |
| 200/65 R 17     | NHS                 | TL    | 0302-1515 |
| REAR SC1 COMPOU |                     |       |           |
| 190/60 R 17     | NHS                 | TL    | 0302-1512 |
| 200/65 R 17     | NHS                 | TL    | 0302-1516 |





#### **MISSION**

#### **ADVENTURE TIRES**

- New adventure tire designed and manufactured in Dunlop's Buffalo, NY factory
- From domestic and foreign materials
- True adventure tires, offering premium performance in a wide range of terrain
- · Aggressive tread pattern yields traction in hard terrain
- New compounds provide excellent mileage
- Tube type (TT)
- T-rated for speeds up to 190 km/h (118 mph)

| SIZE        | LOAD/SPEED<br>Index | TL/TT | PART #    |
|-------------|---------------------|-------|-----------|
| FRONT       |                     |       |           |
| 110/80 - 19 | 59T                 | TT    | 0316-0400 |
| 120/70 B 19 | 60T                 | TT    | 0316-0401 |
| 90/90 - 21  | 54T                 | TT    | 0316-0399 |
|             |                     |       |           |



**Diablo Front** 

**Diablo Rear** 

| SIZE              | LOAD/SPEED<br>INDEX | TL/TT | PART #    |
|-------------------|---------------------|-------|-----------|
| REAR SC3 COMPO    | JND                 |       |           |
| 180/60 R 17       | NHS                 | TL    | 0302-1510 |
| 200/60 R 17       | NHS                 | TL    | 0302-1513 |
| 200/65 R 17       | NHS                 | TL    | 0302-1517 |
| REAR SCX COMPOUND |                     |       |           |
| 200/65 R 17       | NHS                 | TL    | 0302-1514 |





**Mission Front** 

Mission Rear

| SIZE  |         | LOAD/SPEED<br>Index | TL/TT | PART #    |
|-------|---------|---------------------|-------|-----------|
| REAF  | R       |                     |       |           |
| 150/  | 70 B 17 | 69T                 | TT    | 0317-0499 |
| 170/6 | 60 B 17 | 72T                 | π     | 0317-0501 |
| 140/8 | 30 B 18 | 70T                 | Π     | 0317-0498 |
| 150/  | 70 B 18 | 70T                 | π     | 0317-0500 |
|       |         |                     | ,     |           |

## **BRIDGESTONE**





**Battlax SC2 Scooter Front** 

Battlax SC2 Scooter Rear

## BATTLAX SCOOTER SC2

#### **BATTLAX SC2 SCOOTER TIRES**

- Enhanced precision feeling and handling because of MSB construction
- Confidence-inspiring grip because of 3LC rear construction
- Enhanced dry cornering grip due to increased block rigidity featuring same tread pattern as Battlax Hypersport S21
- Optimized groove angle designed to improve deformation and roll characteristics
- Blackwall
- Tubeless (TL)
- H-rated for speeds up to 210 km/h (130 mph)

| SIZE      | LOAD/SPEED INDEX | PART #    |
|-----------|------------------|-----------|
| FRONT     |                  |           |
| 120/70R14 | 55H              | 0340-0990 |
| 120/70R15 | 56H              | 0340-0989 |

| SIZE      | LOAD/SPEED INDEX | PART #    |  |
|-----------|------------------|-----------|--|
| REAR      |                  |           |  |
| 160/60R14 | 65H              | 0340-0986 |  |
| 160/60B15 | 67H              | 0340-0988 |  |

#### BATTLAX SCOOTER SC2 (Ref)

#### **BATTLAX SC2 RAIN SCOOTER TIRES**

- Enhanced precision feeling and handling because of MSB construction
- Confidence-inspiring grip because of 3LC rear construction
- Enhanced grip in wet and cold conditions due to high silica compound
- Features groove ratio and tread pattern found in Battlax Sport Touring T31; designed to improve water drainage
- Optimized groove angle designed to improve deformation and roll characteristics
- Blackwall
- Tubeless type (TL)
- H-rated for speeds up to 210 km/h (130 mph)







**Battlax SC2 Rain Scooter Rear** 

| SIZE      | LOAD/SPEED<br>INDEX | TL/TT | PART #    |
|-----------|---------------------|-------|-----------|
| FRONT     |                     |       |           |
| 120/70R15 | 56H                 | TL    | 0340-0987 |
| •         |                     |       |           |

| SIZE      | LOAD/SPEED<br>INDEX | TL/TT | PART #    |
|-----------|---------------------|-------|-----------|
| REAR      |                     |       |           |
| 160/60R14 | 65H                 | TL    | 0340-0985 |
| 160/60R15 | 67H                 | TL    | 0340-0984 |



## **544X BEADLOCK WHEELS**

- Full beadlock wheel
- 100% x-rayed on the production line to ensure quality and reliability
- Center caps included, lug nuts sold separately
- Handle load capacities to 589 kg (1,300 lb.)



0230-1091

| SIZE | OFFSET | BOLT PATTERN | PART #    |
|------|--------|--------------|-----------|
| 14x7 | 5+2    | 4/110        | 0230-1091 |
| 14x7 | 5+2    | 4/136        | 0230-1092 |
| 14x7 | 5+2    | 4/156        | 0230-1093 |

| FITS MODEL  | POSITION                 | SIZE         | OFFSET     | BOLT PATTERN   | PART #                 |
|---|--------------------------|--------------|------------|----------------|------------------------|
| CAN-AM  | <b>5</b> 1/              | 44.7         |            | 4400           | 0000 4000              |
| Outlander 330/400/500/570/650/800/850/1000 03-20                        | Front/rear               | 14x7         | 5+2        | 4/136          | 0230-1092              |
| Renegade 500/570/800/850/1000 09-19                                     | Front/rear               | 14x7         | 5+2        | 4/136          | 0230-1092              |
| Maverick/Max 1000 13-19   | Front/rear               | 14x7         | 5+2        | 4/136          | 0230-1092              |
| Commander 800/1000 11-20  | Front/rear               | 14x7<br>14x7 | 5+2<br>5+2 | 4/136<br>4/136 | 0230-1092              |
| Defender (all) 16-20<br>Maverick X3 17-19                               | Front/rear<br>Front/rear | 14x7<br>14x7 | 5+2<br>5+2 | 4/136          | 0230-1092<br>0230-1092 |
| HONDA   | rioni/rear               | 1487         | 3+2        | 4/130          | 0230-1092              |
| TRX420AT/500AT (IRS) Rancher 09-20                                      | Front/rear               | 14x7         | 5+2        | 4/110          | 0230-1091              |
| TRX650/680/700 Rincon 4x4 02-19 (IRS)                                   | Front/rear               | 14x7         | 5+2        | 4/110          | 0230-1091              |
| TRX500 Foreman Rubicon 15-20 (IRS)                                      | Front/rear               | 14x7         | 5+2        | 4/110          | 0230-1091              |
| Big Red 700 MUV 09-13   | Front/rear               | 14x7         | 5+2        | 4/110          | 0230-1091              |
| Pioneer 500/700 14-20   | Front/rear               | 14x7         | 5+2        | 4/110          | 0230-1091              |
| Pioneer 1000 16-20  | Front/rear               | 14x7         | 5+2        | 4/136          | 0230-1092              |
| Talon 19-20   | Front/rear               | 14x7         | 5+2        | 4/136          | 0230-1092              |
| KAWASAKI  | TTOTIETOGI               | 1 170        | 012        | 1,7100         | 0200 1002              |
| Brute Force 650I 4x4 06-19 (IRS)  | Front/rear               | 14x7         | 5+2        | 4/110          | 0230-1091              |
| Brute Force 750 4x4 05-20 (IRS)   | Front/rear               | 14x7         | 5+2        | 4/110          | 0230-1091              |
| Teryx 750/800 08-20   | Front/rear               | 14x7         | 5+2        | 4/136          | 0230-1092              |
| Teryx 4 14-20   | Front/rear               | 14x7         | 5+2        | 4/136          | 0230-1092              |
| Mule 2500/3000/4010 Series  | Front/rear               | 14x7         | 5+2        | 4/136          | 0230-1092              |
| Mule Pro FX/FXT/DX/DXT 15-20  | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| POLARIS   |                          |              |            |                |                        |
| Sportsman 335 99-06   | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Sportsman 400/450 01-18   | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Sportsman 500 96-13   | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Sportsman 570 14-17   | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Sportsman 600 03-09   | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Sportsman 700 02-09   | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Sportsman 800 05-14   | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Sportsman XP 550/700/800/850 09-20                                      | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Scrambler 850/1000XP 14-18  | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Sportsman X2 500/550/800 09-15  | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Ace 500/570/900 14-20   | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Ranger ETX/570/EV/ 800 6x6 4x4 03-18                                    | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Ranger 570 (FullSize) 14-18   | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| Ranger XP900 & XP1000 & Diesel 14-20                                    | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| RZR 800/900XP 08-19 & RZR 570 14-20                                     | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| RZR 900/900 XC/900 S 15-20  | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| RZR 1000 XP / 4 14-17-20  | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| RS1 18-19   | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| General 17-20   | Front/rear               | 14x7         | 5+2        | 4/156          | 0230-1093              |
| SUZUKI  | Fue at last a            | 4.47         | 5.0        | 4/440          | 0000 4004              |
| King Quad 450/700/750 05-20 (IRS)                                       | Front/rear               | 14x7         | 5+2        | 4/110          | 0230-1091              |
| TEXTRON Ctompade 17, 10   | Front/raa-               | 1 47         | E . O      | 4/100          | 0000 4000              |
| Stampede 17-19  | Front/rear               | 14x7         | 5+2        | 4/136          | 0230-1092              |
| Havoc 19-20<br>YAMAHA   | Front/rear               | 14x7         | 5+2        | 4/136          | 0230-1092              |
| Grizzly 350 IRS 07-15   | Fuent/sees               | 147          | F . O      | 4/110          | 0000 1001              |
|   | Front/rear<br>Front/rear | 14x7         | 5+2        | 4/110<br>4/110 | 0230-1091              |
| Kodiak 400/450 4x4 05-19 (IRS)<br>Grizzly 400/450/550/700 IRS 4x4 07-20 | Front/rear<br>Front/rear | 14x7<br>14x7 | 5+2<br>5+2 | 4/110<br>4/110 | 0230-1091<br>0230-1091 |
| Big Bear 400 IRS 07-11  | Front/rear               | 14x7<br>14x7 | 5+2<br>5+2 | 4/110          | 0230-1091              |
| Grizzly 660 02-09   | Front/rear<br>Front/rear | 14x7<br>14x7 | 5+2<br>5+2 | 4/110          | 0230-1091              |
| Kodiak 700 16-18  | Front/rear<br>Front/rear | 14x7<br>14x7 | 5+2<br>5+2 | 4/110          | 0230-1091              |
| Rhino 450/660/700 04-13   | Front/rear               | 14x7<br>14x7 | 5+2<br>5+2 | 4/110          | 0230-1091              |
| Viking 14-20  | Front/rear               | 14x7<br>14x7 | 5+2<br>5+2 | 4/110          | 0230-1091              |
| Wolverine16-20  | Front/rear               | 14x7<br>14x7 | 5+2<br>5+2 | 4/110          | 0230-1091              |
| YXZ 1000R 16-18   | Front/rear<br>Front/rear | 14x7<br>14x7 |            | 4/110          | 0230-1091              |
| YXZ 1000R 19-18<br>YXZ 1000R 19-20                                      | Front/rear               | 14x7<br>14x7 | 5+2<br>5+2 | 4/110          | 0230-1091              |
| 1VT 1000U 1A-50   | FIUIIVIEdI               | 14X/         | J+Z        | 4/100          | UZ3U-1U93              |



- Fully adjustable visor provides ample coverage
- High-flow mouth vent with filter to prevent roost from entering
- Injection-molded polycarbonate/ABS shell
- Flexible rubber nosepiece helps deflect roost
- Rear shell shape quickly and easily repositions the goggle strap
- Extensive venting with internal air passages for maximum cooling
- See helmet size guide on page 7 before ordering
- ECE 22.05 certified

| SIZE | WARSHIP, BLUE/ACID | WARSHIP, GREEN/ORANGE |
|------|--------------------|-----------------------|
| XS   | 0110-6805          | 0110-6813             |
| S    | 0110-6806          | 0110-6814             |
| M    | 0110-6807          | 0110-6815             |
| L    | 0110-6808          | 0110-6816             |
| XL   | 0110-6809          | 0110-6817             |
| 2X   | 0110-6810          | 0110-6818             |
| 3X   | 0110-6811          | 0110-6819             |
| 4X   | 0110-6812          | 0110-6820             |
|      |                    |                       |

| SIZE | RACER, ACID/LIME | RACER, BLACK/CHARCOAL | RACER, NAVY/BLUE | RACER, ORANGE/MIDNIGHT | RACER, WHITE/BLUE/RED |
|------|------------------|-----------------------|------------------|------------------------|-----------------------|
| XS   | 0110-6725        | 0110-6733             | 0110-6741        | 0110-6749              | 0110-6757             |
| S    | 0110-6726        | 0110-6734             | 0110-6742        | 0110-6750              | 0110-6758             |
| M    | 0110-6727        | 0110-6735             | 0110-6743        | 0110-6751              | 0110-6759             |
| L    | 0110-6728        | 0110-6736             | 0110-6744        | 0110-6752              | 0110-6760             |
| XL   | 0110-6729        | 0110-6737             | 0110-6745        | 0110-6753              | 0110-6761             |
| 2X   | 0110-6730        | 0110-6738             | 0110-6746        | 0110-6754              | 0110-6762             |
| 3X   | 0110-6731        | 0110-6739             | 0110-6747        | 0110-6755              | 0110-6763             |
| 4X   | 0110-6732        | 0110-6740             | 0110-6748        | 0110-6756              | 0110-6764             |

| SIZE | FADER, ORANGE/MAGENTA | FADER, BLACK/WHITE | FADER, BLUE/BLACK | FADER, RED/BLACK | FADER, ACID/TEAL |
|------|-----------------------|--------------------|-------------------|------------------|------------------|
| XS   | 0110-6765             | 0110-6773          | 0110-6781         | 0110-6789        | 0110-6797        |
| S    | 0110-6766             | 0110-6774          | 0110-6782         | 0110-6790        | 0110-6798        |
| M    | 0110-6767             | 0110-6775          | 0110-6783         | 0110-6791        | 0110-6799        |
| L    | 0110-6768             | 0110-6776          | 0110-6784         | 0110-6792        | 0110-6800        |
| XL   | 0110-6769             | 0110-6777          | 0110-6785         | 0110-6793        | 0110-6801        |
| 2X   | 0110-6770             | 0110-6778          | 0110-6786         | 0110-6794        | 0110-6802        |
| 3X   | 0110-6771             | 0110-6779          | 0110-6787         | 0110-6795        | 0110-6803        |
| 4X   | 0110-6772             | 0110-6780          | 0110-6788         | 0110-6796        | 0110-6804        |



## **SECTOR HELMETS (CONT)**

#### THOR HELMET SIZE CHART

| SIZE | HAT SIZE  | CENTIMETERS | INCHES  |
|------|---|-------------|---|
| XS   | 6 <sup>5</sup> / <sub>8</sub> - 6 <sup>3</sup> / <sub>4</sub> | 53 - 54     | 20 <sup>7</sup> / <sub>8</sub> - 21 <sup>1</sup> / <sub>4</sub> |
| S    | 6 <sup>7</sup> / <sub>8</sub> - 7                             | 55 - 56     | 21 <sup>3</sup> / <sub>8</sub> - 22                             |
| М    | 7 <sup>1</sup> / <sub>8</sub> - 7 <sup>1</sup> / <sub>4</sub> | 57 - 58     | 22 <sup>1</sup> / <sub>8</sub> - 22 <sup>7</sup> / <sub>8</sub> |
| L    | 7 <sup>3</sup> / <sub>8</sub> - 7 <sup>1</sup> / <sub>2</sub> | 59 - 60     | 231/2 - 237/8   |
| XL   | 7 <sup>5</sup> / <sub>8</sub> - 7 <sup>3</sup> / <sub>4</sub> | 61 - 62     | 24 - 24 <sup>1</sup> / <sub>2</sub>                             |
| 2X   | 7 <sup>7</sup> / <sub>8</sub> - 8                             | 63 - 64     | 24 <sup>5</sup> / <sub>8</sub> - 25 <sup>1</sup> / <sub>2</sub> |
| 3X   | 8 - 8 <sup>1</sup> / <sub>8</sub>                             | 65 - 66     | 25 <sup>5</sup> / <sub>8</sub> - 26                             |
| 4X   | 8 <sup>1</sup> / <sub>4</sub> - 8 <sup>3</sup> / <sub>8</sub> | 67 - 68     | 26 <sup>3</sup> / <sub>8</sub> - 26 <sup>3</sup> / <sub>4</sub> |









#### **YOUTH SECTOR HELMETS**

- Dual-density EPS liner provides more progressive impact absorption
- Fully adjustable visor provides ample coverage
- High-flow mouth vent with filter to prevent roost from entering
- Injection-molded polycarbonate/ABS shell
- Flexible rubber nosepiece helps deflect roost
- Rear shell shape quickly and easily repositions the goggle strap
- Extensive venting with internal air passages for maximum cooling
- See helmet size guide below before ordering
- ECE 22.05 certified





| SIZE | RACER, ACID/LIME | RACER, BLACK/CHARCOAL | RACER, ORANGE/MIDNIGHT | RACER, WHITE/RED/BLUE |
|------|------------------|-----------------------|------------------------|-----------------------|
| S    | 0111-1341        | 0111-1344             | 0111-1347              | 0111-1350             |
| М    | 0111-1342        | 0111-1345             | 0111-1348              | 0111-1351             |
| L    | 0111-1343        | 0111-1346             | 0111-1349              | 0111-1352             |

### THOR YOUTH HELMETS SIZE CHART

| SIZE | HAT SIZE  | CENTIMETERS | INCHES  |
|------|---|-------------|---|
| S    | 5 <sup>7</sup> / <sub>8</sub> - 6                             | 47 - 48     | 18 <sup>1</sup> / <sub>2</sub> - 18 <sup>7</sup> / <sub>8</sub> |
| M    | 6 <sup>1</sup> / <sub>8</sub> - 6 <sup>1</sup> / <sub>4</sub> | 49 - 50     | 19 <sup>1</sup> / <sub>4</sub> - 19 <sup>3</sup> / <sub>4</sub> |
| L    | 6 <sup>3</sup> / <sub>8</sub> - 6 <sup>1</sup> / <sub>2</sub> | 51 - 52     | 20 - 20 <sup>1</sup> / <sub>2</sub>                             |















#### **SM-5 HELMETS**



- Constructed from a special lightweight and impact resistant thermo-injected polymer results in a significantly lighter helmet with increased structural strength and outer shell uniformity in two outer shell sizes
- Inner shell includes multi-density advanced EPS construction for optimal impact absorption performance in three sizes
- Features two concepts for impact energy management including a resin-coated inner shell surface that noticeably improves impact resistance and reduces linear acceleration values and an elastic joint to connect the helmet's inner shell and comfort liner to move independently in a crash scenario with an oblique impact, thereby spreading the energy forces from an impact, reducing rotational acceleration
- Uses Alpinestars Emergency Release System (ERS) consisting of removable cheek pads for safe, quick, easy and safe removal of the helmet by trained medical professionals/ emergency responders in the event of a crash

#### **RAYON**

| SIZE | GRAY/BLACK/SILVER | BLACK/WHITE/FLUO ORANGE |
|------|-------------------|-------------------------|
| XS   | 0110-6917         | 0110-6923               |
| S    | 0110-6918         | 0110-6924               |
| M    | 0110-6919         | 0110-6925               |
| L    | 0110-6920         | 0110-6926               |
| XL   | 0110-6921         | 0110-6927               |
| 2X   | 0110-6922         | 0110-6928               |

- The ERS features easy to locate pull-tabs for rapid release of the cheek pads, thus minimizing risk of additional injury
- Includes a multi-angle, quick-release visor system that is flush over the helmet's shell to diminish the visor protrusion from the helmet thereby enhancing safety, doesn't use screws used in the visor for increased levels of safety and convenience to be easily adjusted and allows for ease of detachment from and reconnection to the helmet in order to facilitate helmet cleaning and maintenance
- Designed to offer exceptional ventilation to prevent overheating on warm track/trail days, with the inner air network channeling combining with the outer-shell's multi-air inlets and exhaust ports for effective ventilation and high levels of heat transfer exchange
- Hydration tube compatible channels are intelligently integrated into the helmet's cheek pads for convenience and performance
- See helmet size chart on page 9 before ordering
- ECE 22.05 certified

#### **SOLIDS**

| SIZE | WHITE     | BLACK     |
|------|-----------|-----------|
| XS   | 0110-6881 | 0110-6887 |
| S    | 0110-6882 | 0110-6888 |
| M    | 0110-6883 | 0110-6889 |
| L    | 0110-6884 | 0110-6890 |
| XL   | 0110-6885 | 0110-6891 |
| 2X   | 0110-6886 | 0110-6892 |



| COMPASS |                   |                   |  |
|---------|-------------------|-------------------|--|
| SIZE    | BLACK/FLUO ORANGE | BLACK/FLUO YELLOW |  |
| XS      | 0110-6893         | 0110-6899         |  |
| S       | 0110-6894         | 0110-6900         |  |
| М       | 0110-6895         | 0110-6901         |  |
| L       | 0110-6896         | 0110-6902         |  |
| XL      | 0110-6897         | 0110-6903         |  |
| 2Y      | 0110-6898         | 0110-6904         |  |

| ROVER |                       |                    |  |
|-------|-----------------------|--------------------|--|
| SIZE  | GRAY/FLUO YELLOW/GRAY | GRAY/FLUO RED/GRAY |  |
| XS    | 0110-6905             | 0110-6911          |  |
| S     | 0110-6906             | 0110-6912          |  |
| М     | 0110-6907             | 0110-6913          |  |
| L     | 0110-6908             | 0110-6914          |  |
| XL    | 0110-6909             | 0110-6915          |  |
| 2X    | 0110-6910             | 0110-6916          |  |

## **HELMET SIZE CHART**

| SIZE | CENTIMETERS | INCHES      |
|------|-------------|-------------|
| XS   | 53 - 54     | 20,8 - 21,2 |
| S    | 55 - 56     | 21,6 - 22   |
| M    | 57 - 58     | 22,4 - 22,8 |

| SIZE | CENTIMETERS | INCHES      |
|------|-------------|-------------|
| L    | 59 - 60     | 23,2 - 23,6 |
| XL   | 61 - 62     | 24 - 24,4   |
| 2X   | 63 - 64     | 24,8 - 25,2 |









3410-2540

#### **TECH 10 BOOTS**

3410-2546

- · Combines dual front and rear blade connectors
- · Provides a complete and seamless flexion control system, from the foot shell all the way up to the shin plate
- · Engineered to 'float' freely between the lower and upper boot construction
- · Asymmetrical, dual pivot arms on boot frame
- A unique feature is the ankle control system developed in the outer shell construction, allowing natural ankle movement, vertical compression control and improved impact protection
- Asymmetrical medial and lateral double pivot system for improved levels of flexibility and precision for both independent and synchronized movement
- Redesigned dual-density TPU rear blade system engineered to prevent hyperextension while offering improved flex control and impact resistance
- Dynamic Heel Compression Protector (DHCP), an innovative safety feature which includes a fully integrated collapsible heel area with expanded poly-foam to absorb high impact energies during a crash
- · Patented technology features lighter, anatomically redesigned medial and lateral torsion arms
- . Double pivot system allows the Tech 10 to retain its integrity while flexing
- · Low-profile, pull-on design for reduce material build, less weight and to facilitate easier and quicker wearing
- · Innovative flexion inserts work seamlessly with new flex support system for ultimate in performance

#### 3410-2522

- · TPU protection and shock absorbing padding on the heel and ankles
- · Constructed from a dual density compound and combined with the rear blade system
- · Energy dissipating shin plate features a new anatomic design for reduced surface area and weight-saving
- · Completely redesigned sole with proprietary grip sculpturing to improve foot-peg performance, grip and mud and water runoff
- · Exclusive dual-compound sole is seamlessly integrated to the multi-density foot base structure with built-in support
- · Slim-line buckles include high-impact bridge closures which are cold forged for precision and strength
- Closure system features contra-closure, doubling closure security and a quick release/locking system with self-aligning, memory, design for easy, precise closure and improved riding performance and security
- · Soles and buckles are easily replaceable
- · Chassis combines advanced lightweight microfiber and impact and abrasion resistant TPU shell
- · Foot shell features five different compounds in a single lightweight piece to offer strength while maintaining flexibility and structural integrity
- · Soft microfiber gaiter helps seal out excessive water and dirt entry
- Poly-fabric lining with 3D open cell foam incorporates anti-slip suede in heel area, keeping the foot located inside the boot
- · Available in men's full U.S. sizes 7-14; check Alpinestars size chart on page 12 before ordering

### **NON-VENTED**

| SIZE | BLACK     | WHITE     | BLACK/GRAY/ORANGE | BLACK/WHITE/<br>Yellow |
|------|-----------|-----------|-------------------|------------------------|
| 7    | 3410-2522 | 3410-2530 | 3410-2546         | 3410-2538              |
| 8    | 3410-2523 | 3410-2531 | 3410-2547         | 3410-2539              |
| 9    | 3410-2524 | 3410-2532 | 3410-2548         | 3410-2540              |
| 10   | 3410-2525 | 3410-2533 | 3410-2549         | 3410-2541              |
| 11   | 3410-2526 | 3410-2534 | 3410-2550         | 3410-2542              |
| 12   | 3410-2527 | 3410-2535 | 3410-2551         | 3410-2543              |
| 13   | 3410-2528 | 3410-2536 | 3410-2552         | 3410-2544              |
| 14   | 3410-2529 | 3410-2537 | -                 | 3410-2545              |

## **CR-X DRYSTAR® RIDING SHOES**

- Advanced construction consisting of fine mesh plus seamless technology to improve the structure, with specific breathable windows for high levels of airflow and breathability
- Alpinestars Drystar® membrane layer between upper and lining for unsurpassed all-weather performance
- Vamp in mesh for enhanced comfort and breathability with a higher tongue in Nubuck microfiber for high levels of abrasion resistance
- Hook-and-loop strap combined with a traditional lacing system for a comfortable, customizable fit
- Toe box and heel counter internal reinforcements give structure, support and impact resistance
- Technical rubber band provides high levels of abrasion resistance on the toe area
- Alpinestars anatomical double density TPU ankle disks layered under the upper plus external lateral ankle protector TPR provides strategic protection in critical areas
- Replaceable anatomical EVA footbed with Lycra<sup>®</sup> lining on top for high levels of rider comfort
- New Alpinestars exclusive vulcanized rubber designed for enhanced levels of comfort and grip
- CE-certified to EN:13634:2017
- Available in U.S. men's sizes 6-14; see Alpinestars size chart on page 12 before ordering

| SIZE | BLACK/BLACK | BLACK/CAMO/RED |
|------|-------------|----------------|
| 6    | 3405-2564   | 3405-2566      |
| 7    | 3405-2565   | 3405-2567      |
| 8    | 3405-2509   | 3405-2520      |
| 8,5  | 3405-2510   | 3405-2521      |
| 9    | 3405-2511   | 3405-2522      |
| 9,5  | 3405-2512   | 3405-2523      |
| 10   | 3405-2513   | 3405-2524      |

|         | SZ.  | 3408        | 5-2520         |
|---------|------|-------------|----------------|
| O/RED   | SIZE | BLACK/BLACK | BLACK/CAMO/RED |
|         | 10,5 | 3405-2514   | 3405-2525      |
| <u></u> | 11   | 3405-2515   | 3405-2526      |
|         | 11,5 | 3405-2516   | 3405-2527      |
|         | 12   | 3405-2517   | 3405-2528      |
|         | 13   | 3405-2518   | 3405-2529      |

3405-2519

3405-2509

3405-2530

#### **SEKTOR SHOES**

- Lightweight microfiber upper construction
- 3D dimensional ankle guards for improved fit and light weight
- · Auto racing shoe-styled speed-lacing closure system
- · Ankle hook-and-loop closure straps for a secure, flush fit
- Upper ankle streamlined polymer guard panels
- External TPR toe reinforcements for abrasion resistance
- Flex areas on heels and insteps for enhanced comfort when walking
- Lining is breathable 3D mesh with a microfiber suede anti-slip surface inside at the heels
- Internal toe boxes and heel counter guards positioned under the shoes' outer chassis
- Lightweight rubber soles with textured grip design and integrated support shanks for rigidity
- Replaceable anatomical EVA footbeds with stretch fabric top liners
- Metallic mesh airflow vents
- CE-certified to Category II 89/686 EEC EU directive
- Available in men's U.S. sizes listed; see Alpinestars size charts on page 12 before ordering

| SIZE | BLACK/RED |
|------|-----------|
| 6    | 3405-2084 |
| 7    | 3405-2086 |
| 8    | 3405-2088 |
| 8,5  | 3405-2089 |

| SIZE | BLACK/RED |  |
|------|-----------|--|
| 9    | 3405-2090 |  |
| 9,5  | 3405-2091 |  |
| 10   | 3405-2092 |  |
| 10,5 | 3405-2093 |  |

14

| SIZE | BLACK/RED |  |
|------|-----------|--|
| 11   | 3405-2094 |  |
| 11,5 | 3405-2095 |  |
| 12   | 3405-2096 |  |
| 13   | 3405-2098 |  |







- Women-specific fit
- Upper is constructed from a microfiber which is superbly lightweight, durable and abrasion resistant
- 3D ankle protection for an improved fit and lighter weight
- Original speed lace system derived from auto racing shoes for a personalized fit and feel
- Ankle strap provides secure closure and fits flush within upper ankle polymer protection panel to ensure streamlined finish
- Flex areas on heel and instep for enhanced comfort while walking
- Advanced 3D mesh offers a highly breathable lining together with a microfiber suede anti-slip surface inside the heel
- Internal protective toe box and heel counter are positioned under the microfiber outer chassis
- Extremely lightweight, specifically compounded, rubber sole provides textured grip, excellent absorption and features an integrated support shank for an enhanced sole rigidity
- Replaceable anatomical EVA footbed with Lycra® lining on top
- Strategically-positioned metallic mesh vent for improved airflow
- Available in women's sizes listed; see Alpinestars size guide this page before ordering

| SIZE | BLACK/PINK | SIZE | BLACK/PIN |
|------|------------|------|-----------|
| 5    | 3405-2056  | 7,5  | 3405-2061 |
| 5,5  | 3405-2057  | 8    | 3405-2062 |
| 6    | 3405-2058  | 8,5  | 3405-2063 |
| 6,5  | 3405-2059  | 9    | 3405-2064 |
| 7    | 3405-2060  | 9,5  | 3405-2065 |

## **EUROPEAN/U.S.A. BOOT SIZE EQUIVALENTS**

- European to U.S.A. men's and women's boot size conversions
- Check before ordering European-size Alpinestars boots

|   | U.S.A. BOOT SIZE<br>MEN'S             | WOMEN'S   |
|---|---------------------------------------|---|
| = | 31/2                                  | 5   |
| = | 4                                     | 6   |
| = | 5                                     | 7   |
| = | 6                                     | 8   |
| = | 61/2                                  | 81/2  |
| = | 71/2                                  | 9   |
| = | 8                                     | 10  |
| = | 9                                     | 11  |
| = | 91/2                                  | 11 <sup>1</sup> / <sub>2</sub>  |
| = | 101/2                                 | =   |
| = | 11 <sup>1</sup> / <sub>2</sub>        | =   |
| = | 12                                    | =   |
| = | 121/2                                 | -   |
| = | 13 <sup>1</sup> / <sub>2</sub>        | =   |
| = | 14                                    | -   |
|   | = = = = = = = = = = = = = = = = = = = | MEN'S       = $3^{1}/_{2}$ =     4       =     5       =     6       = $6^{1}/_{2}$ = $7^{1}/_{2}$ =     8       =     9       = $9^{1}/_{2}$ = $10^{1}/_{2}$ = $11^{1}/_{2}$ = $12^{1}/_{2}$ = $13^{1}/_{2}$ |







- Anatomically profiled for a fully optimized female fit
- · Chassis constructed from cotton and polyester with elastane for rider comfort
- Stretch rib fabric on collar, cuff and bottom for an optimized fit
- Alpinestars Level 1 Nucleon Flex Plus armor on knees
- Microfiber lining for high levels of abrasion resistance
- · Elasticized for an optimized fit and performance
- Two cargo pockets with snap button closure for safe and secure storage
- CE-certified Category II EU2016/425
- Available in U.S. women's sizes XS-2X; see Alpinestars size chart below before ordering

| SIZE | BLACK     |
|------|-----------|
| XS   | 2823-0315 |
| S    | 2823-0316 |
| М    | 2823-0317 |

| SIZE | BLACK     |
|------|-----------|
| L    | 2823-0318 |
| XL   | 2823-0319 |
| 2X   | 2823-0320 |
|      |           |

#### **RADIUM DENIM PANTS**

- · Regular straight fit 13 oz. comfort denim for excellent abrasion-resistance and tear-resistance
- Interior aramidic fiber reinforcement panels in the seat and knee area for additional abrasion-resistance
- · Removable hip protectors with hook-and-loop attachment
- Removable knee protectors for effective impact protection
- Internal knee compartment allows adjustments of protection to fit various leg lengths
- · Customized details on metal buttons and rivets
- · Leather patch
- CE-certified to Category II EU2016/425 A class
- Available in men's even sizes 28-40; see Alpinestars size chart below before ordering

| SIZE | MID-TONE  |
|------|-----------|
| 28   | 2821-1179 |
| 30   | 2821-1180 |
| 32   | 2821-1181 |
| 34   | 2821-1182 |

| SIZE | MID-TONE  |
|------|-----------|
| 36   | 2821-1183 |
| 38   | 2821-1184 |
| 40   | 2821-1185 |

#### **ALPINESTARS SIZE CHARTS**

• Use to determine U.S. size equivalents when ordering Alpinestars apparel

#### **MEN'S APPAREL SIZE CHART**

| EURO SIZE      | 40  | 42 | 44 | 46 | 48 | 50 | 52 | 54 | 56 | 58  | 60  | 62 | 64  | 66  | 68  |
|----------------|-----|----|----|----|----|----|----|----|----|-----|-----|----|-----|-----|-----|
| INT. SIZE      | XXS |    | ZX | S  |    | М  | L  | XL |    | XXL | 3XL |    | 4XL | 5XL | 6XL |
| U.S. SIZE      | 30  | 32 | 34 | 36 | 38 | 40 | 42 | 44 | 46 | 48  | 50  | 52 | 54  | 56  | 56  |
| U.S. PANT SIZE | 24  | 26 | 28 | 30 | 32 | 34 | 36 | 38 | 40 | 42  | 44  | 46 | 48  | 50  | 50  |

#### **WOMEN'S APPAREL SIZE CHART**

| EURO SIZE      | 36  | 38 | 40 | 42 | 44 | 46 | 48 | 50 | 52 | 54  |
|----------------|-----|----|----|----|----|----|----|----|----|-----|
| INT. SIZE      | XXS |    | XS | S  | М  | L  | XL | Х  | XL | 3XL |
| U.S. SIZE      | 0   | 2  | 4  | 6  | 8  | 10 | 12 | 14 | 16 | 18  |
| U.S. PANT SIZE | 22  | 24 | 26 | 28 | 30 | 32 | 34 | 36 | 38 | 40  |

#### **BIONIC ACTION CHEST PROTECTORS**

- Ultra-lightweight protective system offering excellent upper body protection against impacts
- Features front and rear hard shell plates backed with bio-foam padding for a secure and comfortable snug fit
- Provides extended padding to protect against tire roost without obstructing arm movement
- All-new Cell Technology chest protector features a highly perforated shell for high levels of ventilation and protection
- Flexible construction of the sides adapts to the contours of the body for enhanced fit and comfort
- Features a new Cell Technology back protector with a flexion channel for enhanced mobility
- Removable shoulder pads for high levels of customization
- Protectors are perforated for maximum breathability and cooling ventilation
- Elastic closure system features newly designed, quick and easy-to-use buckles that fit a broad range of rider body sizes
- Thermoformed padded chassis for optimized levels of comfort and a close-to-body fit
- · Adjustable shoulder straps for an optimal fit
- Bionic Neck Support compatibility with the BNS A-Strap, available as an optional extra; sold separately
- CE-certified to Level 1 EN1621-3:2018 (chest) and Level 1 EN1621-2:2014 (back)





| SIZE  | BLACK     |
|-------|-----------|
| M/L   | 2701-1034 |
| XL/2X | 2701-1035 |

#### SX-1 v2 KNEE GUARDS

- Extremely lightweight knee protection with large protective area for riders looking for the most breathable and lightweight solutions for all riding styles
- Upper and lower frames are constructed from a high-performance polymeric material blend for optimized levels of flexibility and strength as well as excellent weight saving properties
- Polymer protector plates are strategically perforated for maximum breathability and air ventilation
- The upper and lower frame integrated dual pivot hinge gear system follows the natural movement of the knee and keeps the protector well positioned during all movements
- Upper extended frame for increased thigh protection without compromising mobility
- Perforated knee protector offers high levels of ventilation
- Backed by soft padding for an adaptive fit with breathable air mesh for ventilation and comfort
- · Foam backing for excellent comfort against the skin
- Frames are asymmetrical and feature a slim, ergonomic design for comfort and a performance fit
- Hook-and-loop dual strap closure system with silicon pull tabs for easy in and out and a personalized, secure fit
- CE-certified to Level 1 EN1621-1:2012
- Sold in pairs





| SIZE | BLACK/RED |
|------|-----------|
| S/M  | 2704-0532 |
| L/XL | 2704-0533 |
| 2X   | 2704-0534 |

## **BIONIC FLEX ELBOW GUARDS**

- · Extremely lightweight, durable and flexible protector constructed from a breathable stretch mesh for a comfortable, close fit
- · Highly convenient and time-saving slip-on design with elasticated hems and silicon printing to prevent slippage and to help keep the protector securely positioned
- Newly designed Nucleon Flex Technology protectors are highly perforated and secured on the outside of the sleeve for excellent breathability and ventilation
- · Additional side foam padding for additional coverage
- · Abrasion resistant fabric front panel for increased durability
- · CE-certified to Level 1 EN1621-1:2012
- · Sold in pairs





### **BIONIC FLEX KNEE GUARDS**

- Extremely lightweight, durable and flexible protector constructed from a breathable stretch mesh for a comfortable, close fit
- Elasticated top strap for a customizable fit
- Highly convenient and time-saving slip-on design with elasticated hems and silicon printing to prevent slippage and to help keep the protector securely positioned
- Newly designed Nucleon Flex Technology protectors are highly perforated and secured on the outside of the sleeve for excellent breathability and ventilation
- · Additional side foam padding for additional coverage
- · Abrasion resistant fabric front panel for increased durability
- CE-certified to Level 1 EN1621-1:2012
- · Sold in pairs



| SIZE | BLACK     |
|------|-----------|
| S/M  | 2704-0535 |
| L/XL | 2704-0536 |

## **BIONIC ACTION KNEE GUARDS**

- Robust protective structures and impact absorption padding for optimum levels of protection
- · Highly ergonomic design improves streamlining while providing crucial protection for MX and off-road riding
- Asymmetrical and lightweight ergonomic panel construction offers extended protection surfaces to reduce rotation
- Double strap closure system on knee protectors specially designed to offer more comfort while keeping the protector in position while riding
- Vented outer shell and 3D mesh material give comfort to the rider, preventing heat build-up while maintaining tactile contact with the skin
- CE-certified to Level 1 EN1621-1:2012
- Sold in pairs

SIZE **BLACK** One size fits most 2704-0531

## **YOUTH BIONIC ACTION KNEE GUARDS**

- Robust protective structures and impact absorption padding for optimum levels of protection
- · Highly ergonomic design improves streamlining while providing crucial protection for MX and off-road riding
- Asymmetrical and lightweight ergonomic panel construction offers extended protection surfaces to reduce rotation
- Double strap closure system on knee protectors specially designed to offer more comfort while keeping the protector in position while riding
- Vented outer shell and 3D mesh material give comfort to the rider, preventing heat build-up while maintaining tactile contact with the skin
- CE-certified to Level 1 EN1621-1:2012
- · Sold in pairs

SI7F **BLACK** One size fits most 2704-0537

