Product News





SIDEWINDER 2-INTO-1 EXHAUST SYSTEMS

- Increased power and torque
- Stainless steel header construction
- . High-flow catalytic converters
- Includes adapters that allow use of wide band or stock O2 sensors
- · Machined aluminum end cap
- Deep performance exhaust note
- Optional Shadow Muffler kits fill the left-side cutout in extended saddlebags when running a Sidewinder 2:1 exhaust system (sold separately, see the 2020 Parts Europe FatBook)

 PART #
- Matched muffler body is 4,5" in diameter
- End cap is a mirror image match of the rightside 2:1 Sidewinder muffler end cap
- All necessary mounting hardware included



DESCRIPTION

FOR 17-20 FLHT/FLHR/FLHX/FLTRX/FLTRU	
1800-2462	Chrome w/ black highlighted machined end cap
1800-2463	Black ceramic w/ black highlighted machined end cap



4,50" HP-PLUS® SLIP-ON MUFFLERS

- Engineered for performance, style and sound
- Produce the Khrome Werks signature, authoritative tone without annoying high-frequency noises
- 4,50" 16-gauge muffler body
- Absorptive baffle covered with stainless steel mat and high-temp fiberglass
- Improved torque and horsepower from the hit of the throttle
- Bolt-in optional inserts available that comply with SAE J2825 sound test with no appreciable loss of performance
- Mufflers sold in pairs

PART #	DESCRIPTION
FOR 17-20 FLHT/FL	HTK/FLHX/FLHR/FLTRX/FLTRU/FLTRK MODELS
1801-1450	Chrome, w/ black Edge billet tip end caps
1801-1447	Black, w/ black Edge billet tip end caps
1801-1451	Satin chrome, w/ black Tracer Tip billet end caps
1801-1452	Satin chrome, w/ black Edge billet end caps
1801-1453	Smoked chrome, w/ black Tracer Tip billet end caps
1801-1454	Smoked chrome, w/ black Edge billet end caps
FOR 95-16 FLT/FLH	T/FLHR/FLHX/FLTR MODELS
1801-1449	Chrome, w/ black Edge billet tip end caps
1801-1448	Black, w/ black Edge billet tip end caps









XL SERIES 450-WATT AMP/SPEAKER KIT

- Complete kit with dual 225-watt amps and front and rear XL Series 5,25" speakers
- Includes metal mesh grilles for front speakers (PART #4405-0379)
- Amplifiers feature R.E.M.I.T. circuitry for excellent FM reception from a class D amp
- All required plug-n-play wiring and mounting hardware to complete installation is included
- Compatible with H-D specific aftermarket radios

NOTE: Not compatible on CVO models with factory amplifiers installed.



PART #	DESCRIPTION
--------	-------------

4405-0618 For 99-13 FLHTCU/FLHTCUTG models





XL SERIES 225-WATT AMP/SPEAKER KIT

- Complete kit with 225-watt amp and XL Series 5,25" front speakers
- Includes metal mesh grilles (PART #4405-0379)
- Amplifier feature R.E.M.I.T. circuitry for excellent FM reception from a Class D amp
- All required plug-n-play wiring and hardware to complete the installation is included

PART #

NOTE: Not compatible on CVO models with factory amplifiers installed.



DESCRIPTION

4405-0613 For 99-13 FLHTCU/FLHXS models





- 5,25", 2-ohm speakers
- Speakers offer superior bass response and overall better sound, especially at riding speeds
- Feature carbon fiber woofer cone and titanium-impregnated 1" tweeter
- Feature multiple neodymium magnets for increased bass and power handling and studio-quality polystyrene capacitors for crossover
- Easy plug-n-play installation
- Sold in pairs





PART # DESCRIPTION

4405-0617 For 06-13 FLHTCU/FLTRU/FLHTCUTG/FLHXS models







EXTENDED REACH ROAD SOFA SEAT WITH BACKREST

- · Carbon fiber styling
- · Features silver stitching and the legendary carbonfiber look while providing comfort and stability
- Extends the driver's seating area by a full 51 mm (2")
- · Refined split-cushion design separates the seating surface from the lumbar support to reduce tailbone/back pressure for maximum long-range comfort
- Also features a combination of progressive density foam and SaddleGel™ inserts for superior driver and passenger comfort
- · Passenger pillion area has received special attention for comfort and to allow a clear view of the road ahead
- · Includes driver's backrest



DESCRIPTION

For 08-20 FLHT/FLHR/FLTR/FLTRU/FLTRK/FLTRX/FLHX









PART #

0801-1191

EXTENDED REACH HEATED ROAD SOFA SEATS

- · Carbon fiber styling
- · Features silver stitching and the legendary carbon fiber look while providing comfort and stability
- Extends the driver's seating area by a full 51 mm (2")
- Two-level heat adjustment that connects easily to the bike's electrical system
- · Independently-controlled heating elements for the rider and passenger
- . Brightly-colored LEDs indicate the level of heat
- · Styling and function are unaffected by switches or wiring
- Refined split-cushion design separates the seating surface from the lumbar support to reduce tailbone/back pressure for maximum long-range comfort
- · Also features a combination of progressive density foam and SaddleGel™ inserts for superior driver and passenger comfort
- · Passenger pillion area has received special attention for comfort and to allow a clear view of the road ahead
- · Available with or without driver's backrest

PART #	DESCRIPTION
FOR 08-20 FLHT/FLHR/FLTR/FLTRU/FLTRK/FLTRX/FLHX	
0801-1190	W/o driver's backrest
0801-1192	W/ driver's backrest





- The Outcast GT takes style and comfort to a new level
- Full-length seats for those who ride without a passenger feature a 38 cm W (15") rider seating area
- Available with a 26,5 cm x 18 cm (10,5" x 7") removable and adjustable backrest that offers extra support and a more versatile look
- . Molded one-piece foam foundation covered with premiumgrade vinyl on a 16-gauge powdercoated steel base plate

PART #	DESCRIPTION
FOR 08-20 FLHT/	FLHR/FLHX/FLTR MODELS
0801-1225	Black double diamond full-length seat w/ white

Perforated black double diamond full-length seat 0801-1226 0801-1227 Black carbon fiber full-length seat



CORE MANUAL TORQDRIVE® CLUTCH

- Core Manual TorqDrive delivers unprecedented performance and durability within your OEM clutch footprint
- TorqDrive provides more disks in less space, allowing the addition of four friction disks over stock
- More frictions equals more torque capacity, thus unlocking the full power of your engine without the need to add stiffer pressure plate springs or a lock-up device
- The clutch is converted from a diaphragm spring to six coil springs, allowing for increased tuning options and improved lever feel
- The billet center hub and pressure plate work together to move more oil through the clutch, decreasing operating temperatures and increasing clutch pack life
- Core Manual TorqDrive increases torque capacity by 20 percent while decreasing lever pull by 10 percent



PART #	DESCRIPTION
1130-0435	For 03-20 XL models



TORQDRIVE® CLUTCH KITS

- TorqDrive provides more disks in less space, allowing us to add up to six additional friction disks to the clutch pack over stock
- More frictions = more torque capacity, thus unlocking the full power of your engine without the need to add stiffer pressure plate springs or a lock-up device
- TorqDrive provides smoother shifting and improved lever feel
- · Rekluse basket sleeves eliminate basket wear and notching

PART #	DESCRIPTION	
1130-0434	For 03-20 XL models	





PART #	DESCRIPTION
1130-0433	For 14-20 Chief/Roadmaster



POWER DISTRIBUTION MODULE AMPLINK

- Designed to connect directly to a (12V) power source (vehicle battery), and safely distribute power for accessories or electronic devices
- 60A total capacity
- · Six high-current output leads
- Programmable amp limits
- · Rugged and waterproof
- · Wireless control and setup
- Three programmable input triggers
- Solid state electronics with automatic fault circuit reset, which protects wiring and devices without fuses
- Dimensions: 76 mm L x 51 mm W x 23 mm H (3" x 2" x 0,90")
- Weighs 283 g (10 oz.)
- Fully compatible with CAN equipped systems
- Free amplink app available in the app store and play store

PART #	DESCRIPTION
2130-0276	Power distribution amplink



PDM60 POWER DISTRIBUTION MODULE

- Designed to connect directly to a (12V) power source (vehicle battery), and safely distribute power for accessories or electronic devices
- 60A total capacity
- Six high current output leads
- Super bright LED indicators keep you informed of the status of each circuit
- Fully programmable via USB
- Fully compatible with CAN equipped systems
- · Rugged and waterproof
- Two programmable input triggers
- Solid state electronics with automatic fault circuit reset, which protects wiring and devices without fuses
- Dimensions: 76 mm L x 51 mm W x 23 mm H (3" x 2" x 0,90")
- Weighs 283 g (10 oz.)

PART #	DESCRIPTION
2130-0275	PDM60 Power distribution module





CUSTOM DYNAMICS

Everything needed to light up your ride! Custom Dynamics has been offering the highest-quality LED lighting products and electrical modules for American V-Twins since 2002. They utilize the latest technologies and manufacturing techniques to ensure the highest-quality products and trouble-free performance.

PROBEAM® LED ADAPTIVE **HEADLAMPS FOR ROAD GLIDE**

- Features adaptive technology providing maximum light output where you need it most
- . Mounting ring included
- · Plug-and-play H4 connector
- · Polycarbonate lens and die-cast aluminum housing
- 5000K color temperature



2001-2134



2001-2135



2001-220

PART #	COLOR
FOR ALL 98-13 FLTR/FLTRX/FLTRU MODELS	

2001-2134	Black
2001-2135	Chrome



- Features adaptive technology providing maximum light output where you need it most
- Mounting ring included
- · Plug-and-play H4 connector
- Polycarbonate lens and die-cast aluminum housing
- 5000K color temperature

2001-2132

2001-2133



COLOR

FOR 84-17 SOFTAIL, 15-20 XG, 91-17 DYNA GLIDE, 84-00 FXR, AND 84-20 XL MODELS W/ OEM 14,5 CM (5,75") HEADLIGHT BUCKET

2001-2132 **Black** 2001-2133 Chrome



PROBEAM® LED **HALO FOG LIGHTS**

- . Utilize Cree LEDs to produce a superior beam pattern with a super-bright white LED halo
- Easily mount to 32 mm (1,25") engine guards with ProBEAM® Tube clamps (PART #s 2040-2345 and 2040-2346, sold separately; see the 2020 Parts Europe FatBook) or require a 8 mm x 1,25 mounting hole
- · Plug-and-play wire harness
- 20 watts, 430 lumens
- · Short circuit and thermal overload protection
- Measures 81 mm L x 60 mm D (3,2" x 2,36")
- ECE approved
- · Sold in pairs



2001-2208

Chrome

PART #	DESCRIPTION
UNIVERSAL 12VDC SYSTEMS WITH NEGATIVE GROUND	
2001-2207	Black
2001-2208	Chrome

PROBEAM TURN SIGNALS

- Come with aluminum housings
- Four high-power white DRL LEDs, six high-power amber turn signal LEDs
- SAE compliant
- · Available in gloss black or chrome finish
- · Plug-and-play for easy installation
- · Sold in pairs

2020-1871



Gloss black



2020-1872



PART # DESCRIPTION PART # DESCRIPTION FOR 15-20 FLTR/FLTRX/FLTRU MODELS FOR 15-20 FLTR/FLTRX/FLTRU MODELS (CONT)





DUAL-LED LICENSE PLATE FRAMES

- Features six bright-white license plate LEDs and 40 super-bright flushmount dual-intensity red running brake LEDs
- Plate dimensions: 71/4" L x 41/4" W
- Available in a flat style with a black or chrome finish
- . Mounting hardware included



FASCIA LED PANELS

- Perfect solution to add stylish visibility to the back of your Street Glide or Road Glide
- 45 super-bright dual-intensity red LEDs on each side; function as additional running/brake lights
- Sealed behind a red or smoked lens with chrome or gloss black trim
- · Pre-taped for mounting
- Include plug-and-play wire harness for simple installation
- Sold in pairs


Viviou

2040-2514

PART # DESCRIPTION
FOR 14-20 INDIAN CHIFF/SPRINGFIFI D/ROADMASTER

AND CHIEFTAIN MODELS WITH (
2030-1433	Black
2030-1434	Chrome

2030-1433



2040-2547

2040-2549



2040-2523







- Add visibility to rear of your Tour-Pak®
- Pre-taped to adhere to the top of your Tour-Pak®
- 32 50/50 LEDs for running/ brake functions, 16 per side
- Available with a chrome or gloss black finish, with red or smoked lens
- Plug-and-play for easy installation



DECCRIPTION

DADT	#	

I AIII #	DESCRIPTION
FOR 14-20 FLHTCU/FLHTK/FLTRU AN	D FLHTCUTG MODELS WITH STOCK LED
KING TOUR-PAK® OR CHOPPED TOUR	-PAK®

2040-2523	Gloss black w/ smoked lens
2040-2524	Gloss black w/ red lens
2040-2525	Chrome w/ smoked lens
2040-2526	Chrome w/ red lens



 Bright, three-beam LED; polished body with white or amber LED __

 Available with dualfunction run/turn design or multi-function run/ turn/brake design

• Sold in pairs

PART #	DESCRIPTION
2040-2547	Amber; run/turn/brake
2040-2548	Amber; run/turn
2040-2549	White: run/turn



THE SPEED MERCHANT

A brand that showcases the passion the company founders have for motorcycles. All products are 100% made near their Southern California base of operations to ensure quality, service and integrity. The cooperative environment that develops when working with local craftsmen shows in every part they make. The pieces look good and perform great. Support the independents with THE Speed Merchant.



2001-2216

ELITE 49 MM FATBOB TRIPLE TREES

- Manufactured from 6061 billet aluminum
- . Bottom headlight mount included unless noted
- . Designed with a modified offset to provide increased stability
- · All hardware is stainless steel
- Triple tree requires the use of a custom 14,5 cm (53/4") bottom mount headlight
- PART #0408-0378 requires the use of headlight mounting blocks (PART #s 2001-2216 or 2001-2217)

NOTE: 18-20 trees utilize early style riser bushings.

NOTE: Does not have fork lock capability.





PART #	DESCRIPTION
FOR 18-20 FXFB MODELS	
0408-0378	Black
HEADLIGHT MOUNTING BLOCKS	
2001-2216	Early-style headlight mount
2001-2217	Late-style headlight mount

HEADLIGHT BASE BRACKET AND MOUNT BLOCKS

- Used when fitting a standard style head
- Base to st the h
- Two avai 14,5 late-
- Early 19 m
- Late 46 m
- Both at th
- Mad
- Avai

adlight on a FXFB model	W.	
se plate includes hardware to mount stock Fatbob trees and one bolt to m headlight mount to the base plate		
o choices of headlight mount blocks uilable (sold separately), one for early 5 cm (5 ³ / ₄ ") headlight bucket, one fo e-style 14,5 cm (5 ³ / ₄ ") headlight bucl	r the	
ly-style model measures mm W x 22 mm H (³/4" x ⁷ /8")	2001-2218	
e-syle model measures mm W x 22 mm H (1,8" x ⁷ / ₈ ")	2001 2210	_
th models are drilled and tapped the base for a ³ / ₈ -16 bolt		
de from 6061 aluminum		
ailable in black finish only		
Γ#	DESCRIPTION	
18-20 FXFB/FXFBS		
-2218	Base bracket	
-2219	Early-style mount block	
-2220	Late-style mount block	





2001-2220

PART FOR 1 2001-

2001-2001-

0601-4915



• Notched for Throttle-By-Wire NOTE: Accepts H-D 0EM heated grips.

CHROME PART #	BLACK PART #	END RISE	WIDTH	CENTER WIDTH	PULLBACK
FOR 15-20 FLTRX/FLTR	RU/FLTRK				
0601-5197	0601-5198	25,5 cm (10")	81 cm (32")	23 cm (9")	12,5 cm (5")
0601-5199	0601-5200	30,5 cm (12")	81 cm (32")	23 cm (9")	12,5 cm (5")
0601-5201	0601-5202	35,5 cm (14")	85 cm (33 ¹ / ₂ ")	23 cm (9")	12,5 cm (5")
0601-5203	0601-5204	43 cm (17")	89 cm (35")	23 cm (9")	12 5 cm (5")



32 MM (11/4") PRIME **APE HANDLEBARS**

- Designed for all-day comfort riding with aggressive styling
- · Slotted for internal wiring
- . Notched for Throttle-By-Wire capability
- · Will work with hydraulic clutches
- 25,4 mm (1") clamping area with 89 mm (31/2") on-center knurling
- · Available in chrome, gloss black powdercoat or flat black



0601-4913



FAT TIRE FORK BOOT COVERS

- · Smooth fork boots feature a sculpted CNC-machined billet design with specially notched inside surfaces to allow the use of 18" x 5,5" fat front wheels on factory front ends
- . When paired with Arlen Ness fat front fender designs, these fork boots provide a true bolt-on application for a 18" x 180 mm tire
- Designed to work with Arlen Ness and other aftermarket fat front fender designs
- · Sold in pairs

NOTE: Check clearances when installing with fat front wheel/fender applications.

PART #	DESCRIPTION	
FOR 14-20 FLHT/FLHX/FLTRX/FLTRU/FLTRK		
0411-0172	Chrome	
0411-0171	Black anodized	



PART #	DESCRIPTION
FOR 99-13 FLT/FLHT/FLTR/FLHR, 06-13 FLHX/H-D FL TRIKE	
0411-0174	Chrome
0411-0173	Black anodized





- Perfectly complements the Bagger Nation Stealth Shift Lever and Stealth **Heel Shift Lever**
- . Made from a solid piece of 6061-T6 billet aluminum
- · Accepts Bagger Nation, OEM and most popular toe peg styles (sold separately)
- · Spacer is included for optional extended peg reach
- · Fully adjustable peg position when extended reach is desired
- · Choose from flawless chrome or black anodized finishes

PART #	DESCRIPTION
FOR 14-20 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK/FLHTCU	TG/FLRT
1610-0584	Black
1610-0585	Chrome
FOR 08-13 FLHT/FLHR/FLHX/FLTR/FLHTCUTG/FLHXXX	
1610-0582	Black
1610-0583	Chrome

· Black oxide finish

· Sold as a kit

PART # 2401-1139



- Reduced valve train noise from startup to shutdown
- Close tolerances for low leak down rates
- Fast pump-up and superior high rpm performance
- · Replace standard and premium lifters
- · Sold as a set of four

PART #	DESCRIPTION
0929-0085	For 17-20 M-Eight, 99-17 Twin Cam, 00-20 XL models





DESCRIPTION

For 17-20 M-Eight



OIL COOLER FAN

- Uses engine temp and vehicle speed to reduce heat and keep engine running cool
- Takes only 15 minutes to install; does not require oil cooler removal
- Plug-n-play installation on M8 models equipped with ThunderMax ECM; if running with stock ECM, visit a local dealer to have the bike flashed

PART #

0713-0243



DESCRIPTION

For 17-20 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK oil-cooled models (except 17-20 CV0 models)





0710-0254

ENGINE OIL SPOUT KITS

- New Radium engine oil spout kits are CNC-machined from 6061-T6 billet aluminum and have a thread-in one-piece dipstick which eliminates dipstick blowout on acceleration
- Custom oil spout design allows the use of any starter (that will clear your Touring frame) as well as any style bearing door and side cover on the market
- A must-have item for aftermarket hydraulic side covers, doors and actuators
- · Instructions included

PART #	DESCRIPTION
FOR 02-06 FLHT/FLHR/FLHX/FLTR MODELS	
0710-0255	Chrome
0710-0258	Black
FOR 99-01 FLHT/FLHR/FLHX/FLTR MODELS	
0710-0254	Chrome
0710-0257	Black



PART # DESCRIPTION	
FOR 93-98 FLHT/FLHR/FLTR MODELS	
0710-0253	Chrome
0710-0256	Black





Heavy gauge PTFE Inner tubing

Tough abrasion resistant nylon

XR STAINLESS EXTREME RESPONSE FRONT UPPER BRAKE LINES FOR H-D TRIKE MODELS

- Manufactured with an enhanced construction for extreme braking response and durability
- Designed to be compatible with Harley-Davidson® ABS requirements for stock and alternate length brake lines
- Two color choices: clear-coated with chrome fittings or black-coated stainless steel with black chrome fittings
- Available in stock and plus lengths to fit most ABS Harley-Davidson Trike models
- All fittings are highly polished and chrome or black chrome plated
- Inner PTFE tubing braided with XR Stainless Steel reinforcement embedded in a tough nylon outer jacket offers exceptional protection for paint or chrome
- All brazed manifold construction eliminates leaks, alignment problems, and unattractive threaded connections for a sleek appearance
- · -3AN connections for easy installations

NOTE: ABS Upper Kits contain a brake line assembly with any needed adapters to connect the ABS controller or lower brake line assembly to the master cylinder. A lower brake line assembly is not required.



FITS MODEL	OEM #	STOCK LENGTH	STOCK	+102 MM (+4")	+152 MM (+6")	+203 MM (+8")	+254 MM (+10")
FOR TRIKE MODELS	S W/ ABS (UPPE	R BRAKE LINE ONLY)					
STAINLESS W/ CHF	ROME FITTINGS						
19-20 FLHTCUTG	41800687	162,5 cm (64")	1741-5896	1741-5897	1741-5898	1741-5899	1741-5900
19-20 FLRT	41800688	162,5 cm (64")	1741-5886	1741-5887	1741-5888	1741-5889	1741-5890
BLACK W/ BLACK	FITTINGS						
19-20 FLHTCUTG	41800687	162,5 cm (64")	1741-5891	1741-5892	1741-5893	1741-5894	1741-5895
19-20 FLRT	41800688	162,5 cm (64")	1741-5881	1741-5882	1741-5883	1741-5884	1741-5885



STANDARD LENGTH STAINLESS STEEL FRONT BRAKE LINE KITS

- Features clear-coated stainless steel or black vinyl-coated braided lines with chrome steel fittings
- Both are complete kits

NOTE: All measurements are approximate.

PART #	OEM #	DESCRIPTION	LENGTH
FOR 16-20 XL1	1200CX W/O ABS		
1741-5845	41800566	Clear-coated	73.5 cm (29")



1741-5896

PART #	OEM #	DESCRIPTION	LENGTH
FOR 16-20 XL	1200CX W/O ABS (CONT)		
1741-5851	41800566	Black vinyl-coated	73,5 cm (29")



KURYAKYN

PHANTOM DRIVER FLOORBOARDS

- Constructed from A380 aluminum
- Durable EPDM rubber will not harden, crack or wear over time
- Sharp lines and a sculpted angular design keeps function intact by providing plenty of foot room
- Direct replacements for all H-D Touring and FL Softail OEM driver floorboards
- · Available in chrome or gloss black
- Sold in pairs

PART # DESCRIPTION

	5200 1111 11011
FOR 80-20 FLT/FLHT/FLHR/FLHX/FLTR/FLTR 86-17 FLST/FLSTC/FLSTN/FLSTF, 12-16 FLD	
1621-0931	Chrome
1621-0932	Gloss black
FOR 18-20 FLHC/FLDE/FLSL/FLFB MODELS ((EXCEPT FLSB)
1621-0933	Chrome
1621-0934	Gloss black









RAZORBACK FOOTPEGS

- Powdercoated steel pegs offer good lean angle with their slash-style bottom edge
- · Traction screws line the top surface for added grip
- Screws can be installed with the provided split lock washers, or give them an
 even more aggressive bite by removing the lock washers and installing the
 screws with heavy-duty Loctite® for more exposed screw through the top
- · Sold in pairs

PART #	DESCRIPTION
1620-1933	M-Eight Softail/ELW Driver footpegs
1620-1934	M-Eight Softail/ELW Passenger footpegs



1621-0932





MX-STYLE FOOTPEGS

- Billet aluminum is nice for your dad's Bagger, but steel is the real deal and MX-style pegs from Burly are just that
- Inspired by the bear trap style of the 70's motocross machines
- . MX pegs have an adjustable angle that will let you tune them to your liking
- A serrated edge will keep your feet planted
- · Sold in pairs

PART #	DESCRIPTION
1620-1931	M-Eight Softail/ELW Driver footpegs
1620-1932	M-Eight Softail/ELW Passenger footpegs





CYCLE VISIONS

Founded in 1996, Cycle Visions is a premier manufacturer of V-Twin custom parts and accessories. The team's passion for motorcycles and the freedom of the open road inspired them to develop parts to give your favorite ride a sleek, modern, ultra-cool look.



CURVED LICENSE PLATE MOUNTS WITH LED LIGHTS

- Features tough black powdercoated 10-gauge steel construction
- Available with either curved, Slick Signal license plate frame with LED run, turn, brake and plate light or curved frame with license plate light only
- Available in chrome or black

NOTE: Lights must be hardwired.

2030-1440	
2030-1440	
DESCRIPTION	



PAKI #	DESCRIPTION
FOR 18-20 FLSL	
2030-1440	Chrome, w/ Slick S

TOIL TO ZOT LOL	
2030-1440	Chrome, w/ Slick Signal
2030-1441	Black, w/ Slick Signal
2030-1442	Chrome, w/ tag light frame
2030-1443	Black, w/ tag light frame

CURVED LICENSE PLATE MOUNT

- Made from 16-gauge steel
- · Black powdercoated finish
- Includes mounting hardware

PART #	DESCRIPTION
2030-1439	Mount only (no frame)



CURVED LICENSE PLATE MOUNTS

- Made from 10-gauge steel
- Black powdercoat finish
- Does not include license plate frame
- Works with Cycle Visions curved license plates, PART #s 2030-1436 and 2030-1437







PART #	DESCRIPTION
2030-1446	For 09-20 XL883N Iron, 10-20 XL1200X Forty-Eight, 12-16 XL1200V Seventy-Two, 10-12 XL1200N



MOTO FORGED ALUMINUM FRONT WHEELS

- · Forged hub design
- Precision machined from forged 6061-T6 aluminum
- Front wheels accept lug-mounted OEM or aftermarket 14-19 FL Touring style front floating brake rotors
- All wheels include bearings and valve stems installed by Coastal Moto
- · Available for ABS and non-ABS models
- Each ABS wheel is equipped with an intelligent ABS bearing and are "linked-brake ready"; no ABS system reprogramming required for any size

NOTE: Not for models with TPMS.



DESCRIPTION

ROCKSTAR BLACK		
0201-2339	19" x 3" for 08-19 FLHT/FLHR/FLHX/FLTRX, w/o ABS	
0201-2340	19" x 3" for 08-19 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK, w/ ABS	



COMMANDER E

COMMANDER® III CRUISER/TOURING TIRES

- · Excellent mileage for touring bikes
- Designed to deliver more wet grip and durability for cruiser bikes
- Patented velvet sidewall designs and distinctive tread patterns enhance the styling of V-Twin motorcycles
- The commitment to Michelin® Total Performance™ makes the Michelin® Commander III tire line a trusted choice for all-season riding
- Blackwall
- Tubeless (TL) or Tubeless (TL)/Tube type (TT)
- H-rated for speeds up to 210 km/h (130 mph) or V-rated for speeds up to 240 km/h (149 mph)





COMMANDER III CRUISER FRONT/REAR





COMMANDER III TOURING FRONT/REAR

CRUISER			
SIZE	LOAD/SPEED INDEX	TL/TT	PART #
FRONT BIAS			
130/90 B 16	73H	TL/TT	0305-0680
100/90 B 19	57H	TL/TT	0305-0678
110/90 B 19	62H	TL/TT	0305-0679
80/90 - 21 (reinforced)	54H	TL/TT	0305-0676
90/90 - 21	54H	TL/TT	0305-0677
FRONT RADIAL			
140/75 R 17	67V	TL	0301-0827
REAR BIAS			
140/90 B 15 (reinforced)	76H	TL/TT	0306-0695
150/90 B 15	74H	TL/TT	0306-0698
170/80 B 15	77H	TL/TT	0306-0700
180/70 B 15	76H	TL/TT	0306-0701
130/90 B 16 (reinforced)	73H	TL/TT	0306-0694
140/90 B 16 (reinforced)	77H	TL/TT	0306-0696
150/80 B 16 (reinforced)	77H	TL/TT	0306-0697
160/70 B 17	73V	TL/TT	0306-0699
REAR RADIAL			
200/55 R 17	78V	TL	0302-1407

TOURING			
SIZE	LOAD/SPEED INDEX	TL/TT	PART #
FRONT BIAS			
130/90 B 16	73H	TL/TT	0305-0685
MT90 B 16	72H	TL/TT	0305-0687
130/80 B 17	65H	TL/TT	0305-0684
130/70 B 18	63H	TL/TT	0305-0683
130/60 B 19	61H	TL/TT	0305-0682
MH90 - 21	54H	TL/TT	0305-0686
120/70 B 21 (reinforced)	68H	TL/TT	0305-0681
FRONT RADIAL			
120/70 R 19	60V	TL/TT	0301-0828
REAR BIAS			
MT90 B 16	74H	TL/TT	0306-0704
MU85 B 16	77H	TL/TT	0306-0705
180/65 B 16	81H	TL/TT	0306-0703
180/55 B 18	80H	TL/TT	0306-0702

2401-1174





OEM-STYLE, POLISHED STAINLESS STEEL CUSTOM TRANSFORMATION II KITS

- Kits complement Diamond Engineering's Custom Transformation kits
- Includes fasteners for front fender mount and trim, rear saddlebag supports, floorboards, engine guard, triple tree pinch, fork tube covers, axle cap, wiring harness tab on frame neck, mirrors, kickstand, shifter arms, levers and linkage, brake pedal, rear master cylinder mount, cover and brake line bracket, crankcase (visible bolts only) and starter

PART #	DESCRIPTION
2401-1174	For 17-20 FLHT/FLHR/FLHX/FLTRU/FLTRK/FLTRX models
2401-1170	For 14-16 FLHT/FLHR/FLHX/FLTR models



BIG ASS™ DRINK HOLDERS WITH ALUMINUM CLAMP MOUNT

- . Works with 30 US fl oz. tumblers and other large bottles and cups
- Made from durable neoprene rubber that is weatherproof and won't deteriorate in sun or elements
- · Rubber molded net is designed to securely grip your container
- Easily removed with ball mounting system
- . Many mounting options available for most bikes
- Cup holder and clamp available in matching chrome or black finish

PART #	COLOR	
FOR 22 MM (7/8") OR 25,4 MM (1") ROUND BARS		
0636-0164	Chrome	
0636-0165	Black	
FOR 32 MM (1 ¹ / ₄ ") ROUND BARS		
0636-0166	Chrome	
0636-0167	Black	








OEM-STYLE, POLISHED STAINLESS STEEL CUSTOM TRANSFORMATION III KITS

- Kits complement Diamond Engineering's Custom Transformation kits
- Includes fasteners for windshield, fairing inner (14-20 FLHX only), fairing lowers (Ultras) and fairing mounts (FLTRU/FLTRX), turn signals (front) and air deflectors (15-20 FLTRU/FLTRX/FLTRXS only), dash panel and fuel tank console and horn and bracket

PART #	DESCRIPTION
2401-1172	For 14-20 FLHTC/FLHTCU/FLHTCUL/FLHTK/FLHTKL
2401-1171	For 14-20 FLHX/FLHXS
2401-1173	For 15-20 FLTRU/FLTRK/FLTRX/FLTRXS



ALUMINUM CLAMPS

- Heat treated aluminum construction
- Clean, single-bolt attachment
- . Compatible with Ciro phone holders, drink holders and camera mounts
- \bullet Can be mounted on any 22 mm (7/8"), 25,4 mm (1") or 32 mm (11/4") round bar
- 22 mm (7 / $_{8}$ ") reducer ring included with clamp designed for 22 mm (7 / $_{8}$ ") or 25,4 mm (1") bars
- · Available in chrome-plated or black finish
- Sold each

PART #	COLOR	
FOR 22 MM (7/8") OR 25,4 MM (1") ROUND BARS		
0636-0160	Chrome	
0636-0161	Black	
FOR 32 MM (11/4") ROUND	BARS	
0636-0162	Chrome	
0636-0163	Black	

