

**VANCE  
HINES**

## VO2 X AIR INTAKES

- Extracts the maximum performance from any machine by utilizing the K&N Xstream high-flow air filter
- CNC-machined billet cover
- High-capacity washable air filter element
- Include backing plate, venturi and breather assemblies
- See page 570 of the 2022 Parts Europe FatBook for the complete line of Vance & Hines VO2 X Air Intakes

**NOTE:** CVO/114"/117" models and models with SE Stage 1 air cleaners will require support bracket H-D part #16400049 to install.

PART #	DESCRIPTION
FOR 17-22 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK/H-D FL TRIKES	
<a href="#">1010-2932</a>	Chrome
<a href="#">1010-2924</a>	Black contrast
FOR 08-16 FLHT/FLHR/FLHX/FLTR/H-D FL TRIKES, 16-17 FXDLS, 16-17 SOFTAILS, 14-15 FLSTNSE, 13-14 FXSBSE, 11-12 FLSTSE	
<a href="#">1010-2931</a>	Chrome
<a href="#">1010-2923</a>	Black contrast
FOR 18-22 SOFTAILS	
<a href="#">1010-2932</a>	Chrome
<a href="#">1010-2924</a>	Black contrast



1010-2932



1010-2921

PART #	DESCRIPTION
FOR 01-17 TWIN CAM W/ DELPHI EFI, 99-06 TWIN CAM W/ CV CARB (EXCEPT 08-17 FLHT/FLHR/FLHX/FLTR/H-D FL TRIKES, 16-17 FXDLS, 16-17 SOFTAILS, 14-15 FLSTNSE, 13-14 FXSBSE, 11-12 FLSTSE)	
<a href="#">1010-2930</a>	Chrome
<a href="#">1010-2922</a>	Black contrast
FOR 91-22 XL (EXCEPT 21-22 SPORTSTER S/RH1250S AND 22 NIGHTSTER/RH975)	
<a href="#">1010-2929</a>	Chrome
<a href="#">1010-2921</a>	Black contrast

## VO2 BLADE AIR INTAKES

- Sharp, clean lines give any V-Twin the edge in both show and go by utilizing the K&N XStream high-flow air filter
- CNC-machined billet cover
- High-capacity washable air filter element
- Include backing plate, venturi and breather assemblies
- See page 570 of the 2022 Parts Europe FatBook for the complete line of Vance & Hines VO2 Blade Air Intakes

**NOTE:** CVO/114"/117" models and models with SE Stage 1 air cleaners will require support bracket H-D part #16400049 to install.

PART #	DESCRIPTION
FOR 17-22 FLHT/FLHR/FLHX/FLTRX/FLTRU/FLTRK/H-D FL TRIKES	
<a href="#">1010-2920</a>	Chrome
<a href="#">1010-2912</a>	Black contrast
FOR 08-16 FLHT/FLHR/FLHX/FLTR/H-D FL TRIKES, 16-17 FXDLS, 16-17 SOFTAILS, 14-15 FLSTNSE, 13-14 FXSBSE, 11-12 FLSTSE	
<a href="#">1010-2919</a>	Chrome
<a href="#">1010-2911</a>	Black contrast
FOR 18-22 SOFTAILS	
<a href="#">1010-2920</a>	Chrome
<a href="#">1010-2912</a>	Black contrast



1010-2912



1010-2917

PART #	DESCRIPTION
FOR 99-17 TWIN CAM W/ DELPHI EFI, 99-06 TWIN CAM W/ CV CARB (EXCEPT 08-17 FLHT/FLHR/FLHX/FLTR/H-D FL TRIKES, 16-17 FXDLS, 16-17 SOFTAILS, 14-15 FLSTNSE, 13-14 FXSBSE, 11-12 FLSTSE)	
<a href="#">1010-2918</a>	Chrome
<a href="#">1010-2910</a>	Black contrast
FOR 91-22 XL (EXCEPT 21-22 SPORTSTER S/RH1250S AND 22 NIGHTSTER/RH975)	
<a href="#">1010-2917</a>	Chrome
<a href="#">1010-2688</a>	Black contrast

# VANCE HINES



1010-2907



1010-2901

## V02 CAGE FIGHTER AIR INTAKE KITS

- Designed for maximum airflow to the filter element while providing a custom look
- Include washable high-flow filter element
- Feature large inlet backing plate and billet venturi
- See page 570 of the 2022 Parts Europe FatBook for the complete line of Vance & Hines V02 Cage Fighter Air Intake Kits

**NOTE:** CV0/114"/117" models and models with SE Stage 1 air cleaners will require support bracket H-D part #16400049 to install.

PART #	DESCRIPTION
FOR 17-22 FLHT/FLHR/FLHX/FLTRX/FLTRU	
<a href="#">1010-2908</a>	Brushed
FOR 08-16 FLHT/FLHR/FLHX/FLTR/H-D FL TRIKES, 16-17 FXDLS, 16-17 SOFTTAILS, 14-15 FLSTNSE, 13-14 FXSBSE AND 11-12 FLSTSE	
<a href="#">1010-2907</a>	Brushed
FOR 18-22 FXBB/FXBR/FXFB/FXLR/FLDE/FLFB/FLHC/FLSB/FLSL	
<a href="#">1010-2908</a>	Brushed

PART #	DESCRIPTION
FOR 01-17 TWIN CAM W/ DELPHI EFI, 99-06 TWIN CAM MODELS W/ CV CARB (EXCEPT 08-17 FLHT/FLHR/FLHX/FLTR/H-D FL TRIKES, 16-17 FXDLS, 16-17 SOFTTAILS, 14-15 FLSTNSE, 13-14 FXSBSE AND 11-12 FLSTSE)	
<a href="#">1010-2906</a>	Brushed
FOR 91-22 XL (EXCEPT 21-22 SPORTSTER S/RH1250S AND 22 NIGHTSTER/RH975)	
<a href="#">1010-2905</a>	Brushed
<a href="#">1010-2901</a>	Black contrast
FOR 91-21 XL (EXCEPT 21 SPORTSTER S/RH1250S)	
<a href="#">1010-2518</a>	Brushed



1010-2899



1010-2894

## V02 ROGUE AIR INTAKE KITS

- For those looking to carry the classic upswept design throughout their motorcycle, the V02
  - Rogue air intake echoes the classic rounded styling of the 2-into-1 Upsweep exhaust system
  - Include washable high-flow filter element
  - Feature large inlet backing plate and billet venturi
  - Include mounting hardware and installation instructions
  - See page 571 of the 2022 Parts Europe FatBook for the complete line of Vance & Hines V02 Rogue Air Intake Kits
- NOTE:** CV0/114"/117" models and models with SE Stage 1 air cleaners will require support bracket H-D part #16400049 to install.

PART #	DESCRIPTION
FOR 17-22 FLHT/FLHR/FLHX/FLTR/H-D FL TRIKES	
<a href="#">1010-2900</a>	Chrome
<a href="#">1010-2897</a>	Black
FOR 08-16 FLHT/FLHR/FLHX/FLTR/H-D FL TRIKES, 16-17 FXDLS, 16-17 SOFTTAILS, 14-15 FLSTNSE, 13-14 FXSBSE, 11-12 FLSTSE MODELS	
<a href="#">1010-2899</a>	Chrome
FOR 18-22 SOFTTAILS	
<a href="#">1010-2900</a>	Chrome
<a href="#">1010-2897</a>	Black

PART #	DESCRIPTION
FOR 01-17 TWIN CAM W/ DELPHI EFI, 99-06 TWIN CAM MODELS W/ CV CARB (EXCEPT 08-17 FLHT/FLHR/FLHX/FLTR/H-D FL TRIKES, 16-17 FXDLS, 16-17 SOFTTAILS, 14-15 FLSTNSE, 13-14 FXSBSE, 11-12 FLSTSE)	
<a href="#">1010-2898</a>	Chrome
<a href="#">1010-2895</a>	Black
FOR 91-22 XL MODELS (EXCEPT 21-22 SPORTSTER S/RH1250S AND 22 NIGHTSTER/RH975)	
<a href="#">1010-2181</a>	Chrome
<a href="#">1010-2894</a>	Black



1010-2888



1010-1594

## NAKED V02 AIR INTAKES

- A high-flow replacement kit with greater airflow
- CNC-machined venturi
- Includes a washable high-flow and reusable air filter
- Larger inlet backing plate
- See page 571 of the 2022 Parts Europe FatBook for the complete line of Vance & Hines Naked V02 Air Intakes

PART #	DESCRIPTION
<a href="#">1010-2892</a> <sup>1, 2</sup>	For 17-22 FLHT/FLHR/FLHX/FLTRX/H-D FL Trike models, 18-22 Softail models
<a href="#">1010-2221</a> <sup>3</sup>	For 17-21 FLHT/FLHR/FLHX/FLTRX/H-D FL Trike models (107" motors)
<a href="#">1010-2887</a> <sup>1</sup>	For 01-17 Twin Cam w/ Delphi EFI, 99-06 Twin Cam w/ CV carb (except 08-17 Dressers, Dyna, X-Bones, 16-17 Softails)
<a href="#">1010-2888</a> <sup>1</sup>	For 08-17 FXD/FXDWG models (except FXDLS)
<a href="#">1010-2889</a> <sup>1</sup>	For 91-22 XL (except 21-22 Sportster S/RH1250S and 22 Nightster/RH975)
<a href="#">1010-0866</a> <sup>1</sup>	For 91-21 XL models (except 21 Sportster S/RH1250S)
<a href="#">1010-1594</a> <sup>1</sup>	For 15-20 XG 500/750

<sup>1</sup> Will not accept stock cover, must use Vance & Hines Skullcap outer covers (sold separately; see page 584 of the 2022 Parts Europe FatBook).

<sup>2</sup> CVO/114"/117" models and models with SE Stage 1 air cleaners will require support bracket H-D part #16400049 to install.

<sup>3</sup> Accepts stock cover.



1010-2950



1010-2957

## V02 FALCON AIR INTAKES

- Sleek forward-facing 90° intake design
- Race-proven intake tube available in forged carbon fiber and weaved carbon fiber
- CNC-machined billet aluminum backing plate, breather stand-offs and flange cover
- Integrated breather assembly using 12-point stainless banjo bolts
- Washable high-flow oiled-media air filter with stamped V&H logo
- Matched induction module cover on Throttle-By-Wire models
- Mounting hardware and instructions included

PART #	DESCRIPTION
FOR 17-22 FLHT/FLHR/FLHX/FLTRX/FLTRU/H-D FL TRIKES	
<a href="#">1010-2950</a>	Forged carbon fiber
<a href="#">1010-2954</a>	Weaved carbon fiber
FOR 18-22 SOFTAILS	
<a href="#">1010-2950</a>	Forged carbon fiber
<a href="#">1010-2954</a>	Weaved carbon fiber

PART #	DESCRIPTION
FOR 91-22 XL (EXCEPT 21-22 SPORTSTER S/RH1250S AND 22 NIGHTSTER/RH975)	
<a href="#">1010-2953</a>	Forged carbon fiber
<a href="#">1010-2957</a>	Weaved carbon fiber





## V-TWIN MOTO HANDLEBARS

- Constructed of 7075-T6 alloy for added strength
- Shot-peened and hard anodized black for improved durability
- Slotted for internal wiring and notched for Throttle-By-Wire
- Laser-etched ODI graphics
- Knurled left side helps with grip bar adhesion
- Control length 20,3 cm (8")
- Bars with 28,6 mm (1<sup>1</sup>/<sub>8</sub>") clamping area require special risers (sold separately)

PART #	ODI BEND	WIDTH	HEIGHT	RISE	CLAMP	SWEEP
25,4 MM (1") HANDLEBARS W/ 28,6 MM (1 <sup>1</sup> / <sub>8</sub> ") CLAMPING AREA						
<b>0601-5895</b>	V-Twin/MOTO	80 cm (31 <sup>1</sup> / <sub>2</sub> ")	12 cm (4 <sup>3</sup> / <sub>4</sub> ")	82 mm (3 <sup>15</sup> / <sub>64</sub> ")	28,6 mm (1 <sup>1</sup> / <sub>8</sub> ")	54 mm (2 <sup>1</sup> / <sub>8</sub> ")
<b>0601-5896</b>	V-Twin/MOTO	80 cm (31 <sup>1</sup> / <sub>2</sub> ")	12 cm (4 <sup>3</sup> / <sub>4</sub> ")	82 mm (3 <sup>15</sup> / <sub>64</sub> ")	28,6 mm (1 <sup>1</sup> / <sub>8</sub> ")	54 mm (2 <sup>1</sup> / <sub>8</sub> ")
<b>0601-5897</b>	V-Twin Tracker	76 cm (30")	70 mm (2 <sup>3</sup> / <sub>4</sub> ")	7 mm (2 <sup>3</sup> / <sub>4</sub> ")	28,6 mm (1 <sup>1</sup> / <sub>8</sub> ")	43 mm (1 <sup>11</sup> / <sub>16</sub> ")
<b>0601-5898</b>	V-Twin Tracker	76 cm (30")	7 mm (2 <sup>3</sup> / <sub>4</sub> ")	7 mm (2 <sup>3</sup> / <sub>4</sub> ")	28,6 mm (1 <sup>1</sup> / <sub>8</sub> ")	43 mm (1 <sup>11</sup> / <sub>16</sub> ")
25,4 MM (1") HANDLEBARS W/ 25,44 MM (1") CLAMPING AREA						
<b>0601-5899</b>	V-Twin MOTO	80 cm (31 <sup>1</sup> / <sub>2</sub> ")	70 mm (2 <sup>3</sup> / <sub>4</sub> ")	82 mm (3 <sup>15</sup> / <sub>64</sub> ")	25,4 mm (1")	54 mm (2 <sup>1</sup> / <sub>8</sub> ")
<b>0601-5901</b>	V-Twin Tracker	76 cm (30")	70 mm (2 <sup>3</sup> / <sub>4</sub> ")	7 mm (2 <sup>3</sup> / <sub>4</sub> ")	25,4 mm (1")	43 mm (1 <sup>11</sup> / <sub>16</sub> ")
<b>0601-5900</b>	V-Twin Tracker	76 cm (30")	70 mm (2 <sup>3</sup> / <sub>4</sub> ")	7 mm (2 <sup>3</sup> / <sub>4</sub> ")	25,4 mm (1")	43 mm (1 <sup>11</sup> / <sub>16</sub> ")



## CLUTCH BASKET

- Constructed from billet aluminum and hard anodized to deliver enhanced clutch modulation
- Extreme durability resists notching and extends clutch life
- Exclusive replaceable cushions protect your transmission from damage even in the most extreme conditions
- Tightly controlled tolerances ensure smooth operation, less drag and reduced clutch noise
- Think of a clutch basket as the backbone of your entire clutch system
- Precision CNC-machining combined with innovative world-class engineering allows Rekluse clutch baskets to safeguard your vital internal components, keeping you on the on the road for the long haul



**PART #**  
**1132-1827**

**DESCRIPTION**  
For 07-17 Twin Cam



## HI-PRESSURE SHOCK PUMPS

- For rear shock and front fork adjustable air suspensions; may also be used for emergency tire repairs
- Fitted with a precise adjust button 2-3 psi per push
- Rotary flexible hose, die-cast gauge base and ergonomic pump handle for simple operation
- Twist and lock removable gauge allows safe, easy storage and transport; fits into a saddlebag or other storage area easily
- Overall length 23 cm (9"); sold each

PART #	DESCRIPTION
<b>3805-0082</b>	Pump w/ 0-30 psi gauge
<b>3805-0083</b>	Pump w/ 0-60 psi gauge

## OIL EXTRACTORS

- A great tool with multiple applications and uses that is perfect for the home enthusiast or professional workshop
- Easy and clean removal of engine oil, transmission oil, coolant, brake fluid, water or any other fluid you need to drain away
- Fluid extractors are manually pumped and operate by vacuum
- Just insert the extraction tube in the sump or tank and with a few pumps it will start to extract the fluid with ease (continuous pumping is not required)
- Keeps the fluid safe and sealed to avoid spills or waste
- Comes with a built-in carry handle and spout for easy disposal or storage
- Storage cylinder on the side of the pump keeps the extraction tubes stored safe and tidy
- Included are a main extraction tube, extension tubes, built-in shut off valve to prevent overfill, built-in manual pressure relief valve and a foldaway foothold bracket
- Max operation temp 100 °C (212 °F)
- Available in 4,0 liter or 6,5 liter sizes



PART #	DESCRIPTION
<b>3801-0422</b>	4,0 liter extractor
<b>3801-0423</b>	6,5 liter extractor

## LEGACY GAS TANKS

- Precision-made tanks are TIG-welded construction using deep-drawn steel
- Unique, functional styling gives the bike a great custom look
- All styles hold approximately 12 liters (3 US gal.) and are pressure-tested
- Includes stock screw-in gas cap bung (gas cap sold separately; use 99-up style vented gas cap)
- Install using stock mounts
- PART # 0701-0765 accepts late-model 07-up fuel pump and fittings
- PART # 0701-0764 has left-hand 22 mm threaded petcock bung
- PART # 0701-0762 has left- and right-hand 22 mm threaded petcock bungs and includes a steel block-off cap

PART #	DESCRIPTION
<b>0701-0765</b>	For 07-22 XL (except 21-22 Sportster S/RH1250S, 22 Nightster/RH975); repl. OEM #61405-07
<b>0701-0764</b>	For 04-06 XL; repl. OEM #61348-04
<b>0701-0762</b>	For 82-03 XL; repl. OEM #s 61023-93, 61348-96A



0701-0762



0703-0460



0703-0292



0703-0328



0703-0289



## POP-UP GAS CAPS

- Billet aluminum construction
- Fit is nearly flush when closed; opens easily with just a quarter-turn of the center cap
- Styles available to fit early and late-model OEM gas tanks with screw-in style gas caps
- Sold each

PART #	DESCRIPTION
FOR L96-22 MODELS (2,36" OD)	
0703-0459	Vented, chrome
0703-0460	Vented, black wrinkle
0703-0292	Non-vented, chrome (except 18-22 FLHR/Softails)
0703-0327	Non-vented, black wrinkle (except 18-22 FLHR/Softails)
0703-0328 <sup>1</sup>	Dummy style; repl. fuel gauge, chrome (except 18-22 Softails)

PART #	DESCRIPTION
FOR 83-E96 MODELS (2,36" OD)	
0703-0289	Vented, chrome
0703-0324	Vented, black wrinkle
0703-0325	Non-vented, black wrinkle
0703-0290	Non-vented, chrome

<sup>1</sup> 2,75" OD

## POP-UP GAS FILLER AND FUEL LEVEL CAPS

- Replace your stock cap and gas gauge with this sleek addition
- Left-side cap features a low-fuel LED warning light built in; push-in installation and wiring harness included
- User-programmable to light the LED at any pre-set fuel level
- Fits all bikes with a left-side analog gas gauge
- Right-side cap fits nearly flush, opens easily with a quarter-turn of the cap center
- Chrome finish



0703-0510



0703-0293



FOR L96-22 MODELS (EXCEPT 18-22 FLHR/SOFTAIL AND 04-17 XL) (2,75" OD)

PART #	DESCRIPTION
0703-0510	Fuel level cap w/ LED warning light

PART #	DESCRIPTION
0703-0293	Vented pop-up gas cap

## SCREW-IN LOCKING GAS CAPS

- Locking cap discourages fuel theft and tampering
- Lock has a swing-away cover to keep dirt and debris out of the locking mechanism
- Two keys included
- Sold each

PART #	DESCRIPTION
FOR 99-22 BIG TWIN AND L96-22 XL (EXCEPT 21-22 SPORTSTER S/RH1250S AND 22 NIGHTSTER/RH975)	
0703-0230	Chrome, vented
0703-0231	Chrome, non-vented (except 18-22 FLHR/Softails)
0703-0815	Gloss black, vented



0703-0815



0703-0229

PART #	DESCRIPTION
FOR 99-22 BIG TWIN AND L96-22 XL (EXCEPT 21-22 SPORTSTER S/RH1250S AND 22 NIGHTSTER/RH975) (CONT)	
0703-0816	Gloss black, non-vented (except 18-22 FLHR/Softails)
FOR 84-E96 MODELS	
0703-0228	Chrome, vented
0703-0229	Chrome, non-vented



2107-0245



2107-0246

## ELECTRIC HORN KITS

- Kit includes horn (OEM #69060-90F), cover (OEM #69012-93A), mounting bracket (OEM #69120-91), rubber mount (OEM #69123-92) and mounting hardware
- 12V, 110 dB signal

FOR 99-22 TOURING, 99-17 SOFTAIL, DYNA AND 91-22 XL MODELS (EXCEPT 21-22 SPORTSTER S/RH1250S AND 22 NIGHTSTER/RH975)

PART #	DESCRIPTION
<b>2107-0245</b>	Chrome

PART #	DESCRIPTION
<b>2107-0246</b>	Gloss Black

## REPLICA HORN

- A reproduction of the "no longer available" early H-D 12V horn with a chrome front that came standard on 32-52 45", 42-49 61" and 74" and 53-54 Servi-Car models
- Includes mounting bracket
- 110 dB signal



**NOTE:** Not for use on 14-22 Dresser models.

PART #	DESCRIPTION
<b>DS-272123</b>	For restoration or installation on late-model Glides and customs; repl. OEM #69001-42

## 12V HORNS

- Emits a 110 dB output
- Sold each



2107-0304

2107-0305

PART #	DESCRIPTION
FOR 96-22 XL (EXCEPT 21-22 SPORTSTER S/RH1250S AND 22 NIGHTSTER/RH975), 08-13 XR MODELS W/ UP FRONT HORN	
<b>2107-0304</b>	Chrome; repl. OEM #69000007
<b>2107-0305</b>	Matte black; repl. OEM #69000009



DS-271996

DS-271997

## CHROME HORNS

- 12V horn emits a loud (113 dB) signal
- 10 cm (4") diameter; universal mount
- Sold each

PART #	DESCRIPTION
<b>DS-271996</b>	Slotted
<b>DS-271997</b>	Mag



## 12V HORN WITH CHROME COVER

- Custom horn with a snap-on chrome cover
- Features spade-type terminal connectors and an injection-molded cover
- Cover measures 86 mm (3<sup>3</sup>/<sub>8</sub>") diameter
- Emits a loud (113 dB) signal
- Sold each

PART #	DESCRIPTION
<b>DS-272127</b>	12V horn w/ chrome cover