



0931-1167

## 136" BIG BORE KITS FOR M-EIGHT 107"/114"/117" ENGINES

- Bolt-on kit, the largest cylinder bore possible without requiring machining of the crankcases
- Takes 107"/114"/117" to 136" displacement
- Must be used with S&S stroker flywheel PART #0922-0168 (sold separately)
- 4,320" bore
- 11:1 forged pistons
- All necessary gaskets and hardware required for installation included
- Includes cam cover badge



0931-1168


PART #	DESCRIPTION
FOR 17-23 107"/114"/117" M-EIGHT	
0931-1167	Wrinkle black finish w/o highlighted cylinder fins
0931-1168	Black granite finish w/ highlighted cylinder fins

## CAM PHASER TOOL

- Required service tool for accessing the cam chest on VVT engines
- Holds the cam phaser assembly in place to allow removal of the spool valve bolt
- Lets you get access to the cam plate, oil pump and the cam
- CNC-machined from 4130 steel



PART #	DESCRIPTION
3801-0434	For 23 FLTRXSE, FLHXSE



## SQUARE SISSY BARS AND SIDE PLATES

- Bars are constructed from 14,3 mm ( $9/16$ "") solid steel with  $1/4$ "-20 threads
- Side plates feature raised accent on select applications
- Easy, bolt-on design – no drilling required (hardware included)
- Bars are measured from first bend on leg to the top of the bar
- Bars and side plates are sold separately

**NOTE:** 90-93 XL models will require longer turn signal stalks when reinstalling stock turn signals; use PART #DS-264005.

**NOTE:** Sissy bars do not accept luggage rack.

FITS MODEL	SIDE PLATES (PR.)	SHORT BAR	BAR HEIGHT	TALL BAR	BAR HEIGHT	BAR WIDTH (O.D.)
<b>CHROME SISSY BARS AND SIDE PLATES</b>						
For 99-08 FLHT/FLHR/FLTR/FLHX (w/o Tour-Pak <sup>®</sup> )	1504-0112	1501-0763	26 cm (10,14")	1501-0764	37,5 cm (14,75")	22 cm (8 $3/4$ "")
For 18-23 FLFB/FLFBS/FXBR/FXBRS	1504-0125	1501-0775	28 cm (11")	1501-0776	39,5 cm (15,5")	28 cm (11")
For 18-23 FLFB/FXLR/FXLRS	1504-0128	1501-0775	28 cm (11")	1501-0776	39,5 cm (15,5")	28 cm (11")
For 18-23 FLDE/FLHC/FLHCS/FLSL/FXBB/FXBBS	1504-0126	1501-0763	26 cm (10,14")	1501-0764	37,5 cm (14,75")	22 cm (8 $3/4$ "")
For 06-10 FXST/S/B, 07-17 FLSTF (except 07-10 FXSTC)	1504-0113	1501-0775	28 cm (11")	1501-0776	39,5 cm (15,5")	28 cm (11")
For 00-05 FXST/S/B, 00-06 FLSTF, 05-06 FLSTN	1504-0113	1501-0763	26 cm (10,14")	1501-0764	37,5 cm (14,75")	22 cm (8 $3/4$ "")
For 00-17 FLSTC, 00-07 FLSTS/C, 07-17 FLSTN	1504-0115	1501-0763	26 cm (10,14")	1501-0764	37,5 cm (14,75")	22 cm (8 $3/4$ "")
For 86-99 FLSTC/N, 90-99 FLSTF	1504-0116	1501-0763	26 cm (10,14")	1501-0764	37,5 cm (14,75")	22 cm (8 $3/4$ "")
For 06-17 FXD	1504-0120	1501-0763	26 cm (10,14")	1501-0764	37,5 cm (14,75")	22 cm (8 $3/4$ "")
For 02-05 Dynas (except FXDWG)	1504-0111	1501-0769	25,5 cm (10")	1501-0770	32 cm (12,5")	19 cm (7 $1/2$ "")
For 99-01 FXD (except FXDX, FXDWG)	1504-0111	1501-0785	25,5 cm (10")	1501-0786	32,5 cm (12,8")	17 cm (6 $1/16$ "")
For 10-17 FXDWG	1504-0120	-	-	-	-	-
For 06-08 FXDWG	-	1501-0763	26 cm (10,14")	1501-0764	37,5 cm (14,75")	22 cm (8 $3/4$ "")
For 04-20 XL	1504-0117	1501-0769	25,5 cm (10")	1501-0770	32 cm (12,5")	19 cm (7 $1/2$ "")
For 94-03 XL	1504-0110	1501-0782	25,5 cm (10")	1501-0783	38,5 (15,14")	21 cm (8 $1/4$ "")
For 86-93 XL	1504-0109	1501-0782	25,5 cm (10")	1501-0783	38,5 (15,14")	21 cm (8 $1/4$ "")
<b>BLACK SISSY BARS AND SIDE PLATES</b>						
For 14-23 FLHT/FLHR/FLHRSE/FLHX/FLHXS	1504-0124	1501-0779	28 cm (11")	1501-0780	39,5 cm (15,5")	28 cm (11")
For 18-23 FXFB/FXFBS	1504-0130	-	-	-	-	-
For 18-23 FLFB/FLFBS/FXBR/FXBRS	1504-0127	1501-0779	28 cm (11")	1501-0780	39,5 cm (15,5")	28 cm (11")
For 18-23 FLFB/FXLR/FXLRS	1504-0129	1501-0779	28 cm (11")	1501-0780	39,5 cm (15,5")	28 cm (11")
For 18-23 FLDE/FLHC/FLHCS/FLSL/FXBB/FXBBS	1504-0131	1501-0766	25,5 cm (10")	1501-0767	37,5 cm (14,75")	22 cm (8 $3/4$ "")
For 00-17 FLSTF	1504-0114	1501-0766	25,5 cm (10")	1501-0767	37,5 cm (14,75")	22 cm (8 $3/4$ "")
For 12-17 FLS, 11-13 FXS	1504-0123	1501-0766	25,5 cm (10")	1501-0767	37,5 cm (14,75")	22 cm (8 $3/4$ "")
For 00-05 FXST/S/B, 00-06 FLSTF, 05-06 FLSTN	1504-0115	1501-0766	25,5 cm (10")	1501-0767	37,5 cm (14,75")	22 cm (8 $3/4$ "")
For 06-17 Dyna (except 06-08 FXDWG, FXDF, FLD)	1504-0121	1501-0766	25,5 cm (10")	1501-0767	37,5 cm (14,75")	22 cm (8 $3/4$ "")
For 10-17 FXDWG	1504-0121	-	25,5 cm (10")	-	-	25 cm (9 $7/8$ "")
For 10-13 FXDF	1504-0121	-	25,5 cm (10")	-	-	25 cm (9 $7/8$ "")
For 04-20 XL	1504-0118	1501-0772	25,5 cm (10")	1501-0773	32 cm (12,5")	19 cm (7 $1/2$ "")



1504-0112



1504-0111



1504-0118

## ROUND SISSY BARS AND SIDE PLATES


- All sissy bars are constructed from 14,3 mm ( $9/16$ " ) solid steel with  $1/4$ "-20 threads
- Easy bolt-on design – no drilling required (hardware included)
- Bars are measured from the first bend to the top of the bar
- Bars and side plates sold separately



1501-0774



1501-0777



### FITS MODEL

#### CHROME SISSY BARS AND SIDE PLATES

FITS MODEL	SIDE PLATES (PR.)	TAPERED SISSY BAR	BAR HEIGHT	BAR WIDTH (O.D.)
For 99-08 FLHT/FLHR/FLTR/FLHX (w/o Tour-Pak <sup>®</sup> )	1504-0112	1501-0762	25,5 cm (10,1")	22 cm (8 <sup>3/4</sup> " )
For 18-23 FLFB/FLFBS/FXBR/FXBRS	1504-0125	1501-0774	28 cm (11")	28 cm (11")
For 18-23 FLSB/FXLR/FXLRS	1504-0128	1501-0774	28 cm (11")	28 cm (11")
For 18-23 FLDE/FLHC/FLHCS/FLSL/FXBB/FXBBS	1504-0126	1501-0762	25,5 cm (10,1")	22 cm (8 <sup>3/4</sup> " )
For 06-10 FXST/S/B, 07-17 FLSTF (except 07-10 FXSTC)	1504-0113	1501-0774	39,5 cm (15,5")	28 cm (11")
For 00-05 FXST/S/B, 00-06 FLSTF, 05-06 FLSTN	1504-0113	1501-0762	25,5 cm (10,1")	22 cm (8 <sup>3/4</sup> " )
For 00-17 FLSTC, 00-07 FLSTS/C, 07-17 FLSTN	1504-0115	1501-0762	25,5 cm (10,1")	22 cm (8 <sup>3/4</sup> " )
For 86-99 FLSTC/N, 90-99 FLSTF	1504-0116	1501-0762	25,5 cm (10,1")	22 cm (8 <sup>3/4</sup> " )
For 06-17 FXD	1504-0120	1501-0762	25,5 cm (10,1")	22 cm (8 <sup>3/4</sup> " )
For 02-05 Dyna (except FXDWG)	1504-0111	1501-0768	33 cm (13,06")	19 cm (7 <sup>1/2</sup> " )
For 99-01 Dyna (except FXDWG/00-01 FXDX)	1504-0111	1501-0784	33 cm (13,07")	17 cm (6 <sup>11/16</sup> " )
For 10-17 FXDWG	1504-0120	-	35 cm (13,8")	25 cm (9 <sup>7/8</sup> " )
For 06-08 FXDWG	-	1501-0762	25,5 cm (10,1")	22 cm (8 <sup>3/4</sup> " )
For 04-20 XL	1504-0117	1501-0768	33 cm (13,06")	19 cm (7 <sup>1/2</sup> " )
For 94-03 XL	1504-0110	1501-0781	29 cm (11,5")	21 cm (8 <sup>1/4</sup> " )
For 86-93 XL	1504-0109	1501-0781	29 cm (11,5")	21 cm (8 <sup>1/4</sup> " )

#### GLOSS BLACK SISSY BARS AND SIDE PLATES


For 14-20 FLHT/FLHR/FLHRSE/FLHX/FLHXS	1504-0124	1501-0778	28 cm (11")	28 cm (11")
For 18-22 FXFB/FXFBS	1504-0130	1501-0777	35 cm (13,8")	25 cm (9 <sup>7/8</sup> " )
For 18-22 FLFB/FLFBS/FXBR/FXBRS	1504-0127	1501-0778	28 cm (11")	28 cm (11")
For 18-22 FLSB/FXLR/FXLRS	1504-0129	1501-0778	28 cm (11")	28 cm (11")
For 18-22 FLDE/FLHC/FLHCS/FLSL/FXBB/FXBBS	1504-0131	1501-0765	25,5 cm (10,1")	22 cm (8 <sup>3/4</sup> " )
For 12-17 FLS/FXS	1504-0123	1501-0765	25,5 cm (10,1")	22 cm (8 <sup>3/4</sup> " )
For 00-05 FXST/S/B, 00-06 FLSTF, 05-06 FLSTN	1504-0114	1501-0765	25,5 cm (10,1")	22 cm (8 <sup>3/4</sup> " )
For 06-17 Dyna (except 06-08 FXDWG, FXDF, FLD)	1504-0121	1501-0765	25,5 cm (10,1")	22 cm (8 <sup>3/4</sup> " )
For 10-17 FXDWG	1504-0121	1501-0777	35 cm (13,8")	25 cm (9 <sup>7/8</sup> " )
For 10-13 FXDF	1504-0121	1501-0777	35 cm (13,8")	25 cm (9 <sup>7/8</sup> " )
For 04-20 XL	1504-0118	1501-0771	33 cm (13,06")	19 cm (7 <sup>1/2</sup> " )



0652-2984



0652-2986



## HIGH-EFFICIENCY CLUTCH CABLES

- Barnett cables are smooth-working, long-lasting and are made with the finest components available, making them virtually indestructible
- Available in easy-pull high-efficiency design in standard diameters
- High-efficiency clutch cables reduce lever effort by up to 40%
- Available in four styles
- Platinum Series cables feature a bright, silver-plated braid
- Stainless steel cables with clear coating offer that custom look without the fear of damaging areas that the cables come in contact with

- Stealth Series “Black on black” cables feature a black vinyl casing with black chrome elbows and hardware
- Classic black vinyl cables feature a black vinyl casing with chrome elbows and hardware
- Carbon coat with black fittings cables feature a black carbon fiber-look casing with black chrome elbows and hardware

**NOTE:** These cables are made with a BTE adjuster and are not self adjusting cables.

DESCRIPTION	STAINLESS STEEL #	STEALTH #	BLACK VINYL #	CARBON COAT WITH BLACK FITTINGS PART #	STANDARD OR OVERSIZED (MM)
<b>DRESSER MODELS</b>					
For 21-24 FLHP/FLTRK/FLTRXS, 22-24 FLTR/FLTRXST, 23-24 FLTRT, 24 FLTRXP, 21-23 FLTRX	-	-	0652-2992	-	Standard
	-	-	0652-2993	-	+152 mm (6")
	-	-	0652-2994	-	+203 mm (8")
	-	-	0652-2995	-	+254 mm (10")
For 23-24 FLTRXSE	0652-2988	0652-2990	0652-2989	0652-2991	Standard
For 23 FLHFB, 21-24 FLHP/FLTRK/FLTRXS, 22-24 FLTR/FLTRXST, 23-24 FLTRT, 21-23 FLTRX, 24 FLTRXP	0652-2996	0652-3000	-	-	Standard
	0652-2997	0652-3001	-	-	+152 mm (6")
	0652-2998	0652-3002	-	-	+203 mm (8")
	0652-2999	0652-3003	-	-	+254 mm (10")
For 23 FLHXSE	0652-2984	0652-2986	0652-2985	0652-2987	Standard
<b>SOFTAIL MODELS</b>					
For 23 FLFB	-	-	0652-2992	-	Standard
	-	-	0652-2993	-	+152 mm (6")
	-	-	0652-2994	-	+203 mm (8")
	-	-	0652-2995	-	+254 mm (10")
For 18-20 FLFB/FXBB, 18-23 FLBBS, 21-23 FXBBS, 21-23 FXST	0652-3008	0652-3012	-	-	Standard
	0652-3009	0652-3013	-	-	+152 mm (6")
	0652-3010	0652-3014	-	-	+203 mm (8")
	0652-3011	0652-3015	-	-	+254 mm (10")
For 18-20 FXBB/FLFB, 18-23 FLBS, 21-23 FXBBS/FXST	-	-	0652-3004	-	Standard
	-	-	0652-3005	-	+152 mm (6")
	-	-	0652-3006	-	+203 mm (8")
	-	-	0652-3007	-	+254 mm (10")




## ABS TOP FRONT BRAKE LINES

- Features stainless steel braided upper brake lines with a clear-coated, black vinyl-coated, Stealth Series black-vinyl coated with black chrome hardware or Carbon Coat with a black carbon fiber-look casing and black chrome hardware
- DOT replacement upper brake line runs from the ABS controller to the master cylinder

PART #	DESCRIPTION
<b>FOR 23 FHXSE</b>	
<a href="#">1741-6502</a>	Stainless steel
<a href="#">1740-0011</a>	Black
<a href="#">1740-0012</a>	Stealth
<a href="#">1741-6503</a>	Carbon

PART #	DESCRIPTION
<b>FOR 23 FLTRKSE</b>	
<a href="#">1741-6504</a>	Stainless steel
<a href="#">1740-0013</a>	Black
<a href="#">1740-0014</a>	Stealth
<a href="#">1741-6505</a>	Carbon



## EXTRA PLATE CLUTCH KIT

- Adds 11% more surface area to clutch pack
- Aramid fiber plates have a higher-density compound
- The aramid fiber friction plates provide increased durability
- Includes one extra friction and steel plate to add 10% to clutch capacity
- Heavy-duty springs are included

PART #	DESCRIPTION
<a href="#">1131-3945</a>	For 17-23 FLHT/FLHR/FLTR/FLHX models and 18-23 Softail models

## SCORPION SERIES CLEAR DERBY COVERS

- Features a 0,25"-thick, clear polycarbonate window to your clutch
- The scratch- and discoloration-resistant window is firmly secured and sealed with an O-ring gasket
- The outer cover area is CNC-machined from billet aluminum, then given a brilliant chrome or Stealth black-anodized finish
- The derby cover gasket is also included
- For the ultimate in looks and performance, install a Barnett lock-up clutch with your new cover

**NOTE:** Will also fit other 18 Softail models if using a narrow profile primary cover.



1107-0731



1107-0732

PART #	DESCRIPTION
<b>FOR 19-23 SOFTAIL MODELS, 18 FLSB</b>	
<a href="#">1107-0731</a>	Clear/black

PART #	DESCRIPTION
<b>FOR 19-23 SOFTAIL MODELS, 18 FLSB (CONT)</b>	
<a href="#">1107-0732</a>	Clear/chrome



## INVISION MONITOR

- Monitor critical engine data in real time, create data logs to review later, and easily read/clear DTCs
- Provides the data required to dial in a custom tune using our network of D-Flash dealers or Dynojet bench flash service
- Designed to serve you well with easy-to-read, high-contrast screen and easy-to-use tactile soft-touch buttons
- Durable design is weather and shock resistant



PART #	DESCRIPTION
1020-4211	For 20-24 Chief/Bobber/Dark Horse, 22-24 Super Chief/Limited, 22-24 Pursuit/Limited/Dark Horse/Premium, 20-24 Challenger/Dark Horse/Limited/Elite



## POWER PLATE KIT

- Designed for high output M-Eight engines
- Race engineered and race track proven
- Precision machined billet gold aluminum power plate with high performance black springs and chrome 12-point hardware
- Eliminates clutch slippage
- Cost effective solution when upgrading the clutch
- Increases clutch holding pressure by 50 percent
- Easy ten minute install
- Proven to hold 220 HP



1131-3941



1131-3943



1131-3944

DESCRIPTION	PART #
FOR ALL 17-24 M-EIGHT MODELS AND 09-17 TWIN CAM CVOS W/ SLIPPER CLUTCH	
Black	1131-3941
Red	1131-3943

DESCRIPTION	PART #
FOR ALL 17-24 M-EIGHT MODELS AND 09-17 TWIN CAM CVOS W/ SLIPPER CLUTCH (CONT)	
Raw	1131-3944



## MX-STYLE DRIVER FLOORBARDS

- TIG-welded steel construction for strength
- Black powdercoat finish for style
- Serrated top design keeps your feet firmly planted on the boards, even during aggressive riding
- Sold in pairs

PART #	DESCRIPTION
1621-1141	For 18-23 FLHC/S, FLFB/S, FLFL and FLDE models



## MILITANT FOOTPEGS

- Aggressive design with three grip rows
- Aircraft-grade 6061 3,4" x 2,25" platform for ultimate support
- Full 360° adjustable clevis
- Eye-catching chrome finish
- Sold in pairs

PART #	DESCRIPTION
1620-2582	M-Eight Softail/ELW/Pan America driver footpegs